


NASA/TM-2018-220037



# **HISTORY OF ON-ORBIT SATELLITE FRAGMENTATIONS 15<sup>th</sup> Edition**

Orbital Debris Program Office

*Phillip D. Anz-Meador  
John N. Opiela  
Debra Shoots*

*J.-C. Liou*

National Aeronautics and  
Space Administration

Lyndon B. Johnson Space Center  
Houston, Texas 77058

---

Publication Date (Information Cut-off Date: 4 July 2018)

## THE NASA STI PROGRAM OFFICE . . . IN PROFILE

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:


- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.

- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov>
- E-mail your question via the internet to [help@sti.nasa.gov](mailto:help@sti.nasa.gov)
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:  
NASA Access Help Desk  
NASA Center for AeroSpace Information  
7115 Standard  
Hanover, MD 21076-1320



# **HISTORY OF ON-ORBIT SATELLITE FRAGMENTATIONS 15<sup>th</sup> Edition**

Orbital Debris Program Office

*Phillip D. Anz-Meador*  
*John N. Opiela*  
*Debra Shoots*

*J.-C. Liou*

National Aeronautics and  
Space Administration

Lyndon B. Johnson Space Center  
Houston, Texas 77058

---

Publication Date (Information Cut-off Date: 4 July 2018)

Available from:

NASA Center for AeroSpace Information  
7115 Standard Drive  
Hanover, MD 21076-1320  
301-621-0390

National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
703-605-6000

This report is also available in electronic form at <http://ston.jsc.nasa.gov/collections/TRS/>

## Preface to the Fifteenth Edition

The first edition of the History of On-Orbit Satellite Fragmentations was published by Teledyne Brown Engineering (TBE) in August 1984, under the sponsorship of the NASA Johnson Space Center and with the cooperation of the United States Air Force Space Command and the U.S. Army Ballistic Missile Command. The objective was to bring together information about the 75 satellites, which had at that time experienced noticeable breakups. This update encompasses all known satellite fragmentations. This update is published by the NASA Johnson Space Center Orbital Debris Program Office (ODPO).

The information cut-off date for this edition is 4 July 2018.

Since the 14th edition (information cut-off date of 1 August 2007, published in June 2008) there have been 41 identified on-orbit breakups and 18 anomalous events (new or discerned), for a historical total of 242 fragmentations and 78 anomalous events. This activity, in addition to launch activity, has resulted in an approximately 36% increase in the number of cataloged resident space objects since 1 August 2007, which includes on-orbit and decayed objects. More significantly, breakup and anomalous debris accounted for 65% of the catalog growth observed since the last edition. The reason for these large increases was the first accidental collision of two intact spacecraft, Iridium 33 and Cosmos 2251, on 10 February 2009 and the continued cataloging of debris created by the intentional destruction of the *Fengyun 1C* spacecraft on 11 January 2007. There is no reason to believe that any of these three debris clouds have been cataloged completely, to a limiting RCS, as of this writing.

The current authors would like to recognize the substantial contributions of the authors of previous editions of this document. In addition, the assistance of personnel of U.S. Strategic Command, Air Force Space Command, and Naval Network and Space Operations Command (formerly Naval Space Command) has been vital to the present work. Finally, special thanks to Mr. Chris Ostrom of the NASA Orbital Debris Program Office for his thorough review of this 15<sup>th</sup> edition.



## CONTENTS

<b>Preface to the Fifteenth Edition .....</b>	<b>i</b>
<b>ACRONYMS .....</b>	<b>x</b>
<b>1.0 INTRODUCTION .....</b>	<b>1</b>
1.1 Definition of Terms.....	3
1.2 Information Sources and Accuracy.....	4
1.3 Environment Overview .....	5
1.3.1 <i>On-Orbit Spatial Density</i> .....	5
1.3.2 <i>Population Distribution</i> .....	7
<b>2.0 SATELLITE BREAKUPS.....</b>	<b>11</b>
2.1 Background and Status .....	11
2.2 Identified Satellite Breakups.....	32
TRANSIT 4A R/B .....	34
SPUTNIK 29 .....	36
ATLAS CENTAUR 2 .....	38
COSMOS 50 .....	40
COSMOS 57 .....	42
COSMOS 61-63 R/B .....	44
COSMOS 95 .....	46
OV2-1/LCS 2 R/B .....	48
OV2-3/LES-3,-4/OSCAR 4 R/B .....	50
OPS 3031 .....	52
GEMINI 9 ATDA R/B .....	54
PAGEOS .....	56
AS-203 .....	58
COSMOS U-1 .....	60
COSMOS U-2 .....	62
COSMOS 192 .....	64
COSMOS 199 .....	66
APOLLO 6 R/B .....	68
OV2-5 R/B .....	70
COSMOS 248 .....	72
COSMOS 249 .....	74
COSMOS 252 .....	76
ESSA 8 (TOS F) R/B .....	78
TITAN IIIC TRANSTAGE R/B .....	80
METEOR 1-1 R/B .....	82
INTELSAT 3 F-5 R/B .....	84
OPS 7613 R/B .....	86
NIMBUS 4 R/B .....	88
COSMOS 374 .....	90
COSMOS 375 .....	92
COSMOS 397 .....	94
COSMOS 462 .....	96
LANDSAT 1 R/B .....	98
SALYUT 2 R/B .....	100

COSMOS 554	1973-021A 6432.....	102
NOAA 3 R/B	1973-086B 6921.....	104
DMSP 5B F5 R/B	1974-015B 7219.....	106
NOAA 4 R/B	1974-089D 7532.....	108
COSMOS 699	1974-103A 7587.....	110
LANDSAT 2 R/B	1975-004B 7616.....	112
NIMBUS 6 R/B	1975-052B 7946.....	114
COSMOS 758	1975-080A 8191.....	116
COSMOS 777	1975-102A 8416.....	118
COSMOS 838	1976-063A 8932.....	120
COSMOS 839	1976-067A 9011.....	122
COSMOS 844	1976-072A 9046.....	124
NOAA 5 R/B	1976-077B 9063.....	126
COSMOS 862	1976-105A 9495.....	128
COSMOS 880	1976-120A 9601.....	130
COSMOS 884	1976-123A 9614.....	132
COSMOS 886	1976-126A 9634.....	134
COSMOS 903	1977-027A 9911.....	136
COSMOS 917	1977-047A 10059.....	138
HIMAWARI 1 R/B	1977-065B 10144.....	140
COSMOS 931	1977-068A 10150.....	142
EKRAN 2	1977-092A 10365.....	144
COSMOS 970	1977-121A 10531.....	146
LANDSAT 3 R/B	1978-026C 10704.....	148
COSMOS 1030	1978-083A 11015.....	150
NIMBUS 7 R/B	1978-098B 11081.....	152
COSMOS 1045 R/B	1978-100D 11087.....	154
P-78 (SOLWIND)	1979-017A 11278.....	156
COSMOS 1094	1979-033A 11333.....	158
COSMOS 1109	1979-058A 11417.....	160
COSMOS 1124	1979-077A 11509.....	162
SATCOM 3	1979-101A 11635.....	164
CAT R/B	1979-104B 11659.....	166
COSMOS 1167	1980-021A 11729.....	168
COSMOS 1174	1980-030A 11765.....	170
COSMOS 1188	1980-050A 11844.....	172
COSMOS 1191	1980-057A 11871.....	174
COSMOS 1217	1980-085A 12032.....	176
COSMOS 1220	1980-089A 12054.....	178
COSMOS 1247	1981-016A 12303.....	180
COSMOS 1260	1981-028A 12364.....	182
COSMOS 1261	1981-031A 12376.....	184
COSMOS 1275	1981-053A 12504.....	186
COSMOS 1278	1981-058A 12547.....	188
COSMOS 1285	1981-071A 12627.....	190
COSMOS 1286	1981-072A 12631.....	192
COSMOS 1305 R/B	1981-088F 12827.....	194
COSMOS 1306	1981-089A 12828.....	196
COSMOS 1317	1981-108A 12933.....	198
COSMOS 1348	1982-029A 13124.....	200
COSMOS 1355	1982-038A 13150.....	202



COSMOS 1375	1982-055A 13259.....	204
COSMOS 1405	1982-088A 13508.....	206
COSMOS 1423 R/B	1982-115E 13696.....	208
ASTRON ULLAGE MOTOR	1983-020B 13902.....	210
NOAA 8	1983-022A 13923.....	212
COSMOS 1456	1983-038A 14034.....	214
COSMOS 1461	1983-044A 14064.....	216
COSMOS 1481	1983-070A 14182.....	218
COSMOS 1484	1983-075A 14207.....	220
COSMOS 1519-1521 ULLAGE MOTOR	1983-127H 14608.....	222
PALAPA B2 R/B	1984-011E 14693.....	224
WESTAR 6 R/B	1984-011F 14694.....	226
COSMOS 1588	1984-083A 15167.....	228
COSMOS 1603 ULLAGE MOTOR	1984-106F 15338.....	230
SPACENET 2/MARECS B2 R/B	1984-114C 15388.....	232
COSMOS 1646	1985-030A 15653.....	234
COSMOS 1650-1652 ULLAGE MOTOR	1985-037G 15714.....	236
COSMOS 1654	1985-039A 15734.....	238
COSMOS 1656 ULLAGE MOTOR	1985-042E 15773.....	240
COSMOS 1682	1985-082A 16054.....	242
COSMOS 1691	1985-094B 16139.....	244
COSMOS 1703 R/B	1985-108B 16263.....	246
COSMOS 1714 R/B	1985-121F 16439.....	248
COSMOS 1710-1712 ULLAGE MOTOR	1985-118L 16446.....	250
SPOT 1 R/B	1986-019C 16615.....	252
COSMOS 1769	1986-059A 16895.....	254
USA 19	1986-069A 16937.....	256
USA 19 R/B	1986-069B 16938.....	258
COSMOS 1813	1987-004A 17297.....	260
COSMOS 1823	1987-020A 17535.....	262
COSMOS 1866	1987-059A 18184.....	264
COSMOS 1869	1987-062A 18214.....	266
METEOR 2-16 R/B	1987-068B 18313.....	268
AUSSAT K3/ECS 4 R/B	1987-078C 18352.....	270
COSMOS 1883-1885 ULLAGE MOTOR	1987-079G 18374.....	272
COSMOS 1883-1885 ULLAGE MOTOR	1987-079H 18375.....	274
COSMOS 1906	1987-108A 18713.....	276
EKRAN 17 ULLAGE MOTOR	1987-109E 18719.....	278
METEOR 2-17	1988-005A 18820.....	280
DMSP 5D-2 F9 (USA 29)	1988-006A 18822.....	282
COSMOS 1916	1988-007A 18823.....	284
COSMOS 1934	1988-023A 18985.....	286
INTELSAT 513 R/B	1988-040B 19122.....	288
COSMOS 1970-1972 ULLAGE MOTOR	1988-085F 19535.....	290
COSMOS 1970-1972 ULLAGE MOTOR	1988-085G 19537.....	292
SKYNET 4B/ASTRA 1A R/B	1988-109C 19689.....	294
COSMOS 1987-1989 ULLAGE MOTOR	1989-001G 19755.....	296
COSMOS 1987-1989 ULLAGE MOTOR	1989-001H 19856.....	298
GORIZONT 17 ULLAGE MOTOR	1989-004E 19771.....	300
ARIANE 2 R/B	1989-006B 19773.....	302
COSMOS 2022-2024 ULLAGE MOTOR	1989-039G 20081.....	304

GORIZONT 18 ULLAGE MOTOR	1989-052F 20116.....	306
COSMOS 2030	1989-054A 20124.....	308
COSMOS 2031	1989-056A 20136.....	310
COBE R/B	1989-089B 20323.....	312
COSMOS 2053 R/B	1989-100B 20390.....	314
COSMOS 2054 ULLAGE MOTOR	1989-101E 20399.....	316
COSMOS 2079-81 ULLAGE MOTOR	1990-045F 20630.....	318
COSMOS 2079-2081 ULLAGE MOTOR	1990-045G 20631.....	320
FENGYUN 1-2 R/B	1990-081D 20791.....	322
COSMOS 2101	1990-087A 20828.....	324
GORIZONT 22 ULLAGE MOTOR	1990-102E 20957.....	326
USA 68	1990-105A 20978.....	328
COSMOS 2109-2111 ULLAGE MOTOR	1990-110G 21012.....	330
COSMOS 2109-2111 ULLAGE MOTOR	1990-110H 21013.....	332
ITALSAT 1/EUTELSAT 2 F2 R/B	1991-003C 21057.....	334
COSMOS 2125-2132 R/B	1991-009J 21108.....	336
COSMOS 2133 ULLAGE MOTOR	1991-010D 21114.....	338
ASTRA 1B/MOP 2 R/B	1991-015C 21141.....	340
COSMOS 2139-41 ULLAGE MOTOR	1991-025F 21220.....	342
COSMOS 2139-2141 ULLAGE MOTOR	1991-025G 21226.....	344
COSMOS 2157-2162 R/B	1991-068G 21734.....	346
COSMOS 2163	1991-071A 21741.....	348
INTELSAT 601 R/B	1991-075B 21766.....	350
USA 73	1991-082A 21798.....	352
TELECOM 2B/INMARSAT 2 R/B	1992-021C 21941.....	354
INSAT 2A/EUTELSAT 2F4 R/B	1992-041C 22032.....	356
COSMOS 2204-2206 ULLAGE MOTOR	1992-047G 22066.....	358
COSMOS 2204-2206 ULLAGE MOTOR	1992-047H 22067.....	360
GORIZONT 27 ULLAGE MOTOR	1992-082F 22250.....	362
COSMOS 2224 ULLAGE MOTOR	1992-088F 22274.....	364
COSMOS 2225	1992-091A 22280.....	366
COSMOS 2227 R/B	1992-093B 22285.....	368
COSMOS 2237 R/B	1993-016B 22566.....	370
COSMOS 2238	1993-018A 22585.....	372
COSMOS 2243	1993-028A 22641.....	374
COSMOS 2251	1993-036A 22675.....	376
COSMOS 2259	1993-045A 22716.....	378
COSMOS 2262	1993-057A 22789.....	380
GORIZONT 29 ULLAGE MOTOR	1993-072E 22925.....	382
CLEMENTINE R/B	1994-004B 22974.....	384
STEP II R/B	1994-029B 23106.....	386
COSMOS 2282 ULLAGE MOTOR	1994-038F 23174.....	388
ELEKTRO ULLAGE MOTOR	1994-069E 23338.....	390
COSMOS 2294-96 ULLAGE MOTOR	1994-076G 23402.....	392
RS-15 R/B	1994-085B 23440.....	394
DMSP 5D-2 F13 (USA 109)	1995-015A 23533.....	396
COSMOS 2313	1995-028A 23596.....	398
CERISE	1995-033B 23606.....	400
COSMOS 2316-2318 ULLAGE MOTOR	1995-037K 23631.....	402
RADUGA 33 R/B	1996-010D 23797.....	404
GORIZONT 32 ULLAGE MOTOR	1996-034F 23887.....	406

COSMOS 2343	1997-024A 24805.....	408
IRIDIUM 33	1997-051C 24946.....	410
KUPON ULLAGE MOTOR	1997-070F 25054.....	412
COSMOS 2347	1997-079A 25088.....	414
ASIASAT 3 R/B (2)	1997-086D 25129.....	416
COMETS R/B	1998-011B 25176.....	418
ARGOS/ORSTED/SUNSAT R/B	1999-008D 25637.....	420
FENGYUN 1C	1999-025A 25730.....	422
CBERS 1	1999-057A 25940.....	424
CBERS-1/SACI-1 R/B	1999-057C 25942.....	426
COSMOS 2367	1999-072A 26040.....	428
COSMOS 2371 ULLAGE MOTOR	2000-036E 26398.....	430
NOAA 16	2000-055A 26536.....	432
TES R/B	2001-049D 26960.....	434
COSMOS 2383	2001-057A 27053.....	436
COSMOS 2392 ULLAGE MOTOR	2002-037E 27474.....	438
COSMOS 2392 ULLAGE MOTOR	2002-037F 27475.....	440
COSMOS 2399	2003-035A 27856.....	442
ALOS-1 R/B	2006-002B 28932.....	444
ARABSAT 4 BRIZ-M R/B	2006-006B 28944.....	446
YAOGAN 1	2006-015A 29092.....	448
COSMOS 2421	2006-026A 29247.....	450
IGS 3A R/B	2006-037B 29394.....	452
COSMOS 2423	2006-039A 29402.....	454
DMSP 5D-3 F17 R/B	2006-050B 29523.....	456
USA 193	2006-057A 29651.....	458
COSMOS 2424-2426 ULLAGE MOTOR	2006-062G 29680.....	460
BEIDOU 1D R/B	2007-003B 30324.....	462
IGS 4A/4B R/B DEBRIS	2007-005E 30590.....	464
COSMOS 2428	2007-029A 31792.....	466
COSMOS 2431-33 ULLAGE MOTOR	2007-052F 32280.....	468
USA 197 R/B	2007-054B 32288.....	470
COSMOS 2434-36 ULLAGE MOTOR	2007-065G 32399.....	472
AMC 14 BRIZ-M R/B	2008-011B 32709.....	474
COSMOS 2442-44 ULLAGE MOTOR	2008-046H 33385.....	476
COSMOS 2447-2449 ULLAGE MOTOR	2008-067G 33472.....	478
COSMOS 2447-2449 ULLAGE MOTOR	2008-067H 33473.....	480
BEIDOU G2	2009-018A 34779.....	482
COSMOS 2459-61 ULLAGE MOTOR	2010-007G 36406.....	484
COSMOS 2459-2461 ULLAGE MOTOR	2010-007H 36407.....	486
COSMOS 2464-2466 ULLAGE MOTOR	2010-041G 37143.....	488
CHINASAT 6A R/B	2010-042B 37151.....	490
BEIDOU G4 R/B	2010-057B 37211.....	492
SL-23 DEB	2011-037B 37756.....	494
NIGCOMSAT 1R R/B	2011-077B 38015.....	496
BEIDOU G5 R/B	2012-008B 38092.....	498
NIMIQ 6 R/B	2012-026B 38343.....	500
TELKOM 3 / EXPRESS MD2 BRIZ-M R/B	2012-044C 38746.....	502
CASSIOPE R/B	2013-055G 39271.....	504
SENTINEL 1A	2014-016A 39634.....	506
PROGRESS-M 27M R/B	2015-024A 40620.....	508

COSMOS 2513 R/B	2015-075B 41122 .....	510
ASTRO H (HITOMI)	2016-012A 41337 .....	512
FREGAT DEB (TANK)	2017-086C 43089 .....	514
<b>3.0 SATELLITE ANOMALOUS EVENTS .....</b>		<b>517</b>
3.1 Background and Status .....		517
3.2 Identified Satellite Anomalous Events.....		518
VANGUARD 3	1959-007A 20 .....	525
TRANSIT 5B-2	1963-049B 704 .....	526
ELEKTRON 1	1964-006A 746 .....	527
OPS 4412 (TRANSIT 9)	1964-026A 801 .....	528
COSMOS 44 R/B	1964-053B 877 .....	529
OPS 4988 (GREB 6)	1965-016A 1271 .....	530
OPS 4682 (SNAPSHOT)	1965-027A 1314 .....	531
OPS 8480 (TRANSIT 5B-6)	1965-048A 1420 .....	532
ALOUETTE 2	1965-098A 1804 .....	533
FR-1 R/B	1965-101B 1815 .....	534
OPS 1509 (TRANSIT 10)	1965-109A 1864 .....	535
OPS 1593 (TRANSIT 11)	1966-005A 1952 .....	536
OPS 1117 (TRANSIT 12)	1966-024A 2119 .....	537
NIMBUS 2	1966-040A 2173 .....	538
OPS 0856 (MIDAS 11)	1966-077A 2403 .....	539
OPS 0100 (TRANSIT 15)	1967-034A 2754 .....	540
OPS 7218 (TRANSIT 16)	1967-048A 2807 .....	541
OPS 4947 (TRANSIT 17)	1967-092A 2965 .....	542
COSMOS 206 R/B	1968-019B 3151 .....	543
ISIS 1	1969-009A 3669 .....	544
TRANSIT 19	1970-067A 4507 .....	545
METEOR 1-7 R/B	1971-003B 4850 .....	546
METEOR 1-12 R/B	1972-049B 6080 .....	547
COSMOS 539	1972-102A 6319 .....	548
GEOS 3 R/B	1975-027B 7735 .....	549
KYOKKOH 1 (EXOS-A)	1978-014A 10664 .....	550
SEASAT	1978-064A 10967 .....	551
COSMOS 1043	1978-094A 11055 .....	552
TIROS N	1978-096A 11060 .....	553
NIMBUS 7 R/B	1978-098B 11081 .....	554
NOAA 6	1979-057A 11416 .....	555
METEOR 2-5	1979-095A 11605 .....	556
METEOR 2-7	1981-043A 12456 .....	557
METEOR 2-7 R/B	1981-043B 12457 .....	558
MOLNIYA 3-16 R/B	1981-054E 12519 .....	559
NOAA 7	1981-059A 12553 .....	560
COSMOS 1417 R/B	1982-102B 13618 .....	561
NOAA 8	1983-022A 13923 .....	562
OSCAR 30	1985-066A 15935 .....	563
COSMOS 1689 R/B	1985-090B 16111 .....	564
NOAA 10	1986-073A 16969 .....	565
COSMOS 1818	1987-011A 17369 .....	566
COSMOS 1823	1987-020A 17535 .....	567
METEOR 2-17	1988-005A 18820 .....	568

COSMOS 1867	1987-060A 18187 .....	569
COSMOS 1939 R/B	1988-032B 19046 .....	570
NOAA 11	1988-089A 19531 .....	571
COBE	1989-089A 20322 .....	572
NADEZHDA 2 R/B	1990-017B 20509 .....	573
HST	1990-037B 20580 .....	574
NOAA 12	1991-032A 21263 .....	575
OKEAN 3	1991-039A 21397 .....	576
ERS-1	1991-050A 21574 .....	577
SARA	1991-050E 21578 .....	578
ERS-1 R/B	1991-050F 21610 .....	579
UARS	1991-063B 21701 .....	580
EKA 1 (START 1)	1993-014A 22561 .....	581
START 1 R/B	1993-014B 22562 .....	582
USA 106 (DMSP 5D-2 F12)	1994-057A 23233 .....	583
COSMOS 2297 R/B	1994-077B 23405 .....	584
NOAA 14	1994-089A 23455 .....	585
ERS-2	1995-021A 23560 .....	586
ERS-2 R/B	1995-021B 23561 .....	587
KOREASAT 1 R/B	1995-041B 23640 .....	588
RADARSAT R/B	1995-059B 23711 .....	589
IRS B3	1996-017A 23827 .....	590
IRIDIUM 47	1997-082C 25106 .....	591
FUSE	1999-035A 25791 .....	592
TELKOM 1	1999-042A 25880 .....	593
IKONOS 2	1999-051A 25919 .....	594
JASON 1	2001-055A 26997 .....	595
IRIDIUM 91	2002-005A 27372 .....	596
AMC-9 (GE-12)	2003-024A 27820 .....	597
BLITS	2009-049G 35871 .....	598
WORLDVIEW 2	2009-055A 35946 .....	599
HAIYANG 2A	2011-043A 37781 .....	600
RISAT 1	2012-017A 38248 .....	601
BRIZ-KM R/B	2015-020E 40556 .....	602
<b>4.0 OTHER SATELLITES ASSOCIATED WITH FRAGMENTATIONS.....</b>	<b>604</b>	
4.1 Aerodynamic Associations with Fragmentation Events .....	604	
4.2 Reactor Coolant Debris.....	610	
4.3 Spurious Associations with Fragmentation Events.....	610	
<b>5.0 SATELLITES NOT ASSOCIATED WITH BREAKUPS .....</b>	<b>614</b>	
<b>6.0 SATELLITES NOT ASSOCIATED WITH ANOMALOUS EVENTS.....</b>	<b>620</b>	

## ACRONYMS

<b>ADCOM</b>	(USAF) Aerospace Defense Command
<b>AFB</b>	Air Force Base
<b>AFSPC</b>	Air Force Space Command
<b>AFSSS</b>	Air Force Space Surveillance System (formerly NAVSPASUR)
<b>AN/FPS-85</b>	See FPS-85
<b>Asc</b>	Ascending
<b>BMEWS</b>	Ballistic Missile Early Warning System
<b>CIS</b>	Commonwealth of Independent States (see also USSR)
<b>Dsc</b>	Descending
<b>ESA</b>	European Space Agency
<b>ESRO</b>	European Space Research Organization
<b>FPS-85</b>	Phased-array UHF radar at Eglin AFB, Florida
<b>GEO</b>	Geosynchronous Orbit (orbit category)
<b>GEODSS</b>	Ground-based Electro-Optical Deep-space Surveillance System
<b>JSC</b>	Johnson Space Center (NASA)
<b>LEO</b>	Low Earth Orbit, up to 2000 km altitude (orbit category)
<b>NASA</b>	National Aeronautics and Space Administration
<b>NAVSPASUR</b>	Naval Space Surveillance System
<b>NAVSPOC</b>	Naval Space Operations Center
<b>NORAD</b>	North American Aerospace Defense Command
<b>PARCS</b>	Phased-array UHF radar at Cavalier AFB, North Dakota: the Perimeter Acquisition Radar Attack Characterization System
<b>RAE</b>	The Royal Aerospace Establishment
<b>R/B</b>	Rocket Body or Rocket Booster
<b>RCS</b>	Radar Cross Section
<b>RORSAT</b>	Radar Ocean Reconnaissance Satellite
<b>RSO</b>	Resident Space Object
<b>SATRAK</b>	PC compatible astrodynamics toolkit
<b>SCC</b>	formerly Space Computational Center (obsolete); now Space Control Center
<b>SOZ</b>	Sistema Obespechanya Zapuska (Proton-K Block DM attitude/ullage motor unit)
<b>SSN</b>	Space Surveillance Network
<b>TBE</b>	Teledyne Brown Engineering
<b>TLE</b>	Two-Line Element Set
<b>USSPACECOM</b>	United States Space Command
<b>USSR/CIS</b>	Union of Soviet Socialist Republics/Commonwealth of Independent States (after 1991)

## SYMBOLS


$\Delta P$	The maximum observed change in the orbital period [min].
$\Delta I$	The maximum observed change in the inclination [°].

## 1.0 INTRODUCTION

Since the first serious satellite fragmentation occurred in June 1961, which instantaneously increased the total Earth satellite population by more than 400%, the issue of space operations within the finite region of space around the Earth has been the subject of increasing interest and concern. The prolific satellite fragmentations of the 1970s and the marked increase in the number of fragmentations in the 1980s served to widen international research into the characteristics and consequences of such events. Continued events in all orbits in later years make definition and historical accounting of those events crucial to future research. Large, manned space stations and the growing number of operational robotic satellites demand a better understanding of the hazards of the dynamic Earth satellite population.

The contribution of satellite fragmentations to the growth of the Earth satellite population is complex and varied. A slight majority of detectable fragmentation debris has already fallen out of orbit, and the effects of 38% of all breakups have completely disappeared. On the other hand, just 10 of the 5385 space missions flown since 1957 are responsible for 33% of all cataloged artificial Earth satellites presently in orbit (Figure 1.0-1). Moreover, the sources of four of these 10 fragmentations were discarded rocket bodies that had operated as designed, but later broke up. Modern debris mitigation best practices would have prevented these six events. The remaining six fragmentations are diverse in character. The oldest, the fragmentation of Cosmos 1275, is assessed by Russian authorities to have been caused by a battery fragmentation. Two, USA 109 and NOAA 16, share a similar spacecraft bus. More recently, the intentional fragmentation of the *Fengyun 1C* meteorological payload (1999-025) by an Anti-Satellite (ASAT) weapon and the first accidental collision of large intact spacecraft, Cosmos 2251 (1993-036) and Iridium 33 (1997-051), together account for over 30% of all cataloged resident space objects (RSOs). The breakup fragments associated with these three spacecraft account for almost 13% of all objects cataloged since the launch of Sputnik 1 on 4 October 1957.

The primary factors affecting the growth of the true Earth satellite population are the international space launch rate, satellite fragmentations, and solar activity. As of 4 July 2018, breakup debris have surpassed half of the cataloged Earth satellite population, as illustrated in Figure 1.0-2. Also, approximately three out of every four payloads are no longer operational and constitute a separate, but statistically important class of orbital debris.



**Figure 1.0-1. Magnitude of the 10 largest debris clouds *in orbit* as of 4 July 2018.**  
**Note that cataloging is on-going, accounting for increased totals for some missions relative to the 14<sup>th</sup> edition of this book.**






Figure 1.0-2. Relative segments of the cataloged *in-orbit* Earth satellite population.

## 1.1 Definition of Terms

In this volume, satellite fragmentations are categorized by their assessed nature and, to a lesser degree, by their effect on the near-Earth space environment. A **satellite breakup** is the usually destructive disassociation of an orbital payload, rocket body, or structure, often with a wide range of ejecta velocities. A satellite breakup may be accidental or the result of intentional actions, *e.g.*, due to a propulsion system malfunction or a space weapons test, respectively. An **anomalous event** is the unplanned separation, usually at low velocity, of one or more detectable objects from a satellite, which remains essentially intact. Anomalous events can be caused by material deterioration of items such as thermal blankets, protective shields, or solar panels, or by the impact of small particles. As a general rule, a satellite breakup will produce considerably more debris, both trackable and non-trackable, than an anomalous event. From one perspective, satellite breakups may be viewed as a measure of the effects of man's activity on the environment, while anomalous events may be a measure of the effects of the environment on man-made objects.

**Mission-related debris** result from the intentional release of objects, usually in small numbers, during normal on-orbit operations. Objects ejected during the deployment, activation, and de-orbit of payloads and during manned operations are examples of mission-related debris. Usually, mission-related debris from a single launch are few in number, but extreme examples occasionally arise, such as the 323 objects from the *Mir* space station or the more than 140 objects from the Westford Needles experiment. Although mission-related debris represent a non-trivial portion (approximately 10%) of all satellites in orbit today and, therefore, are a legitimate subject in the

study of methods to retard the growth of the Earth satellite population, identification of the thousands of mission-related debris events is beyond the scope of this report.

## **1.2 Information Sources and Accuracy**

A number of data sources were employed in the compilation of this volume. However, nearly all are derived from observations collected by the U.S. Space Surveillance Network (US SSN). Due to the variety of sources and geodetic models used to create satellite orbital element sets, all altitudes cited within this volume are presented to the nearest 5 km, referenced to a mean Earth of radius 6378.135 km. The accuracy of the data presented is not of adequate fidelity for precision analysis, although it is appropriate for the anticipated uses of this text. Complete base element sets are provided, but manipulation of these data, in particular satellite orbit propagation, should be performed only with validated, Air Force Space Command (AFSPC)-derived software, such as the PC-compatible SATRAK astrodynamics toolkit. Long-term propagation of these elements is not appropriate regardless of the propagation technique applied and is, therefore, discouraged.

Although all fragmentations are described by the number of debris cataloged and the number of cataloged debris remaining in orbit, these parameters are poor measures of merit and should be used with extreme caution when undertaking comparative analyses. The sensitivity of the SSN and hence the degree to which debris will be detected and cataloged are highly dependent upon satellite altitude and to a lesser degree on satellite inclination. Additionally, historical cataloging practices have changed over the years. Past practices have included cataloging all debris objects associated with a breakup, even if they had already decayed; cataloging almost no pieces from a low altitude breakup when decay of most of the cloud was imminent; and cataloging objects as they were created, regardless of status. These different practices have resulted in an inconsistent historical record.

As a rule of thumb, low altitude, cataloged debris are assessed to be larger than 10 cm in diameter. At higher altitudes objects less than 1 m in diameter may be undetectable. Individual object sensitivities may vary dramatically from this simple generalization. Debris counts for fragmentations occurring in highly elliptical orbits near 63° inclination (*Molniya*-type) are traditionally low, in part due to stable perigees situated deep in the Southern Hemisphere and often beyond SSN coverage. In February of 2007 a *Briz-M* upper stage broke up into over 1000 observed fragments. However, due to the elliptical nature of the stage's orbit which impeded the SSN's ability to detect, to identify, and to catalog the debris, only 102 fragments had been cataloged, of which 92 remain on orbit. Similar outcomes may occur in practice with other *Briz-M* upper stage fragmentations. During a special surveillance session in 1987, as many as 250 uncataloged objects were observed in low inclination, highly elliptical orbits, but reliable tracking and parent identification were not achieved. The disclosure by the Russian Government of the Ekran 2 battery explosion on 25 June 1978 is the first known fragmentation in geostationary orbit. This event was not detected by the SSN, but since the event, four pieces have entered the catalog. Cataloging errors, *e.g.*, identification of an object with the wrong parent satellite, normally are not explicitly noted in this volume since many errors have been or may be corrected.

For fragmentations at very low altitudes, *i.e.*, below 400 km, much of the debris may reenter before detection, identification, and cataloging can be completed. For example, when the debris cloud from Cosmos 1813 passed over a single SSN radar, 846 individual fragments could be discerned.


However, the total number of debris officially cataloged only reached 195. Likewise, more than 380 fragments are known to have been injected into Earth orbits (an equal number probably were sent on reentry trajectories) following the USA 19 test, but only 18 debris were entered into the official satellite catalog.

### **1.3 Environment Overview**

To place the debris population component of the orbital environment in context for the reader, it is useful to review the general orbital environment in the near Earth and near geosynchronous regions. Differentiation of the population by source, object type, and orbit type are also included below.

#### **1.3.1 ON-ORBIT SPATIAL DENSITY**

The spatial density of resident space objects is a common means of describing the space object environment and is adopted here. Spatial density (objects per unit volume) represents the effective number of spacecraft and other objects as a function of altitude. Effective number, rather than the simple counting of objects, is used because many objects traverse the altitude regions of interest yet contribute little to the local collision hazard, *e.g.*, geosynchronous transfer orbits. Such orbits exhibit an effective contribution to the environment at any given altitude of up to two orders of magnitude less than an object in a circular orbit within this same altitude interval. Thus, circular orbits at or near an orbit of interest normally dominate the hazard environment. The following figure portrays the near Earth (up to 2000 km altitude) environment categorized by intact or debris object types. The densities are subdivided into 5-km altitude intervals and graphed linearly. The epoch of the source data, a US SSN Two-Line Element (TLE) set, is 2 October 2018.



**Figure 1.3.1-1. The near Earth (up to 2000 km) altitude population.**

The peak near 890 km is due principally to the January 2007 intentional destruction of the *Fengyun IC* weather spacecraft while the peak centered at approximately 770 km altitude was created by the February 2009 accidental collision of Iridium 33 (active) and Cosmos 2251 (derelict) communication spacecraft. Also clearly visible in this figure are other high-density regions of space. The satellite constellations deployed in LEO in the late 1990s are clearly evident: the IRIDIUM constellation inhabits the altitude region at and about 780 km altitude, while the GLOBALSTAR constellation inhabits the region from 1410-1420 km. Other spacecraft constellations, such as the USSR/CIS communications and navigation constellations, are also visible near 1480 km and 950 km, respectively.

The geosynchronous altitude environment increased in both importance and number of RSOs over the course of the early 21<sup>st</sup> century. Fig. 1.3.1-2 shows the geosynchronous altitude using a logarithmic, vertical spatial density axis and altitude intervals of 5 km. Only objects with an inclination less than 15 degrees were included. Consequently, the spatial density values assume all spacecraft are contained within 15 degrees latitude from the equator. Because high inclination orbits normally do not penetrate this true geosynchronous region, the assumption is appropriate to best categorize the spatial density of this region.




Figure 1.3.1-2. The geosynchronous altitude population.

Because the LEO spatial density chart averages over all inclinations and the GEO spatial density chart averages over inclinations between  $\pm 15$  degrees, collision rates are not linearly related to the spatial density at any given altitude. Rather, collision rates will vary not only with the spatial density, but also with the inclination-dependent relative velocity. Altitudes dominated by high inclination ( $70$ - $110^\circ$ ) orbits yield a significantly higher collision rate as compared to those populated by lower inclination orbits. Objects in these inclinations can collide at near head-on engagement geometries with objects in complementary inclinations. The exception to this general rule is provided by the commercial constellations in LEO and spacecraft in GEO. The commercial constellations are maintained in precise orbital planes; hence, their expected collision rate would be versus the “background” population only. Therefore, the spikes representing the IRIDIUM and GLOBALSTAR constellations do not present the inordinate collision risk implied by a casual examination. Similarly, the GEO environment is characterized by low collision velocities ( $< 1.5$  km/s) due to the relative motion between controlled and uncontrolled objects.

### 1.3.2 POPULATION DISTRIBUTION

The distribution of objects by type (*e.g.*, spacecraft, rocket bodies) and source (U.S., the People’s Republic of China, *etc.*) is germane to this discussion since objects are not randomly distributed among these categories. To display the distribution statistics, the 4 July 2018 U.S. Satellite Catalog was categorized by these nominal variables. The reader should note that absolute numbers in these

statistics are fluid, in the sense that on-going analyses can sometimes move a given debris object from one parent breakup to another. This is particularly noted for the highly populated sun-synchronous orbital region, and accounts for seven number discrepancies when one compares the numerical count of objects in a given debris cloud with the number implied by the highest piece tag associated with the cloud's international designator. Tentative identifications are also present in the public satellite catalog, and are indicated by an asterisk (\*) appearing in the "common name" field. Finally, some identifications require in-depth analysis and interpretation, and the understanding of a particular launch or debris cloud may evolve over time.

### TABLE 1.3.2 SOURCE VS. TYPE ACCOUNTING

on-orbit									
	US	CIS	France	PRC	India	Japan	ESRO/ESA	Other	TOTAL
payloads	1646	1436	63	309	87	160	71	849	4621
rocket bodies	596	949	145	125	35	51	7	40	1948
mission-related debris	734	725	148	270	10	41	13	20	1961
breakup debris	3024	3315	192	3258	72	13	27	52	9953
anomalous debris	310	113	1	0	0	0	11	2	437
TOTAL	6310	6538	549	3962	204	265	129	963	18920
decayed or beyond Earth orbit									
	US	CIS	France	PRC	India	Japan	ESRO/ESA	Other	TOTAL
payloads	1098	2000	9	88	12	68	29	83	3387
rocket bodies	744	2534	76	141	17	69	6	15	3602
mission-related debris	839	5772	155	254	10	130	9	102	7271
breakup debris	3531	4842	487	845	300	39	12	35	10091
anomalous debris	171	68	5	3	2	2	1	1	253
TOTAL	6383	15216	732	1331	341	308	57	236	24604
							GRAND TOTAL		43524

Several salient features are apparent in this table. Debris is dominant among all source variables and the majority of debris (and all other categories of resident space objects) are due to space activities of the U.S., CIS, and PRC. However, individual events from other space-faring nations have also contributed greatly to the local environment in several sun-synchronous orbital regimes. An example is provided by the 1986 fragmentation of the Ariane SPOT-1/Viking rocket body.

on-orbit									
	US	CIS	France	PRC	India	Japan	ESRO/ESA	Other	TOTAL
payloads	583	112	19	248	54	57	35	462	1570
rocket bodies	54	112	48	88	27	16	1	13	359
mission-related debris	-45	218	56	208	9	5	1	15	467
breakup debris	1358	1791	66	943	-25	11	9	17	4170
anomalous debris	166	31	-2	0	0	0	11	2	208
TOTAL	2116	2264	187	1487	65	89	57	509	6774
decayed or beyond Earth orbit									
	US	CIS	France	PRC	India	Japan	ESRO/ESA	Other	TOTAL
payloads	298	140	1	38	3	46	11	34	571
rocket bodies	113	167	21	73	9	16	1	8	408
mission-related debris	132	222	32	141	2	49	1	48	627
breakup debris	696	1570	13	666	51	17	8	31	3052
anomalous debris	21	63	3	3	2	0	1	1	94
TOTAL	1260	2162	70	921	67	128	22	122	4752
							GRAND TOTAL		11526

This Page Intentionally Left Blank



## 2.0 SATELLITE BREAKUPS

This section summarizes the current breakup environment and describes each individual breakup. Each breakup is presented in a two-page format. New classes of breakup types have tended to fuel the background breakup rate, replacing classes of breakups from older on-orbit practices such as the well-known Delta second stage rocket body failures.




Figure 2.0-1. Number of breakups by year since 1961. Note that some older debris-producing events have been recognized as breakups since the publication of the 14<sup>th</sup> edition.

### 2.1 Background and Status

By far the most important category of man-made, on-orbit objects is satellite breakups, which now account for 53% of the total cataloged on-orbit Earth satellite population of 18,920 Earth-orbiting objects. Since 1957, a total of 242 satellites are believed to have broken up (Tables 2.1 and 2.2). Breakups due to aerodynamic forces at or near reentry are treated separately from breakups caused by other factors, because aerodynamic breakups occur at the end of the satellite lifetime and, therefore, contribute nothing toward the orbital environment past the very near term. Only a fraction of these breakups are even detected because of the short remaining lifetime of the object

and its debris. Sixteen additional breakups of this aerodynamic nature that have been detected, and these events are discussed in Chapter 4 and omitted from data included in this chapter.

The primary causes of satellite breakups (Figure 2.1-1) are propulsion-related events and deliberate actions, although the cause for almost one in four breakups remains uncertain. This document will continue to carry breakup causes as unknown until a strong case can be made for one of the other cause classifications. Deliberate actions, often associated with activities related to national security, were formerly the most frequently occurring class, although only one such event occurred during the decade from 1997 until the *Fengyun 1C* event in January 2007. On average, the resulting debris from deliberate actions are short-lived (Figures 2.1-2 and 2.1-3), the exception being *Fengyun 1C*. Propulsion-related breakups, currently the most frequent class, include catastrophic malfunctions during orbital injection or maneuvers, subsequent explosions based on residual propellants, and failures of active attitude control systems. Breakups of rocket bodies due to propulsion failures are usually more prolific and produce longer-lived debris than the intentional destruction of payloads, often due to the higher altitudes of the malfunctioning rocket bodies rather than the mechanics of the explosive event. Breakups of the CIS' Blok-DM *Sistema Obespecheniya Zapuska* (SOZ) ullage motors are segregated from other members of the propulsion ensemble due to their high probability of fragmentation, which tends to overinflate the propulsion category to some degree; omitting the SOZ breakups *equates* the non-SOZ propulsion and deliberate categories. Although it may appear obvious that a rocket body breakup should be classified under the "Propulsion" category, rocket body events are carried as "Unknown" until a failure mechanism can be confidently identified for that rocket body design and is associated with a given rocket body event.




Figure 2.1-1. Causes of known satellite breakups.




Figure 2.1-2. Proportion of all cataloged satellite breakup debris.





Figure 2.1-3. Proportion of cataloged satellite breakup debris *remaining in orbit*.

The rate of satellite breakups increased noticeably in the 1970s and has continued through the 1990s and into the new millennium at an average pace of approximately four fragmentations per year since 2001. The recent low-activity years of 2013 and 2017 appear as statistical anomalies in

this regard. Increased awareness of potential hazards has resulted in positive actions to mitigate or eliminate many known breakup causes, *e.g.*, Delta second stages, weapons testing, and Cosmos 862-type events. Together, these three programs were responsible for more than a quarter of all satellite breakups in the decade of the 1980s. The quick response of *Arianespace* and the European Space Agency to the breakup of an Ariane third stage in 1986 is indicative of a desire by most space-faring organizations to operate in near-Earth space responsibly. Today, new series of boosters and satellites have resulted in new breakup sources, such as the multiple fragmentations of *Briz-M* upper stages. Also, the intentional destruction of the *Fengyun 1C* spacecraft has continued to increase the percentage of debris from deliberate events as compared to the previous edition of this book, as over 900 additional debris have been officially cataloged.

Figures 2.1-4 and -5 illustrate that an absolute majority of the satellite breakup debris total and debris remaining in orbit today have originated from payloads. In previous editions of this book, up to the 14<sup>th</sup>, rocket bodies always had more total and on-orbit debris than payloads (in the case of on-orbit, by a ratio of almost 3:1), but the three major fragmentation clouds created between 2007 and 2009 account for the new dominance of payload debris.



**Figure 2.1-4. Sources of all cataloged satellite breakup debris by satellite type.**

This dominance is even more pronounced when considering only on-orbit debris. In this case, payload debris now accounts for almost two-thirds of all cataloged debris.




Figure 2.1-5. Sources of satellite breakup debris *in orbit* by satellite type.

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
TRANSIT 4A R/B	1961-015C	118	29-Jun-61	29-Jun-61	296	172	995	880	66.8	PROPULSION	ABLESTAR STAGE
SPUTNIK 29	1962-057A	443	24-Oct-62	29-Oct-62	24	0	260	200	65.1	PROPULSION	MOLNIYA FINAL STAGE
ATLAS CENTAUR 2	1963-047A	694	27-Nov-63	27-Nov-63	19	8	1785	475	30.3	PROPULSION	CENTAUR STAGE
COSMOS 50	1964-070A	919	28-Oct-64	5-Nov-64	96	0	220	175	51.2	DELIBERATE	SELF-DESTRUCT
COSMOS 57	1965-012A	1093	22-Feb-65	22-Feb-65	167	0	425	165	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 61-63 R/B	1965-020D	1270	15-Mar-65	15-Mar-65	147	18	1825	260	56.1	UNKNOWN	COSMOS SECOND STAGE
OV2-1/LCS 2 R/B	1965-082DM	1822	15-Oct-65	15-Oct-65	473	32	790	710	32.2	PROPULSION	TITAN TRANSTAGE
COSMOS 95	1965-088A	1706	4-Nov-65	15-Jan-66	1	0	300	180	48.4	UNKNOWN	
OV2-3/ et al. R/B	1965-108A	1863	21-Dec-65	21-Dec-65	108	101	33660	165	26.4	PROPULSION	TITAN TRANSTAGE
OPS 3031	1966-012C	2015	15-Feb-66	15-Feb-66	38	0	270	150	96.5	UNKNOWN	INFLATABLE SPHERE
GEMINI 9 ATDA R/B	1966-046B	2188	1-Jun-66	Jun-66	51	0	275	240	28.8	UNKNOWN	ATLAS CORE STAGE
PAGEOS	1966-056A	2253	24-Jun-66	12-Jul-75	79	1	5170	3200	85.3	UNKNOWN	INFLATABLE SPHERE
AS-203	1966-059A	2289	5-Jul-66	5-Jul-66	34	0	215	185	32.0	DELIBERATE	SATURN S-IVB STAGE
COSMOS U-1	1966-088A	2437	17-Sep-66	17-Sep-66	52	0	855	140	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS U-2	1966-101A	2536	2-Nov-66	2-Nov-66	41	0	885	145	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS 192	1967-116A	3047	23-Nov-67	30-Aug-09	4	1	715	710	74.0	UNKNOWN	
COSMOS 199	1968-003A	3099	16-Jan-68	24-Jan-68	3	0	355	200	65.6	DELIBERATE	SELF-DESTRUCT
APOLLO 6 R/B	1968-025B	3171	4-Apr-68	13-Apr-68	16	0	360	200	32.6	PROPULSION	SATURN S-IVB STAGE
OV2-5 R/B	1968-081E	3432	26-Sep-68	21-Feb-92	29	29	35810	35100	11.9	PROPULSION	TITAN TRANSTAGE
COSMOS 248	1968-090A	3503	19-Oct-68	1-Nov-68	5	0	545	475	62.2	DELIBERATE	DEBRIS IMPACT
COSMOS 249	1968-091A	3504	20-Oct-68	20-Oct-68	108	39	2165	490	62.3	DELIBERATE	SELF-DESTRUCT
COSMOS 252	1968-097A	3530	1-Nov-68	1-Nov-68	139	40	2140	535	62.3	DELIBERATE	SELF-DESTRUCT
ESSA 8 (TOS F) R/B	1968-114B	3616	15-Dec-68	15-Nov-73	18	18	1462	1413	101.6	PROPULSION	DELTA SECOND STAGE
OPS 0757 (TACSAT) R/B	1969-013B	3692	9-Feb-69	28-Feb-18	19	19	37257	35886	6.2	UNKNOWN	TITAN TRANSTAGE
METEOR 1-1 R/B	1969-029B	3836	26-Mar-69	28-Mar-69	37	0	850	460	81.2	UNKNOWN	VOSTOK FINAL STAGE
INTELSAT 3 F-5 R/B	1969-064B	4052	26-Jul-69	26-Jul-69	22	0	5445	270	30.4	PROPULSION	TE 364-4 STAGE
OPS 7613 R/B	1969-082AB	4159	30-Sep-69	4-Oct-69	261	63	940	905	70.0	UNKNOWN	AGENA D STAGE
NIMBUS 4 R/B	1970-025C	4367	8-Apr-70	17-Oct-70	441	299	1085	1065	99.9	UNKNOWN	AGENA D STAGE
COSMOS 374	1970-089A	4594	23-Oct-70	23-Oct-70	99	20	2130	530	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 375	1970-091A	4598	30-Oct-70	30-Oct-70	47	15	2100	525	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 397	1971-015A	4964	25-Feb-71	25-Feb-71	116	44	2200	575	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 462	1971-106A	5646	3-Dec-71	3-Dec-71	25	0	1800	230	65.7	DELIBERATE	SELF-DESTRUCT
LANDSAT 1 R/B	1972-058B	6127	23-Jul-72	22-May-75	244	47	910	635	98.3	PROPULSION	DELTA SECOND STAGE

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
SALYUT 2 R/B	1973-017B	6399	3-Apr-73	3-Apr-73	25	0	245	195	51.5	PROPULSION	PROTON-K THIRD STAGE
COSMOS 554	1973-021A	6432	19-Apr-73	6-May-73	193	0	350	170	72.9	DELIBERATE	SELF-DESTRUCT
NOAA 3 R/B	1973-086B	6921	6-Nov-73	28-Dec-73	220	198	1510	1500	102.1	PROPULSION	DELTA SECOND STAGE
DMSP 5B F5 R/B	1974-015B	7219	16-Mar-74	17-Jan-05	7	7	885	775	99.1	COLLISION, ACCIDENTAL	HIT BY DEBRIS (26207)
NOAA 4 R/B	1974-089D	7532	15-Nov-74	20-Aug-75	185	160	1460	1445	101.7	PROPULSION	DELTA SECOND STAGE
COSMOS 699	1974-103A	7587	24-Dec-74	17-Apr-75	50	0	445	425	65.0	UNKNOWN	COSMOS 699 CLASS
LANDSAT 2 R/B	1975-004B	7616	22-Jan-75	9-Feb-76	207	32	915	740	97.8	PROPULSION	DELTA SECOND STAGE
NIMBUS 6 R/B	1975-052B	7946	12-Jun-75	1-May-91	307	231	1105	1095	99.6	PROPULSION	DELTA SECOND STAGE
COSMOS 758	1975-080A	8191	5-Sep-75	6-Sep-75	76	0	325	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 777	1975-102A	8416	29-Oct-75	25-Jan-76	62	0	440	430	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 838	1976-063A	8932	2-Jul-76	17-May-77	40	0	445	415	65.1	UNKNOWN	COSMOS 699 CLASS
COSMOS 839	1976-067A	9011	8-Jul-76	29-Sep-77	70	68	2100	980	65.9	BATTERY	
COSMOS 844	1976-072A	9046	22-Jul-76	25-Jul-76	248	0	355	170	67.1	DELIBERATE	SELF-DESTRUCT
NOAA 5 R/B	1976-077B	9063	29-Jul-76	24-Dec-77	184	174	1520	1505	102.0	PROPULSION	DELTA SECOND STAGE
COSMOS 862	1976-105A	9495	22-Oct-76	15-Mar-77	13	5	39645	765	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 880	1976-120A	9601	9-Dec-76	27-Nov-78	49	0	620	550	65.8	BATTERY	
COSMOS 884	1976-123A	9614	17-Dec-76	29-Dec-76	2	0	320	170	65.0	DELIBERATE	SELF-DESTRUCT
COSMOS 886	1976-126A	9634	27-Dec-76	27-Dec-76	76	58	2295	595	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 903	1977-027A	9911	11-Apr-77	8-Jun-78	6	3	39035	1325	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 917	1977-047A	10059	16-Jun-77	30-Mar-79	14	12	38725	1645	62.9	DELIBERATE	SELF-DESTRUCT
HIMAWARI 1 R/B	1977-065B	10144	14-Jul-77	14-Jul-77	177	59	2025	535	29.0	PROPULSION	DELTA SECOND STAGE
COSMOS 931	1977-068A	10150	20-Jul-77	24-Oct-77	6	5	39665	680	62.9	DELIBERATE	SELF-DESTRUCT
EKRAN 2	1977-092A	10365	20-Sep-77	23-Jun-78	5	5	35800	35785	0.1	BATTERY	
COSMOS 970	1977-121A	10531	21-Dec-77	21-Dec-77	70	64	1140	945	65.8	DELIBERATE	SELF-DESTRUCT
LANDSAT 3 R/B	1978-026C	10704	5-Mar-78	27-Jan-81	248	153	910	900	98.8	PROPULSION	DELTA SECOND STAGE
COSMOS 1030	1978-083A	11015	6-Sep-78	10-Oct-78	13	9	39760	665	62.8	DELIBERATE	SELF-DESTRUCT
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	26-Dec-81	2	1	955	935	99.3	PROPULSION	DELTA SECOND STAGE
COSMOS 1045 R/B	1978-100D	11087	26-Oct-78	9-May-88	42	32	1705	1685	82.6	PROPULSION	TSYKLON THIRD STAGE
P-78/SOLWIND	1979-017A	11278	24-Feb-79	13-Sep-85	285	0	545	515	97.6	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 1094	1979-033A	11333	18-Apr-79	17-Sep-79	1	0	405	380	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1109	1979-058A	11417	27-Jun-79	Feb-80	19	8	39425	960	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1124	1979-077A	11509	28-Aug-79	9-Sep-79	5	5	39795	570	63.0	DELIBERATE	SELF-DESTRUCT
SATCOM 3	1979-101A	11635	7-Dec-79	11-Dec-79	21	21	35776	204	23.7	PROPULSION	AKM FAILURE
CAT R/B	1979-104B	11659	24-Dec-79	Apr-80	31	24	33140	180	17.9	PROPULSION	ARIANE 1 FINAL STAGE

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 1167	1980-021A	11729	14-Mar-80	15-Jul-81	12	0	450	355	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1174	1980-030A	11765	18-Apr-80	18-Apr-80	46	4	1660	380	66.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1188	1980-050A	11844	14-Jun-80	26-Aug-80	8	6	39630	735	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1191	1980-057A	11871	2-Jul-80	14-May-81	11	11	39255	1110	62.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1217	1980-085A	12032	24-Oct-80	12-Feb-83	10	8	38830	1530	65.2	DELIBERATE	SELF-DESTRUCT
COSMOS 1220	1980-089A	12054	4-Nov-80	20-Jun-82	83	1	885	570	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1247	1981-016A	12303	19-Feb-81	20-Oct-81	7	6	39390	970	63.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1260	1981-028A	12364	20-Mar-81	8-May-82	68	0	750	450	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1261	1981-031A	12376	31-Mar-81	Apr-81	10	10	39765	610	63.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1275	1981-053A	12504	4-Jun-81	24-Jul-81	479	421	1015	960	83.0	BATTERY	
COSMOS 1278	1981-058A	12547	19-Jun-81	Dec-86	3	0	37690	2665	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1285	1981-071A	12627	4-Aug-81	21-Nov-81	25	25	40100	720	63.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1286	1981-072A	12631	4-Aug-81	29-Sep-82	2	0	325	300	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1305 R/B	1981-088F	12827	11-Sep-81	11-Sep-81	8	8	13795	605	62.8	PROPULSION	MOLNIYA FINAL STAGE
COSMOS 1306	1981-089A	12828	14-Sep-81	12-Jul-82	8	0	405	380	64.9	UNKNOWN	COSMOS 699 CLASS
COSMOS 1317	1981-108A	12933	31-Oct-81	25-28 Jan-84	11	11	39055	1315	62.8	DELIBERATE	SELF-DESTRUCT
METEOR 2-8	1982-025A	13113	25-Mar-82	29-May-99	53	53	960	935	82.5	UNKNOWN	
COSMOS 1348	1982-029A	13124	7-Apr-82	2-Sep-84	10	10	39200	1185	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1355	1982-038A	13150	29-Apr-82	8-Aug-83	29	0	395	360	65.1	UNKNOWN	COSMOS 699 CLASS
COSMOS 1375	1982-055A	13259	6-Jun-82	21-Oct-85	61	58	1000	990	65.8	BATTERY	
COSMOS 1405	1982-088A	13508	4-Sep-82	20-Dec-83	32	0	340	310	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1423 R/B	1982-115E	13696	8-Dec-82	8-Dec-82	29	0	425	235	62.9	PROPULSION	MOLNIYA FINAL STAGE
ASTRON ULLAGE MOTOR	1983-020B	13902	23-Mar-83	3-Sep-84	1	0	1230	220	51.5	PROPULSION	PROTON-K BLOCK DM SOZ
NOAA 8	1983-022A	13923	28-Mar-83	30-Dec-85	5	1	830	805	98.6	BATTERY	
COSMOS 1456	1983-038A	14034	25-Apr-83	13-Aug-83	4	0	39630	730	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1461	1983-044A	14064	7-May-83	11-Mar-85	187	14	890	570	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1481	1983-070A	14182	8-Jul-83	9-Jul-83	7	7	39225	625	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1484	1983-075A	14207	24-Jul-83	18-Oct-93	49	0	595	550	97.5	UNKNOWN	
COSMOS 1519-21 ULLAGE MOTOR	1983-127H	14608	29-Dec-83	4-Feb-91	8	3	18805	340	51.9	PROPULSION	PROTON-K BLOCK DM SOZ
PALAPA B2 R/B	1984-011E	14693	3-Feb-84	6-Feb-84	3	0	285	275	28.5	PROPULSION	PAM-D UPPER STAGE
WESTAR 6 R/B	1984-011F	14694	3-Feb-84	3-Feb-84	14	0	310	305	28.5	PROPULSION	PAM-D UPPER STAGE
COSMOS 1588	1984-083A	15167	7-Aug-84	23-Feb-86	45	0	440	410	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1603 ULLAGE MOTOR	1984-106F	15338	28-Sep-84	5-Sep-92	23	2	845	835	66.6	PROPULSION	PROTON-K BLOCK DM SOZ



**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
SPACENET 2/MARECS B2 R/B	1984-114C	15388	10-Nov-84	20-Nov-84	3	2	35960	325	7.0	PROPULSION	ARIANE 3 FINAL STAGE
COSMOS 1646	1985-030A	15653	18-Apr-85	20-Nov-87	24	0	410	385	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1650-52 ULLAGE MOTOR	1985-037G	15714	17-May-85	29-Nov-98	4	2	18620	320	52.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1654	1985-039A	15734	23-May-85	21-Jun-85	18	0	300	185	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1656 ULLAGE MOTOR	1985-042E	15773	30-May-85	5-Jan-88	6	6	860	810	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1682	1985-082A	16054	19-Sep-85	18-Dec-86	23	0	475	385	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1691 (1695)	1985-094B	16139	9-Oct-85	22-Nov-85	21	18	1415	1410	82.6	BATTERY	
COSMOS 1703 R/B	1985-108B	16263	22-Nov-85	4-May-06	50	2	640	610	82.5	PROPULSION	TSYKLON THIRD STAGE
COSMOS 1710-12 ULLAGE MOTOR	1985-118L	16446	24-Dec-85	29-Dec-91	17	10	18885	655	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1714 R/B	1985-121F	16439	28-Dec-85	28-Dec-85	2	0	830	165	71.0	PROPULSION	ZENIT SECOND STAGE
SPOT 1 R/B	1986-019C	16615	22-Feb-86	13-Nov-86	498	31	835	805	98.7	PROPULSION	ARIANE 1 FINAL STAGE
COSMOS 1769	1986-059A	16895	4-Aug-86	21-Sep-87	4	0	445	310	65.0	UNKNOWN	COSMOS 699 CLASS
USA 19	1986-069A	16937	5-Sep-86	5-Sep-86	13	0	745	210	39.1	COLLISION, DELIBERATE COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
USA 19 R/B	1986-069B	16938	5-Sep-86	5-Sep-86	5	0	610	220	22.8		HYPERVELOCITY IMPACT
COSMOS 1813	1987-004A	17297	15-Jan-87	29-Jan-87	195	0	415	360	72.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1823	1987-020A	17535	20-Feb-87	17-Dec-87	150	76	1525	1480	73.6	BATTERY	
COSMOS 1866	1987-059A	18184	9-Jul-87	26-Jul-87	9	0	255	155	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1869	1987-062A	18214	16-Jul-87	27-Nov-97	2	1	635	605	83.0	UNKNOWN	
METEOR 2-16 R/B	1987-068B	18313	18-Aug-87	15-Feb-98	108	42	960	940	82.6	PROPULSION	TSYKLON THIRD STAGE
AUSSAT K3/ECS 4 R/B	1987-078C	18352	16-Sep-87	16-19 Sep-87	4	1	36515	245	6.9	PROPULSION	ARIANE 3 FINAL STAGE
COSMOS 1883-85 ULLAGE MOTOR	1987-079G	18374	16-Sep-87	1-Dec-96	14	11	19120	335	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1883-85 ULLAGE MOTOR	1987-079H	18375	16-Sep-87	23-Apr-03	42	11	18540	755	65.2	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1906	1987-108A	18713	26-Dec-87	31-Jan-88	37	0	265	245	82.6	DELIBERATE	SELF-DESTRUCT
EKRAN 17 ULLAGE MOTOR	1987-109E	18719	27-Dec-87	22-May-97	1	0	22975	310	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
METEOR 2-17	1988-005A	18820	30-Jan-88	21-Jun-05	45	45	960	930	82.5	UNKNOWN	
DMSP 5D-2 F9 (USA 29)	1988-006A	18822	3-Feb-88	14-17 Dec-12	10	3	810	800	98.8	UNKNOWN	
COSMOS 1916	1988-007A	18823	3-Feb-88	27-Feb-88	1	0	230	150	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1934	1988-023A	18985	22-Mar-88	23-Dec-91	3	3	1010	950	83.0	COLLISION, ACCIDENTAL	HIT BY DEBRIS (13475)
INTELSAT 513 R/B	1988-040B	19122	17-May-88	9-Jul-02	8	8	35445	535	7.0	PROPULSION	ARIANE 2 R/B
COSMOS 1970-72 ULLAGE MOTOR	1988-085F	19535	16-Sep-88	4-Aug-03	79	10	18515	720	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1970-72 ULLAGE MOTOR	1988-085G	19537	16-Sep-88	9-Mar-99	1	1	18950	300	64.6	PROPULSION	PROTON-K BLOCK DM SOZ

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
SKYNET 4B/ASTRA 1A R/B	1988-109C	19689	11-Dec-88	17-Feb-98	18	17	35875	435	7.3	PROPULSION	ARIANE 4 H10 FINAL STAGE
COSMOS 1987-89 ULLAGE MOTOR	1989-001G	19755	10-Jan-89	3-Aug-98	16	6	19055	340	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1987-89 ULLAGE MOTOR	1989-001H	19856	10-Jan-89	13-Nov-03	1	1	18740	710	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 17 ULLAGE MOTOR	1989-004E	19771	26-Jan-89	17-Dec-92	1	0	17575	195	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
INTELSAT 515 R/B	1989-006B	19773	27-Jan-89	1-Jan-01	87	86	35720	510	8.4	PROPULSION	ARIANE 2 R/B
COSMOS 2022-24 ULLAGE MOTOR	1989-039G	20081	31-May-89	10-Jun-06	120	43	18410	655	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 18 ULLAGE MOTOR	1989-052F	20116	5-Jul-89	12-Jan-93	2	0	36745	260	46.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2030	1989-054A	20124	12-Jul-89	28-Jul-89	1	0	215	150	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2031	1989-056A	20136	18-Jul-89	31-Aug-89	9	0	365	240	50.5	DELIBERATE	SELF-DESTRUCT
COBE R/B	1989-089B	20323	18-Nov-89	3-Dec-06	26	1	790	685	97.1	UNKNOWN	DELTA SECOND STAGE
COSMOS 2053 R/B	1989-100B	20390	27-Dec-89	18-Apr-99	26	0	485	475	73.5	PROPULSION	TSYKLON THIRD STAGE
COSMOS 2054 ULLAGE MOTOR	1989-101E	20399	27-Dec-89	Jul-92	14	2	27650	345	47.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-81 ULLAGE MOTOR	1990-045F	20630	19-May-90	17-Nov-11	1	1	18620	420	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-81 ULLAGE MOTOR	1990-045G	20631	19-May-90	28-Mar-99	1	1	19065	405	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
FENGYUN 1-2 R/B	1990-081D	20791	3-Sep-90	4-Oct-90	103	75	895	880	98.9	PROPULSION	CZ-4 FINAL STAGE
COSMOS 2101	1990-087A	20828	1-Oct-90	30-Nov-90	4	0	280	195	64.8	DELIBERATE	SELF-DESTRUCT
GORIZONT 22 ULLAGE MOTOR	1990-102E	20957	23-Nov-90	14-Dec-95	2	1	13105	170	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
USA 68	1990-105A	20978	1-Dec-90	1-Dec-90	29	1	850	610	98.9	PROPULSION	TE-M-364-15 UPPER STAGE
COSMOS 2109-11 ULLAGE MOTOR	1990-110G	21012	8-Dec-90	21-Feb-03	1	1	18805	645	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2109-11 ULLAGE MOTOR	1990-110H	21013	8-Dec-90	14-Mar-98	2	2	18995	520	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
ITALSAT 1/EUTELSAT 2 F2 R/B	1991-003C	21057	15-Jan-91	Apr/May 96	15	12	30930	235	6.7	PROPULSION	ARIANE 4 H10 FINAL STAGE
COSMOS 2125-32 R/B	1991-009J	21108	12-Feb-91	5-Mar-91	112	112	1725	1460	74.0	PROPULSION	COSMOS SECOND STAGE
COSMOS 2133 ULLAGE MOTOR	1991-010D	21114	12-Feb-91	7-May-94	4	0	21805	225	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
ASTRA 1B/MOP 2 R/B	1991-015C	21141	2-Mar-91	27-Apr-94	11	7	17630	205	6.8	PROPULSION	ARIANE 4 H10 FINAL STAGE
COSMOS 2139-41 ULLAGE MOTOR	1991-025F	21220	4-Apr-91	8-Mar-09	33	11	18535	465	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2139-41 ULLAGE MOTOR	1991-025G	21226	4-Apr-91	16-Jun-01	1	1	18960	300	64.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2157-62 R/B	1991-068G	21734	28-Sep-91	9-Oct-99	40	40	1485	1410	82.6	PROPULSION	TSYKLON THIRD STAGE
COSMOS 2163	1991-071A	21741	9-Oct-91	6-Dec-91	1	0	260	185	64.8	DELIBERATE	SELF-DESTRUCT
INTELSAT 601 R/B	1991-075B	21766	29-Oct-91	24-Dec-01	13	8	28505	230	7.2	PROPULSION	ARIANE 4 H10 FINAL STAGE
USA 73 (DMSP 5D2 F11)	1991-082A	21798	28-Nov-91	15-Apr-04	85	65	850	830	98.7	UNKNOWN	

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
TELECOM 2B/INMARSAT 2 R/B	1992-021C	21941	15-Apr-92	21-Apr-93	18	17	34080	235	4.0	PROPULSION	ARIANE 4 H10+ FINAL STAGE
INSAT 2A/EUTELSAT 2F4 R/B	1992-041C	22032	9-Jul-92	Feb-02	2	2	26550	250	7.0	PROPULSION	ARIANE 4 H10 FINAL STAGE
COSMOS 2204-06 ULLAGE MOTOR	1992-047G	22066	30-Jul-92	10-Jul-04	34	12	18820	415	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2204-06 ULLAGE MOTOR	1992-047H	22067	30-Jul-92	8-Nov-94	4	2	19035	480	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 27 ULLAGE MOTOR	1992-082F	22250	27-Nov-92	14-Jul-01	1	0	5340	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2224 ULLAGE MOTOR	1992-088F	22274	17-Dec-92	~22-Apr-05	1	0	21140	200	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2225	1992-091A	22280	22-Dec-92	18-Feb-93	6	0	280	225	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 2227 R/B	1992-093B	22285	25-Dec-92	26-Dec-92	279	196	855	845	71.0	PROPULSION	ZENIT-2 SECOND STAGE
COSMOS 2237 R/B	1993-016B	22566	26-Mar-93	28-Mar-93	104	100	850	840	71.0	PROPULSION	ZENIT-2 SECOND STAGE
COSMOS 2238	1993-018A	22585	30-Mar-93	1-Dec-94	1	0	305	210	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 2243	1993-028A	22641	27-Apr-93	27-Apr-93	1	0	225	180	70.4	DELIBERATE	SELF-DESTRUCT
COSMOS 2251	1993-036A	22675	16-Jun-93	10-Feb-09	1668	1076	800	775	74.0	COLLISION, ACCIDENTAL	COLLIDED WITH IRIDIUM 33
COSMOS 2259	1993-045A	22716	14-Jul-93	25-Jul-93	1	0	320	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2262	1993-057A	22789	7-Sep-93	18-Dec-93	1	0	295	170	64.9	DELIBERATE	SELF-DESTRUCT
GORIZONT 29 ULLAGE MOTOR	1993-072E	22925	18-Nov-93	6-Sep-00	1	0	11215	140	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
CLEMENTINE R/B	1994-004B	22974	25-Jan-94	7-Feb-94	1	0	295	240	67.0	PROPULSION	
STEP II R/B	1994-029B	23106	19-May-94	3-Jun-96	754	82	820	585	82.0	PROPULSION	PEGASUS HAPS
COSMOS 2282 ULLAGE MOTOR	1994-038F	23174	6-Jul-94	21-Oct-95	2	0	34930	280	47.0	PROPULSION	PROTON-K BLOCK DM SOZ
ELEKTRO ULLAGE MOTOR	1994-069E	23338	31-Oct-94	11-May-95	1	0	35465	155	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2294-96 ULLAGE MOTOR	1994-076G	23402	20-Nov-94	7-Jun-14	2	2	18990	420	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
RS-15 R/B	1994-085B	23440	26-Dec-94	26-Dec-94	26	23	2200	1880	64.8	UNKNOWN	ROKOT THIRD STAGE
USA 109 (DMSP 5D-2 F13)	1995-015A	23533	24-Mar-95	3-Feb-15	236	219	840	840	98.8	BATTERY	Operational at event time
COSMOS 2313	1995-028A	23596	8-Jun-95	26-Jun-97	13	0	325	210	65.0	UNKNOWN	COSMOS 699 CLASS
CERISE	1995-033B	23606	7-Jul-95	24-Jul-96	2	1	675	665	98.1	COLLISION, ACCIDENTAL	HIT BY DEBRIS (18208)
COSMOS 2316-18 ULLAGE MOTOR	1995-037K	23631	24-Jul-95	21-Nov-00	1	0	18085	150	64.4	PROPULSION	PROTON-K BLOCK DM SOZ
RADUGA 33 R/B	1996-010D	23797	19-Feb-96	19-Feb-96	1	0	36505	240	48.7	PROPULSION	PROTON-K BLOCK DM
GORIZONT 32 ULLAGE MOTOR	1996-034F	23887	25-May-96	13-Dec-99	1	0	5605	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2343	1997-024A	24805	15-May-97	16-Sep-97	1	0	285	225	65.0	DELIBERATE	SELF-DESTRUCT
IRIDIUM 33	1997-051C	24946	14-Sep-97	10-Feb-09	628	333	780	775	86.4	COLLISION, ACCIDENTAL	COLLIDED WITH COSMOS 2251
KUPON ULLAGE MOTOR	1997-070F	25054	12-Nov-97	14-Feb-07	7	4	14160	260	46.6	PROPULSION	PROTON-K BLOCK DM SOZ

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 2347	1997-079A	25088	9-Dec-97	22-Nov-99	9	0	410	230	65.0	UNKNOWN	COSMOS 699 CLASS
ASIASAT 3 R/B	1997-086D	25129	24-Dec-97	25-Dec-97	1	0	35995	270	51.0	PROPULSION	PROTON-K BLOCK DM
COMETS R/B	1998-011B	25176	21-Feb-98	21-Feb-98	1	0	1880	245	30.0	PROPULSION	H-II SECOND STAGE
ARGOS/ORSTED/SUN SAT R/B	1999-008D	25637	23-Feb-99	28-Apr-14	8	1	840	635	96.5	UNKNOWN	DELTA 2 SECOND STAGE
FENGYUN 1C	1999-025A	25730	10-May-99	11-Jan-07	3442	2832	865	845	98.6	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
CBERS 1	1999-057A	25940	14-Oct-99	18-Feb-07	88	53	780	770	98.2	UNKNOWN	
CBERS 1/SACI 1 R/B	1999-057C	25942	14-Oct-99	11-Mar-00	344	150	745	725	98.5	PROPULSION	CZ-4 FINAL STAGE
COSMOS 2367	1999-072A	26040	26-Dec-99	21-Nov-01	17	0	415	405	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 2371 ULLAGE MOTOR	2000-036E	26398	4-Jul-00	~1-Sep-06	1	0	21320	220	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
NOAA 16	2000-055A	26536	21-Sep-00	25-Nov-15	458	458	858	842	98.9	UNKNOWN	
TES R/B	2001-049D	26960	22-Oct-01	19-Dec-01	372	72	675	550	97.9	PROPULSION	PSLV FINAL STAGE
COSMOS 2383	2001-057A	27053	21-Dec-01	28-Feb-04	14	0	400	220	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 2392 ULLAGE MOTOR	2002-037E	27474	25-Jul-02	1-Jun-05	61	0	835	255	63.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2392 ULLAGE MOTOR	2002-037F	27475	25-Jul-02	29-Oct-04	1	0	840	235	63.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2399	2003-035A	27856	12-Aug-03	9-Dec-03	22	0	250	175	64.9	DELIBERATE	SELF-DESTRUCT
ALOS-1 R/B	2006-002B	28932	24-Jan-06	8-Aug-06	24	3	700	550	98.2	UNKNOWN	H-IIA SECOND STAGE
ARABSAT 4 BRIZ-M R/B	2006-006B	28944	28-Feb-06	19-Feb-07	102	92	14705	495	51.5	PROPULSION	PROTON-K BRIZ-M STAGE
YAOGAN 1	2006-015A	29092	26-Apr-06	4-Feb-10	8	2	630	625	97.9	UNKNOWN	
COSMOS 2421	2006-026A	29247	25-Jun-06	14-Mar-08	509	0	420	400	65.0	UNKNOWN	COSMOS 699 CLASS
IGS 3A R/B	2006-037B	29394	11-Sep-06	28-Dec-06	10	0	490	430	97.2	UNKNOWN	H-IIA SECOND STAGE
COSMOS 2423	2006-039A	29402	14-Sep-06	17-Nov-06	31	0	285	200	64.9	DELIBERATE	SELF-DESTRUCT
DMSP 5D-3 F17 R/B	2006-050B	29523	4-Nov-06	4-Nov-06	65	0	865	830	98.8	UNKNOWN	DELTA IV SECOND STAGE
USA 193	2006-057A	29651	14-Dec-06	21-Feb-08	175	0	255	245	58.5	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 2424-2426 ULLAGE MOTOR	2006-062G	29680	25-Dec-06	27-Jul-16	9	8	19088	426	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
BEIDOU 1D R/B	2007-003B	30324	2-Feb-07	2-Feb-07	39	36	41900	235	25.0	UNKNOWN	CZ-3A FINAL STAGE
IGS 4A/4B R/B DEBRIS	2007-005E	30590	24-Feb-07	23-Dec-10	4	0	440	430	97.3	UNKNOWN	H-IIA DEBRIS
COSMOS 2428	2007-029A	31792	29-Jun-07	10-May-14	10	2	860	845	71.0	UNKNOWN	
COSMOS 2431-33 ULLAGE MOTOR	2007-052F	32280	26-Oct-07	13-Aug-14	25	25	18790	730	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
USA 197 R/B	2007-054B	32288	11-Nov-07	11-Nov-07	32	32	1575	220	29.0	UNKNOWN	DELTA IV SECOND STAGE
COSMOS 2434-36 ULLAGE MOTOR	2007-065G	32399	25-Dec-07	18-Aug-11	1	1	18965	540	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
AMC 14 BRIZ-M R/B	2008-011B	32709	14-Mar-08	13-Oct-10	116	115	26565	645	48.9	PROPULSION	PROTON-K BRIZ-M STAGE

**TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 2442-44 ULLAGE MOTOR	2008-046H	33385	25-Sep-08	20-May-14	11	10	18720	865	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2447-49 ULLAGE MOTOR	2008-067G	33472	25-Dec-08	26-Mar-16	4	4	18840	682	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2447-49 ULLAGE MOTOR	2008-067H	33473	25-Dec-08	1-Jun-16	12	12	18786	709	65.3		
BEIDOU G2	2009-018A	34779	14-Apr-09	29-Jun-16	1	1	36137	35384	4.7	UNKNOWN	
COSMOS 2459-61 ULLAGE MOTOR	2010-007G	36406	1-Mar-10	9-Jul-14	11	11	18750	770	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2459-61 ULLAGE MOTOR	2010-007H	36407	1-Mar-10	22-May-18	11	11	18929	602	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2464-2466 ULLAGE MOTOR	2010-041G	37143	2-Sep-10	3-Sep-17	10	10	18684	756	65.2	PROPULSION	PROTON-K BLOCK DM SOZ
CHINASAT 6A R/B	2010-042B	37151	4-Sep-10	4-Sep-10	30	29	41894	194	25.2	UNKNOWN	
BEIDOU G4 R/B	2010-057B	37211	1-Nov-10	1-Nov-10	57	55	35780	160	20.5	UNKNOWN	CZ-3C FINAL STAGE
SL-23 DEBRIS	2011-037B	37756	18-Jul-11	3/4-Aug-15	1	1	3649	428	51.4	UNKNOWN	Fregat-SB SBB propellant tank
NIGCOMSAT 1R R/B	2011-077B	38015	19-Dec-11	~21-Dec-11	39	39	41715	230	24.3	UNKNOWN	CZ-3B FINAL STAGE
BEIDOU G5 R/B	2012-008B	38092	24-Feb-12	26-Feb-12	38	37	35950	150	20.7	UNKNOWN	CZ-3C FINAL STAGE
NIMIQ 6 R/B	2012-026B	38343	17-May-12	23-Dec-15	11	11	34592	10408	12.0	UNKNOWN	Briz-M CORE
TELKOM 3 / EXPRESS MD2 BRIZ-M R/B	2012-044C	38746	6-Aug-12	16-Oct-12	113	20	5010	265	49.9	PROPULSION	PROTON-K BRIZ-M STAGE
CASSIOPE R/B	2013-055B	39266	29-Sep-13	29-Sep-13	16	1	1490	320	81.0	PROPULSION	FALCON 9 SECOND STAGE
SENTINEL 1A	2014-016A	39634	3-Apr-14	23-Aug-16	8	3	698	696	98.2	COLLISION, ACCIDENTAL	Solar array impact by small MMOD
PROGRESS-M 27M R/B	2015-024B	40620	28-Apr-15	28-Apr-15	21	0	181	169	51.7	UNKNOWN	Soyuz 2.1a (3); separation with PROGRESS M-27M
COSMOS 2513 R/B	2015-075B	41122	13-Dec-15	16-Jan-16	7	7	35777	33426	0.2	UNKNOWN	Briz-M CORE
ASTRO H (HITOMI)	2016-012A	41337	17-Feb-16	26-Mar-16	13	10	578	563	31.0	PROPULSION	likely structural failure mechanism
FREGAT DEB (TANK)	2017-086C	43089	26-Dec-17	12-Feb-18	5	2	4070	277	50.4	UNKNOWN	SL-23 Fregat SB SBB propellant tank

1. NA = NOT AVAILABLE

2. BREAKUP DATE AND ORBIT ARE FOR FIRST EVENT ONLY IF MULTIPLE EVENTS OCCURRED

3. DOES NOT INCLUDE SATELLITE BREAKUPS IF VEHICLE WAS ON REENTRY TRAJECTORY AT THE TIME OF THE EVENT

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
TRANSIT 4A R/B	1961-015C	118	29-Jun-61	29-Jun-61	296	172	995	880	66.8	PROPULSION	ABLESTAR STAGE
SPUTNIK 29	1962-057A	443	24-Oct-62	29-Oct-62	24	0	260	200	65.1	PROPULSION	MOLNIYA FINAL STAGE
ATLAS CENTAUR 2	1963-047A	694	27-Nov-63	27-Nov-63	19	8	1785	475	30.3	PROPULSION	CENTAUR STAGE
COSMOS 50	1964-070A	919	28-Oct-64	5-Nov-64	96	0	220	175	51.2	DELIBERATE	SELF-DESTRUCT
COSMOS 57	1965-012A	1093	22-Feb-65	22-Feb-65	167	0	425	165	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 61-63 R/B	1965-020D	1270	15-Mar-65	15-Mar-65	147	18	1825	260	56.1	UNKNOWN	COSMOS SECOND STAGE
OV2-1/LCS 2 R/B	1965-082DM	1822	15-Oct-65	15-Oct-65	473	32	790	710	32.2	PROPULSION	TITAN TRANSTAGE
OV2-3/ et al. R/B	1965-108A	1863	21-Dec-65	21-Dec-65	108	101	33660	165	26.4	PROPULSION	TITAN TRANSTAGE
COSMOS 95	1965-088A	1706	4-Nov-65	15-Jan-66	1	0	300	180	48.4	UNKNOWN	
OPS 3031	1966-012C	2015	15-Feb-66	15-Feb-66	38	0	270	150	96.5	UNKNOWN	INFLATABLE SPHERE
GEMINI 9 ATDA R/B	1966-046B	2188	1-Jun-66	Jun-66	51	0	275	240	28.8	UNKNOWN	ATLAS CORE STAGE
AS-203	1966-059A	2289	5-Jul-66	5-Jul-66	34	0	215	185	32.0	DELIBERATE	SATURN S-IVB STAGE
COSMOS U-1	1966-088A	2437	17-Sep-66	17-Sep-66	52	0	855	140	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS U-2	1966-101A	2536	2-Nov-66	2-Nov-66	41	0	885	145	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS 199	1968-003A	3099	16-Jan-68	24-Jan-68	3	0	355	200	65.6	DELIBERATE	SELF-DESTRUCT
APOLLO 6 R/B	1968-025B	3171	4-Apr-68	13-Apr-68	16	0	360	200	32.6	PROPULSION	SATURN S-IVB STAGE
COSMOS 249	1968-091A	3504	20-Oct-68	20-Oct-68	108	39	2165	490	62.3	DELIBERATE	SELF-DESTRUCT
COSMOS 248	1968-090A	3503	19-Oct-68	1-Nov-68	5	0	545	475	62.2	DELIBERATE	DEBRIS IMPACT
COSMOS 252	1968-097A	3530	1-Nov-68	1-Nov-68	139	40	2140	535	62.3	DELIBERATE	SELF-DESTRUCT
METEOR 1-1 R/B	1969-029B	3836	26-Mar-69	28-Mar-69	37	0	850	460	81.2	UNKNOWN	VOSTOK FINAL STAGE
INTELSAT 3 F-5 R/B	1969-064B	4052	26-Jul-69	26-Jul-69	22	0	5445	270	30.4	PROPULSION	TE 364-4 STAGE
OPS 7613 R/B	1969-082AB	4159	30-Sep-69	4-Oct-69	261	63	940	905	70.0	UNKNOWN	AGENA D STAGE
NIMBUS 4 R/B	1970-025C	4367	8-Apr-70	17-Oct-70	441	299	1085	1065	99.9	UNKNOWN	AGENA D STAGE
COSMOS 374	1970-089A	4594	23-Oct-70	23-Oct-70	99	20	2130	530	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 375	1970-091A	4598	30-Oct-70	30-Oct-70	47	15	2100	525	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 397	1971-015A	4964	25-Feb-71	25-Feb-71	116	44	2200	575	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 462	1971-106A	5646	3-Dec-71	3-Dec-71	25	0	1800	230	65.7	DELIBERATE	SELF-DESTRUCT
SALYUT 2 R/B	1973-017B	6399	3-Apr-73	3-Apr-73	25	0	245	195	51.5	PROPULSION	PROTON-K THIRD STAGE
COSMOS 554	1973-021A	6432	19-Apr-73	6-May-73	193	0	350	170	72.9	DELIBERATE	SELF-DESTRUCT
ESSA 8 (TOS F) R/B	1968-114B	3616	15-Dec-68	15-Nov-73	18	18	1462	1413	101.6	PROPULSION	DELTA SECOND STAGE
NOAA 3 R/B	1973-086B	6921	6-Nov-73	28-Dec-73	220	198	1510	1500	102.1	PROPULSION	DELTA SECOND STAGE
COSMOS 699	1974-103A	7587	24-Dec-74	17-Apr-75	50	0	445	425	65.0	UNKNOWN	COSMOS 699 CLASS
LANDSAT 1 R/B	1972-058B	6127	23-Jul-72	22-May-75	244	47	910	635	98.3	PROPULSION	DELTA SECOND STAGE
PAGEOS	1966-056A	2253	24-Jun-66	12-Jul-75	79	1	5170	3200	85.3	UNKNOWN	INFLATABLE SPHERE

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
NOAA 4 R/B	1974-089D	7532	15-Nov-74	20-Aug-75	185	160	1460	1445	101.7	PROPULSION	DELTA SECOND STAGE
COSMOS 758	1975-080A	8191	5-Sep-75	6-Sep-75	76	0	325	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 777	1975-102A	8416	29-Oct-75	25-Jan-76	62	0	440	430	65.0	UNKNOWN	COSMOS 699 CLASS
LANDSAT 2 R/B	1975-004B	7616	22-Jan-75	9-Feb-76	207	32	915	740	97.8	PROPULSION	DELTA SECOND STAGE
COSMOS 844	1976-072A	9046	22-Jul-76	25-Jul-76	248	0	355	170	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 886	1976-126A	9634	27-Dec-76	27-Dec-76	76	58	2295	595	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 884	1976-123A	9614	17-Dec-76	29-Dec-76	2	0	320	170	65.0	DELIBERATE	SELF-DESTRUCT
COSMOS 862	1976-105A	9495	22-Oct-76	15-Mar-77	13	5	39645	765	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 838	1976-063A	8932	2-Jul-76	17-May-77	40	0	445	415	65.1	UNKNOWN	COSMOS 699 CLASS
HIMAWARI 1 R/B	1977-065B	10144	14-Jul-77	14-Jul-77	177	59	2025	535	29.0	PROPULSION	DELTA SECOND STAGE
COSMOS 839	1976-067A	9011	8-Jul-76	29-Sep-77	70	68	2100	980	65.9	BATTERY	
COSMOS 931	1977-068A	10150	20-Jul-77	24-Oct-77	6	5	39665	680	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 970	1977-121A	10531	21-Dec-77	21-Dec-77	70	64	1140	945	65.8	DELIBERATE	SELF-DESTRUCT
NOAA 5 R/B	1976-077B	9063	29-Jul-76	24-Dec-77	184	174	1520	1505	102.0	PROPULSION	DELTA SECOND STAGE
COSMOS 903	1977-027A	9911	11-Apr-77	8-Jun-78	6	3	39035	1325	63.2	DELIBERATE	SELF-DESTRUCT
EKRAN 2	1977-092A	10365	20-Sep-77	23-Jun-78	5	5	35800	35785	0.1	BATTERY	
COSMOS 1030	1978-083A	11015	6-Sep-78	10-Oct-78	13	9	39760	665	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 880	1976-120A	9601	9-Dec-76	27-Nov-78	49	0	620	550	65.8	BATTERY	
COSMOS 917	1977-047A	10059	16-Jun-77	30-Mar-79	14	12	38725	1645	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1124	1979-077A	11509	28-Aug-79	9-Sep-79	5	5	39795	570	63.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1094	1979-033A	11333	18-Apr-79	17-Sep-79	1	0	405	380	65.0	UNKNOWN	COSMOS 699 CLASS
SATCOM 3	1979-101A	11635	7-Dec-79	11-Dec-79	21	21	35776	204	23.7	PROPULSION	AKM FAILURE
COSMOS 1109	1979-058A	11417	27-Jun-79	Feb-80	19	8	39425	960	63.3	DELIBERATE	SELF-DESTRUCT
CAT R/B	1979-104B	11659	24-Dec-79	Apr-80	31	24	33140	180	17.9	PROPULSION	ARIANE 1 FINAL STAGE
COSMOS 1174	1980-030A	11765	18-Apr-80	18-Apr-80	46	4	1660	380	66.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1188	1980-050A	11844	14-Jun-80	26-Aug-80	8	6	39630	735	62.9	DELIBERATE	SELF-DESTRUCT
LANDSAT 3 R/B	1978-026C	10704	5-Mar-78	27-Jan-81	248	153	910	900	98.8	PROPULSION	DELTA SECOND STAGE
COSMOS 1261	1981-031A	12376	31-Mar-81	Apr-81	10	10	39765	610	63.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1191	1980-057A	11871	2-Jul-80	14-May-81	11	11	39255	1110	62.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1167	1980-021A	11729	14-Mar-80	15-Jul-81	12	0	450	355	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1275	1981-053A	12504	4-Jun-81	24-Jul-81	479	421	1015	960	83.0	BATTERY	
COSMOS 1305 R/B	1981-088F	12827	11-Sep-81	11-Sep-81	8	8	13795	605	62.8	PROPULSION	MOLNIYA FINAL STAGE
COSMOS 1247	1981-016A	12303	19-Feb-81	20-Oct-81	7	6	39390	970	63.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1285	1981-071A	12627	4-Aug-81	21-Nov-81	25	25	40100	720	63.1	DELIBERATE	SELF-DESTRUCT

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	26-Dec-81	2	1	955	935	99.3	PROPULSION	DELTA SECOND STAGE
COSMOS 1260	1981-028A	12364	20-Mar-81	8-May-82	68	0	750	450	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1220	1980-089A	12054	4-Nov-80	20-Jun-82	83	1	885	570	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1306	1981-089A	12828	14-Sep-81	12-Jul-82	8	0	405	380	64.9	UNKNOWN	COSMOS 699 CLASS
COSMOS 1286	1981-072A	12631	4-Aug-81	29-Sep-82	2	0	325	300	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1423 R/B	1982-115E	13696	8-Dec-82	8-Dec-82	29	0	425	235	62.9	PROPULSION	MOLNIYA FINAL STAGE
COSMOS 1217	1980-085A	12032	24-Oct-80	12-Feb-83	10	8	38830	1530	65.2	DELIBERATE	SELF-DESTRUCT
COSMOS 1481	1983-070A	14182	8-Jul-83	9-Jul-83	7	7	39225	625	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1355	1982-038A	13150	29-Apr-82	8-Aug-83	29	0	395	360	65.1	UNKNOWN	COSMOS 699 CLASS
COSMOS 1456	1983-038A	14034	25-Apr-83	13-Aug-83	4	0	39630	730	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1405	1982-088A	13508	4-Sep-82	20-Dec-83	32	0	340	310	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1317	1981-108A	12933	31-Oct-81	25-28 Jan-84	11	11	39055	1315	62.8	DELIBERATE	SELF-DESTRUCT
WESTAR 6 R/B	1984-011F	14694	3-Feb-84	3-Feb-84	14	0	310	305	28.5	PROPULSION	PAM-D UPPER STAGE
PALAPA B2 R/B	1984-011E	14693	3-Feb-84	6-Feb-84	3	0	285	275	28.5	PROPULSION	PAM-D UPPER STAGE
COSMOS 1348	1982-029A	13124	7-Apr-82	2-Sep-84	10	10	39200	1185	62.8	DELIBERATE	SELF-DESTRUCT
ASTRON ULLAGE MOTOR	1983-020B	13902	23-Mar-83	3-Sep-84	1	0	1230	220	51.5	PROPULSION	PROTON-K BLOCK DM SOZ
SPACENET 2/MARECS B2 R/B	1984-114C	15388	10-Nov-84	20-Nov-84	3	2	35960	325	7.0	PROPULSION	ARIANE 3 FINAL STAGE
COSMOS 1461	1983-044A	14064	7-May-83	11-Mar-85	187	14	890	570	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1654	1985-039A	15734	23-May-85	21-Jun-85	18	0	300	185	64.9	DELIBERATE	SELF-DESTRUCT
P-78/SOLWIND	1979-017A	11278	24-Feb-79	13-Sep-85	285	0	545	515	97.6	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 1375	1982-055A	13259	6-Jun-82	21-Oct-85	61	58	1000	990	65.8	BATTERY	
COSMOS 1691 (1695)	1985-094B	16139	9-Oct-85	22-Nov-85	21	18	1415	1410	82.6	BATTERY	
COSMOS 1714 R/B	1985-121F	16439	28-Dec-85	28-Dec-85	2	0	830	165	71.0	PROPULSION	ZENIT SECOND STAGE
NOAA 8	1983-022A	13923	28-Mar-83	30-Dec-85	5	1	830	805	98.6	BATTERY	
COSMOS 1588	1984-083A	15167	7-Aug-84	23-Feb-86	45	0	440	410	65.0	UNKNOWN	COSMOS 699 CLASS
USA 19	1986-069A	16937	5-Sep-86	5-Sep-86	13	0	745	210	39.1	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
USA 19 R/B	1986-069B	16938	5-Sep-86	5-Sep-86	5	0	610	220	22.8	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
SPOT 1 R/B	1986-019C	16615	22-Feb-86	13-Nov-86	498	31	835	805	98.7	PROPULSION	ARIANE 1 FINAL STAGE
COSMOS 1278	1981-058A	12547	19-Jun-81	Dec-86	3	0	37690	2665	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1682	1985-082A	16054	19-Sep-85	18-Dec-86	23	0	475	385	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1813	1987-004A	17297	15-Jan-87	29-Jan-87	195	0	415	360	72.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1866	1987-059A	18184	9-Jul-87	26-Jul-87	9	0	255	155	67.1	DELIBERATE	SELF-DESTRUCT
AUSSAT K3/ECS 4 R/B	1987-078C	18352	16-Sep-87	16-19 Sep-87	4	1	36515	245	6.9	PROPULSION	ARIANE 3 FINAL STAGE



**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 1769	1986-059A	16895	4-Aug-86	21-Sep-87	4	0	445	310	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1646	1985-030A	15653	18-Apr-85	20-Nov-87	24	0	410	385	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 1823	1987-020A	17535	20-Feb-87	17-Dec-87	150	76	1525	1480	73.6	BATTERY	
COSMOS 1656 ULLAGE MOTOR	1985-042E	15773	30-May-85	5-Jan-88	6	6	860	810	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1906	1987-108A	18713	26-Dec-87	31-Jan-88	37	0	265	245	82.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1916	1988-007A	18823	3-Feb-88	27-Feb-88	1	0	230	150	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1045 R/B	1978-100D	11087	26-Oct-78	9-May-88	42	32	1705	1685	82.6	PROPULSION	TSYKLON THIRD STAGE
COSMOS 2030	1989-054A	20124	12-Jul-89	28-Jul-89	1	0	215	150	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2031	1989-056A	20136	18-Jul-89	31-Aug-89	9	0	365	240	50.5	DELIBERATE	SELF-DESTRUCT
FENGYUN 1-2 R/B	1990-081D	20791	3-Sep-90	4-Oct-90	103	75	895	880	98.9	PROPULSION	CZ-4 FINAL STAGE
COSMOS 2101	1990-087A	20828	1-Oct-90	30-Nov-90	4	0	280	195	64.8	DELIBERATE	SELF-DESTRUCT
USA 68	1990-105A	20978	1-Dec-90	1-Dec-90	29	1	850	610	98.9	PROPULSION	TE-M-364-15 UPPER STAGE
COSMOS 1519-21 ULLAGE MOTOR	1983-127H	14608	29-Dec-83	4-Feb-91	8	3	18805	340	51.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2125-32 R/B	1991-009J	21108	12-Feb-91	5-Mar-91	112	112	1725	1460	74.0	PROPULSION	COSMOS SECOND STAGE
NIMBUS 6 R/B	1975-052B	7946	12-Jun-75	1-May-91	307	231	1105	1095	99.6	PROPULSION	DELTA SECOND STAGE
COSMOS 2163	1991-071A	21741	9-Oct-91	6-Dec-91	1	0	260	185	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1934	1988-023A	18985	22-Mar-88	23-Dec-91	3	3	1010	950	83.0	COLLISION, ACCIDENTAL	HIT BY DEBRIS (13475)
COSMOS 1710-12 ULLAGE MOTOR	1985-118L	16446	24-Dec-85	29-Dec-91	17	10	18885	655	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
OV2-5 R/B	1968-081E	3432	26-Sep-68	21-Feb-92	29	29	35810	35100	11.9	PROPULSION	TITAN TRANSTAGE
COSMOS 2054 ULLAGE MOTOR	1989-101E	20399	27-Dec-89	Jul-92	14	2	27650	345	47.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1603 ULLAGE MOTOR	1984-106F	15338	28-Sep-84	5-Sep-92	23	2	845	835	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 17 ULLAGE MOTOR	1989-004E	19771	26-Jan-89	17-Dec-92	1	0	17575	195	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2227 R/B	1992-093B	22285	25-Dec-92	26-Dec-92	279	196	855	845	71.0	PROPULSION	ZENIT-2 SECOND STAGE
GORIZONT 18 ULLAGE MOTOR	1989-052F	20116	5-Jul-89	12-Jan-93	2	0	36745	260	46.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2225	1992-091A	22280	22-Dec-92	18-Feb-93	6	0	280	225	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 2237 R/B	1993-016B	22566	26-Mar-93	28-Mar-93	104	100	850	840	71.0	PROPULSION	ZENIT-2 SECOND STAGE
TELECOM 2B/INMARSAT 2 R/B	1992-021C	21941	15-Apr-92	21-Apr-93	18	17	34080	235	4.0	PROPULSION	ARIANE 4 H10+ FINAL STAGE
COSMOS 2243	1993-028A	22641	27-Apr-93	27-Apr-93	1	0	225	180	70.4	DELIBERATE	SELF-DESTRUCT
COSMOS 2259	1993-045A	22716	14-Jul-93	25-Jul-93	1	0	320	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1484	1983-075A	14207	24-Jul-83	18-Oct-93	49	0	595	550	97.5	UNKNOWN	
COSMOS 2262	1993-057A	22789	7-Sep-93	18-Dec-93	1	0	295	170	64.9	DELIBERATE	SELF-DESTRUCT
CLEMENTINE R/B	1994-004B	22974	25-Jan-94	7-Feb-94	1	0	295	240	67.0	PROPULSION	

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
ASTRA 1B/MOP 2 R/B	1991-015C	21141	2-Mar-91	27-Apr-94	11	7	17630	205	6.8	PROPULSION	ARIANE 4 H10 FINAL STAGE
COSMOS 2133 ULLAGE MOTOR	1991-010D	21114	12-Feb-91	7-May-94	4	0	21805	225	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2204-06 ULLAGE MOTOR	1992-047H	22067	30-Jul-92	8-Nov-94	4	2	19035	480	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2238	1993-018A	22585	30-Mar-93	1-Dec-94	1	0	305	210	65.0	UNKNOWN	COSMOS 699 CLASS
RS-15 R/B	1994-085B	23440	26-Dec-94	26-Dec-94	26	23	2200	1880	64.8	UNKNOWN	ROKOT THIRD STAGE
ELEKTRO ULLAGE MOTOR	1994-069E	23338	31-Oct-94	11-May-95	1	0	35465	155	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2282 ULLAGE MOTOR	1994-038F	23174	6-Jul-94	21-Oct-95	2	0	34930	280	47.0	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 22 ULLAGE MOTOR	1990-102E	20957	23-Nov-90	14-Dec-95	2	1	13105	170	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
RADUGA 33 R/B	1996-010D	23797	19-Feb-96	19-Feb-96	1	0	36505	240	48.7	PROPULSION	PROTON-K BLOCK DM
ITALSAT 1/EUTELSAT 2 F2 R/B	1991-003C	21057	15-Jan-91	Apr/May 96	15	12	30930	235	6.7	PROPULSION	ARIANE 4 H10 FINAL STAGE
STEP II R/B	1994-029B	23106	19-May-94	3-Jun-96	754	82	820	585	82.0	PROPULSION	PEGASUS HAPS
CERISE	1995-033B	23606	7-Jul-95	24-Jul-96	2	1	675	665	98.1	COLLISION, ACCIDENTAL	HIT BY DEBRIS (18208)
COSMOS 1883-85 ULLAGE MOTOR	1987-079G	18374	16-Sep-87	1-Dec-96	14	11	19120	335	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
EKRAN 17 ULLAGE MOTOR	1987-109E	18719	27-Dec-87	22-May-97	1	0	22975	310	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2313	1995-028A	23596	8-Jun-95	26-Jun-97	13	0	325	210	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 2343	1997-024A	24805	15-May-97	16-Sep-97	1	0	285	225	65.0	DELIBERATE	SELF-DESTRUCT
COSMOS 1869	1987-062A	18214	16-Jul-87	27-Nov-97	2	1	635	605	83.0	UNKNOWN	
ASIASAT 3 R/B	1997-086D	25129	24-Dec-97	25-Dec-97	1	0	35995	270	51.0	PROPULSION	PROTON-K BLOCK DM
METEOR 2-16 R/B	1987-068B	18313	18-Aug-87	15-Feb-98	108	42	960	940	82.6	PROPULSION	TSYKLON THIRD STAGE
SKYNET 4B/ASTRA 1A R/B	1988-109C	19689	11-Dec-88	17-Feb-98	18	17	35875	435	7.3	PROPULSION	ARIANE 4 H10 FINAL STAGE
COMETS R/B	1998-011B	25176	21-Feb-98	21-Feb-98	1	0	1880	245	30.0	PROPULSION	H-II SECOND STAGE
COSMOS 2109-11 ULLAGE MOTOR	1990-110H	21013	8-Dec-90	14-Mar-98	2	2	18995	520	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1987-89 ULLAGE MOTOR	1989-001G	19755	10-Jan-89	3-Aug-98	16	6	19055	340	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1650-52 ULLAGE MOTOR	1985-037G	15714	17-May-85	29-Nov-98	4	2	18620	320	52.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1970-72 ULLAGE MOTOR	1988-085G	19537	16-Sep-88	9-Mar-99	1	1	18950	300	64.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-81 ULLAGE MOTOR	1990-045G	20631	19-May-90	28-Mar-99	1	1	19065	405	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2053 R/B	1989-100B	20390	27-Dec-89	18-Apr-99	26	0	485	475	73.5	PROPULSION	TSYKLON THIRD STAGE
METEOR 2-8	1982-025A	13113	25-Mar-82	29-May-99	53	53	960	935	82.5	UNKNOWN	
COSMOS 2157-62 R/B	1991-068G	21734	28-Sep-91	9-Oct-99	40	40	1485	1410	82.6	PROPULSION	TSYKLON THIRD STAGE
COSMOS 2347	1997-079A	25088	9-Dec-97	22-Nov-99	9	0	410	230	65.0	UNKNOWN	COSMOS 699 CLASS

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
GORIZONT 32 ULLAGE MOTOR	1996-034F	23887	25-May-96	13-Dec-99	1	0	5605	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
CBERS 1/SACI 1 R/B	1999-057C	25942	14-Oct-99	11-Mar-00	344	150	745	725	98.5	PROPULSION	CZ-4 FINAL STAGE
GORIZONT 29 ULLAGE MOTOR	1993-072E	22925	18-Nov-93	6-Sep-00	1	0	11215	140	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2316-18 ULLAGE MOTOR	1995-037K	23631	24-Jul-95	21-Nov-00	1	0	18085	150	64.4	PROPULSION	PROTON-K BLOCK DM SOZ
INTELSAT 515 R/B	1989-006B	19773	27-Jan-89	1-Jan-01	87	86	35720	510	8.4	PROPULSION	ARIANE 2 R/B
COSMOS 2139-41 ULLAGE MOTOR	1991-025G	21226	4-Apr-91	16-Jun-01	1	1	18960	300	64.5	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 27 ULLAGE MOTOR	1992-082F	22250	27-Nov-92	14-Jul-01	1	0	5340	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2367	1999-072A	26040	26-Dec-99	21-Nov-01	17	0	415	405	65.0	UNKNOWN	COSMOS 699 CLASS
TES R/B	2001-049D	26960	22-Oct-01	19-Dec-01	372	72	675	550	97.9	PROPULSION	PSLV FINAL STAGE
INTELSAT 601 R/B	1991-075B	21766	29-Oct-91	24-Dec-01	13	8	28505	230	7.2	PROPULSION	ARIANE 4 H10 FINAL STAGE
INSAT 2A/EUTELSAT 2F4 R/B	1992-041C	22032	9-Jul-92	Feb-02	2	2	26550	250	7.0	PROPULSION	ARIANE 4 H10 FINAL STAGE
INTELSAT 513 R/B	1988-040B	19122	17-May-88	9-Jul-02	8	8	35445	535	7.0	PROPULSION	ARIANE 2 R/B
COSMOS 2109-11 ULLAGE MOTOR	1990-110G	21012	8-Dec-90	21-Feb-03	1	1	18805	645	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1883-85 ULLAGE MOTOR	1987-079H	18375	16-Sep-87	23-Apr-03	42	11	18540	755	65.2	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1970-72 ULLAGE MOTOR	1988-085F	19535	16-Sep-88	4-Aug-03	79	10	18515	720	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1987-89 ULLAGE MOTOR	1989-001H	19856	10-Jan-89	13-Nov-03	1	1	18740	710	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2399	2003-035A	27856	12-Aug-03	9-Dec-03	22	0	250	175	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 2383	2001-057A	27053	21-Dec-01	28-Feb-04	14	0	400	220	65.0	UNKNOWN	COSMOS 699 CLASS
USA 73 (DMSP 5D2 F11)	1991-082A	21798	28-Nov-91	15-Apr-04	85	65	850	830	98.7	UNKNOWN	
COSMOS 2204-06 ULLAGE MOTOR	1992-047G	22066	30-Jul-92	10-Jul-04	34	12	18820	415	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2392 ULLAGE MOTOR	2002-037F	27475	25-Jul-02	29-Oct-04	1	0	840	235	63.6	PROPULSION	PROTON-K BLOCK DM SOZ
DMSP 5B F5 R/B	1974-015B	7219	16-Mar-74	17-Jan-05	7	7	885	775	99.1	COLLISION, ACCIDENTAL	HIT BY DEBRIS (26207)
COSMOS 2224 ULLAGE MOTOR	1992-088F	22274	17-Dec-92	~22-Apr-05	1	0	21140	200	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2392 ULLAGE MOTOR	2002-037E	27474	25-Jul-02	1-Jun-05	61	0	835	255	63.7	PROPULSION	PROTON-K BLOCK DM SOZ
METEOR 2-17	1988-005A	18820	30-Jan-88	21-Jun-05	45	45	960	930	82.5	UNKNOWN	
COSMOS 1703 R/B	1985-108B	16263	22-Nov-85	4-May-06	50	2	640	610	82.5	PROPULSION	TSYKLON THIRD STAGE
COSMOS 2022-24 ULLAGE MOTOR	1989-039G	20081	31-May-89	10-Jun-06	120	43	18410	655	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
ALOS-1 R/B	2006-002B	28932	24-Jan-06	8-Aug-06	24	3	700	550	98.2	UNKNOWN	H-IIA SECOND STAGE
COSMOS 2371 ULLAGE MOTOR	2000-036E	26398	4-Jul-00	~1-Sep-06	1	0	21320	220	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
DMSP 5D-3 F17 R/B	2006-050B	29523	4-Nov-06	4-Nov-06	65	0	865	830	98.8	UNKNOWN	DELTA IV SECOND STAGE

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 2423	2006-039A	29402	14-Sep-06	17-Nov-06	31	0	285	200	64.9	DELIBERATE	SELF-DESTRUCT
COBE R/B	1989-089B	20323	18-Nov-89	3-Dec-06	26	1	790	685	97.1	UNKNOWN	DELTA SECOND STAGE
IGS 3A R/B	2006-037B	29394	11-Sep-06	28-Dec-06	10	0	490	430	97.2	UNKNOWN	H-IIA SECOND STAGE
FENGYUN 1C	1999-025A	25730	10-May-99	11-Jan-07	3442	2832	865	845	98.6	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
BEIDOU 1D R/B	2007-003B	30324	2-Feb-07	2-Feb-07	39	36	41900	235	25.0	UNKNOWN	CZ-3A FINAL STAGE
KUPON ULLAGE MOTOR	1997-070F	25054	12-Nov-97	14-Feb-07	7	4	14160	260	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
CBERS 1	1999-057A	25940	14-Oct-99	18-Feb-07	88	53	780	770	98.2	UNKNOWN	
ARABSAT 4 BRIZ-M R/B	2006-006B	28944	28-Feb-06	19-Feb-07	102	92	14705	495	51.5	PROPULSION	PROTON-K BRIZ-M STAGE
USA 197 R/B	2007-054B	32288	11-Nov-07	11-Nov-07	32	32	1575	220	29.0	UNKNOWN	DELTA IV SECOND STAGE
USA 193	2006-057A	29651	14-Dec-06	21-Feb-08	175	0	255	245	58.5	COLLISION, DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 2421	2006-026A	29247	25-Jun-06	14-Mar-08	509	0	420	400	65.0	UNKNOWN	COSMOS 699 CLASS
COSMOS 2251	1993-036A	22675	16-Jun-93	10-Feb-09	1668	1076	800	775	74.0	COLLISION, ACCIDENTAL	COLLIDED WITH IRIDIUM 33
IRIDIUM 33	1997-051C	24946	14-Sep-97	10-Feb-09	628	333	780	775	86.4	COLLISION, ACCIDENTAL	COLLIDED WITH COSMOS 2251
COSMOS 2139-41 ULLAGE MOTOR	1991-025F	21220	4-Apr-91	8-Mar-09	33	11	18535	465	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 192	1967-116A	3047	23-Nov-67	30-Aug-09	4	1	715	710	74.0	UNKNOWN	
YAOGAN 1	2006-015A	29092	26-Apr-06	4-Feb-10	8	2	630	625	97.9	UNKNOWN	
CHINASAT 6A R/B	2010-042B	37151	4-Sep-10	4-Sep-10	30	29	41894	194	25.2	UNKNOWN	
AMC 14 BRIZ-M R/B	2008-011B	32709	14-Mar-08	13-Oct-10	116	115	26565	645	48.9	PROPULSION	PROTON-K BRIZ-M STAGE
BEIDOU G4 R/B	2010-057B	37211	1-Nov-10	1-Nov-10	57	55	35780	160	20.5	UNKNOWN	CZ-3C FINAL STAGE
IGS 4A/4B R/B DEBRIS	2007-005E	30590	24-Feb-07	23-Dec-10	4	0	440	430	97.3	UNKNOWN	H-IIA DEBRIS
COSMOS 2434-36 ULLAGE MOTOR	2007-065G	32399	25-Dec-07	18-Aug-11	1	1	18965	540	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-81 ULLAGE MOTOR	1990-045F	20630	19-May-90	17-Nov-11	1	1	18620	420	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
NIGCOMSAT 1R R/B	2011-077B	38015	19-Dec-11	~21-Dec-11	39	39	41715	230	24.3	UNKNOWN	CZ-3B FINAL STAGE
BEIDOU G5 R/B	2012-008B	38092	24-Feb-12	26-Feb-12	38	37	35950	150	20.7	UNKNOWN	CZ-3C FINAL STAGE
TELKOM 3 / EXPRESS MD2 BRIZ-M R/B	2012-044C	38746	6-Aug-12	16-Oct-12	113	20	5010	265	49.9	PROPULSION	PROTON-K BRIZ-M STAGE
DMSP 5D-2 F9 (USA 29)	1988-006A	18822	3-Feb-88	14-17 Dec-12	10	3	810	800	98.8	UNKNOWN	
CASSIOPE R/B	2013-055B	39266	29-Sep-13	29-Sep-13	16	1	1490	320	81.0	PROPULSION	FALCON 9 SECOND STAGE
ARGOS/ORSTED/SUNSAT R/B	1999-008D	25637	23-Feb-99	28-Apr-14	8	1	840	635	96.5	UNKNOWN	DELTA 2 SECOND STAGE
COSMOS 2428	2007-029A	31792	29-Jun-07	10-May-14	10	2	860	845	71.0	UNKNOWN	
COSMOS 2442-44 ULLAGE MOTOR	2008-046H	33385	25-Sep-08	20-May-14	11	10	18720	865	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2294-96 ULLAGE MOTOR	1994-076G	23402	20-Nov-94	7-Jun-14	2	2	18990	420	65.0	PROPULSION	PROTON-K BLOCK DM SOZ

**TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	DEBRIS CATALOGED	DEBRIS ON-ORBIT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	ADDITIONAL INFORMATION
COSMOS 2459-61 ULLAGE MOTOR	2010-007G	36406	1-Mar-10	9-Jul-14	11	11	18750	770	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2431-33 ULLAGE MOTOR	2007-052F	32280	26-Oct-07	13-Aug-14	25	25	18790	730	65.0	PROPULSION	PROTON-K BLOCK DM SOZ
USA 109 (DMSP 5D-2 F13)	1995-015A	23533	24-Mar-95	3-Feb-15	236	219	840	840	98.8	BATTERY	Operational at event time
PROGRESS-M 27M R/B	2015-024B	40620	28-Apr-15	28-Apr-15	21	0	181	169	51.7	UNKNOWN	Soyuz 2.1a (3); separation with PROGRESS M-27M
SL-23 DEBRIS	2011-037B	37756	18-Jul-11	3/4-Aug-15	1	1	3649	428	51.4	UNKNOWN	Fregat-SB SBB propellant tank
NOAA 16	2000-055A	26536	21-Sep-00	25-Nov-15	458	458	858	842	98.9	UNKNOWN	
NIMIQ 6 R/B	2012-026B	38343	17-May-12	23-Dec-15	11	11	34592	10408	12.0	UNKNOWN	Briz-M CORE
COSMOS 2513 R/B	2015-075B	41122	13-Dec-15	16-Jan-16	7	7	35777	33426	0.2	UNKNOWN	Briz-M CORE
COSMOS 2447-49 ULLAGE MOTOR	2008-067G	33472	25-Dec-08	26-Mar-16	4	4	18840	682	65.4	PROPULSION	PROTON-K BLOCK DM SOZ
ASTRO H (HITOMI)	2016-012A	41337	17-Feb-16	26-Mar-16	13	10	578	563	31.0	PROPULSION	likely structural failure mechanism
COSMOS 2447-49 ULLAGE MOTOR	2008-067H	33473	25-Dec-08	1-Jun-16	12	12	18786	709	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
BEIDOU G2	2009-018A	34779	14-Apr-09	29-Jun-16	1	1	36137	35384	4.7	UNKNOWN	
COSMOS 2424-2426 ULLAGE MOTOR	2006-062G	29680	25-Dec-06	27-Jul-16	9	8	19088	426	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
SENTINEL 1A	2014-016A	39634	3-Apr-14	23-Aug-16	8	3	698	696	98.2	COLLISION, ACCIDENTAL	Solar array impact by small MMOD
COSMOS 2464-2466 ULLAGE MOTOR	2010-041G	37143	2-Sep-10	3-Sep-17	10	10	18684	756	65.2	PROPULSION	PROTON-K BLOCK DM SOZ
FREGAT DEB (TANK)	2017-086C	43089	26-Dec-17	12-Feb-18	5	2	4070	277	50.4	UNKNOWN	SL-23 Fregat SB SBB propellant tank
OPS 0757 (TACSAT) R/B	1969-013B	3692	9-Feb-69	28-Feb-18	19	19	37257	35886	6.2	UNKNOWN	TITAN TRANSTAGE
COSMOS 2459-61 ULLAGE MOTOR	2010-007H	36407	1-Mar-10	22-May-18	11	11	18929	602	65.1	PROPULSION	PROTON-K BLOCK DM SOZ

1. NA = NOT AVAILABLE

2. BREAKUP DATE AND ORBIT ARE FOR FIRST EVENT ONLY IF MULTIPLE EVENTS OCCURRED

3. DOES NOT INCLUDE SATELLITE BREAKUPS IF VEHICLE WAS ON REENTRY TRAJECTORY AT THE TIME OF THE EVENT

## 2.2 Identified Satellite Breakups

The remainder of this section devotes two pages to each identified satellite breakup. Each satellite is listed by common name, international designator, and satellite number. The satellite is then described in terms of type, ownership, launch date, and physical characteristics. The third grouping defines the breakup event by time, location, altitude, and assessed cause. In almost all cases, the calculated time of the event has been determined by the US SSN. Next, the last available element set for the satellite prior to the breakup is provided.

Contents of the pre- or post-event elements are described in Table 2.2-1. The epoch time's format consists of the last two digits of a year (YY) followed by a fractional day of year (DDD.DDDDDDDD). Three propagation scheme drag coefficients are available in a TLE, which form the basis of the orbital element data presented in this subsection. Though not all TLEs possess data for all three, they are described here for completeness; these are denoted as drag coefficients peculiar to the US SSN SGP, SGP4, and SGP8 orbit propagators. The data items  $\dot{n}/2$  (pronounced "n dot over two") and  $\ddot{n}/6$  (pronounced "n double dot over six") refer to the first and second order time derivatives of the mean motion  $n$  and represent phenomenological series expansion coefficient fits to the observed change in mean motion. The SGP4 propagator is the accepted standard for orbit propagation.

**TABLE 2.2-1. TLE NUMERICAL DATA, AS INCORPORATED INTO THIS SECTION'S "PRE-/POST-EVENT ELEMENTS" FOR ALL FRAGMENTATION EVENTS.**

<i>DATA ITEM</i>	<i>FORMAT/UNITS</i>
Epoch time	YYDDD.DDDDDDDD
$\dot{n}/2$ (SGP) <u>or</u> B (SGP8)	[rev/day <sup>2</sup> ] <u>or</u> [m <sup>2</sup> /kg]
$\ddot{n}/6$ (SGP)	[rev/day <sup>3</sup> ]
B* (SGP4)	[1/Earth radii]
Eccentricity $e$	[ - ]
Inclination $i$	[°]
Right ascension of ascending node $\Omega$	[°]
Argument of perigee $\omega$	[°]
Mean anomaly $M$	[°]
Mean motion $n$	[rev/day]

If the breakup occurred soon after launch or after a maneuver and before an element set could be generated, the most appropriate post-event element set is given. The maximum observed changes in the orbital period ( $\Delta P$ ) and inclination ( $\Delta I$ ), referenced to the parent's pre-event element set, are then summarized. The reader is reminded that for a given event, the magnitudes of the resultant  $\Delta P$  and  $\Delta I$  are a function of the satellite's latitude and altitude. Comparisons of these values from one event to another cannot be made directly. Additionally, inclination changes measure only one portion of the fragmentation orbital plane change. Changes in Right Ascension also occur in most events and can account for some plane change fragmentation energy.

A general summary of the event, actions leading to the event, debris cataloging progress, and evaluations of the event are collected under the Comments heading. Documents that relate directly to the subject breakup or to breakups of satellites of this type are then listed. Gabbard diagrams of the early debris cloud prior to the effects of perturbations, if the data were available, are reconstructed. These diagrams often include uncataloged as well as cataloged debris data. When used correctly, Gabbard diagrams can provide important insights into the features of the fragmentation.

**SATELLITE DATA**

TYPE: Ablestar Stage  
OWNER: US  
LAUNCH DATE: 29.18 Jun 1961  
DRY MASS (KG): 625  
MAIN BODY: Flared cylinder; 1.6 m diameter by 4.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE:	29 Jun 1961	LOCATION:	28N, 254E (dsc)
TIME:	0608 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	990 km		

**POST-EVENT ELEMENTS**

EPOCH:	61187.36647288	MEAN ANOMALY:	72.1786
RIGHT ASCENSION:	79.1120	MEAN MOTION:	13.86864257
INCLINATION:	66.8199	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0078181	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	288.2398	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 15.5 min  
MAXIMUM  $\Delta I$ : 1.3 deg

**COMMENTS**


This is the first known satellite fragmentation. The Ablestar stage performed two main burns and a small payload separation retro burn to successfully deploy three payloads (Transit 4A, Injun, and Solrad 3), although the Injun and Solrad 3 satellites did not separate from one another as planned. The event occurred approximately 77 minutes after orbital insertion and was photographically imaged by the Organ Pass, NM, Baker-Nunn camera system. Fragmentation coincided with cessation of the 378 MHz beacon on the Ablestar stage at 06:08:10 GMT. At the time of the event, 100 kg of hypergolic propellants remained on board. This was the first time an Ablestar stage did not vent the fuel tank during payload separation. After a thorough investigation, fuel venting was recommended for future missions. No reliable elements are available prior to the event. Elements above are for one of the payloads with parameters believed to be very similar to those for the Ablestar at the time of the event.

**REFERENCE DOCUMENTS**

Transit 4-A Ablestar Vehicle Fragmentation Study (Preliminary), Report TOR-930 (2102)-6, Flight Test Planning and Evaluation Department, Transit Program Office, USAF Systems Command, Inglewood, 28 August 1961.

Description, Operation and Performance of Ablestar Stage AJ10-104S, S/N 008 (Transit 4-A), T.W. Fehr and J.K. Stark, Report No. 2102, Spacecraft Division, Aerojet-General Corporation, Azusa, October 1961.





Transit 4A R/B debris cloud of 201 cataloged fragments in May 1964 as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE:	Payload and R/B(s) (?)
OWNER:	CIS
LAUNCH DATE:	24.75 Oct 1962
DRY MASS (KG):	1500
MAIN BODY:	Cylinder; 2.6 m diameter by 7.15 m length
MAJOR APPENDAGES:	None
ATTITUDE CONTROL:	Unknown at time of event
ENERGY SOURCES:	On-board propellants

**EVENT DATA**

DATE:	29 Oct 1962	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	~200 km		

**PRE-EVENT ELEMENTS**

EPOCH:	62297.80327270	MEAN ANOMALY:	229.0409
RIGHT ASCENSION:	336.4972	MEAN MOTION:	16.15589719
INCLINATION:	65.1128	MEAN MOTION DOT/2:	.01124103
ECCENTRICITY:	.0044520	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	92.2650	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	0.6 deg

**COMMENTS**

Sputnik 29 (also known as Sputnik 22) was not acknowledged at launch by the USSR and was probably a Mars probe that failed to leave Earth orbit. This was apparently the fourth orbital failure of the Molniya third stage since 25 August 1962. No Molniya orbital (3rd) stage nor final (4th) stage was cataloged after launch. Possible that orbital and final stages never separated. Sputnik 29 was officially decayed 29 October 1962 but no debris were cataloged before 11 November. Consequently,  $\Delta P$  cannot be calculated. Source of the fragmentation was probably the fully-fueled Molniya final stage.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Sputnik 29 debris cloud of 24 fragments cataloged by mid-December 1962 as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Centaur Stage  
OWNER: US  
LAUNCH DATE: 27.79 Nov 1963  
DRY MASS (KG): 4600  
MAIN BODY: Cylinder; 3 m diameter by 9 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Unknown at time of the event  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	27 Nov 1963	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	63336.85832214	MEAN ANOMALY:	213.1623
RIGHT ASCENSION:	135.1828	MEAN MOTION:	13.34437775
INCLINATION:	30.3440	MEAN MOTION DOT/2:	.00003262
ECCENTRICITY:	.0869282	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	151.8246	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 0.9 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**

First Centaur stage to reach Earth orbit. No payload was carried. After orbital insertion, residual liquid hydrogen vaporized, resulting in an increase in tank pressurization. Venting via an aft tube then induced a pin-wheel tumble that reached 48 rpm a little more than 1 hour after launch. At the beginning of the third orbit insulation blankets around the Centaur stage were thrown off. Subsequent Centaur missions were not subject to this phenomenon that was caused by the unique configuration of Atlas Centaur 2. First six fragments were cataloged within 1 week of launch. Centaur stage retains large radar cross-section, while all debris are substantially smaller.

**REFERENCE DOCUMENT**

Supplementary Information on AC-2 Post-Injection Flight Events, W.S. Hicks, Memorandum BXN63-521, 27 December 1963.



Atlas Centaur 2 debris cloud of 8 fragments 5 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 28.45 Oct 1964  
DRY MASS (KG): 4750  
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 4.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

**EVENT DATA**

DATE:	5 Nov 1964	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	~200 km		

**PRE-EVENT ELEMENTS**

EPOCH:	64303.72916435	MEAN ANOMALY:	46.7488
RIGHT ASCENSION:	198.5952	MEAN MOTION:	16.23335350
INCLINATION:	51.2318	MEAN MOTION DOT/2:	.00269057
ECCENTRICITY:	.0034483	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	312.9624	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union. Event occurred on the anticipated day of recovery. All debris were cataloged without elements. A probable fragment from this event reentered on 12 November 1964, landing in Malawi. See cited reference below.

**REFERENCE DOCUMENTS**

The Examination of a Sample of Space Debris, P.H.H. Bishop and K.F. Rogers, Technical Report 65165, Royal Aircraft Establishment, Farnborough Hants, August 1965.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 22.32 Feb 1965  
DRY MASS (KG): 5500  
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

**EVENT DATA**

DATE: 22 Feb 1965                      LOCATION: 64N, 80E (asc)  
TIME: 0957 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 380 km

**POST-EVENT ELEMENTS**

EPOCH: 65056.64509999                      MEAN ANOMALY: 293.2095  
RIGHT ASCENSION: 288.1532                      MEAN MOTION: 15.92461677  
INCLINATION: 64.7411                      MEAN MOTION DOT/2: .01501524  
ECCENTRICITY: .0182240                      MEAN MOTION DOT DOT/6: .0048063  
ARG. OF PERIGEE: 68.7266                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.4 min  
MAXIMUM  $\Delta I$ : 0.9 deg

**COMMENTS**

Cosmos 57 was an unmanned precursor for the manned Voskhod 2 mission that took place in March 1965. Spacecraft fragmented a little more than 2 hours after launch when operational ground instructions were misinterpreted by the on-board command system and the self-destruct system was activated. No elements available for Cosmos 57, but the rocket body elements are provided above. The Royal Aircraft Establishment published the following parameters for Cosmos 57 for 22.4 February: 165 km by 427 km, 64.74 degree inclination, 64 degree argument of perigee. A total of 35 debris were cataloged without elements. Event may have occurred a little later than the time calculated above.

**REFERENCE DOCUMENTS**

The 1093 Breakup, D.J. Watson, BMEWS-ADC Systems Engineering Memorandum BSM-1000-16, 16 June 1965.


"To Save Man: A Conversation with the General Designer of Life-Support and Rescue Systems, Hero of Socialist Labor G.I. Severin", Pravda, Moscow, 26 June 1989, p. 4.

"Pages From a Diary: He Soared Freely Above the Earth", Sovetskaya Rossiya, Moscow, 17 March 1990, p. 6.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"The Kamanin Diaries 1964-1966", B. Hendrickx, Journal of the Interplanetary Society, Vol. 51, 1998, pp. 421-422.





Cosmos 57 debris cloud of 133 fragments cataloged within 1 month of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Cosmos Second Stage  
OWNER: CIS  
LAUNCH DATE: 15.46 Mar 1965  
DRY MASS (KG): 1600  
MAIN BODY: Cylinder; 2.4 m diameter by 5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 15 Mar 1965                      LOCATION: 51S, 162E (dsc)  
TIME: 1714 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 1640 km

**POST-EVENT ELEMENTS**

EPOCH: 65074.89183830                      MEAN ANOMALY: 265.7165  
RIGHT ASCENSION: 357.3218                      MEAN MOTION: 13.57884745  
INCLINATION: 56.0538                      MEAN MOTION DOT/2: .00231832  
ECCENTRICITY: .1056119                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 106.1560                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 10.3 min  
MAXIMUM  $\Delta I$ : 0.4 deg


**COMMENTS**

This is the first confirmed case of the fragmentation of the Cosmos 3 (SL-8 or C-1) second stage. This was the third mission to deploy three payloads and was a repeat of the Cosmos 54-56 mission 3 weeks earlier. The event occurred a little more than 6 hours after the successful deployment of the three payloads. Elements above are the first developed for the rocket body and are about 4 hours after the event. Official debris cataloging did not begin for 6 weeks.

**REFERENCE DOCUMENTS**

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 61-63 R/B debris cloud of 113 fragments 8 months after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	4.23 Nov 1965
DRY MASS (KG):	400
MAIN BODY:	Ellipsoid; 1.2 m diameter by 1.8 m length
MAJOR APPENDAGES:	Unknown
ATTITUDE CONTROL:	Unknown
ENERGY SOURCES:	Unknown

**EVENT DATA**

DATE:	15 Jan 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	66009.5	MEAN ANOMALY:	Unknown
RIGHT ASCENSION:	Unknown	MEAN MOTION:	16.09757275
INCLINATION:	48.39	MEAN MOTION DOT/2:	Unknown
ECCENTRICITY:	0.009282	MEAN MOTION DOT DOT/6:	Unknown
ARG. OF PERIGEE:	77	BSTAR:	Unknown

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	Unknown

**COMMENTS**

Pre-event elements were taken from [RAE Table of Earth Satellites](#). Cosmos 95 was placed into a low Earth orbit on 4 November 1965. Within 2 weeks nearly two dozen debris had been detected and were later cataloged. However, the nature of the debris, i.e. breakup versus operational, was not determined. The last of these debris decayed naturally by 6 January 1966. Russian records indicate that a breakup may have occurred on 15 January 1966, 3 days before the 400 kg spacecraft itself reentered. No other information on this event has been discovered, and no debris remains in orbit.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Titan 3C-4 Transtage  
OWNER: US  
LAUNCH DATE: 15.72 Oct 1965  
DRY MASS (KG): 2500  
MAIN BODY: Cylinder; 3 m diameter by 6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	15 Oct 1965	LOCATION:	22S, 108E (asc)
TIME:	1820 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	740 km		

**POST-EVENT ELEMENTS**

EPOCH:	65361.23126396	MEAN ANOMALY:	237.1066
RIGHT ASCENSION:	21.5316	MEAN MOTION:	14.54928550
INCLINATION:	32.1697	MEAN MOTION DOT/2:	.00000268
ECCENTRICITY:	.0072678	MEAN MOTION DOT DOT/6:	.071801
ARG. OF PERIGEE:	123.6068	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 4.1 min  
MAXIMUM  $\Delta I$ : 1.4 deg

**COMMENTS**

This was the second test of the Titan 3C-4 Transtage with AJ10-138 engine using hypergolic propellants. Event occurred one-half revolution after launch following second ignition that may have been accompanied with vehicle tumbling. LCS 2 payload was to have been deployed at 735 km circular while OV2-1 was to have been released later in an orbit of 735 km by about 7400 km. Transtage also malfunctioned on next mission in December 1965. The main remnant of the rocket body was recently identified as Satellite No. 1822 (1965-082DM). Previous editions of this book had identified the main rocket body remnant as Satellite No. 1640 (1965-082B).

**REFERENCE DOCUMENT**

TRW Space Log, Winter 1965-66, Vol. 5, No. 4, T.L. Branigan, ed., TRW Systems, Redondo Beach, 1966, pp. 15-17.



OV2-1/LCS 2 R/B debris cloud of 103 cataloged fragments 6 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Titan IIIC Transtage Rocket Body  
OWNER: US  
LAUNCH DATE: 21 Dec 1965  
DRY MASS (KG): 2,555  
MAIN BODY: 3.048 m diameter x ~5 m long right circular cylinder  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: 3-axis  
ENERGY SOURCES: on-board propellants; pressure vessels; chemical batteries

**EVENT DATA**

DATE:	21 Dec 1965	LOCATION:	unknown
TIME:	unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	unknown		

**POST-EVENT ELEMENTS**

EPOCH:	69013.84962483	MEAN ANOMALY:	2.6587
RIGHT ASCENSION:	206.0825	MEAN MOTION:	4.07936348
INCLINATION:	26.4899	MEAN MOTION DOT/2:	0.00014521
ECCENTRICITY:	0.6007336	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	346.5872	BSTAR:	0.0097405

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : unknown  
MAXIMUM  $\Delta I$ : unknown

**COMMENTS**

The cause of this event is assessed to be propulsion-related. The 13<sup>th</sup> ed. of the History of On-Orbit Satellite Fragmentations described this event as a provisional fragmentation.

**REFERENCE DOCUMENT**





Titan Transtage R/B cloud; some data cataloged up to 49 years after event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 15.85 Feb 1966  
DRY MASS (KG): 4  
MAIN BODY: Sphere; 0.3 m diameter  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	15 Feb 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	~200 km		

**POST-EVENT ELEMENTS**


EPOCH:	66047.01671304	MEAN ANOMALY:	234.6777
RIGHT ASCENSION:	148.6481	MEAN MOTION:	16.20030654
INCLINATION:	96.5380	MEAN MOTION DOT/2:	.01298049
ECCENTRICITY:	.0108362	MEAN MOTION DOT DOT/6:	.0053719
ARG. OF PERIGEE:	126.3670	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : 0.6 deg

**COMMENTS**

OPS 3031 was an inflated sphere also known as Bluebell 2. It was deployed from satellite 2012, which was an Agena D stage carrying a separate payload. Elements above are for satellite 2012. Debris cataloging began 19 February after many debris had already decayed. Consequently,  $\Delta P$  cannot be calculated. OPS 3031 and all debris decayed within 1 week of launch.



OPS 3031 debris cloud of 38 fragments as initially cataloged  
by the US SSN during February 1966.

**SATELLITE DATA**

TYPE: Atlas Core Stage  
OWNER: US  
LAUNCH DATE: 1.63 Jun 1966  
DRY MASS (KG): 3400  
MAIN BODY: Cylinder; 3 m diameter by 20 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	Mid-Jun 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE	~250 km		

**PRE-EVENT ELEMENTS**


EPOCH:	66164.96883397	MEAN ANOMALY:	224.9775
RIGHT ASCENSION:	223.9064	MEAN MOTION:	16.05545399
INCLINATION:	28.7968	MEAN MOTION DOT/2:	.00654808
ECCENTRICITY:	.0025152	MEAN MOTION DOT DOT/6:	.0010778
ARG. OF PERIGEE:	135.2510	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.5 min  
MAXIMUM  $\Delta I$ : 1.5 deg

**COMMENTS**

This stage successfully deployed the Augmented Target Docking Adapter (ATDA) for the Gemini 9 mission. The elements above are the last available for the rocket body. Debris cataloging began on 21 June. Debris decay dates ranged from 21 June to 4 July with the rocket body officially decaying on 22 June. A review of NASA archives for this mission revealed no documented anomaly with the Atlas booster. Discussions in 1989 with General Dynamics personnel involved in the mission (Mr. Phil Genser of General Dynamics, San Diego) also failed to uncover any knowledge of the event. Pressure relief valves should have relieved pressurization increases, particularly in the oxygen tank. Possible failure of the oxygen relief valve could not be ruled out.



**Gemini 9 ATDA R/B debris cloud of 24 fragments cataloged between 21 and 24 June as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24.01 Jun 1966  
DRY MASS (KG): 55  
MAIN BODY: Sphere; 30 m diameter  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: None

**EVENT DATA (1)**

DATE:	12 Jul 1975	LOCATION:	67N, 135E (dsc)
TIME:	2248 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	5145 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	75192.78059719	MEAN ANOMALY:	67.9594
RIGHT ASCENSION:	238.7429	MEAN MOTION:	7.99684492
INCLINATION:	85.2811	MEAN MOTION DOT/2:	.00001217
ECCENTRICITY:	.0931904	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	281.8264	BSTAR:	.77087

**EVENT DATA (2)**

DATE:	20 Jan 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	76019.86486339	MEAN ANOMALY:	305.5539
RIGHT ASCENSION:	209.8639	MEAN MOTION:	8.00368182
INCLINATION:	85.0720	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.1179567	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	66.4633	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0.1 min\*  
MAXIMUM  $\Delta I$ : 0.7 deg\*

\*Based on 1st event data


**COMMENTS**

PAGEOS (Passive Geodetic Earth-Orbiting Satellite) was an inflated balloon made of thin Mylar with an aluminum coating. The first fragmentation event occurred 9 years after launch and resulted in 11 new cataloged objects. The second event was detected by D.G. King-Hele of the RAE, and NAVSPASUR confirmed 44 additional fragments. By August 1976 no additional debris had been cataloged but 19 objects were being tracked in orbits with mean motions near 8 and eccentricities between 0.16 and 0.34. Due to the character of PAGEOS and its subsequent debris, natural perturbations had little effect on orbital period but strongly increased eccentricity by simultaneously lowering perigee and raising apogee. About 10 September 1976 one of the 19 unofficial objects is believed to have broken up into perhaps more than 250 new pieces, none of which were cataloged prior to reentry. Eighteen objects were later cataloged during 7-8 October 1976. On the first anniversary of the second fragmentation (20 Jan 1977), 45 fragments were cataloged without elements and immediately decayed administratively. Additional fragmentations are suspected

to have taken place in June 1978, September 1984, and December 1985. Historically, radar tracking of PAGEOS debris has been extremely difficult and cross-tagging frequent. Cause for the second and subsequent events may be material deterioration under environmental stress. A suspected PAGEOS fragment, SSN 5994, which was cataloged as a Westford Needles object, fragmented on 8 September 1995 and again on 14 September 1995 with 12 associated objects.

## REFERENCE DOCUMENT

Spacetrack System Data Related to Some Non-Routine Events Through May 1981, J.R. Gabbard, Technical Memorandum 81-6, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, 30 June 1981.



**PAGEOS debris cloud of 12 fragments 5 weeks after the first event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Saturn SIVB Stage  
OWNER: US  
LAUNCH DATE: 5.62 Jul 1966  
DRY MASS (KG): 26,600  
MAIN BODY: Cylinder; 6.6 m diameter by 28.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: Attitude control and pressurization systems

**EVENT DATA**

DATE: 5 Jul 1966                      LOCATION: 20N, 277E (dsc)  
TIME: 2111 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 205 km

**PRE-EVENT ELEMENTS**

EPOCH: 66186.73481847                      MEAN ANOMALY: 353.9219  
RIGHT ASCENSION: 5.5870                      MEAN MOTION: 16.27379993  
INCLINATION: 31.9810                      MEAN MOTION DOT/2: .03796193  
ECCENTRICITY: .0022272                      MEAN MOTION DOT DOT/6: .17429  
ARG. OF PERIGEE: 6.1632                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.5 min  
MAXIMUM  $\Delta I$ : 1.4 deg


**COMMENTS**

This was the second flight of the SIVB stage. After orbital insertion, the vehicle was intentionally subjected to dynamic integrity tests, including high gravity loadings during attitude control maneuvers and high pressure tests. The vehicle finally broke up after exceeding structural design limits with a propellant tank bulkhead differential pressure in excess of  $23.7 \text{ N/cm}^2$ . The fragmentation occurred early on the fifth revolution. Elements for the first fragments were not cataloged until 8 July.

**REFERENCE DOCUMENT**

Saturn AS-203 Evaluation Bulletin, No. 2, R-AERO-F-142-66, J.P. Lindberg, NASA Marshall Space Flight Center, Alabama, 21 July 1966.





AS-203 debris cloud of 25 fragments using orbits developed within 1 week of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Unknown  
OWNER: CIS  
LAUNCH DATE: 17.94 Sep 1966  
DRY MASS (KG): Unknown  
MAIN BODY: Cone-cylinder; 1.5 m diameter by 6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Unknown  
ENERGY SOURCES: Explosive device

**EVENT DATA**

DATE: 17 Sep 1966  
TIME: Unknown  
ALTITUDE: ~300 km  
LOCATION: Unknown  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 66261.0  
RIGHT ASCENSION: 338  
INCLINATION: 49.63  
ECCENTRICITY: .063  
ARG. OF PERIGEE: 83  
MEAN ANOMALY: 283  
MEAN MOTION: 14.879  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This was the first of two missions of this type flown in 1966 and not acknowledged by the USSR. The identity of the parent orbit is uncertain. Satellite 2437 was the first cataloged fragment. The above elements are taken or derived from the RAE Table of Earth Satellites. The debris distribution is consistent with a fragmentation near 300 km. Failure of the payload led to immediate activation of the self-destruct system.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos U-1 debris cloud of 43 fragments cataloged by 5 October 1966 as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE:	Unknown
OWNER:	CIS
LAUNCH DATE:	2.03 Nov 1966
DRY MASS (KG):	Unknown
MAIN BODY:	Cone-cylinder; 1.5 m diameter by 6 m length
MAJOR APPENDAGES:	None
ATTITUDE CONTROL:	Unknown
ENERGY SOURCES:	Explosive device

**EVENT DATA**

DATE:	2 Nov 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	~225 km		

**POST-EVENT ELEMENTS**

EPOCH:	66309.99121234	MEAN ANOMALY:	265.7893
RIGHT ASCENSION:	35.2944	MEAN MOTION:	15.17033022
INCLINATION:	49.5617	MEAN MOTION DOT/2:	.01866914
ECCENTRICITY:	.05339049	MEAN MOTION DOT DOT/6:	.0043309
ARG. OF PERIGEE:	100.3324	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	Unknown

**COMMENTS**

This was the second mission of this type flown in 1966 and not acknowledged by the USSR. No elements were cataloged until 3 days after the launch. The identity of the parent orbit is uncertain. Satellite 2536 was the first object cataloged and was near the center of the debris cloud. The debris distribution is consistent with a fragmentation near 225 km. Failure of the payload led to immediate activation of the self-destruct system.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos U-2 debris cloud composed of 14 different orbits as developed by the US SSN within 1 week of the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 23.96 Nov 1967  
DRY MASS (KG): 750  
MAIN BODY: 2.035 m diameter x 2 m long right circular cylinder  
MAJOR APPENDAGES: gravity gradient stabilization boom  
ATTITUDE CONTROL: gravity gradient (passive)  
ENERGY SOURCES: pressurized payload compartment; chemical batteries

**EVENT DATA**

DATE:	30 Aug 2009	LOCATION:	33.4S, 18.0E (asc)
TIME:	2150 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	728.2. km		

**PRE-EVENT ELEMENTS**

EPOCH:	09241.21736132	MEAN ANOMALY:	353.9164
RIGHT ASCENSION:	137.1436	MEAN MOTION:	14.53942052
INCLINATION:	74.0172	MEAN MOTION DOT/2:	0. 00000028
ECCENTRICITY:	0. 0005259	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	6.2065	BSTAR:	0.000013364

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.9 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**

Cosmos 192 was a prototype or early spacecraft in the Tsyklon low altitude navigation satellite system. The spacecraft utilized the versatile KAUR-1 bus (*Kosmicheskii Apparat Universalnogo Ryada-1*, (Космический Аппарат Универсального Ряда), which can be translated as Spacecraft Bus from the Standardized Line-1). This bus consists of a central pressurized cylinder for the payload, an outer cylinder mounting solar cells (the Solar Battery), and a gravity gradient boom for passive stabilization. The cause of this event, occurring almost 42 years after launch, is unknown.

**REFERENCE DOCUMENT**

“Old Spacecraft Suffers Minor Fragmentation”, The Orbital Debris Quarterly News, NASA JSC, October 2009.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv13i4.pdf>.



Four cataloged fragments three weeks after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 16.50 Jan 1968  
DRY MASS (KG): 5500  
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

**EVENT DATA**

DATE:	24 Jan 1968	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	68024.25242706	MEAN ANOMALY:	305.4920
RIGHT ASCENSION:	247.4278	MEAN MOTION:	15.98596524
INCLINATION:	65.6289	MEAN MOTION DOT/2:	0.00196964
ECCENTRICITY:	0.0118074	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	55.7254	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Saturn SIVB Stage  
OWNER: US  
LAUNCH DATE: 4.50 Apr 1968  
DRY MASS (KG): 30,000  
MAIN BODY: Cylinder; 6.6 m diameter by 30 m length (?)  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 13 Apr 1968                      LOCATION: 32N, 245E (asc)  
TIME: 1054 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 330 km

**PRE-EVENT ELEMENTS**

EPOCH: 68103.56521409                      MEAN ANOMALY: 151.0074  
RIGHT ASCENSION: 177.3270                      MEAN MOTION: 15.97292993  
INCLINATION: 32.5869                      MEAN MOTION DOT/2: .00302835  
ECCENTRICITY: .0120930                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 208.3921                      BSTAR: .0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 0.7 min  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**

This Saturn SIVB Stage was fitted with an 11,800 kg mock Lunar Module (LM). The SIVB stage was programmed for a second firing to place the Apollo 6 vehicle into a more eccentric orbit, but the restart did not occur. The Apollo 6 payload was separated, leaving the SIVB stage and the LM in a low Earth orbit. Vaporization and venting of residual liquid oxygen induced a tumble to the SIVB stage that reached 30 rpm by 13 April. On this date the axial loads on the LM attach strap fittings and support struts were exceeded, resulting in separation of the LM from the SIVB along with numerous debris. Five fragments were cataloged without elements.

**REFERENCE DOCUMENT**

Apollo 6 Mission Anomaly Report No. 6, Unexpected Structural Indications During Launch Phase (Review Copy), MSC-PT-R-68-22, prepared by Apollo 6 Mission Evaluation Team, Marshall Space Flight Center, Alabama, and Manned Spacecraft Center, Texas, 1968.



**Apollo 6 R/B debris cloud of 9 fragments 4 days after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Titan 3C Transtage  
OWNER: US  
LAUNCH DATE: 26.32 Sep 1968  
DRY MASS (KG): 2500  
MAIN BODY: Cylinder; 3 m diameter by 6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	21 Feb 1992	LOCATION:	Unknown (~ 197E)
TIME:	0931 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	~ 35600		

**PRE-EVENT ELEMENTS**

EPOCH:	92043.23217642	MEAN ANOMALY:	284.5600
RIGHT ASCENSION:	21.8025	MEAN MOTION:	1.01459126
INCLINATION:	11.9035	MEAN MOTION DOT/2:	.00000174
ECCENTRICITY:	.0084771	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	76.2786	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This was the second major fragmentation of a Titan 3C Transtage (the first was 1965-082DM). This transtage released ERS-28 (also known as OV5-2) in highly eccentric transfer orbit, then released LES-6 and ERS-21 (also known as OV5-4) in synchronous orbit, before slightly decelerating and releasing OV2-5 into a slightly lower orbit. This rocket body successfully completed its mission and remained on-orbit for 281 months before fragmenting. Mr. Bob Brock, operating the Maui GEODSS sensor, observed this transtage as it fragmented, liberating a reported 20 objects.

**REFERENCE DOCUMENTS**

TRW Space Log, Winter 1968-69 edition, Vol. 8, No. 4, H. T. Seaborn, ed., TRW Systems Group, Redondo Beach, pp. 32-35.

“Debris in Geosynchronous Orbits”, A.F. Pensa et al, Space Forum, special issue, 1<sup>st</sup> International Workshop on Space Debris, Moscow, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 19.18 Oct 1968  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: Unknown  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	1 Nov 1968	LOCATION:	55N, 104E (dsc)
TIME:	0412 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	540 km		

**PRE-EVENT ELEMENTS**

EPOCH:	68304.83833772	MEAN ANOMALY:	61.1261
RIGHT ASCENSION:	82.2502	MEAN MOTION:	15.19330723
INCLINATION:	62.2495	MEAN MOTION DOT/2:	.00016932
ECCENTRICITY:	.0050333	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	298.4670	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**

Cosmos 248 was the target of rendezvous for the Cosmos 249 and Cosmos 252 tests. Calculations suggest the few fragments detected from Cosmos 248 were released within 10 minutes of the Cosmos 252 event that took place in the vicinity of Cosmos 248. The four observed fragments were not cataloged until 4-6 weeks after the event, preventing an accurate assessment of the event due to drag effects. It is possible that the Cosmos 248 event occurred immediately after the rendezvous and was a direct result of interaction with Cosmos 252 debris.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 20.17 Oct 1968  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 20 Oct 1968  
TIME: 1427 GMT  
ALTITUDE: 1995 km  
LOCATION: 57S, 181E (asc)  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 68294.85197372  
RIGHT ASCENSION: 118.4255  
INCLINATION: 62.3313  
ECCENTRICITY: .1088260  
ARG. OF PERIGEE: 76.6147  
MEAN ANOMALY: 295.3555  
MEAN MOTION: 12.83515528  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.9 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**


Cosmos 249 was the first of a class of maneuverable spacecraft flown to rendezvous within 4 hours with another Cosmos satellite. In 9 of 20 such missions, orbital debris clouds were created by the active spacecraft, and in one case a passive (target) spacecraft also spawned a few fragments. Fragmentations occurred either in the vicinity of the passive satellite or a few hours after the rendezvous. In the case of Cosmos 249, the spacecraft was launched on a two-revolution rendezvous with Cosmos 248. After a close approach, Cosmos 249 continued on before its warhead was intentionally fired. The elements above are the first available for the final orbit. Some debris from Cosmos 249 and Cosmos 252 have been cross-tagged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 249 cataloged debris cloud of 43 fragments 4 months after the event as reconstructed from the US SSN database. Cross-tagging with Cosmos 252 debris is evident.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	1.02 Nov 1968
DRY MASS (KG):	1400
MAIN BODY:	Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES:	None
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	1 Nov 1968	LOCATION:	58N, 34E (asc)
TIME:	0402 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	535 km		

**POST-EVENT ELEMENTS**

EPOCH:	68306.70122094	MEAN ANOMALY:	297.5777
RIGHT ASCENSION:	76.5565	MEAN MOTION:	12.81276799
INCLINATION:	62.3351	MEAN MOTION DOT/2:	.00811969
ECCENTRICITY:	.1040368	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	73.6953	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	8.7 min
MAXIMUM $\Delta I$ :	0.5 deg


**COMMENTS**

Cosmos 252 was launched on a two-revolution rendezvous with Cosmos 248. The fragmentation occurred in the vicinity of Cosmos 248. Cosmos 252 was part of the test series begun with Cosmos 249. Elements above are for the orbit of the spacecraft after final maneuver, which took place immediately before fragmentation. Some debris from Cosmos 249 and Cosmos 252 have been cross-tagged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 252 cataloged debris cloud of 43 fragments 4 months after the event as reconstructed from the US SSN database. Cross-tagging with the Cosmos 249 cloud is evident.

**SATELLITE DATA**

TYPE: Delta 1 (model N) second stage Rocket Body  
OWNER: US  
LAUNCH DATE: 15.72 Dec 1968  
DRY MASS (KG): 765  
MAIN BODY: cylinder-nozzle; 1.4 m diameter x 4.8 m long right circular cylinder  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: on-board propellants; pressure vessels; chemical batteries

**EVENT DATA**

DATE:	15 Nov 1973	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	73318.68417963	MEAN ANOMALY:	337.0891
RIGHT ASCENSION:	26.4043	MEAN MOTION:	12.56868935
INCLINATION:	101.6374	MEAN MOTION DOT/2:	0.00000260
ECCENTRICITY:	0.0031347	MEAN MOTION DOT DOT/6:	7.694E-8
ARG. OF PERIGEE:	23.1544	BSTAR:	0.00000

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.7 min  
MAXIMUM  $\Delta I$ : 0.8 deg

**COMMENTS**

The cause of this event, occurring approximately 4.9 years after launch, is assessed to be propulsion-related. This event is recognized, as of this edition, as the first breakup of a Delta 1 rocket body, predating the previously acknowledged first Delta event, the NOAA 3 R/B [q.v.], by approximately 43 days.

**REFERENCE DOCUMENT**

“First Delta Rocket Body Fragmentation Discovered”, *The Orbital Debris Quarterly News*, NASA JSC, August 2017.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv21i3.pdf>.



ESSA 8 R/B debris cloud of 17 fragments as reconstructed from the US SSN database.  
These debris entered the public catalog approximately 43.4 years after the event.

**SATELLITE DATA**

TYPE: Transtage Rocket Body  
OWNER: US  
LAUNCH DATE: 9 Feb 1969  
DRY MASS (KG): 1,874  
MAIN BODY: 3.048 m diameter x ~5 m long right circular cylinder  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: inactive 3-axis  
ENERGY SOURCES: on-board propellants; pressure vessels; chemical batteries

**EVENT DATA**

DATE: 28 Feb 2018                      LOCATION: 5.26S, 129.97E (asc)  
TIME: 2101 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 37247.3 km

**PRE-EVENT ELEMENTS**

EPOCH: 18059.72033524                      MEAN ANOMALY: 119.8108  
RIGHT ASCENSION: 300.9448                      MEAN MOTION: 0.97608930  
INCLINATION: 6.2739                      MEAN MOTION DOT/2: -0.00000274  
ECCENTRICITY: 0.0164003                      MEAN MOTION DOT DOT/6: 0.00000  
ARG. OF PERIGEE: 128.1168                      BSTAR: 0.00000

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 134 min  
MAXIMUM  $\Delta I$ : 0.9 deg


**COMMENTS**

The cause of this event, occurring approximately 49 years after launch, is likely due to on-board stored energy sources. This is the fourth breakup of a Titan Transtage rocket body, and the second Transtage fragmentation near geosynchronous orbit. Due to difficulties in cataloging highly elliptical and deep-space orbit many more fragments may be resident on-orbit than those cataloged.

**REFERENCE DOCUMENTS**

“Fragmentation of Titan Transtage in GEO”, *The Orbital Debris Quarterly News*, NASA JSC, May 2018.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv22i2.pdf>.

Cowardin, H., P. Anz-Meador, and J. Reyes, “Characterizing GEO Titan IIIC Transtage Fragmentations using Ground-based and Telescopic Measurements”. In *Proceedings of the AMOS 2017 Technical Conference*. Available online at <https://amostech.com/TechnicalPapers/2017/Orbital-Debris/Cowardin.pdf>



**Transtage R/B debris cloud of parent body and 18 fragments 4 months after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Vostok Second Stage  
OWNER: CIS  
LAUNCH DATE: 26.52 Mar 1969  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 28 Mar 1969  
TIME: 1845 GMT  
ALTITUDE: 555 km  
LOCATION: 59N, 91E (dsc)  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 69087.21308063  
RIGHT ASCENSION: 33.3926  
INCLINATION: 81.1687  
ECCENTRICITY: .0276787  
ARG. OF PERIGEE: 184.7318  
MEAN ANOMALY: 175.1148  
MEAN MOTION: 14.71400174  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.4 min  
MAXIMUM  $\Delta I$ : 0.5 deg


**COMMENTS**

The vehicle successfully deployed the Meteor 1-1 payload into the desired orbit. An object believed to be the rocket body was found on 27 March in an orbit (1) of 565 km by 755 km, similar to earlier missions of the Vostok second stage. Early on 28 March an object was found in an orbit (2) of 460 km by 850 km with elements as indicated above. Analysis indicates that a transition from orbit (1) to orbit (2) was possible during the latter part of 27 March. Debris analysis clearly indicates that the orbit of the parent satellite had to be similar to orbit (2). Radar cross-section data supports the belief that the post-event object in the center of the debris cloud is the rocket body. No object was found in orbit (1) after the event.

**REFERENCE DOCUMENT**

History of the Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Meteor 1-1 R/B debris cloud of 31 fragments 2 months after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: TE 364-4 (STAR 37E motor)  
OWNER: US  
LAUNCH DATE: 26.09 Jul 1969  
DRY MASS (KG): 1100 (70 without solid propellants)  
MAIN BODY: Sphere-nozzle; 1.0 m by 1.8 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	26 Jul 1969	LOCATION:	0N, 333E (dsc)
TIME:	0228 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	270 km		

**POST-EVENT ELEMENTS**

EPOCH:	69208.17261261	MEAN ANOMALY:	166.4542
RIGHT ASCENSION:	130.0186	MEAN MOTION:	9.78100102
INCLINATION:	30.3692	MEAN MOTION DOT/2:	.00000270
ECCENTRICITY:	.2800849	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	187.9970	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : 1.2 deg

**COMMENTS**

This solid-propellant upper stage failed soon after ignition, following a normal launch. The cause of the failure is assessed to be a possible rupture of the motor casing or nozzle. See similar failures of two PAM-D upper stages in 1984. Elements above are first developed for the rocket body about 1 day after the event. Rocket body may later have been cross-tagged with satellite 4053. Validity of debris identification and cataloging after 1969 is suspect.

**REFERENCE DOCUMENT**

TRW Space Log, Winter 1969-70 edition, Vol. 9, No. 4, W.A. Donop, ed., TRW Systems Group, Redondo Beach, pp. 34-36.



Intelsat 3 F-5 R/B debris cloud of 6 fragments 10 days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Agena D Stage  
OWNER: US  
LAUNCH DATE: 30.57 Sep 1969  
DRY MASS (KG): 600  
MAIN BODY: Cylinder; 1.5 m diameter by 7.1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	4 Oct 1969	LOCATION:	54N, 178E (dsc)
TIME:	1553 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	920 km		

**POST-EVENT ELEMENTS**

EPOCH:	69295.54249482	MEAN ANOMALY:	274.0514
RIGHT ASCENSION:	243.5157	MEAN MOTION:	13.68701087
INCLINATION:	69.9611	MEAN MOTION DOT/2:	.00000064
ECCENTRICITY:	.0117819	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	87.4011	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 3.1 min  
MAXIMUM  $\Delta I$ : 1.0 deg

**COMMENTS**

This was the first of two Agena D stages to fragment in a span of only 12 months. The vehicle delivered ten payloads to an orbit of about 905 km by 940 km. Four days later, before the rocket body had been cataloged, a large fragmentation occurred. What appeared to be the largest piece of the rocket body was found in the orbit described by the elements above almost 3 weeks after the event. See 1967-53 as a reference to an earlier mission of this type. Both missions were sponsored by DOD and public information is limited.

**REFERENCE DOCUMENT**

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.



**OPS 7613 R/B debris cloud (excluding 10 payloads) of 152 fragments 8 months after the event.  
The largest fragment was found in an eccentric orbit with an orbital period of more than 105  
min and is presumed to be the rocket body remnant.**

**SATELLITE DATA**

TYPE: Agena D Stage  
OWNER: US  
LAUNCH DATE: 8.35 Apr 1970  
DRY MASS (KG): 600  
MAIN BODY: Cylinder; 1.5 m diameter by 7.1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	17 Oct 1970	LOCATION:	50S, 142E (asc)
TIME:	0317 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	1075 km		

**PRE-EVENT ELEMENTS**

EPOCH:	70289.33183878	MEAN ANOMALY:	141.3434
RIGHT ASCENSION:	203.5235	MEAN MOTION:	13.49254887
INCLINATION:	99.8780	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0016616	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	218.6463	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 14.2 min  
MAXIMUM  $\Delta I$ : 0.8 deg


**COMMENTS**

This was the second Agena D stage to fragment in a span of only 12 months. The event occurred 6 months after the successful deployment of the Nimbus 4 payload. Twice in 1985, again in 1986, once in 1991, and twice in 1995 Nimbus 4 R/B debris spawned a few additional fragments, accounting for an additional 16 new debris objects between the 6 sub-events.

**REFERENCE DOCUMENTS**

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, *Icarus*, Vol. 34, 1978, pp. 99-116.

"Analysis of the Nimbus 4 Rocket Body Breakup and Subsequent Debris Anomalies", N.L. Johnson, Kaman Sciences Corporation, February 1992.



Nimbus 4 R/B debris cloud of 246 fragments 8 months after the event as reconstructed from the US SSN database. Some lower period fragments already exhibit the effects of natural decay.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 23.18 Oct 1970  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 23 Oct 1970  
TIME: 1513 GMT  
ALTITUDE: 1195 km  
LOCATION: 22S, 217E (asc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 70296.40542099  
RIGHT ASCENSION: 129.1049  
INCLINATION: 62.9380  
ECCENTRICITY: .1039489  
ARG. OF PERIGEE: 60.4933  
MEAN ANOMALY: 309.5623  
MEAN MOTION: 12.82808179  
MEAN MOTION DOT/2: .00019973  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**


Cosmos 374 was launched on a two-revolution rendezvous with Cosmos 373. After a close approach, Cosmos 374 continued on before its warhead was intentionally fired. Cosmos 374 was part of test series begun with Cosmos 249. Considerable cross-cataloging of Cosmos 374 and Cosmos 375 debris occurred; therefore,  $\Delta P$  and  $\Delta I$  are not calculated.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Cosmos 374 official debris cloud of 43 fragments 5 months after the event as reconstructed from the US SSN database. All fragments were cataloged after the Cosmos 375 fragmentation, and some contamination exists.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 30.09 Oct 1970  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 30 Oct 1970  
TIME: 0600 GMT  
ALTITUDE: 535 km  
LOCATION: 54N, 23E (asc)  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 70306.81102869  
RIGHT ASCENSION: 96.4080  
INCLINATION: 62.8057  
ECCENTRICITY: .1022289  
ARG. OF PERIGEE: 56.0864  
MEAN ANOMALY: 313.3102  
MEAN MOTION: 12.87482205  
MEAN MOTION DOT/2: .00009999  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown


**COMMENTS**

Cosmos 375 was launched on a two-revolution rendezvous with Cosmos 373. The fragmentation occurred in the vicinity of Cosmos 373. Cosmos 375 was part of test series begun with Cosmos 249. Elements above are first reliable ones for orbit after final maneuver that took place immediately before fragmentation. Considerable cross-cataloging of Cosmos 374 and Cosmos 375 debris occurred; therefore,  $\Delta P$  and  $\Delta I$  are not calculated.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 375 debris cloud of 38 fragments about 4 months after the event as reconstructed from the US SSN database. Some contamination exists with Cosmos 374 debris.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 25.47 Feb 1971  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 25 Feb 1971  
TIME: 1431 GMT  
ALTITUDE: 585 km  
LOCATION: 54N, 21E (asc)  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 71057.77590281  
RIGHT ASCENSION: 352.8670  
INCLINATION: 65.7618  
ECCENTRICITY: .1046189  
ARG. OF PERIGEE: 50.3064  
MEAN ANOMALY: 318.5528  
MEAN MOTION: 12.68709606  
MEAN MOTION DOT/2: .00013192  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.8 min  
MAXIMUM  $\Delta I$ : 1.2 deg


**COMMENTS**

Cosmos 397 was launched on a two-revolution rendezvous with Cosmos 394. The fragmentation occurred in the vicinity of Cosmos 394. Cosmos 397 was part of the test series begun with Cosmos 249. Elements above are first available for orbit after final maneuver that took place immediately before fragmentation.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 397 cataloged debris cloud of 26 fragments about 7 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 3.55 Dec 1971  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	3 Dec 1971	LOCATION:	51N, 7E (asc)
TIME:	1651 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	230 km		

**POST-EVENT ELEMENTS**

EPOCH:	71339.01001769	MEAN ANOMALY:	316.0762
RIGHT ASCENSION:	294.0999	MEAN MOTION:	13.65823046
INCLINATION:	65.7483	MEAN MOTION DOT/2:	.00001349
ECCENTRICITY:	.1062360	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	53.3215	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.6 min  
MAXIMUM  $\Delta I$ : 0.7 deg


**COMMENTS**

Cosmos 462 was launched on a two-revolution rendezvous with Cosmos 459. The fragmentation occurred in the vicinity of Cosmos 459. Cosmos 462 was part of test series begun with Cosmos 249. Elements above are first available for orbit after final maneuver that took place immediately before fragmentation.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 462 debris cloud of 25 cataloged fragments within 1 week of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Delta Second Stage (900)  
OWNER: US  
LAUNCH DATE: 23.75 Jul 1972  
DRY MASS (KG): 800  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 6.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 22 May 1975                      LOCATION: 34S, 46E (asc)  
TIME: 1827 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 730 km

**PRE-EVENT ELEMENTS**

EPOCH: 75142.56642671                      MEAN ANOMALY: 323.2981  
RIGHT ASCENSION: 196.3353                      MEAN MOTION: 14.36209995  
INCLINATION: 98.3439                      MEAN MOTION DOT/2: .00000060  
ECCENTRICITY: .0193108                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 38.1650                      BSTAR: .000027579

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.3 min  
MAXIMUM  $\Delta I$ : 1.0 deg

**COMMENTS**

This was the second Delta Second Stage to experience a severe fragmentation. The event occurred 34 months after the successful deployment of the Landsat 1 payload. Cause of the explosion is assessed to be related to the nearly 150 kg of residual propellants and characteristics of the sun-synchronous orbit.

**REFERENCE DOCUMENTS**

Dynamics of Satellite Disintegration, R. Dasenbrock, B. Kaufman, and W. Heard, NRL Report 7954, Naval Research Laboratory, Washington, 30 January 1976.


"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.





Landsat 1 R/B debris cloud of 133 fragments 4 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Proton Third Stage  
OWNER: CIS  
LAUNCH DATE: 3.38 Apr 1973  
DRY MASS (KG): 4000  
MAIN BODY: Cylinder; 4.0 m diameter by 12.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 3 Apr 1973                      LOCATION: 45N, 290E (dsc)  
TIME: 2236 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 225 km

**PRE-EVENT ELEMENTS**


EPOCH: 73093.61404736                      MEAN ANOMALY: 357.9254  
RIGHT ASCENSION: 334.5652                      MEAN MOTION: 16.20127597  
INCLINATION: 51.4798                      MEAN MOTION DOT/2: .00508885  
ECCENTRICITY: .0037670                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 2.1878                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.8 min  
MAXIMUM  $\Delta I$ : 0.5 deg

**COMMENTS**

This is the only known fragmentation of the Proton third stage. The event occurred less than 14 hours after reaching orbit. The event was apparently unrelated to the later payload malfunction. NAVSPASUR counted at least 95 objects shortly after the event, but most reentered before being officially cataloged. Information uncovered by Mr. Nicholas Johnson during an information exchange with Russian officials in the Spring of 1993 revealed that residual propellants resulted in an over-pressurization of the rocket body, causing this fragmentation. After this event, the Russians reported that the Proton third stage has been vented to avoid future events of this nature.



**Salyut 2 R/B debris cloud of 25 fragments as reconstructed from the US SSN database. Most elements were developed within 2 days of the event.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 19.38 Apr 1973  
DRY MASS (KG): 6300  
MAIN BODY: Sphere-cylinder; 2.8 m diameter by 6.5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 6 May 1973  
TIME: 0724 GMT  
ALTITUDE: 310 km  
LOCATION: 71S, 215E (asc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 73125.63953480  
RIGHT ASCENSION: 305.5573  
INCLINATION: 72.8514  
ECCENTRICITY: .0137599  
ARG. OF PERIGEE: 22.9846  
MEAN ANOMALY: 337.7411  
MEAN MOTION: 16.05578988  
MEAN MOTION DOT/2: .00433078  
MEAN MOTION DOT DOT/6: .00010923  
BSTAR: .0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 6.0 min  
MAXIMUM  $\Delta I$ : 1.3 deg

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. A total of 88 fragments were cataloged without elements.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 554 debris cloud of 107 fragments using initial elements as developed over several weeks. Some decay effects are present. Source is the US SSN database.**

**SATELLITE DATA**

TYPE: Delta Second Stage (300)  
OWNER: US  
LAUNCH DATE: 6.71 Nov 1973  
DRY MASS (KG): 840  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 6.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 28 Dec 1973                      LOCATION: 37S, 181E (asc)  
TIME: 0904 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1515 km

**PRE-EVENT ELEMENTS**

EPOCH: 73359.56303028                      MEAN ANOMALY: 202.2816  
RIGHT ASCENSION: 41.7242                      MEAN MOTION: 12.40088347  
INCLINATION: 102.0500                      MEAN MOTION DOT/2: .00000577  
ECCENTRICITY: .0005689                      MEAN MOTION DOT DOT/6: .000000056523  
ARG. OF PERIGEE: 157.8450                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 10.4 min  
MAXIMUM  $\Delta I$ : 1.4 deg

**COMMENTS**

This was the first of seven Delta Second Stages to experience severe fragmentations between 1973 and 1981. Six of the seven stages were left in mid-morning, sun-synchronous orbits with residual propellants. Fragmentations occurred from 2-35 months after launch. The seventh stage exploded within hours of launch on a geosynchronous mission. The assessed cause in all cases is a propellant-induced explosion. Depletion burns to remove residual propellants were initiated in 1981, and no vented Delta Second Stages have fragmented since. In the case of the NOAA 3 R/B, fragmentation took place nearly 2 months after successful deployment of the NOAA 3 payload. Approximately 130 kg of propellants were left on board.


**REFERENCE DOCUMENTS**

Dynamics of Satellite Disintegration, R. Dasenbrock, B. Kaufman, and W. Heard, NRL Report 7954, Naval Research Laboratory, Washington, 30 January 1976.

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



NOAA 3 R/B debris cloud of 160 fragments 4 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: US  
LAUNCH DATE: 16.33 Mar 1974  
DRY MASS (KG): 50  
MAIN BODY: Box; 1 m long by 1 m wide by 1 m high  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: None at time of event

**EVENT DATA**

DATE: 17 Jan 2005  
TIME: 0214 GMT  
ALTITUDE: 885 km  
LOCATION: 80.6S, 306.8E  
ASSESSED CAUSE: Accidental Collision

**PRE-EVENT ELEMENTS**

EPOCH: 05016.54972523  
RIGHT ASCENSION: 350.2846  
INCLINATION: 99.0928  
ECCENTRICITY: .0066248  
ARG. OF PERIGEE: 104.6813  
MEAN ANOMALY: 256.1717  
MEAN MOTION: 14.24162249  
MEAN MOTION DOT/2: 0.00000028  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: 0.000031607

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The THOR 2A upper stage collided with a piece of fragmentation debris (1999-57CV, SSN# 26207) from the March 2000 explosion of the third stage of a Chinese CZ-4 launch vehicle (1999-57C, SSN# 25942). This was the third historical collision of cataloged objects; the collision occurred over Antarctica as both object were near the southernmost point in their respective retrograde orbits. The relative velocity of the collision was just under 6 km/s. 1999-57CV is believed to be relatively small, with a radar cross-section of 600 cm<sup>2</sup>. The collision produced less than 10 cataloged debris. Because the upper stage had been in orbit for over 30 years, it is believed there was no on-board propellant remaining at the time of the event.

**REFERENCE DOCUMENT**

“Accidental Collisions of Cataloged Satellites Identified”, The Orbital Debris Quarterly News, NASA JSC, April 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv9i2.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Delta Second Stage (2310)  
OWNER: US  
LAUNCH DATE: 15.72 Nov 1974  
DRY MASS (KG): 840  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4m by 0.3 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 20 Aug 1975                      LOCATION: 52S, 278E (dsc)  
TIME: 1307 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1465 km

**PRE-EVENT ELEMENTS**

EPOCH: 75231.53619619                      MEAN ANOMALY: 309.0001  
RIGHT ASCENSION: 277.2201                      MEAN MOTION: 12.52826370  
INCLINATION: 101.6940                      MEAN MOTION DOT/2: .00000083  
ECCENTRICITY: .0009694                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 51.1891                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 15.7 min  
MAXIMUM  $\Delta I$ : 1.8 deg

**COMMENTS**


This was the third Delta Second Stage to experience a severe fragmentation. The event occurred 9 months after the successful deployment of the NOAA 4 payload. Cause of the explosion is assessed to be related to the estimated more than 200 kg of residual propellants and characteristics of the sun-synchronous orbit. A fragment from this event (satellite number 8138) may have generated six or more additional pieces in September 1981.

**REFERENCE DOCUMENTS**

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



**NOAA 4 R/B debris cloud of 101 fragments 6 months after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 24.46 Dec 1974  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	17 Apr 1975	LOCATION:	01N, 278E (dsc)
TIME:	2148 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	440 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	75107.81173798	MEAN ANOMALY:	71.8460
RIGHT ASCENSION:	271.0743	MEAN MOTION:	15.44155646
INCLINATION:	65.0355	MEAN MOTION DOT/2:	.00007106
ECCENTRICITY:	.0014224	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	288.1084	BSTAR:	.0

**EVENT DATA (2)**

DATE:	2 Aug 1975	LOCATION:	02S, 258E (dsc)
TIME:	1623 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	435 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	75214.45597981	MEAN ANOMALY:	68.4232
RIGHT ASCENSION:	274.3453	MEAN MOTION:	15.46205523
INCLINATION:	65.0458	MEAN MOTION DOT/2:	.00001715
ECCENTRICITY:	.0020980	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	291.4623	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.5 min\*  
MAXIMUM  $\Delta I$ : 0.9 deg\*

\*Based on NRL analysis

**COMMENTS**


Cosmos 699 was the first of a new type spacecraft. Many members of this class have experienced breakups. Beginning in 1988 old spacecraft have been commanded to lower perigee at end of life, resulting in an accelerated natural decay with fewer fragmentations. For several spacecraft, two distinct events have been detected and observational data suggest that the spacecraft remain essentially intact after each event. In most cases, breakups occur after spacecraft has ceased orbit maintenance and entered natural decay. Debris are sometimes highly unidirectional. In the case of Cosmos 699, the spacecraft had been in a regime of natural decay for 1 month at the time of the event.

## REFERENCE DOCUMENTS

An Analysis of the Breakup of Satellite 1974-103A (Cosmos 699), W. B. Heard, NRL Report 7991, Naval Research Laboratory, Washington, 23 April 1976.

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of the Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 699 debris cloud of 41 fragments after the first breakup event as reconstructed from radar observations following the first breakup event.**

**SATELLITE DATA**

TYPE: Delta Second Stage (2910)  
OWNER: US  
LAUNCH DATE: 22.75 Jan 1975  
DRY MASS (KG): 840  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.2 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA (1)**

DATE:	9 Feb 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	76040.08509016	MEAN ANOMALY:	189.3492
RIGHT ASCENSION:	60.2329	MEAN MOTION:	14.19373945
INCLINATION:	97.7751	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0120730	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	170.9843	BSTAR:	.0

**EVENT DATA (2)**

DATE:	19 Jun 1976	LOCATION:	7N, 344E (dsc)
TIME:	0659 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	750 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	76170.97576375	MEAN ANOMALY:	217.2433
RIGHT ASCENSION:	175.3897	MEAN MOTION:	14.19574919
INCLINATION:	97.7497	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0115288	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	143.6594	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.6 min  
MAXIMUM  $\Delta I$ : 2.3 deg

**COMMENTS**


This was the fourth Delta Second Stage to experience a severe fragmentation. The first event occurred almost 13 months after the successful deployment of the Landsat 2 payload. Only 14 fragments were cataloged after the first event and all possessed orbital period changes of less than 0.6 min. Four months later a much larger fragmentation occurred. The cause of the second event is assessed to be related to the estimated 150 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

## REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



**Landsat 2 R/B debris cloud of 147 fragments about 6 weeks after the second event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Delta Second Stage (2910)  
OWNER: US  
LAUNCH DATE: 12.34 Jun 1975  
DRY MASS (KG): 840  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE:	1 May 1991	LOCATION:	66N, 322E (asc)
TIME:	0856 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	1090 km		

**PRE-EVENT ELEMENTS**

EPOCH:	91112.56709963	MEAN ANOMALY:	211.7525
RIGHT ASCENSION:	329.2109	MEAN MOTION:	13.43007146
INCLINATION:	99.5801	MEAN MOTION DOT/2:	.00000050
ECCENTRICITY:	.0006217	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	148.3989	BSTAR:	.0055458

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 27.4 min\*  
MAXIMUM  $\Delta I$ : 2.4 min\*

\*Based on uncataloged debris data

**COMMENTS**


This was the eighth Delta Second Stage to experience a severe fragmentation. The event occurred nearly 191 months after the successful deployment of the Nimbus 6 payload. Cause of the explosion is assessed to be related to the estimated 245 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

**REFERENCE DOCUMENTS**

The Fragmentation of the Nimbus 6 Rocket Body, D. J. Nauer and N. L. Johnson, Technical Report CS91-TR-JSC-017, Teledyne Brown Engineering, Colorado Springs, Colorado, November 1991.

Nimbus 6 Delta Upper Stage Rocket Body Breakup Report, E. L. Jenkins and H. V. Reynolds, Naval Space Surveillance Center, Dahlgren, Virginia, 1991.





Nimbus 6 R/B debris cloud of 386 identified fragments within 1 week after the event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the first cited reference.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 5.62 Sep 1975  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	6 Sep 1975	LOCATION:	32N, 293E (asc)
TIME:	1906 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	185 km		

**PRE-EVENT ELEMENTS**

EPOCH:	75249.72782895	MEAN ANOMALY:	294.2107
RIGHT ASCENSION:	189.2795	MEAN MOTION:	16.09422927
INCLINATION:	67.1445	MEAN MOTION DOT/2:	.00430774
ECCENTRICITY:	.0113994	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	67.1020	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Spacecraft was apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Most debris reentered before being officially cataloged. All but three official fragments were cataloged without elements.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 29.46 Oct 1975  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	25 Jan 1976	LOCATION:	53N, 7E (asc)
TIME:	1400 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	440 km		

**PRE-EVENT ELEMENTS**

EPOCH:	76025.37753295	MEAN ANOMALY:	88.9272
RIGHT ASCENSION:	303.6319	MEAN MOTION:	15.43461781
INCLINATION:	65.0177	MEAN MOTION DOT/2:	.00000373
ECCENTRICITY:	.0009065	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	271.0782	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 1.6 min  
MAXIMUM  $\Delta I$ : 0.4 deg


**COMMENTS**

Cosmos 777 was the second spacecraft of the Cosmos 699-type to experience a fragmentation. It is the only one to breakup before terminating its precise orbit maintenance pattern and entering a regime of natural decay. A second event may have occurred about 90 minutes after the event cited above.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 777 debris cloud of 35 fragments about 10 days after the event as reconstructed from the US SSN database. Some drag effects are already evident.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 2.44 Jul 1976  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 17 May 1977                      LOCATION: 9S, 284E (dsc)  
TIME: 1018 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 430 km

**PRE-EVENT ELEMENTS**

EPOCH: 77136.94211102                      MEAN ANOMALY: 73.5502  
RIGHT ASCENSION: 131.3837                      MEAN MOTION: 15.45822335  
INCLINATION: 65.0556                      MEAN MOTION DOT/2: .00007521  
ECCENTRICITY: .0021270                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 286.3253                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 8.0 min\*  
MAXIMUM  $\Delta I$ : 1.1 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 838 was the third spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in a regime of natural decay for 6 months prior to the event. Many debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 838 debris cloud of 59 fragments about 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 8.88 Jul 1976  
DRY MASS (KG): 650  
MAIN BODY: Polyhedron; 1.4 m by 1.4 m  
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)  
ATTITUDE CONTROL: Gravity gradient (?)  
ENERGY SOURCES: Battery

**EVENT DATA**

DATE: 29 Sep 1977  
TIME: 0717 GMT  
ALTITUDE: 1910 km  
LOCATION: 33S, 162E (dsc)  
ASSESSED CAUSE: Battery

**PRE-EVENT ELEMENTS**

EPOCH: 77270.46732078  
RIGHT ASCENSION: 85.9347  
INCLINATION: 65.8538  
ECCENTRICITY: .0706585  
ARG. OF PERIGEE: 351.1444  
MEAN ANOMALY: 7.6996  
MEAN MOTION: 12.32137908  
MEAN MOTION DOT/2: .00000367  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.7 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**


Cosmos 839 was the first of three satellites of the same class to experience unexplained fragmentations. These satellites are used in conjunction with the Cosmos 249-type spacecraft, which are deliberately fragmented; but the cause of the Cosmos 839-type events appears to be unrelated since they occur more than 1 year after tests with Cosmos 249-type spacecraft. In the case of Cosmos 839, 14 months elapsed between its test with a Cosmos 249-type spacecraft and its fragmentation. Russian officials have determined that battery malfunctions were the causes of these events.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 839 debris cloud of 33 fragments about 5 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 22.66 Jul 1976  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	25 Jul 1976	LOCATION:	49N, 100E (dsc)
TIME:	1718 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	210 km		

**PRE-EVENT ELEMENTS**

EPOCH:	76207.45032150	MEAN ANOMALY:	291.2246
RIGHT ASCENSION:	152.6930	MEAN MOTION:	16.04433196
INCLINATION:	67.1467	MEAN MOTION DOT/2:	.00313532
ECCENTRICITY:	.0136374	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	70.3553	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Spacecraft was apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. No elements were cataloged on any of the official debris. Most fragments reentered rapidly.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Delta Second Stage (2310)  
OWNER: US  
LAUNCH DATE: 29.71 Jul 1976  
DRY MASS (KG): 840  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 24 Dec 1977                      LOCATION: 40S, 146E (asc)  
TIME: 1133 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1510 km

**PRE-EVENT ELEMENTS**

EPOCH: 77354.53228225                      MEAN ANOMALY: 330.8663  
RIGHT ASCENSION: 38.5560                      MEAN MOTION: 12.38394892  
INCLINATION: 102.0192                      MEAN MOTION DOT/2: .0  
ECCENTRICITY: .0010085                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 29.2920                      BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 12.5 min  
MAXIMUM  $\Delta I$ : 3.0 deg

**COMMENTS**


This was the sixth Delta Second Stage to experience a severe fragmentation. The event occurred 17 months after the successful deployment of the NOAA 5 payload. Cause of the explosion is assessed to be related to the estimated 250 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

**REFERENCE DOCUMENTS**

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



NOAA 5 R/B debris cloud of 98 fragments about 4 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 22.38 Oct 1976  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive device

**EVENT DATA**

DATE: 15 Mar 1977                      LOCATION: 39N, 114E (asc)  
TIME: 1256 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 5375 km

**PRE-EVENT ELEMENTS**

EPOCH: 77066.03986408                      MEAN ANOMALY: 4.4196  
RIGHT ASCENSION: 98.8078                      MEAN MOTION: 2.00311741  
INCLINATION: 63.1553                      MEAN MOTION DOT/2: .0  
ECCENTRICITY: .7312859                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 318.6653                      BSTAR: .0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.7 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**

Cosmos 862 was the first of a new class of operational satellites in highly elliptical, semi-synchronous orbits that experienced a total of 16 fragmentations during the period 1977-1986. Due to the nature of these orbits, which result in high altitudes over the Northern Hemisphere where most surveillance sensors are located, debris detection and tracking is extremely difficult. Only the largest fragments can be seen. Cosmos 862 spacecraft were equipped with self-destruct packages in the event that spacecraft control was lost; this was the cause of breakups until the explosives were removed after Cosmos 1481.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 862 debris cloud of 10 cataloged fragments 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 9.84 Dec 1976  
DRY MASS (KG): 650  
MAIN BODY: Polyhedron; 1.4 m by 1.4 m  
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)  
ATTITUDE CONTROL: Gravity gradient (?)  
ENERGY SOURCES: Battery

**EVENT DATA**

DATE: 27 Nov 1978  
TIME: 1703 GMT  
ALTITUDE: 560 km  
LOCATION: 65S, 306E (dsc)  
ASSESSED CAUSE: Battery

**PRE-EVENT ELEMENTS**

EPOCH: 78331.59395829  
RIGHT ASCENSION: 11.0317  
INCLINATION: 65.8440  
ECCENTRICITY: .0050108  
ARG. OF PERIGEE: 304.0553  
MEAN ANOMALY: 55.5772  
MEAN MOTION: 14.93841919  
MEAN MOTION DOT/2: .00000004  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 1.3 min\*  
MAXIMUM  $\Delta I$ : 0.0 deg\*

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 880 was the second spacecraft of the Cosmos 839-type to experience a fragmentation. Although these satellites are used in conjunction with the Cosmos 249-type spacecraft that are deliberately fragmented, the cause of the Cosmos 839-type events appears to be unrelated. In the case of Cosmos 880, 23 months elapsed since its test with a Cosmos 249-type spacecraft. Russian officials have determined that battery malfunctions were the cause of these events.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Cosmos 880 debris cloud of 40 fragments 2 days after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 17.40 Dec 1976  
DRY MASS (KG): 6300  
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	29 Dec 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	76362.45360574	MEAN ANOMALY:	302.3648
RIGHT ASCENSION:	227.6719	MEAN MOTION:	16.11011505
INCLINATION:	65.0214	MEAN MOTION DOT/2:	0.00147448
ECCENTRICITY:	0.0113306	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	58.8529	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union. Event identified by Russian officials during investigation cited below.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 27.53 Dec 1976  
DRY MASS (KG): 1400  
MAIN BODY: Irregular; 1.8 m by 4.2 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 27 Dec 1976  
TIME: 1840 GMT  
ALTITUDE: 2090 km  
LOCATION: 65S, 210E (asc)  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 76362.79720829  
RIGHT ASCENSION: 306.5669  
INCLINATION: 65.8434  
ECCENTRICITY: .1087102  
ARG. OF PERIGEE: 57.0236  
MEAN ANOMALY: 313.0540  
MEAN MOTION: 12.54457816  
MEAN MOTION DOT/2: .00004000  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.3 min  
MAXIMUM  $\Delta I$ : 0.2 deg


**COMMENTS**

Cosmos 886 was launched on a two-revolution rendezvous with Cosmos 880. After a close approach, Cosmos 886 continued on before its warhead was intentionally fired. Cosmos 886 was part of test series begun with Cosmos 249. The elements above are the first available after the final maneuver of Cosmos 886 but represent the revolution immediately after the event.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 886 debris cloud of 53 fragments 5 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 11.07 Apr 1977  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	8 Jun 1978	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	78156.86414074	MEAN ANOMALY:	5.0496
RIGHT ASCENSION:	115.5660	MEAN MOTION:	2.00599850
INCLINATION:	63.1514	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7100107	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	319.7397	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.6 min\*  
MAXIMUM  $\Delta I$ : 0.5 deg\*


\*See Comments

**COMMENTS**

Cosmos 903 was another spacecraft of the Cosmos 862-type to experience a fragmentation. One new fragment was cataloged within a week of the event. The  $\Delta P$  and  $\Delta I$  values above are based on the lower period (717.5 min) orbit of Cosmos 903 after the event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 903 and a single piece of debris 3 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 16.08 Jun 1977  
DRY MASS (KG): 1250  
MAIN BODY: Irregular; 1.7 m by 2 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 30 March 1979  
TIME: 1545 GMT  
ALTITUDE: 3280 km  
LOCATION: 63S, 0E (dsc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 79089.17562851  
RIGHT ASCENSION: 156.1576  
INCLINATION: 62.9498  
ECCENTRICITY: .6980052  
ARG. OF PERIGEE: 322.3289  
MEAN ANOMALY: 5.2297  
MEAN MOTION: 2.00553521  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 22.6 min\*  
MAXIMUM  $\Delta I$ : 0.6 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 917 was another spacecraft of the Cosmos 862-type to experience a fragmentation.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 917 debris cloud of 12 fragments about 3 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Delta Second Stage (2914)  
OWNER: US  
LAUNCH DATE: 14.44 Jul 1977  
DRY MASS (KG): 900  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 14 Jul 1977  
TIME: 1612 GMT  
ALTITUDE: 1450 km  
LOCATION: 14N, 249E (dsc)  
ASSESSED CAUSE: Propulsion

**POST-EVENT ELEMENTS**

EPOCH: 77197.57445278  
RIGHT ASCENSION: 262.0317  
INCLINATION: 29.0493  
ECCENTRICITY: .0973469  
ARG. OF PERIGEE: 66.7255  
MEAN ANOMALY: 303.2693  
MEAN MOTION: 12.95114397  
MEAN MOTION DOT/2: .00007335  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.7 min\*  
MAXIMUM  $\Delta I$ : 3.0 deg\*

\*Based on uncataloged debris data

**COMMENTS**


This was the fifth Delta Second Stage to experience a severe fragmentation. It is also the only one that was not in a sun-synchronous orbit, which had performed a depletion burn, and which fragmented on the day of launch. This rocket body did perform its mission successfully, carrying the third stage and the payload into a low Earth orbit. The energy for the breakup is assessed to have been the 40 kg of propellants (mainly oxidizer) remaining after the depletion burn. The elements above are the first available after the depletion burn although also after the event.

**REFERENCE DOCUMENTS**

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Himawari 1 R/B debris cloud of 132 fragments 5 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 20.20 Jul 1977  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	24 Oct 1977	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	77289.02131186	MEAN ANOMALY:	4.2624
RIGHT ASCENSION:	305.6648	MEAN MOTION:	2.00651833
INCLINATION:	62.9440	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7341055	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.8771	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.3 min\*  
MAXIMUM  $\Delta I$ : 0.7 deg\*


\*Based on uncataloged debris data

**COMMENTS**

Cosmos 931 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Debris were not officially cataloged until 4 years after the event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 931 debris cloud of 13 fragments 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 20.73 Sept 1977  
DRY MASS (KG): 1750  
MAIN BODY: Cone; 2 m by 4 m  
MAJOR APPENDAGES: Plate + 2 solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, Battery

**EVENT DATA**

DATE:	23 Jun 1978	LOCATION:	0.0N, 98.7E
TIME:	Unknown	ASSESSED CAUSE:	Battery
ALTITUDE:	35790 km		

**PRE-EVENT ELEMENTS**

EPOCH:	88166.03647595	MEAN ANOMALY:	78.3897
RIGHT ASCENSION:	78.3897	MEAN MOTION:	1.00252588
INCLINATION:	0.1137	MEAN MOTION DOT/2:	.0
ECCENTRICITY	.0001436	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	325.2771	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This event was revealed by Russian officials in an orbital debris meeting in February 1992 in Moscow. This is the first known geostationary orbit fragmentation and was not detected by the Space Surveillance Network (SSN). Russian photographs originally linked to the breakup were later determined to have been misidentified.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Breakup in Review-Two GEO Breakups”, Orbital Debris Monitor, April 1992, p 35-36.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 21.44 Dec 1977  
DRY MASS (KG): 1400  
MAIN BODY: Cylinder; 2 m diameter by 4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 21 Dec 1977  
TIME: 1710 GMT  
ALTITUDE: 1135 km  
LOCATION: 38S, 274E (asc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 77355.65049149  
RIGHT ASCENSION: 282.1792  
INCLINATION: 65.8467  
ECCENTRICITY: .0129854  
ARG. OF PERIGEE: 116.3098  
MEAN ANOMALY: 245.5638  
MEAN MOTION: 13.58084598  
MEAN MOTION DOT/2: .00023007  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.7 min  
MAXIMUM  $\Delta I$ : 1.1 deg

**COMMENTS**


Cosmos 970 was launched on a two-revolution rendezvous with Cosmos 967. After a close approach, Cosmos 970 continued on before its warhead was intentionally fired. Cosmos 970 was part of test series begun with Cosmos 249.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N. L. Johnson, Journal of the British Interplanetary Society, August 1983, p. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 970 debris cloud of 34 fragments about 5 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Delta Second Stage (2910)  
OWNER: US  
LAUNCH DATE: 5.75 Mar 1978  
DRY MASS (KG): 900  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE: 27 Jan 1981                      LOCATION: 80S, 301E (asc)  
TIME: 0432 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 910 km

**PRE-EVENT ELEMENTS**

EPOCH: 81026.99107090                      MEAN ANOMALY: 147.0549  
RIGHT ASCENSION: 68.7927                      MEAN MOTION: 13.96108433  
INCLINATION: 98.8485                      MEAN MOTION DOT/2: .00000434  
ECCENTRICITY: .0006255                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 212.9842                      BSTAR: .00032708

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.1 min  
MAXIMUM  $\Delta I$ : 0.5 deg

**COMMENTS**

This was the seventh Delta Second Stage to experience a severe fragmentation. The event occurred nearly 35 months after the successful deployment of the Landsat 3 payload. Cause of the explosion is assessed to be related to the estimated 100 kg of residual propellants on board and characteristics of the sun-synchronous orbit.


**REFERENCE DOCUMENTS**

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Analysis of PARCS Recorded Data on the Breakup of Satellite 10704 on 27 January 1981, S.F. Hoffman and P.P. Shinkunas, Technical Report MSB82-ADC-0138, Teledyne Brown Engineering, Huntsville, February 1982.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Landsat 3 R/B debris cloud of 90 identified fragments 4 days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	6.13 Sep 1978
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels (?)
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	10 Oct 1978	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	78277.19859350	MEAN ANOMALY:	4.9827
RIGHT ASCENSION:	336.7676	MEAN MOTION:	2.00213289
INCLINATION:	62.8388	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7350882	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.4262	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	Unknown

**COMMENTS**

Cosmos 1030 was another spacecraft of the Cosmos 862-type to experience a fragmentation. After entering a Molniya-type transfer orbit on 6 September, Cosmos 1030 maneuvered about 14 September to enter an operational orbit. Elements on the first identifiable fragment did not appear until a year after the event. Official cataloging of debris did not begin until 3 years after the event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1030 and a single debris fragment 1 year after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Delta Second Stage (2910)  
OWNER: US  
LAUNCH DATE: 24.34 Oct 1978  
DRY MASS (KG): 900  
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

**EVENT DATA**

DATE:	26 Dec 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	81360.19972720	MEAN ANOMALY:	311.8261
RIGHT ASCENSION:	277.7553	MEAN MOTION:	13.85390161
INCLINATION:	99.3003	MEAN MOTION DOT/2:	.000000425
ECCENTRICITY:	.0010821	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	48.3801	BSTAR:	.00004426123


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : 0.6 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Nimbus 7 R/B is designated Cameo in US Space Command Satellite Catalog in reference to scientific piggy-back payload attached to the Delta second stage. This satellite experienced an anomalous event prior to and after the event cited above (See Section 3). Most fragments decayed very rapidly, preventing an accurate assessment of the event and its resulting debris cloud. No new objects were cataloged as a result of this event. The event apparently occurred prior to 0700 GMT.



The Nimbus 7 R/B debris cloud remnant of 27 fragments a few days after the event as reconstructed from the US SSN database. Most fragments have already experienced considerable drag effects.

**SATELLITE DATA**

TYPE: Tsyklon Third Stage  
OWNER: CIS  
LAUNCH DATE: 26.29 Oct 1978  
DRY MASS (KG): 1360  
MAIN BODY: Cone-cylinder; 2.1 m diameter by 3.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 9 May 1988  
TIME: 1218 GMT  
ALTITUDE: 1705 km  
LOCATION: 29S, 126E (dsc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 88121.02005933  
RIGHT ASCENSION: 359.3059  
INCLINATION: 82.5543  
ECCENTRICITY: .0011463  
ARG. OF PERIGEE: 81.1553  
MEAN ANOMALY: 279.0818  
MEAN MOTION: 11.97080974  
MEAN MOTION DOT/2: .000000208  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.8 min  
MAXIMUM  $\Delta I$ : 0.9 deg


**COMMENTS**

This flight, which successfully carried three separate payloads, was the fifth orbital mission of the Tsyklon third stage. Propellants used were  $N_2O_4$  and UDMH. Nearly 10 years elapsed from launch to breakup. A second Tsyklon third stage breakup after a similar length of time; see 1987-068B.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 1045 R/B debris cloud of 25 fragments as determined 1 week after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24.35 Feb 1979  
DRY MASS (KG): 850  
MAIN BODY: Cylinder; 2.1 m diameter by 1.3 m length  
MAJOR APPENDAGES: 1 solar panel  
ATTITUDE CONTROL: Spin-stabilized  
ENERGY SOURCES: None

**EVENT DATA**

DATE: 13 Sep 1985                      LOCATION: 35N, 234E (asc)  
TIME: 2043 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 525 km

**PRE-EVENT ELEMENTS**

EPOCH: 85256.72413718                      MEAN ANOMALY: 260.9644  
RIGHT ASCENSION: 182.5017                      MEAN MOTION: 15.11755304  
INCLINATION: 97.6346                      MEAN MOTION DOT/2: .00000616  
ECCENTRICITY: .0022038                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 99.4081                      BSTAR: .000037918

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 12.7 min  
MAXIMUM  $\Delta I$ : 1.4 deg

**COMMENTS**

P-78 was impacted by a sub-orbital object at high velocity as part of a planned test.

**REFERENCE DOCUMENT**

Postmortem of a Hypervelocity Impact: Summary, R. L. Kling, Technical Report CS86-LKD-001, Teledyne Brown Engineering, Colorado Springs, September 1986.



P-78 debris cloud of 267 fragments seen 11 hours after the event by the US SSN PARCS radar.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 18.50 Apr 1979  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 17 Sep 1979                      LOCATION: 53S, 336E (dsc)  
TIME: 1039 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 385 km

**PRE-EVENT ELEMENTS**

EPOCH: 79260.33615661                      MEAN ANOMALY: 61.9566  
RIGHT ASCENSION: 271.8638                      MEAN MOTION: 15.58096051  
INCLINATION: 65.0398                      MEAN MOTION DOT/2: .00102640  
ECCENTRICITY: .0016936                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 297.9871                      BSTAR: .0013492

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.1 min\*  
MAXIMUM  $\Delta I$ : 0.3 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 1094 was the fourth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in a regime of natural decay for 4 months prior to the event. All new debris decayed before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1094 debris cloud of 20 fragments within 1 week of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 27.76 Jun 1979  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	Mid-Feb 1980	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	80048.26161234	MEAN ANOMALY:	5.0375
RIGHT ASCENSION:	104.4713	MEAN MOTION:	2.00453352
INCLINATION:	63.3495	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7238911	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.4445	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.5 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg\*


\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1109 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Cosmos 1109 maneuvered into an operational orbit about 19 July. The payload was "lost" after 17 February 1980 and three pieces of debris were soon found that could be traced back to that period.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1109 and three fragments in February 1980 as reconstructed  
from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 28.01 Aug 1979  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	9 Sep 1979	LOCATION:	52N, 304E (asc)
TIME:	0230 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	8375 km		

**PRE-EVENT ELEMENTS**

EPOCH:	79249.09448656	MEAN ANOMALY:	3.7678
RIGHT ASCENSION:	288.1742	MEAN MOTION:	2.00548359
INCLINATION:	63.0212	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7383335	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.3799	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.0 min\*  
MAXIMUM  $\Delta I$ : 0.1 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 1124 was another spacecraft of the Cosmos 862-type to experience a fragmentation. After insertion into a Molniya-type transfer orbit on 28 August, Cosmos 1124's ascending node was allowed to drift until 3 September when a maneuver placed the spacecraft into an operational, semi-synchronous orbit. The fragmentation occurred 6 days later. The spacecraft never maneuvered again and soon drifted off station.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 1124 debris cloud of 6 fragments about 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 7.07 Dec 1979  
DRY MASS (KG): 463  
MAIN BODY: Box; 1.2 m length by 1.62 m length by 1.17 m height  
MAJOR APPENDAGES: 2 Solar Panels, antenna/feeds  
ATTITUDE CONTROL: Active, 3 axis  
ENERGY SOURCES: On-board solid AKM and liquid monopropellants

**EVENT DATA**

DATE:	~ 11 Dec 1979	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion (solid)
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	79345.24087748	MEAN ANOMALY:	174.6228
RIGHT ASCENSION:	276.7452	MEAN MOTION:	2.28199220
INCLINATION:	23.7341	MEAN MOTION DOT/2:	.00044295
ECCENTRICITY:	.7298759	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	181.2679	BSTAR:	.000009999

**POST-EVENT ELEMENTS**

EPOCH:	82327.71145422	MEAN ANOMALY:	349.7392
RIGHT ASCENSION:	164.2803	MEAN MOTION:	1.82544069
INCLINATION:	8.1767	MEAN MOTION DOT/2:	.00000069
ECCENTRICITY:	.4789421	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	31.9453	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Detected by software.

This mission was the third launch of the RCA SATCOM series. Communications with payload was lost upon firing of Aerojet SVM-7 solid apogee kick motor. Detection and tracking of debris has always been extremely difficult in part due to low inclination and highly elliptical orbit. Debris entered the SSN catalog in 2006 and after. The magnitude of the event and the total number of pieces created are unknown.

**REFERENCE DOCUMENT**



CAT R/B

1979-104B

11659

## SATELLITE DATA

TYPE: Ariane 1 Third Stage  
OWNER: ESA  
LAUNCH DATE: 24.72 Dec 1979  
DRY MASS (KG): 1400  
MAIN BODY: Cylinder; 2.6 m diameter by 10.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety device

## EVENT DATA

DATE:	Apr 1980	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

## PRE-EVENT ELEMENTS

EPOCH:	80088.55565320	MEAN ANOMALY:	17.6019
RIGHT ASCENSION:	101.5521	MEAN MOTION:	2.48253031
INCLINATION:	17.9092	MEAN MOTION DOT/2:	.001764977
ECCENTRICITY:	.7152375	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	264.7858	BSTAR:	.001078542

## DEBRIS CLOUD DATA


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

## COMMENTS

This mission was the inaugural flight of the Ariane 1 launch vehicle. Payload and R/B were apparently cross-tagged until mid-January 1980. Detection and tracking of debris has always been extremely difficult in part due to low inclination and highly elliptical orbit. Debris data were first developed in the second half of April, and calculations suggest the fragmentation occurred during the first week of April. The magnitude of the event and the total number of pieces created are unknown. Many debris had high decay rates.

## REFERENCE DOCUMENT

A Preliminary Analysis of the Fragmentation of the Spot 1 Ariane Third Stage, N. L. Johnson, Technical Report CS87-LKD-003, Teledyne Brown Engineering, Colorado Springs, March 1987.



CAT R/B debris cloud of 7 fragments about 8 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 14.44 Mar 1980  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 15 Jul 1981                      LOCATION: 10N, 106E (asc)  
TIME: 0921 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 430 km

**PRE-EVENT ELEMENTS**

EPOCH: 81196.19449955                      MEAN ANOMALY: 110.8351  
RIGHT ASCENSION: 174.9184                      MEAN MOTION: 15.54665775  
INCLINATION: 65.0101                      MEAN MOTION DOT/2: .00025375  
ECCENTRICITY: .0068471                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 248.6139                      BSTAR: .00034595

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 1.0 min\*  
MAXIMUM  $\Delta I$ : 0.5 deg\*

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 1167 was the fifth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for 3 months prior to the event. Most debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Fragmentations of USSR Satellites 11729 and 12504 (U), J. R. Gabbard and P. M. Landry, Technical Memorandum 82-S-03, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, August 1982 (Secret).

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1167 debris cloud remnant of 53 fragments about 2 weeks after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 18.04 Apr 1980  
DRY MASS (KG): 1400  
MAIN BODY: Cylinder; 2 m diameter by 4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 18 Apr 1980  
TIME: 0726 GMT  
ALTITUDE: 1625 km  
LOCATION: 47N, 322E (asc)  
ASSESSED CAUSE: Deliberate

**POST-EVENT ELEMENTS**

EPOCH: 80109.51771250  
RIGHT ASCENSION: 250.9679  
INCLINATION: 66.1153  
ECCENTRICITY: .0865337  
ARG. OF PERIGEE: 248.5294  
MEAN ANOMALY: 102.2095  
MEAN MOTION: 13.64414319  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.4 min  
MAXIMUM  $\Delta I$ : 0.6 deg

**COMMENTS**


Cosmos 1174 was launched on a two-revolution rendezvous with Cosmos 1171. After a close approach, Cosmos 1174 performed a final maneuver shortly before its warhead was intentionally fired. Elements above are first data available after the final maneuver but also following the fragmentation. Cosmos 1174 was part of test series begun with Cosmos 249.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Cosmos 1174 debris cloud of 18 identified fragments about 10 days after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 14.87 June 1980  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive device

**EVENT DATA**

DATE:	26 August 1980	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	80238.74437670	MEAN ANOMALY:	4.7027
RIGHT ASCENSION:	155.4878	MEAN MOTION:	2.00554276
INCLINATION:	62.9033	MEAN MOTION DOT/2:	.00000217
ECCENTRICITY:	.7321456	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.3182	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 42.6 min  
MAXIMUM  $\Delta I$ : 7.1 deg

**COMMENTS**

Cosmos 1188 was a member of the Cosmos 862 class of operational satellites in highly elliptical, semi-synchronous orbits that experienced a total of 16 fragmentations during the period 1977-1986. Due to the nature of these orbits, which result in high altitudes over the Northern Hemisphere where most surveillance sensors are located, debris detection and tracking is extremely difficult. Only the largest fragments can be seen. Cosmos 862 class spacecraft were equipped with self-destruct packages in the event that spacecraft control was lost; this was the cause of breakups until the explosives were removed after Cosmos 1481.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1188 debris cloud; fragments cataloged up to 23 years after the event as reconstructed from the US SSN database.

**COSMOS 1191**

**1980-057A**

**11871**

## **SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	2.04 Jul 1980
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

## **EVENT DATA**

DATE:	14 May 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

## **PRE-EVENT ELEMENTS**

EPOCH:	81133.07322634	MEAN ANOMALY:	5.1166
RIGHT ASCENSION:	198.5704	MEAN MOTION:	2.00555560
INCLINATION:	62.6448	MEAN MOTION DOT/2:	.00001257
ECCENTRICITY:	.7180863	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	319.4330	BSTAR:	.0

## **DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	6.0 min*
MAXIMUM $\Delta I$ :	0.1 deg*


\*Based on uncataloged debris data

## **COMMENTS**

Cosmos 1191 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The first debris elements were developed for 25 May.

## **REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1191 debris cloud of 5 identified fragments 1 month after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 24.46 Oct 1980  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	12 Feb 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	83042.34036514	MEAN ANOMALY:	6.0502
RIGHT ASCENSION:	36.1600	MEAN MOTION:	2.00587025
INCLINATION:	65.2478	MEAN MOTION DOT/2:	0.00001154
ECCENTRICITY:	0.7021051	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	314.5975	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Cosmos 1217 was another member of the Cosmos 862-type to experience a fragmentation.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentation-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.63 Nov 1980  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	20 Jun 1982	LOCATION:	10S, 332E (dsc)
TIME:	1818 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	875 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	82171.72558670	MEAN ANOMALY:	0.2166
RIGHT ASCENSION:	330.3811	MEAN MOTION:	14.49658466
INCLINATION:	65.0033	MEAN MOTION DOT/2:	.00000066
ECCENTRICITY:	.0219432	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	357.8883	BSTAR:	.000025640

**EVENT DATA (2)**

DATE:	25 Aug 1982	LOCATION:	65S, 238E (dsc)
TIME:	1231 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	665 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	82230.91714195	MEAN ANOMALY:	22.7965
RIGHT ASCENSION:	159.4489	MEAN MOTION:	14.49745561
INCLINATION:	65.0025	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0225583	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	336.3217	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.4 min\*  
MAXIMUM  $\Delta I$ : 1.8 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1220 was the seventh spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a natural decay regime for more than 14 months at the time of the first event. A total of 47 fragments had been officially cataloged by the time of the second event that occurred 2 months later. See similar dual events happening in the summer of 1982 with Cosmos 1306 and Cosmos 1260.

**REFERENCE DOCUMENTS**




Analysis of PARCS Recorded Data on the Breakup of Satellite 12054, J.W. Rider, Technical Report MSB83-ADC-0162, Teledyne Brown Engineering, Huntsville, January 1983.

Analysis of Cosmos 1220 and Cosmos 1306 Fragments (U), D. Fennessy, Report AH-23, FTD/OLAI, Cheyenne Mountain, Colorado, 12 January 1983 (Secret).

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1220 debris cloud of 72 fragments about 1 week after the first event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 19.41 Feb 1981  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	20 Oct 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	81293.17083627	MEAN ANOMALY:	5.0298
RIGHT ASCENSION:	214.2278	MEAN MOTION:	2.00570861
INCLINATION:	62.9685	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7233048	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.2473	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.7 min\*  
MAXIMUM  $\Delta I$ : 0.4 deg\*


\*See comments below

**COMMENTS**

Cosmos 1247 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Cosmos 1247 appears to have completed the first burn of a 2-phase maneuver sequence on the event date, followed by debris generation. The  $\Delta P$  and  $\Delta I$  values above are based on the post-maneuver, 711-minute orbit of 12303 rather than the pre-maneuver, 718-minute orbit cited above.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1247 debris cloud of 6 fragments about 6 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 20.99+ Mar 1981  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	8 May 1982	LOCATION:	40N, 62E (asc)
TIME:	0444 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	555 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	82127.98788154	MEAN ANOMALY:	28.1726
RIGHT ASCENSION:	337.2406	MEAN MOTION:	14.88799005
INCLINATION:	65.0246	MEAN MOTION DOT/2:	.00003980
ECCENTRICITY:	.0214690	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	330.7493	BSTAR:	.00028791

**EVENT DATA (2)**

DATE:	10 Aug 1982	LOCATION:	51N, 238E (dsc)
TIME:	2335 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	750 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	82222.89259484	MEAN ANOMALY:	62.7628
RIGHT ASCENSION:	45.7388	MEAN MOTION:	14.89366232
INCLINATION:	65.0248	MEAN MOTION DOT/2:	.00004369
ECCENTRICITY:	.0219155	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	295.0884	BSTAR:	.00030390

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.2 min  
MAXIMUM  $\Delta I$ : 1.0 deg


**COMMENTS**

Cosmos 1260 was the sixth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for 8 months before the first event. After the event the main remnant became satellite 13183, which then fragmented 3 months later. A total of 40 new fragments were officially cataloged prior to the second event. See also Cosmos 1220 and Cosmos 1306 for similar dual fragmentations of Cosmos 699-type spacecraft during this period.

## REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1260 debris cloud of 43 fragments 3 weeks after the first event  
from the US SSN database.**

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	31.40 Mar 1981
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	Apr-May 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	81095.90157023	MEAN ANOMALY:	4.6715
RIGHT ASCENSION:	282.6240	MEAN MOTION:	2.00494188
INCLINATION:	63.0386	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7369210	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	316.4347	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	2.3 min*
MAXIMUM $\Delta I$ :	0.3 deg*


\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1261 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The spacecraft attempted to maneuver from its transfer orbit to an operational orbit 3 days after launch. The maneuver appears to have been unsuccessful, and the spacecraft never became groundtrack-stabilized. Some debris appeared immediately after the maneuver, while additional debris were discovered in mid-May. More than one event may have occurred. The element set above is the first available after the unsuccessful maneuver.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1261 debris cloud of 6 fragments about 8 weeks after (initial) event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.66 Jun 1981  
DRY MASS (KG): 800  
MAIN BODY: Cylinder; 2.4 m diameter by 2 m length  
MAJOR APPENDAGES: Gravity-gradient boom  
ATTITUDE CONTROL: Gravity gradient  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 24 Jul 1981                      LOCATION: 68N, 197E (asc)  
TIME: 2351 GMT                      ASSESSED CAUSE: Battery  
ALTITUDE: 980 km

**PRE-EVENT ELEMENTS**

EPOCH: 81205.39693092                      MEAN ANOMALY: 221.3567  
RIGHT ASCENSION: 119.8245                      MEAN MOTION: 13.73455672  
INCLINATION: 82.9633                      MEAN MOTION DOT/2: .000000580  
ECCENTRICITY: .0036415                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 139.0334                      BSTAR: .00004538900

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.9 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**

Cosmos 1275 is the only member of its class, Parus, to explosively fragment; the Cosmos 1934 event was a collision with tracked, mission-related debris. The satellite was only 50 days old at the time of the event. During the February 1992 Space Debris Conference in Moscow, Russian analysts discussed independent studies about the probable cause of the breakup. Later, the official Russian assessment asserted that a battery malfunction was the likely culprit.


**REFERENCE DOCUMENTS**

The Fragmentations of USSR Satellites 11729 and 12504 (U), J.R. Gabbard and P.M. Landry, Technical Memorandum 82-S-03, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, August 1982 (Secret).

Determining the Cause of a Satellite Breakup: A Case Study of the Kosmos 1275 Breakup, D.S. McKnight, IAA-87-573, 38th Congress of the International Astronautical Federation, Brighton, England, October 1987.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 1275 debris cloud of 136 identified fragments 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 19.81 Jun 1981  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	Early Dec 1986	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	86334.22199701	MEAN ANOMALY:	12.7886
RIGHT ASCENSION:	288.0814	MEAN MOTION:	2.00618298
INCLINATION:	67.1073	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.6594262	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	291.9890	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 0.1 min  
MAXIMUM  $\Delta I$ : 0.0 deg

**COMMENTS**

Cosmos 1278 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Spacecraft had apparently been inactive since early 1984. Additional fragments may exist, but surveillance for small objects in this high eccentricity orbit is difficult.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1278 and additional fragment in mid-December 1986. Elements from the US SSN as published by the NASA Goddard Space Flight Center.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.01 Aug 1981  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	21 Nov 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	81324.16708257	MEAN ANOMALY:	4.8196
RIGHT ASCENSION:	249.5852	MEAN MOTION:	1.98014597
INCLINATION:	63.1086	MEAN MOTION DOT/2:	.00000781
ECCENTRICITY:	.7350717	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	317.0022	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 8.6 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg\*


\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1285 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Spacecraft was placed in a temporary transfer orbit on the day of launch by its launch vehicle but never maneuvered to an operational orbit, suggesting an early fatal spacecraft malfunction. Event occurred 3.5 months after the launch.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1285 debris cloud of 5 fragments less than 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.35 Aug 1981  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 29 Sep 1982                      LOCATION: 51N, 80E (asc)  
TIME: 0520 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 325 km

**PRE-EVENT ELEMENTS**

EPOCH: 82272.21193719                      MEAN ANOMALY: 92.4681  
RIGHT ASCENSION: 132.9736                      MEAN MOTION: 15.86141247  
INCLINATION: 65.0071                      MEAN MOTION DOT/2: .00400345  
ECCENTRICITY: .0017215                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 267.4145                      BSTAR: .0015199

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0.9 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1286 was the ninth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for more than 6 months at the time of the event. The low altitude and high drag conditions made determination of the precise breakup time uncertain. The breakup or a precursor event may have occurred earlier on 29 September 1982. Most fragments decayed before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentation-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**SATELLITE DATA**

TYPE: Molniya Final Stage  
OWNER: CIS  
LAUNCH DATE: 11.36 Sep 1981  
DRY MASS (KG): 1100  
MAIN BODY: Cylinder; 2.7 m diameter by 3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	11 Sep 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	81258.60717998	MEAN ANOMALY:	26.9249
RIGHT ASCENSION:	68.6245	MEAN MOTION:	5.48678032
INCLINATION:	62.8166	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.4855644	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	286.6972	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown


**COMMENTS**

Cosmos 1305 R/B malfunctioned about 1 hour after launch during a maneuver from a LEO parking orbit to a Molniya-type orbit. The maneuver was initiated at approximately 0937 GMT near 58S, 245E (asc) at an altitude of 600 km. Apogee was raised to less than 14,000 km. Debris tracking after the event was limited, preventing an accurate assessment of magnitude of the event. First debris officially cataloged in June 1983. Debris generation is assumed to have occurred during or immediately after the unsuccessful maneuver. The element set above is for the rocket body after burn termination.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 1305 R/B debris cloud of 7 fragments about 2 years after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 14.85 Sep 1981  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	12 Jul 1982	LOCATION:	65S, 40E (asc)
TIME:	2325 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	380 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	82193.22052182	MEAN ANOMALY:	72.7640
RIGHT ASCENSION:	43.8843	MEAN MOTION:	15.58171668
INCLINATION:	64.9399	MEAN MOTION DOT/2:	.00042116
ECCENTRICITY:	.0019953	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	287.2390	BSTAR:	.00055055

**EVENT DATA (2)**

DATE:	18 Sep 1982	LOCATION:	32N, 293E (asc)
TIME:	1702 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	370 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	82260.17037940	MEAN ANOMALY:	44.8033
RIGHT ASCENSION:	173.7764	MEAN MOTION:	15.65882738
INCLINATION:	64.9408	MEAN MOTION DOT/2:	.00076164
ECCENTRICITY:	.0002181	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	315.2578	BSTAR:	.00073994

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.1 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 1306 was the eighth spacecraft of the Cosmos 699-type to experience a fragmentation. The first event occurred 5 months after the spacecraft had entered a regime of natural decay. After the event the main remnant was tagged as satellite 13369, while a piece of debris tagged as 12828 decayed on 16 July 1982. Only 5 new fragments were officially cataloged prior to the second event when satellite 13369 experienced a fragmentation. Three long-lived fragments cataloged with 1981-89 (13393, 13404, and 14837) were actually part of the breakup of 1980-89, another Cosmos 699-type satellite. Most Cosmos 1306 debris reentered quickly and elements were developed for only a few fragments.

## REFERENCE DOCUMENTS

Analysis of Cosmos 1220 and Cosmos 1306 Fragments (U), D. Fennessy, Report AH-23, FTD/OLAI, Cheyenne Mountain, Colorado, 12 January 1983 (Secret)

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1306 debris cloud of 5 identified fragments 1 day after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 31.95 Oct 1981  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive

**EVENT DATA**

DATE:	25-28 Jan 1984	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	84024.46309667	MEAN ANOMALY:	4.4900
RIGHT ASCENSION:	219.5352	MEAN MOTION:	2.00535027
INCLINATION:	62.8286	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7103977	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	324.1891	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 1.8 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**

Cosmos 1317 was another spacecraft of the Cosmos 862-type to experience a fragmentation

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1317 debris cloud of 7 fragments about 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 7.57 April 1982  
DRY MASS (KG): 1250  
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive device

**EVENT DATA**

DATE:	2 September 1984	LOCATION:	39.5N, 121.3E (asc)
TIME:	0957 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	5020 km		

**PRE-EVENT ELEMENTS**

EPOCH:	84246.40302854	MEAN ANOMALY:	3.8405
RIGHT ASCENSION:	227.2447	MEAN MOTION:	2.00449045
INCLINATION:	62.8163	MEAN MOTION DOT/2:	.00000970
ECCENTRICITY:	.7154927	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	326.7879	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 25.5 min  
MAXIMUM  $\Delta I$ : 7.3 deg

**COMMENTS**


Cosmos 1348 was a member of the Cosmos 862 class of operational satellites in highly elliptical, semi-synchronous orbits that experienced a total of 16 fragmentations during the period 1977-1986. Due to the nature of these orbits, which result in high altitudes over the Northern Hemisphere where most surveillance sensors are located, debris detection and tracking is extremely difficult. Only the largest fragments can be seen. Cosmos 862 class spacecraft were equipped with self-destruct packages in the event that spacecraft control was lost; this was the cause of breakups until the explosives were removed after Cosmos 1481.

Podvig reported an estimate end of life for Cosmos 1348 as 22 July 1984. If correct, this could imply a breakup mechanism different than other members of the Cosmos 862 class. An examination of the mean motion history of Cosmos 1348 indicated, however, that it was under active control until the event date of 2 September 1984, implying that the cause attributed to the fragmentation of other class members was similarly responsible for this spacecraft's fragmentation.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson *et al.*, Kaman Sciences Corporation, October 1995.

Podvig, P., "History and the Current Status of the Russian Early-Warning System". *Science and Global Security* 10 (2002): 21-60.



Cosmos 1348 debris cloud; fragments cataloged over 23 years after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 29.41 Apr 1982  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	8 Aug 1983	LOCATION:	32S, 310E (asc)
TIME:	2331 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	365 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	83220.21851552	MEAN ANOMALY:	66.8795
RIGHT ASCENSION:	279.4096	MEAN MOTION:	15.63233551
INCLINATION:	65.0504	MEAN MOTION DOT/2:	.00048258
ECCENTRICITY:	.0024043	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	292.8515	BSTAR:	.00051620

**EVENT DATA (2)**

DATE:	1 Feb 1984	LOCATION:	4S, 200E (asc)
TIME:	0322 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	320 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	84031.38369465	MEAN ANOMALY:	81.7159
RIGHT ASCENSION:	25.3553	MEAN MOTION:	15.84652631
INCLINATION:	65.0404	MEAN MOTION DOT/2:	.00119378
ECCENTRICITY:	.0017572	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	278.1110	BSTAR:	.00050318

**EVENT DATA (3)**

DATE:	20 Feb 1984	LOCATION:	Unknown
TIME:	Before 0340 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS (3)**

EPOCH:	84050.69015256	MEAN ANOMALY:	105.8772
RIGHT ASCENSION:	316.3115	MEAN MOTION:	15.97914042
INCLINATION:	65.0338	MEAN MOTION DOT/2:	.00430956
ECCENTRICITY:	.0014134	MEAN MOTION DOT DOT/6:	.000083799
ARG. OF PERIGEE:	254.0517	BSTAR:	.00093344

**DEBRIS CLOUD DATA**

MAXIMUM ΔP: 36.8 min\*  
MAXIMUM ΔI: 2.3 deg\*

\*Based on uncataloged debris data (Event 1)

**COMMENTS**

Cosmos 1355 was the tenth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for 6 months prior to the first event. Twenty-one fragments were cataloged following the first event, and the main body became satellite 14275. This object spawned at least seven more fragments on 1 February. The parent was then retagged to the original 13150 satellite number. The third event resulted in the development of 13 new fragment element sets, but none were cataloged and the low altitude prevented an estimate of a precise breakup location.


**REFERENCE DOCUMENTS**



"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Analysis of the Fragmentation of Kosmos 1355, N. L. Johnson, Technical Report CS84-SPACECMD-28, Teledyne Brown Engineering, Colorado Springs, January 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1355 debris cloud of 150 fragments about 7 hours after the first event in August 1983 as seen by the US SSN PARCS radar. Figure from the cited reference.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 6.72 Jun 1982  
DRY MASS (KG): 650  
MAIN BODY: Polyhedron; 1.4 m by 1.4 m  
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)  
ATTITUDE CONTROL: Gravity gradient (?)  
ENERGY SOURCES: Battery

**EVENT DATA**

DATE: 21 Oct 1985  
TIME: 0353 GMT  
ALTITUDE: 995 km  
LOCATION: 66N, 351E (asc)  
ASSESSED CAUSE: Battery

**PRE-EVENT ELEMENTS**

EPOCH: 85293.85195210  
RIGHT ASCENSION: 350.2805  
INCLINATION: 65.8390  
ECCENTRICITY: .0005355  
ARG. OF PERIGEE: 26.5667  
MEAN ANOMALY: 333.5602  
MEAN MOTION: 13.71079597  
MEAN MOTION DOT/2: .00000158  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .00023894

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.3 min\*  
MAXIMUM  $\Delta I$ : 0.1 deg\*

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 1375 was the third spacecraft of the Cosmos 839-type to experience a fragmentation. Although these satellites are used in conjunction with the Cosmos 249-type spacecraft that are deliberately fragmented, the cause of Cosmos 839-type events appears to be unrelated. In the case of Cosmos 1375, 40 months elapsed since its test with a Cosmos 249-type spacecraft.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

Analysis of the Kosmos 1375 Fragmentation, J. M. Koskella and R. L. Kling, Technical Report CS86-USASDC-0006, Teledyne Brown Engineering, Colorado Springs, March 1986.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1375 debris cloud of 68 fragments seen a few hours after the event by the US SSN PARCS radar.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.74 Sep 1982  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 20 Dec 1983                      LOCATION: 25S, 45E (dsc)  
TIME: 1215 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 330 km

**PRE-EVENT ELEMENTS**

EPOCH: 83354.22079767                      MEAN ANOMALY: 42.0375  
RIGHT ASCENSION: 126.1259                      MEAN MOTION: 15.81899265  
INCLINATION: 65.0055                      MEAN MOTION DOT/2: .00186341  
ECCENTRICITY: .0020774                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 318.0927                      BSTAR: .00088277

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.3 min\*  
MAXIMUM  $\Delta I$ : 2.0 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1405 was the eleventh spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for 12 months prior to the event. Most debris reentered before being officially cataloged.


**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Separation of Objects from Cosmos 1405, F.T. Lipp, NAVSPASUR Technical Note 1-84, Naval Space Surveillance System, Dahlgren, 2 April 1984.

Analysis of the Fragmentation of Kosmos 1405, N.L. Johnson, Technical Report CS84-SPACECMD-10, Teledyne Brown Engineering, Colorado Springs, September 1984.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1405 debris cloud of 143 fragments 1 hour after the event as seen by the US SSN PARCS radar.

**SATELLITE DATA**

TYPE: Molniya Final Stage  
OWNER: CIS  
LAUNCH DATE: 8.58 Dec 1982  
DRY MASS (KG): 1100  
MAIN BODY: Cylinder; 2.7 m diameter by 3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 8 Dec 1982  
TIME: 1448 GMT  
ALTITUDE: 400 km  
LOCATION: 62S, 302E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 82342.56790507  
RIGHT ASCENSION: 316.3789  
INCLINATION: 62.9496  
ECCENTRICITY: .0143321  
ARG. OF PERIGEE: 56.2493  
MEAN ANOMALY: 305.2204  
MEAN MOTION: 15.79849844  
MEAN MOTION DOT/2: .0  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 4.9 min  
MAXIMUM  $\Delta I$ : 0.2 deg

**COMMENTS**

Fragmentation occurred at the time the Molniya final stage was fired to move the payload from a parking orbit to a Molniya-type transfer orbit. Pre-event elements are taken from satellite 13686 for first revolution parking orbit. A second fragmentation may have occurred on 9 December 1982.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1423 R/B debris cloud of 22 fragments soon after the event(s) as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 23.53 Mar 1983  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 3 Sep 1984  
TIME: 2023 GMT  
ALTITUDE: 400 km  
LOCATION: 12S, 352E (dsc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 84247.05150886  
RIGHT ASCENSION: 94.4099  
INCLINATION: 51.5306  
ECCENTRICITY: .0710960  
ARG. OF PERIGEE: 246.1573  
MEAN ANOMALY: 106.3279  
MEAN MOTION: 14.50264973  
MEAN MOTION DOT/2: .00079313  
MEAN MOTION DOT DOT/6: .0000075234  
BSTAR: .00035531

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.4 min\*  
MAXIMUM  $\Delta I$ : 0.3 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. Element sets on 16 fragments were developed. None were officially cataloged. This was the first in a series of fragmentations of this object type.


**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

“Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle”, B.V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Astron ullage motor debris cloud of 16 fragments as determined within a few days of the first event. Elements from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 28.66 Mar 1983  
DRY MASS (KG): 1000  
MAIN BODY: Cylinder-box; 1.9 m diameter by 7.5 m length  
MAJOR APPENDAGES: 1 solar panel  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	30 Dec 1985	LOCATION:	68S, 300E (dsc)
TIME:	1005 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	825 km		

**PRE-EVENT ELEMENTS**

EPOCH:	85348.40460348	MEAN ANOMALY:	83.2801
RIGHT ASCENSION:	16.9717	MEAN MOTION:	14.22481975
INCLINATION:	98.6488	MEAN MOTION DOT/2:	.00000037
ECCENTRICITY:	.0015724	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	276.6589	BSTAR:	.000025130

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 4.7 min  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**

A malfunction on NOAA 8 caused a battery to overcharge, resulting in a minor explosion of the battery. The spacecraft was operational at the time of the event. Six new fragments were detected and cataloged. All decayed by February 1989, leaving the parent still in orbit.

**REFERENCE DOCUMENT**

"NOAA Turns Off Satellite Following Malfunction", Aviation Week and Space Technology, 13 January 1986, p. 21.



NOAA 8 debris cloud of 6 fragments plus the parent satellite 1 day after the event as reconstructed from the Naval Space Surveillance System database.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	25.81 Apr 1983
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	13 Aug 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	83225.00107283	MEAN ANOMALY:	4.5332
RIGHT ASCENSION:	79.8630	MEAN MOTION:	2.00589678
INCLINATION:	63.3076	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7324437	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	320.0041	BSTAR:	.0068163

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	4.8 min*
MAXIMUM $\Delta I$ :	0.4 deg*


\*Based on uncataloged debris data

**COMMENTS**

Cosmos 1456 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The spacecraft may have been active at the time of the event, having last made a station-keeping maneuver on 22 June 1983. The next station-keeping maneuver should have occurred in the second half of August or early September 1983. The spacecraft began drifting off station immediately after the event and never recovered.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1456 debris cloud of 6 fragments less than 3 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 7.44 May 1983  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA (1)**

DATE:	11 Mar 1985	LOCATION:	4S, 196E (asc)
TIME:	0940 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	750 km		

**PRE-EVENT ELEMENTS (1)**

EPOCH:	85068.60956125	MEAN ANOMALY:	101.2285
RIGHT ASCENSION:	157.6403	MEAN MOTION:	14.49322542
INCLINATION:	65.0244	MEAN MOTION DOT/2:	.00000357
ECCENTRICITY:	.0224980	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	256.3703	BSTAR:	.000080310

**EVENT DATA (2)**

DATE:	13 May 1985	LOCATION:	10N, 82E (asc)
TIME:	0133 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	845 km		

**PRE-EVENT ELEMENTS (2)**

EPOCH:	85125.54047130	MEAN ANOMALY:	121.1528
RIGHT ASCENSION:	353.4544	MEAN MOTION:	14.49239036
INCLINATION:	65.0248	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0222492	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	236.8082	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.9 min\*  
MAXIMUM  $\Delta I$ : 1.0 deg\*

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 1461 was the twelfth spacecraft of the Cosmos 699-type to experience a fragmentation. Cosmos 1461 entered a natural decay regime more than 13 months prior to first event. After the first event as many as 20 fragments were detected but only six new objects were cataloged. The second event occurred 2 months later and produced considerably more debris. These events followed the pattern set by Cosmos 1220 and Cosmos 1260.

## REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Analysis of the Fragmentation of Kosmos 1461, G.T. DeVere and N.L. Johnson, Technical Report CS85-BMDSC-0056, Teledyne Brown Engineering, Colorado Springs, September 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1461 debris cloud remnant of 65 fragments 4 days after the second event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	8.80 Jul 1983
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	9 Jul 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	83189.85702098	MEAN ANOMALY:	4.6462
RIGHT ASCENSION:	166.3194	MEAN MOTION:	2.03523282
INCLINATION:	62.9394	MEAN MOTION DOT/2:	.00000702
ECCENTRICITY:	.7337681	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	317.9301	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	8.7 min*
MAXIMUM $\Delta I$ :	0.8 deg*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 1481 was the twelfth spacecraft of the Cosmos 862-type to experience a fragmentation. The event apparently occurred within a day of launch. An expected orbital maneuver by Cosmos 1481 to move from its transfer orbit to an operational orbit about 3 days after launch was never performed.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





Cosmos 1481 debris cloud of 4 objects 1 month after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 24.25 Jul 1983  
DRY MASS (KG): 1800  
MAIN BODY: Cylinder; 1.5 m diameter by 5.0 m length  
MAJOR APPENDAGES: Solar panels, antenna  
ATTITUDE CONTROL: Gravity gradient; momentum wheels  
ENERGY SOURCES: Electrical system (?); pressurized vessels

**EVENT DATA**

DATE: 18 Oct 1993                      LOCATION: 7S, 111E (asc)  
TIME: 1204 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 605 km

**PRE-EVENT ELEMENTS**

EPOCH: 93289.76777232                      MEAN ANOMALY: 40.8047  
RIGHT ASCENSION: 316.3082                      MEAN MOTION: 14.98254133  
INCLINATION: 97.5219                      MEAN MOTION DOT/2: .00001299  
ECCENTRICITY: .0033451                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 319.0655                      BSTAR: .00011294

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 14.0 min \*  
MAXIMUM  $\Delta I$ : 2.5 deg \*

\* Based on uncataloged debris data

**COMMENTS**


Cosmos 1484 was the third of four Resurs-0 prototypes flown in sun-synchronous orbits, and the only one to fragment. This is the first sun-synchronous Russian satellite to ever fragment. The NAVSPOC generated 79 analyst satellites on this event.

**REFERENCE DOCUMENTS**

The Fragmentation of Cosmos 1484, D. J. Nauer, Technical Report CS94-LKD-003, Teledyne Brown Engineering, Colorado Springs, 17 November 1993.

The Soviet Year in Space, 1990, N. L. Johnson, Teledyne Brown Engineering, 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1484 debris cloud of 79 fragments assembled by the NAVSPOC.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 29.04 Dec 1983  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 4 Feb 1991                      LOCATION: 28N, 106E (dsc)  
TIME: 0312 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 18550 km

**PRE-EVENT ELEMENTS**

EPOCH: 91032.22560633                      MEAN ANOMALY: 10.4843  
RIGHT ASCENSION: 133.4557                      MEAN MOTION: 4.30882556  
INCLINATION: 51.9464                      MEAN MOTION DOT/2: .00004140  
ECCENTRICITY: .5787304                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 315.5487                      BSTAR: .0018354

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**


Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed at least 12 fragments on the day of the event and approximately three dozen on 7 February. An element set was initially developed on only one new fragment. This was the third in a series of fragmentations of this object type.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Gabbard diagram of the five cataloged and single analyst satellite generated on the Cosmos 1519-21 debris cloud.

**SATELLITE DATA**

TYPE: PAM-D Upper Stage (STAR 48 motor)  
OWNER: US  
LAUNCH DATE: 3.54 Feb 1984  
DRY MASS (KG): 2200  
MAIN BODY: Sphere-nozzle; 1.2 m by 2.1 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Spin-stabilized  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	6 Feb 1984	LOCATION:	0N, 120E (asc)
TIME:	1600 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	280 km		

**PRE-EVENT ELEMENTS**

EPOCH:	84037.35377144	MEAN ANOMALY:	82.4657
RIGHT ASCENSION:	138.8370	MEAN MOTION:	15.97451864
INCLINATION:	28.4669	MEAN MOTION DOT/2:	.00197501
ECCENTRICITY:	.0006481	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	277.3659	BSTAR:	.00040999


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.4 min\*  
MAXIMUM  $\Delta I$ : 0.3 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Palapa B2 and its PAM-D upper stage were deployed from the Space Shuttle Challenger at 1513 GMT, 6 February 1984. Ignition of the upper stage occurred on schedule at 1600 GMT, but the nozzle fragmented within 10 seconds. Without the nozzle the burn could not be sustained and a natural shutdown quickly followed. The PAM-D then separated from Palapa B2. The above elements are for the Shuttle prior to deployment. The Shuttle made a small posigrade evasive maneuver after deployment and before ignition of the PAM-D. See also Westar 6 R/B fragmentation.



Palapa B2 R/B debris cloud of 5 fragments about 3 days after the event as reconstructed from the US SSN database. The Palapa B2 R/B is the object with the second highest orbital period.

**SATELLITE DATA**

TYPE: PAM-D Upper Stage (STAR 48 motor)  
OWNER: US  
LAUNCH DATE: 3.54 Feb 1984  
DRY MASS (KG): 2200  
MAIN BODY: Sphere-nozzle; 1.2 m by 2.1 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Spin-stabilized  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	3 Feb 1984	LOCATION:	0N, 56E (asc)
TIME:	2145 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	305 km		

**PRE-EVENT ELEMENTS**

EPOCH:	84034.84362284	MEAN ANOMALY:	48.7355
RIGHT ASCENSION:	157.5848	MEAN MOTION:	15.88299499
INCLINATION:	28.4660	MEAN MOTION DOT/2:	.00000250
ECCENTRICITY:	.0006644	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	311.2683	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.7 min  
MAXIMUM  $\Delta I$ : 0.8 deg


**COMMENTS**

Westar 6 and its PAM-D upper stage were deployed from the Space Shuttle Challenger at 2100 GMT, 3 February 1984. Ignition of the upper stage occurred on schedule at 2145 GMT but the nozzle fragmented within 10 seconds. Without the nozzle the burn could not be sustained and a natural shutdown quickly followed. The PAM-D then separated from Westar 6. See also Palapa B2 R/B fragmentation.

**REFERENCE DOCUMENT**

Westar Failure. Technical Memorandum from N.L. Johnson, Teledyne Brown Engineering, to Preston Landry, NORAD/ADCOM/XPYS, Colorado Springs, 7 February 1984.





Westar 6 R/B debris cloud of 7 fragments less than 2 days after the event as reconstructed from the US SSN database. The Westar 6 R/B is the object in the high, 100-min orbit.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 7.95 Aug 1984  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 23 Feb 1986                      LOCATION: 29N, 187E (asc)  
TIME: 1850 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 430 km

**PRE-EVENT ELEMENTS**

EPOCH: 86048.57631415                      MEAN ANOMALY: 72.5463  
RIGHT ASCENSION: 268.3025                      MEAN MOTION: 15.47795866  
INCLINATION: 65.0271                      MEAN MOTION DOT/2: .00005888  
ECCENTRICITY: .0022403                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 287.3230                      BSTAR: .00011680

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.0 min  
MAXIMUM  $\Delta I$ : 0.4 deg


**COMMENTS**

Cosmos 1588 was the thirteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for 7 months prior to the event.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1588 cataloged debris cloud of 16 fragments 3 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 28.58 Sep 1984  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 5 Sep 1992                      LOCATION: 46.1S, 351.8E  
TIME: 1451 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 835 km

**PRE-EVENT ELEMENTS**

EPOCH: 92249.36121283                      MEAN ANOMALY: 6.5555  
RIGHT ASCENSION: 353.4197                      MEAN MOTION: 14.15474339  
INCLINATION: 66.5712                      MEAN MOTION DOT/2: -.00009086  
ECCENTRICITY: .0007128                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 353.5641                      BSTAR: -.004641

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.9 min  
MAXIMUM  $\Delta I$ : 0.5 deg

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR has observed 62 objects associated with this breakup. This was the sixth in a series of fragmentations of this object type.


**REFERENCE DOCUMENTS**

Soviet Space Programs 1980-1985, Science and Technology Series, Volume 66, Nicholas L. Johnson, American Astronautical Society, Univelt, Inc., 1987.

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Naval Space Surveillance System tracked 62 objects within the Cosmos 1603 debris cloud, with 22 appearing in the Satellite Catalog.

**SATELLITE DATA**

TYPE: Ariane 3 Final Stage  
OWNER: France  
LAUNCH DATE: 10.05 Nov 1984  
DRY MASS (KG): ~1100  
MAIN BODY: Unknown  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	20 Nov 1984	LOCATION:	Unknown
TIME:	1425Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	84325.41617	MEAN ANOMALY:	146.5463
RIGHT ASCENSION:	236.1289	MEAN MOTION:	2.26087292
INCLINATION:	7.0293	MEAN MOTION DOT/2:	.00001128
ECCENTRICITY:	.7265710	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	187.8823	BSTAR:	.0010954

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This Ariane R/B fragmentation occurred to 10 days after launch but not detected until 2003. This is the first Ariane Rocket Body fragmentation that is attributed to France. Previous Ariane Stages were attributed to ESA.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 18.90 Apr 1985  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	20 Nov 1987	LOCATION:	65N, 300E (dsc)
TIME:	0131 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	410 km		

**PRE-EVENT ELEMENTS**

EPOCH:	87323.98216942	MEAN ANOMALY:	105.3951
RIGHT ASCENSION:	286.0367	MEAN MOTION:	15.56048984
INCLINATION:	65.0306	MEAN MOTION DOT/2:	.00039428
ECCENTRICITY:	.0018658	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	254.4728	BSTAR:	.00055895

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.5 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg\*

\*Based on cataloged and uncataloged debris data

**COMMENTS**


Cosmos 1646 was the sixteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for nearly 20 months prior to the event. Many debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Cosmos 1646 debris cloud remnant of 38 fragments about 10 days after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 17 May 1985  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 29 Nov 1998                      LOCATION: 38.3N, 172.6E  
TIME: 0925 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 16420 km

**POST-EVENT ELEMENTS**

EPOCH: 98332.38151447                      MEAN ANOMALY: 98.9018  
RIGHT ASCENSION: 344.4719                      MEAN MOTION: 4.35077855212150  
INCLINATION: 52.0277                      MEAN MOTION DOT/2: .00009109  
ECCENTRICITY: .5772516                      MEAN MOTION DOT DOT/6: 00000-0  
ARG. OF PERIGEE: 209.7130                      BSTAR: .030939

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 91.18 min  
MAXIMUM  $\Delta I$ : .76 deg

**COMMENTS**

This is the 18<sup>th</sup> event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the seventh associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. A total of 60 debris objects were detected.

**REFERENCE DOCUMENT**

"1998 Ends with Eighth Satellite Breakup", The Orbital Debris Quarterly News, NASA JSC, January 1999. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv4i1.pdf>.



Cosmos 1650-1652 ullage motor debris cloud of 4 fragments within 1 day of the event as reconstructed from the US SSN database.

**COSMOS 1654**

**1985-039A**

**15734**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 23.53 May 1985  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

## **EVENT DATA**

DATE:	21 Jun 1985	LOCATION:	8N, 292E (asc)
TIME:	1047 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	200 km		

## **PRE-EVENT ELEMENTS**

EPOCH:	85172.01363851	MEAN ANOMALY:	313.0734
RIGHT ASCENSION:	1.2391	MEAN MOTION:	16.11890623
INCLINATION:	64.8566	MEAN MOTION DOT/2:	.00311214
ECCENTRICITY:	.0086971	MEAN MOTION DOT DOT/6:	.000034493
ARG. OF PERIGEE:	47.8764	BSTAR:	.00015520

## **DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 22.1 min\*  
MAXIMUM  $\Delta I$ : 1.5 deg\*

\*Based on uncataloged debris data


## **COMMENTS**

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Most debris reentered before being officially cataloged.

## **REFERENCE DOCUMENTS**

Analysis of the Fragmentation of Kosmos 1654, G.T. DeVere, Technical Report CS86-BMDSC-0003, Teledyne Brown Engineering, Colorado Springs, October 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1654 debris cloud remnant of 543 fragments seen 9 hours after the event by the US SSN PARCS radar.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 30.62 May 1985  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 5 Jan 1988                      LOCATION: 66N, 151E (asc)  
TIME: 0147 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 860 km

**PRE-EVENT ELEMENTS**

EPOCH: 88002.58690356                      MEAN ANOMALY: 91.9605  
RIGHT ASCENSION: 205.7335                      MEAN MOTION: 14.17143400  
INCLINATION: 66.5867                      MEAN MOTION DOT/2: .00000144  
ECCENTRICITY: .0034143                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 267.7562                      BSTAR: .000088961

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.3 min  
MAXIMUM  $\Delta I$ : 0.0 deg

**COMMENTS**


Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed two additional, uncataloged fragments associated with this event. This was the second in a series of fragmentations of this object type.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Fragments from Cosmos 1656 debris as determined 2 weeks after the event. Elements from the US SSN database as published by NASA Goddard Space Flight Center.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 19.07 Sep 1985  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 18 Dec 1986  
TIME: 2017 GMT  
ALTITUDE: 415 km  
LOCATION: 22S, 292 E (asc)  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 86351.87879723  
RIGHT ASCENSION: 337.4852  
INCLINATION: 65.0089  
ECCENTRICITY: .0068048  
ARG. OF PERIGEE: 45.1423  
MEAN ANOMALY: 315.5258  
MEAN MOTION: 15.45249396  
MEAN MOTION DOT/2: .00011076  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .00021714

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.3 min\*  
MAXIMUM  $\Delta I$ : 0.7 deg\*

\*Based on uncataloged debris data

**COMMENTS**


Cosmos 1682 was the 14th spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for 2 months prior to the event. Many debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, p. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.





**Cosmos 1682 debris cloud remnant of 66 fragments about 1 week after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 9.90 Oct 1985  
DRY MASS (KG): 220  
MAIN BODY: Cylinder; 1.0 m diameter by 1.5 m length  
MAJOR APPENDAGES: Gravity gradient boom  
ATTITUDE CONTROL: Gravity gradient  
ENERGY SOURCES: Battery

**EVENT DATA**

DATE: 22 Nov 1985                      LOCATION: 31N, 326E (dsc)  
TIME: 0840 GMT                      ASSESSED CAUSE: Battery  
ALTITUDE: 1415 km

**PRE-EVENT ELEMENTS**

EPOCH: 85320.62059878                      MEAN ANOMALY: 91.0897  
RIGHT ASCENSION: 345.1807                      MEAN MOTION: 12.62038878  
INCLINATION: 82.6124                      MEAN MOTION DOT/2: .00000022  
ECCENTRICITY: .0002812                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 268.9870                      BSTAR: .000099999

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 1.0 min  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**

Cosmos 1691 was one of six independent payloads on this launch, which was only the second in this program. Cosmos 1691 was the last payload deployed and may be referred to as Cosmos 1695 in the former Soviet Union. One fragment was administratively decayed in February 1989. No other payloads in this program have fragmented. This event is assessed to be the second known NiH<sub>2</sub> battery failure as indicated by Dr. K. M. Suitshev during the early 1992 Space Debris Conference in Moscow. See also reference below.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1691 debris cloud of 9 fragments 2 days after the event as reconstructed from Naval Space Surveillance System database.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 22.93 Nov 1985  
DRY MASS (KG): 1360  
MAIN BODY: Cone-cylinder; 2.1 m diameter by 3.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 4 May 2006                      LOCATION: 67N, 17E (dsc)  
TIME: 1604 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 635 km

**PRE-EVENT ELEMENTS**

EPOCH: 06123.63561455                      MEAN ANOMALY: 329.9835  
RIGHT ASCENSION: 319.0019                      MEAN MOTION: 14.8137473  
INCLINATION: 82.5005                      MEAN MOTION DOT/2: 0.00000107  
ECCENTRICITY: .0021969                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 30.2640                      BSTAR: 0.000010657

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 1.6 min  
MAXIMUM  $\Delta I$ : 0.2 deg

**COMMENTS**

This is the 5<sup>th</sup> event of the Tsyklon third stage (SL-14) identified to date.

**REFERENCE DOCUMENT**

“First Satellite Breakups of 2006”, The Orbital Debris Quarterly News, NASA JSC, July 2006.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv10i3.pdf>.



Tsyklon third stage debris cloud of 44 fragments six days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Zenit Second Stage  
OWNER: CIS  
LAUNCH DATE: 28.40 Dec 1985  
DRY MASS (KG): 9000  
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	28 Dec 1985	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	85363.19328410	MEAN ANOMALY:	84.6199
RIGHT ASCENSION:	281.3886	MEAN MOTION:	14.77971051
INCLINATION:	71.0178	MEAN MOTION DOT/2:	0.00065991
ECCENTRICITY:	0.0306365	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	271.9949	BSTAR:	0.0041108

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The Zenit second stage low thrust engine used to perform final orbit insertion exploded. Four pieces of debris cataloged with this mission are probably not associated with the breakup.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 24.91 Dec 1985  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 29 Dec 1991                      LOCATION: 25.3N, 331.9E  
TIME: 0903 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 4730 km

**PRE-EVENT ELEMENTS**

EPOCH: 91333.40579226                      MEAN ANOMALY: 46.8976  
RIGHT ASCENSION: 48.0333                      MEAN MOTION: 4.23089679  
INCLINATION: 65.2547                      MEAN MOTION DOT/2: .00000167  
ECCENTRICITY: .5645362                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 245.7447                      BSTAR: .0012603

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.7 min \*  
MAXIMUM  $\Delta I$ : 0.8 deg \*

\* based upon uncataloged debris data

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. There were 26 objects associated with this event on 30 December per a telecon with NAVSPASUR (Edna Jenkins). Only 2 analyst satellites were generated and insufficient data was available for a Gabbard diagram. This was the fourth in a series of fragmentations of this object type.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 1 Third Stage  
OWNER: France  
LAUNCH DATE: 22.07 Feb 1986  
DRY MASS (KG): 1400  
MAIN BODY: Cylinder; 2.6 m diameter by 10.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants, range safety package

**EVENT DATA**

DATE: 13 Nov 1986                      LOCATION: 7N, 42E (asc)  
TIME: 1940 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 805 km

**PRE-EVENT ELEMENTS**

EPOCH: 86305.08337689                      MEAN ANOMALY: 300.1947  
RIGHT ASCENSION: 18.0087                      MEAN MOTION: 14.22163662  
INCLINATION: 98.6973                      MEAN MOTION DOT/2: .00000203  
ECCENTRICITY: .0021203                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 60.1312                      BSTAR: .000099999

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 6.2 min  
MAXIMUM  $\Delta I$ : 1.2 deg


**COMMENTS**

Event occurred approximately 9 months after the rocket body had successfully deployed the SPOT 1 and Viking payloads. First use of Ariane launch vehicle for low Earth orbit. May be related to other Ariane fragmentations.

**REFERENCE DOCUMENTS**

A Preliminary Analysis of the Fragmentation of the Spot 1 Ariane Third Stage, N. L. Johnson, Technical Report CS87-LKD-003, Teledyne Brown Engineering, Colorado Springs, March 1987.

Orbital Debris from Upper Stage Breakup, J.P. Loftus, Jr., ed., Vol. 121, Progress in Astronautics and Aeronautics, AIAA, 1989.



**Spot 1 R/B debris cloud of 463 fragments 3 months after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4.21 Aug 1986  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE: 21 Sep 1987                      LOCATION: 60S, 174E (dsc)  
TIME: 1205 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 320 km

**PRE-EVENT ELEMENTS**

EPOCH: 87263.81808697                      MEAN ANOMALY: 70.4851  
RIGHT ASCENSION: 122.5376                      MEAN MOTION: 15.63167584  
INCLINATION: 65.0147                      MEAN MOTION DOT/2: .00078200  
ECCENTRICITY: .0099296                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 288.4915                      BSTAR: .00065556

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 1.9 min\*  
MAXIMUM  $\Delta I$ : 0.0 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Cosmos 1769 was the fifteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft was regularly maneuvered until 17 Sep 1987 when the vehicle began to decay naturally. Most debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1769 debris cloud remnant of 34 fragments 3 days after the event as reconstructed from Naval Space Surveillance System database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 5.63 Sep 1986  
DRY MASS (KG): 930  
MAIN BODY: Cylinder-cone; 1.2 m diameter by 4.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	5 Sep 1986	LOCATION:	15N, 166E (asc)
TIME:	1752 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	220 km		

**POST-EVENT ELEMENTS**

EPOCH:	86250.63774662	MEAN ANOMALY:	335.3264
RIGHT ASCENSION:	28.1524	MEAN MOTION:	15.28976390
INCLINATION:	39.0665	MEAN MOTION DOT/2:	.01159823
ECCENTRICITY:	.0390567	MEAN MOTION DOT DOT/6:	.0000050922
ARG. OF PERIGEE:	26.7075	BSTAR:	.0028192

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 424.1 min\*  
MAXIMUM  $\Delta I$ : 4.4 deg\*

\*Based on uncataloged debris data

**COMMENTS**


USA 19 deliberately collided with USA 19 R/B at high relative velocity. Both satellites were thrusting at the time of impact. Element set above is post-event and is best estimate of orbit at time of the event. Most debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Collision of Satellites 16937 and 16938: A Preliminary Report, N. L. Johnson, Technical Report CS87-LKD-002, Teledyne Brown Engineering, Colorado Springs, 3 December 1986.

The Collision of Satellites 16937 and 16938: Debris Characterization, R. L. Kling, Technical Report CS87-LKD-005, Teledyne Brown Engineering, Colorado Springs, 15 May 1987.

Hazard Analysis of the Breakup of Satellites 16937 and 16938, Technical Report JSC 22471(U), NASA Lyndon B. Johnson Space Center, Houston, 27 February 1987.



USA 19 debris cloud remnant of 187 fragments 1 day after the event as seen by the US SSN radar FPS-85 at Eglin AFB, Florida.

**SATELLITE DATA**

TYPE: Delta Second Stage (3920) with auxiliary payload  
OWNER: US  
LAUNCH DATE: 5.63 Sep 1986  
DRY MASS (KG): 1455  
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 4.8 m length  
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m  
ATTITUDE CONTROL: Active  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 5 Sep 1986                      LOCATION: 15N, 166E (asc)  
TIME: 1752 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 220 km

**POST-EVENT ELEMENTS**

EPOCH: 86249.96053354                      MEAN ANOMALY: 307.9381  
RIGHT ASCENSION: 10.4654                      MEAN MOTION: 15.50608380  
INCLINATION: 22.7830                      MEAN MOTION DOT/2: .00138611  
ECCENTRICITY: .0288474                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 54.7772                      BSTAR: .00033298

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 53.6 min\*  
MAXIMUM  $\Delta I$ : 2.5 deg\*

\*Based on uncataloged debris data

**COMMENTS**

USA 19 R/B was deliberately struck by USA 19 at high relative velocity. Both satellites were thrusting at the time of impact. Element set above is post-event and is best estimate of orbit at time of the event. Most debris reentered before being officially cataloged.


**REFERENCE DOCUMENTS**

The Collision of Satellites 16937 and 16938: A Preliminary Report, N. L. Johnson, Technical Report CS87-LKD-002, Teledyne Brown Engineering, Colorado Springs, 3 December 1986.

The Collision of Satellites 16937 and 16938: Debris Characterization, R. L. Kling, Technical Report CS87-LKD-005, Teledyne Brown Engineering, Colorado Springs, 15 May 1987.

Hazard Analysis of the Breakup of Satellites 16937 and 16938, Technical Report JSC 22471(U), NASA Lyndon B. Johnson Space Center, Houston, 27 February 1987.





USA 19 R/B debris cloud of 190 fragments 1 day after the event as seen  
by the US SSN FPS-85 radar at Eglin AFB, Florida.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 15.47 Jan 1987  
DRY MASS (KG): 6300  
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 29 Jan 1987  
TIME: 0555 GMT  
ALTITUDE: 390 km  
LOCATION: 73N, 122E (asc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 87028.91020168  
RIGHT ASCENSION: 256.7724  
INCLINATION: 72.8163  
ECCENTRICITY: .0043147  
ARG. OF PERIGEE: 182.0100  
MEAN ANOMALY: 178.1696  
MEAN MOTION: 15.60427146  
MEAN MOTION DOT/2: .00008569  
MEAN MOTION DOT DOT/6: .0  
BSTAR: .000099999

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.1 min\*  
MAXIMUM  $\Delta I$ : 0.1 deg\*

\*Based on PARCS observations


**COMMENTS**

Spacecraft apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. A total of 846 separate fragments were observed during one pass over a U.S. Space Surveillance Network radar (PARCS) 2 days after the event.

**REFERENCE DOCUMENTS**

The Fragmentation of Kosmos 1813, R. L. Kling and J. S. Dowdy, Technical Report CS87-LKD-004, Teledyne Brown Engineering, Colorado Springs, 8 May 1987.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1813 debris cloud as reconstructed from PARCS radar observations taken about 10 hours after the breakup. A total of 846 fragments were identified with Cosmos 1813. This diagram is taken from the cited reference document.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	20.20 Feb 1987
DRY MASS (KG):	1500
MAIN BODY:	Cylinder; 2.4 m diameter by 4 m length
MAJOR APPENDAGES:	Gravity-gradient boom; 10 small solar panels
ATTITUDE CONTROL:	Gravity gradient
ENERGY SOURCES:	Battery

**EVENT DATA**

DATE:	17 Dec 1987	LOCATION:	15S, 18E (dsc)
TIME:	1739 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	1485 km		

**PRE-EVENT ELEMENTS**

EPOCH:	87351.61079422	MEAN ANOMALY:	147.6712
RIGHT ASCENSION:	184.5746	MEAN MOTION:	12.40947361
INCLINATION:	73.6064	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0028819	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	212.2988	BSTAR:	.0

**DEBRIS CLOUD DATA**


MAXIMUM $\Delta P$ :	4.9 min
MAXIMUM $\Delta I$ :	1.4 deg

**COMMENTS**

Cosmos 1823 has been acknowledged by the Soviet Union as a geodetic spacecraft, the eighth in a series that debuted in 1981. The spacecraft is known to have been operating 3 months before the event. USSR acknowledged mission termination as of 19 December 1987. Unusually strong radial velocity components are evident in cloud analyses over a period of many months. This event has been confirmed to be the third known failure of the NiH<sub>2</sub> battery as reported by Dr. K. M. Suitashev at the February, 1992 Space Debris Conference held in Moscow.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1823 debris cloud of 165 fragments 2 weeks after the event as reconstructed from Naval Space Surveillance System database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 9.67 Jul 1987  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 26 Jul 1987  
TIME: 1539 GMT  
ALTITUDE: 245 km  
LOCATION: 57S, 239E (asc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 87207.60199851  
RIGHT ASCENSION: 98.7735  
INCLINATION: 67.1494  
ECCENTRICITY: .0073576  
ARG. OF PERIGEE: 61.7654  
MEAN ANOMALY: 300.9577  
MEAN MOTION: 16.25421506  
MEAN MOTION DOT/2: .01099941  
MEAN MOTION DOT DOT/6: .000028662  
BSTAR: .00016423

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 17.3 min  
MAXIMUM  $\Delta I$ : 0.5 deg

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Hundreds of fragments were detected but most reentered before being officially cataloged.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1866 debris cloud of 27 fragments one to 2 days after the event as reconstructed from the US SSN database. Two fragments with orbital periods greater than 103 minutes were cataloged in mid-August 1987.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 16.18 Jul 1987  
DRY MASS (KG): 1900  
MAIN BODY: Cylinder; 0.8-1.4 m diameter by 3 m length  
MAJOR APPENDAGES: Solar arrays, radar and other payload systems  
ATTITUDE CONTROL: Gravity gradient  
ENERGY SOURCES: Battery, pressurized vessels

**EVENT DATA**

DATE:	27 Nov 1997	LOCATION:	Unknown
TIME:	0006-0040 GMT?	ASSESSED CAUSE:	Unknown
ALTITUDE:	~630 km		

**PRE-EVENT ELEMENTS**

EPOCH:	97329.88487815	MEAN ANOMALY:	245.1014
RIGHT ASCENSION:	97.7878	MEAN MOTION:	14.83337853
INCLINATION:	82.5131	MEAN MOTION DOT/2:	0.00000439
ECCENTRICITY:	0.0021357	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	115.2417	BSTAR:	0.000050420

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Cosmos 1869 suffered a failure of its radar antenna to deploy immediately after launch. The spacecraft carried other optical sensors, but the vehicle appears to have become non-operational by 1988. At least 20 debris were detected. Virtually all the debris associated with the breakup event exhibited very large area-to-mass ratios, resulting in exceptionally rapid orbital decay.

**REFERENCE DOCUMENT**

“Recent Satellite Fragmentation Investigations”, N. Johnson, The Orbital Debris Quarterly News, NASA JSC, January 1998, p. 3. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i1.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Tsyklon Third Stage  
OWNER: CIS  
LAUNCH DATE: 18.10 Aug 1987  
DRY MASS (KG): 1360  
MAIN BODY: Cylinder; 2.1 m diameter by 2.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE:	15 Feb 1998	LOCATION:	67.8 N, 125.6 E (asc.)
TIME:	2224 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	945 km		

**PRE-EVENT ELEMENTS**

EPOCH:	98044.02783074	MEAN ANOMALY:	25.0628
RIGHT ASCENSION:	230.9724	MEAN MOTION:	13.84031596
INCLINATION:	82.5526	MEAN MOTION DOT/2:	0.00000025
ECCENTRICITY:	0.0011144	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	334.9992	BSTAR:	0.0000096468

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 8.2 min  
MAXIMUM  $\Delta I$ : 0.6 deg

**COMMENTS**

This is the second time a Ukrainian Tsyklon third stage has experienced a significant breakup. The previous incident in 1988 involved the Cosmos 1045 rocket body at a higher altitude. In both cases, the vehicle was approximately 10 years old. The debris from the current breakup were ejected with a wide range of velocities, from about 15 m/s to more than 250 m/s. Some debris were thrown to altitudes below 500 km, and some exhibited high area-to-mass ratios. Naval Space Command ran COMBO to determine if a tracked object was in vicinity of Meteor 2-16 R/B at the time of the event, and the results were negative.

**REFERENCE DOCUMENT**

“Three Upper Stage Breakups in One Week Top February Debris Activity”, The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i2.pdf>.



**Meteor 2-16 R/B debris cloud of 67 fragments 1 week after the event  
as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Ariane 3 Third Stage  
OWNER: France  
LAUNCH DATE: 16.03 Sep 1987  
DRY MASS (KG): 1200  
MAIN BODY: Cylinder; 2.6 m diameter by 9.9 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	16-19 Sep 1987	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	87264.18031994	MEAN ANOMALY:	170.9704
RIGHT ASCENSION:	176.7680	MEAN MOTION:	2.22860839
INCLINATION:	6.8720	MEAN MOTION DOT/2:	.00014489
ECCENTRICITY:	.7324768	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	182.0665	BSTAR:	.0038829


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 29.1 min\*  
MAXIMUM  $\Delta I$ : 0.9 deg\*

\*Based on uncataloged debris data

**COMMENTS**

Above elements are initial published values for the rocket body but are after the event.



AUSSAT K3/ECS 4 R/B debris cloud of 12 fragments about 4 days after launch as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 16.12 Sep 1987  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	~ 01 December 1996	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	96335.26612005	MEAN ANOMALY:	175.6198
RIGHT ASCENSION:	300.4954	MEAN MOTION:	4.24439384
INCLINATION:	64.9068	MEAN MOTION DOT/2:	0.00015773
ECCENTRICITY:	0.5826382	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	181.3565	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 234.1 min  
MAXIMUM  $\Delta I$ : 2.6 deg

**COMMENTS**


This is the 14<sup>th</sup> event of this class identified to date.

**REFERENCE DOCUMENTS**

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93LKD-004, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1883-1885 auxiliary motor debris cloud of 3 fragments 11 to 14 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 16.12 Sep 1987  
DRY MASS (KG): ~55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	23 Apr 2003	LOCATION:	Unknown
TIME:	~1800Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	03113.46108488	MEAN ANOMALY:	332.8061
RIGHT ASCENSION:	156.9474	MEAN MOTION:	4.27871903
INCLINATION:	65.2438	MEAN MOTION DOT/2:	.00000068
ECCENTRICITY:	.5548829	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	85.3049	BSTAR:	.00025672

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 26.0 min\*  
MAXIMUM  $\Delta I$ : 1.19 deg\*

\* Based on uncataloged debris data


**COMMENTS**

This event marks the 27<sup>th</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. This ullage motor was launched before implementation of breakup preventive measures. 31 debris objects were cataloged from this breakup.

**REFERENCE DOCUMENT**

“Satellite Fragmentations in 2003”, The Orbital Debris Quarterly News, NASA JSC, January 2004. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i1.pdf>.





Cosmos 1883-85 auxiliary motor debris cloud of 31 fragments 2 days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 26.48 Dec 1987  
DRY MASS (KG): 6300  
MAIN BODY: Sphere-Cylinder; 2.4 m diameter by 6.5 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	31 Jan 1988	LOCATION:	11S, 138E (dsc)
TIME:	1109 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	250 km		

**PRE-EVENT ELEMENTS**

EPOCH:	88030.87152193	MEAN ANOMALY:	208.0352
RIGHT ASCENSION:	254.6565	MEAN MOTION:	16.07089398
INCLINATION:	82.5872	MEAN MOTION DOT/2:	.00174892
ECCENTRICITY:	.0015551	MEAN MOTION DOT DOT/6:	.000012805
ARG. OF PERIGEE:	152.1926	BSTAR:	.00022253

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.7 min\*  
MAXIMUM  $\Delta I$ : 1.7 deg\*

\*Based on cataloged and uncataloged debris data


**COMMENTS**

Spacecraft destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Elements for 83 objects remaining in orbit about 10 days after the event were developed. Other debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Soviet Year in Space 1988, N. L. Johnson, Teledyne Brown Engineering, 1989, p. 27.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1906 debris cloud remnant of 83 objects 10 days after the event as reconstructed from Naval Space Surveillance System database.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 27.48 Dec 1987  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	22 May 1997	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	97141.34020043	MEAN ANOMALY:	1.8603
RIGHT ASCENSION:	253.0389	MEAN MOTION:	3.58845480
INCLINATION:	46.6273	MEAN MOTION DOT/2:	-0.00000117
ECCENTRICITY:	0.6287941	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	349.7051	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 15<sup>th</sup> event of this class identified to date. At least 72 debris were detected.

**REFERENCE DOCUMENTS**

"Three Satellite Breakups During May-June," The Orbital Debris Quarterly News, NASA JSC, July 1997, p. 2. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv2i3.pdf>.

"Identification and Resolution of an Orbital Debris Problem with Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93-LKD-004, 31 Dec 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**METEOR 2-17**

**1988-005A**

**18820**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 30.46 January 1988  
DRY MASS (KG): 2750  
MAIN BODY: Cylinder  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: unknown

## **EVENT DATA**

DATE:	21 June 2005	LOCATION:	36.5N, 74.22E (asc)
TIME:	09:14:54.5 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	954 km		

## **PRE-EVENT ELEMENTS**


EPOCH:	05171.27320873	MEAN ANOMALY:	320.4591
RIGHT ASCENSION:	309.0605	MEAN MOTION:	13.85140738
INCLINATION:	82.5393	MEAN MOTION DOT/2:	.00000047
ECCENTRICITY:	.0018107	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	39.7894	BSTAR:	.000027897

## **DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 1.5 min  
MAXIMUM  $\Delta I$ : 0.03 deg

## **COMMENTS**

This meteorological spacecraft suffered both an anomalous event as well as a breakup event.



Meteor 2-17 debris cloud cataloged up to seven years after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	US
LAUNCH DATE:	3.25 February 1988
DRY MASS (KG):	767
MAIN BODY:	Cylinder; 1.0 m diameter by 3.6 m length
MAJOR APPENDAGES:	Solar panel and deployable instrumentation
ATTITUDE CONTROL:	none at time of event
ENERGY SOURCES:	unknown

**EVENT DATA**

DATE:	14-17 December 2012	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	12349.62481750	MEAN ANOMALY:	233.9639
RIGHT ASCENSION:	203.9910	MEAN MOTION:	14.26449692
INCLINATION:	98.8446	MEAN MOTION DOT/2:	.00000181
ECCENTRICITY:	.0006372	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	126.2134	BSTAR:	.000094135

**DEBRIS CLOUD DATA**


MAXIMUM $\Delta P$ :	1.3 min
MAXIMUM $\Delta I$ :	0.2 deg

**COMMENTS**

Detected by software.

DMSP 5D-2 F9 debris objects B-F are mission-related debris typical for this spacecraft series. Pieces G-N (SSN 39041-6 inclusive, 43329) appear to be relatively high area-to-mass objects, with only two of the seven objects (39046 and 43329) remaining on orbit as of 4 July 2018. This event may be similar in root cause to the F11 (USA 73) and F13 (USA 109) events.





USA 29 debris cloud cataloged within two weeks of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 3.15 Feb 1988  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	27 Feb 1988	LOCATION:	62N, 98E (asc)
TIME:	0444 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	155 km		

**PRE-EVENT ELEMENTS**

EPOCH:	88058.12322153	MEAN ANOMALY:	309.0154
RIGHT ASCENSION:	264.6529	MEAN MOTION:	16.30989909
INCLINATION:	64.8359	MEAN MOTION DOT/2:	.03233928
ECCENTRICITY:	.0060041	MEAN MOTION DOT DOT/6:	.00003669
ARG. OF PERIGEE:	51.6410	BSTAR:	.00025587

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.2 min\*  
MAXIMUM  $\Delta I$ : 1.1 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Spacecraft destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Early elements on only 6 objects available. All debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Soviet Year in Space 1988, N. L. Johnson, Teledyne Brown Engineering, 1989, p. 31.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1916 debris cloud remnant of 6 objects within 1 day of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 22.59 Mar 1988  
DRY MASS (KG): 800  
MAIN BODY: Cylinder; 2.035 m diameter x 2 m length  
MAJOR APPENDAGES: Several short booms  
ATTITUDE CONTROL: Gravity-gradient (passive)  
ENERGY SOURCES: Batteries

**EVENT DATA**

DATE:	23 Dec 1991	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Accidental Collision
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	91356.93360267	MEAN ANOMALY:	291.3330
RIGHT ASCENSION:	126.2142	MEAN MOTION:	13.75709229
INCLINATION:	82.9564	MEAN MOTION DOT/2:	0.00000135
ECCENTRICITY:	.0041502	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	69.2265	BSTAR:	0.00012752

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The collision occurred with a piece of launch debris from Cosmos 926. The debris piece (Sat. No. 13475) was evidently shattered into smaller, non-trackable debris by the impact and the public satellite catalog now notes that it "COLLIDED WITH SATELLITE" in lieu of the standard orbital elements. There were several very close conjunctions during the day in question, the exact time of the collision is unknown. Two pieces of debris were cataloged from the event long before the event was recognized as a collision.

**REFERENCE DOCUMENT**

"Accidental Collisions of Cataloged Satellites Identified", The Orbital Debris Quarterly News, NASA JSC, April 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv9i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 2 Third Stage  
OWNER: France  
LAUNCH DATE: 17.99 May 1988  
DRY MASS (KG): ~1480  
MAIN BODY: Cylinder; 2.6 m diameter by 11.7 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	9 Jul 2002	LOCATION:	4.3 N, 5.7 E
TIME:	1930Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	21,500 km		

**PRE-EVENT ELEMENTS**

EPOCH:	02190.22071506	MEAN ANOMALY:	172.0370
RIGHT ASCENSION:	187.4675	MEAN MOTION:	2.28211164
INCLINATION:	7.0311	MEAN MOTION DOT/2:	.00000024
ECCENTRICITY:	.7162572	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	181.6723	BSTAR:	.0


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 6.60 min\*  
MAXIMUM  $\Delta I$ : 0.33 deg\*

\* Based on uncataloged debris data

**COMMENTS**

This is the second breakup of an Ariane 2 third stage officially recognized and the 11<sup>th</sup> overall breakup of an Ariane upper stage. This stage was launched prior to the implementation of passivation measures. The age of the stage at the time of the breakup was 14 years. Six pieces of debris were initially seen by the SSN, while four were cataloged.



Intelsat 513 R/B debris cloud of 6 fragments 2 weeks after the breakup as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 16.08 Sep 1988  
DRY MASS (KG): ~55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	04 Aug 2003	LOCATION:	Unknown
TIME:	~0725Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	03214.47923598	MEAN ANOMALY:	334.9286
RIGHT ASCENSION:	239.4643	MEAN MOTION:	4.29128214
INCLINATION:	65.3341	MEAN MOTION DOT/2:	.00007107
ECCENTRICITY:	.5561230	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	85.1870	BSTAR:	.071402

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 18.8 min\*  
MAXIMUM  $\Delta I$ : 2.79 deg\*

\* Based on uncataloged debris data


**COMMENTS**

This event marks the 28<sup>th</sup> known breakup of a Proton Block DM SOZ ullage motor since 1984. This ullage motor was launched before implementation of breakup preventive measures. Approximately 175 objects were initially seen by the SSN 1 week after the event. 76 debris objects were cataloged.

**REFERENCE DOCUMENT**

"Satellite Fragmentations in 2003", The Orbital Debris Quarterly News, NASA JSC, January 2004. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i1.pdf>.





Cosmos 1970-72 auxiliary motor debris cloud of 175 fragments 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 16 Sep 1988  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	9 Mar 1999	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	99067.36656961	MEAN ANOMALY:	189.8576
RIGHT ASCENSION:	108.7309	MEAN MOTION:	4.28860956162171
INCLINATION:	64.6425	MEAN MOTION DOT/2:	.00000813
ECCENTRICITY:	.5827119	MEAN MOTION DOT DOT/6:	00000-0
ARG. OF PERIGEE:	176.8483	BSTAR:	.0022335

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 19<sup>th</sup> event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the eighth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this highly-eccentric orbit, debris may be long-lived but hard to track. 17 debris objects were detected.

**REFERENCE DOCUMENT**

“Abandoned Proton Ullage Motors Continue to Create Debris”, The Orbital Debris Quarterly News, NASA JSC, April 1999. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv4i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 4 H-10 Third Stage  
OWNER: France  
LAUNCH DATE: 11.02 Dec 1988  
DRY MASS (KG): 1760  
MAIN BODY: Cylinder; 2.6 m diameter by 11.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	17 Feb 1998	LOCATION:	6.9 N, 157.2 E (dsc)
TIME:	1235 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	19630 km		

**PRE-EVENT ELEMENTS**

EPOCH:	98047.29326560	MEAN ANOMALY:	25.3394
RIGHT ASCENSION:	23.7998	MEAN MOTION:	2.25942020
INCLINATION:	7.3381	MEAN MOTION DOT/2:	0.00000046
ECCENTRICITY:	0.7222736	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	248.1711	BSTAR:	0.00057969

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This mission was the second for the Ariane 4 series and occurred prior to implementation of passivation measures. Using observations from the Eglin radar, specialists at Millstone radar found four new pieces from the upper stage. Naval Space Command personnel generated the first two debris element sets and calculated the approximate breakup time noted above.

**REFERENCE DOCUMENT**

“Three Upper Stage Breakups in One Week Top February Debris Activity”, The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 10 Jan 1989  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	3 Aug 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	98211.80543118	MEAN ANOMALY:	172.2753
RIGHT ASCENSION:	16.7694	MEAN MOTION:	4.24137167
INCLINATION:	64.9243	MEAN MOTION DOT/2:	.00000287
ECCENTRICITY:	.5776927	MEAN MOTION DOT DOT/6:	00000-0
ARG. OF PERIGEE:	182.6029	BSTAR:	.0041366

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 162.64 min  
MAXIMUM  $\Delta I$ : 3.78 deg

**COMMENTS**

This is the 17<sup>th</sup> event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the sixth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. More than 110 debris objects were detected.

**REFERENCE DOCUMENT**

“Solitary Breakup and Anomalous Events in Third Quarter are Familiar”, The Orbital Debris Quarterly News, NASA JSC, October 1998. Available online at: <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i4.pdf>.



**Cosmos 1987-1989 ullage motor debris cloud of 39 fragments 7 days after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 10 Jan 1989  
DRY MASS (KG): ~55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	13 Nov 2003	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	03317.76135862	MEAN ANOMALY:	339.1502
RIGHT ASCENSION:	52.9695	MEAN MOTION:	4.24824637
INCLINATION:	65.4357	MEAN MOTION DOT/2:	.00000161
ECCENTRICITY:	.5599025	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	72.44443	BSTAR:	.0017638

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This event marks the 29<sup>th</sup> known breakup of a Proton Block DM SOZ ullage motor since 1984, although the event went undetected for over 3 months. This ullage motor was launched before implementation of breakup preventive measures. No debris objects were cataloged from this breakup.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 26.39 Jan 1989  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m diameter  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	17-18 Dec 1992	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	92351.90838995	MEAN ANOMALY:	1.4295
RIGHT ASCENSION:	266.2338	MEAN MOTION:	4.60309514
INCLINATION:	46.7001	MEAN MOTION DOT/2:	.00060784
ECCENTRICITY:	.5692927	MEAN MOTION DOT DOT/6:	.0000093219
ARG. OF PERIGEE:	353.9854	BSTAR:	.0015056

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed between 30-40 objects that were associated with this breakup. Only 4 element sets were generated, insufficient for a Gabbard Diagram or BLAST point. This was the seventh in a series of fragmentations of this object type, and was the second located in a geosynchronous transfer orbit.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 2 third stage with VEB  
OWNER: France  
LAUNCH DATE: 27.06 Jan 1989  
DRY MASS (KG): ~1480 kg  
MAIN BODY: 2.6 m diameter by 11.7 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants?

**EVENT DATA**

DATE:	~1 Jan 2001	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	00366.06151127	MEAN ANOMALY:	45.8970
RIGHT ASCENSION:	73.3900	MEAN MOTION:	2.26500973
INCLINATION:	8.3781	MEAN MOTION DOT/2:	.00000580
ECCENTRICITY:	.7188412	MEAN MOTION DOT DOT/6:	.0000000
ARG. OF PERIGEE:	225.8250	BSTAR:	.0040973


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown\*  
MAXIMUM  $\Delta I$ : Unknown\*

\* Not calculated due to provisional nature  
of orbital data at event time.

**COMMENTS**

This is the first breakup of an Ariane 2 third stage officially recognized. One Ariane 3 third stage (same as Ariane 2) is known to have broken-up within a few days of launch in 1987. Both vehicles were launched before passivation measures were incorporated with Ariane third stages. Ariane third stage passivation was introduced in January 1990 and has been employed on all Ariane missions since October 1993. The age of the Ariane 2 third stage at the time of the breakup was nearly 12 years.



INTELSAT V F-15 R/B (Ariane 2) debris cloud as constructed using SSN 8XXXX series elements sets (10 January 2001 and before).

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 31.36 May 1989  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE: 10 Jun 2006                      LOCATION: 65S, 100E (dsc)  
TIME: 1320 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 17,375 km

**PRE-EVENT ELEMENTS**

EPOCH: 06161.39815228                      MEAN ANOMALY: 338.3349  
RIGHT ASCENSION: 289.1150                      MEAN MOTION: 4.32576815  
INCLINATION: 65.0603                      MEAN MOTION DOT/2: -0.00002708  
ECCENTRICITY: .5578964                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 74.2422                      BSTAR: -0.018697

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 12.9 min  
MAXIMUM  $\Delta I$ : 2.1 deg


**COMMENTS**

This event marks the 34<sup>th</sup> known breakup of a Proton Block DM SOZ ullage motor since 1984. There were two more fragmentation events for this object during July 2006; the second event was on July 3, the third event was July 27. These events resulted in the most debris cataloged of any SOZ ullage motor in history with over 100 pieces cataloged. The majority of debris (>75) were created during the second event on 3 July 2006.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“First Satellite Breakups of 2006”, [The Orbital Debris Quarterly News](https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv10i3.pdf), NASA JSC, July 2006.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv10i3.pdf>.



SOZ motor debris cloud around September 2006 with 131 objects, reflecting debris from all three fragmentation events as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 5.95 Jul 1989  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 12 Jan 1993                      LOCATION: Unknown  
TIME: Unknown                      ASSESSED CAUSE: Propulsion  
ALTITUDE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 93004.96424013                      MEAN ANOMALY: 353.7659  
RIGHT ASCENSION: 215.2912                      MEAN MOTION: 2.68234049  
INCLINATION: 46.7556                      MEAN MOTION DOT/2: .00007021  
ECCENTRICITY: .6967354                      MEAN MOTION DOT DOT/6: .0  
ARG. OF PERIGEE: 45.1358                      BSTAR: .0017532

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 18 objects that were associated with this breakup. Only 5 element sets were generated, and were of insufficient quality for a credible Gabbard Diagram or BLAST point. This was the eighth in a series of fragmentations of this object type, and was the third located in a geosynchronous transfer orbit.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 12.63 Jul 1989  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 28 Jul 1989                      LOCATION: 35-65N, 95-140E (asc)  
TIME: 0410-0420 GMT                  ASSESSED CAUSE: Deliberate  
ALTITUDE: 150 km

**PRE-EVENT ELEMENTS**

EPOCH: 89208.98384568                  MEAN ANOMALY: 302.7810  
RIGHT ASCENSION: 89.7470                  MEAN MOTION: 16.33519268  
INCLINATION: 67.1441                  MEAN MOTION DOT/2: .03079561  
ECCENTRICITY: .0048139                  MEAN MOTION DOT DOT/6: .000029506  
ARG. OF PERIGEE: 57.9032                  BSTAR: .00023479

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.1 min\*  
MAXIMUM  $\Delta I$ : 1.3 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Early element sets on only 20 objects available. Rapid decay of objects made calculation of breakup time and location difficult.

**REFERENCE DOCUMENTS**

The Fragmentation of Kosmos 2030, N. L. Johnson, Technical Report CS89-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, September 1989.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2030 debris cloud remnant of 20 objects two to 3 days after the event as reconstructed from the US SSN database. This diagram is taken from the cited reference.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 18.51 Jul 1989  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 31 Aug 1989                      LOCATION: 43N, 111E (dsc)  
TIME: 1851 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 270 km

**PRE-EVENT ELEMENTS**

EPOCH: 89243.76468690                      MEAN ANOMALY: 305.4386  
RIGHT ASCENSION: 242.9132                      MEAN MOTION: 15.89273241  
INCLINATION: 50.5464                      MEAN MOTION DOT/2: .00196451  
ECCENTRICITY: .0093577                      MEAN MOTION DOT DOT/6: .00002154  
ARG. OF PERIGEE: 55.5300                      BSTAR: .00045172

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.4 min\*  
MAXIMUM  $\Delta I$ : 0.9 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Spacecraft was destroyed with a planned detonation. Cosmos 2031 was the first of a new series of spacecraft that employs end-of-mission detonation as standard operating procedure. Early elements on 43 objects available. Most debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Fragmentation of Kosmos 2031, N. L. Johnson, Technical Report CS89-TR-JSC-003, Teledyne Brown Engineering, Colorado Springs, Colorado, September 1989.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 2031 debris cloud remnant of 43 objects 3 days after the event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the cited reference.**

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: US  
LAUNCH DATE: 18.61 Nov 1989  
DRY MASS (KG): 920  
MAIN BODY: Cylinder; 2.4 m diameter by 6.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: None at time of event

**EVENT DATA**

DATE: 3 Dec 2006                      LOCATION: 52S, 168E (dsc)  
TIME: 0337 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 730 km

**PRE-EVENT ELEMENTS**

EPOCH: 06336.48315357                      MEAN ANOMALY: 65.8381  
RIGHT ASCENSION: 123.6830                      MEAN MOTION: 14.46527792  
INCLINATION: 97.0839                      MEAN MOTION DOT/2: 0.00000076  
ECCENTRICITY: .0073269                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 293.5127                      BSTAR: 0.000029963

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 2.1 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**

The Delta 2 rocket body had been passivated and dormant for 17 years. Observation of the object showed a high tumbling rate after the event. A collision with a smaller particle has not been ruled out. For the most part, the cataloged objects from this event were short-lived, i.e., less than 1 month.

**REFERENCE DOCUMENT**

“Significant Increase in Satellite Breakups During 2006”, The Orbital Debris Quarterly News, NASA JSC, January 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i1.pdf>.



COBE R/B debris cloud with 36 fragments, 6 days after the event  
as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Tsyklon Third Stage  
OWNER: CIS  
LAUNCH DATE: 27 Dec 1989  
DRY MASS (KG): 1360  
MAIN BODY: Cone-cylinder; 2.1 m diameter by 3.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 18 Apr 1999                      LOCATION: 16.9S, 234.1E  
TIME: 0119 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 485 km

**POST-EVENT ELEMENTS**

EPOCH: 99107.56102679                      MEAN ANOMALY: 26.3814  
RIGHT ASCENSION: 275.5509                      MEAN MOTION: 15.29126555517603  
INCLINATION: 73.5159                      MEAN MOTION DOT/2: .00003667  
ECCENTRICITY: .0010450                      MEAN MOTION DOT DOT/6: 00000-0  
ARG. OF PERIGEE: 333.6852                      BSTAR: .0013164

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.18 min  
MAXIMUM  $\Delta I$ : .66 deg


**COMMENTS**

This is the 3<sup>rd</sup> event of the Tsyklon third stage (SL-14) identified to date, and the second within 14 months. All stages have been about 10 years old at the time of breakup. The vehicle is a Ukrainian-produced stage with unknown end-of-mission passivation. Its propellants are UDMH and N2O4. More than 60 debris objects were detected.

**REFERENCE DOCUMENT**

"Third Tsyklon Upper Stage Breaks Up", The Orbital Debris Quarterly News, NASA JSC, July 1999. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv4i3.pdf>





Cosmos 2053 rocket body debris cloud of 31 fragments 9 days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 27.47 Dec 1989  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	Jul 1992 (?)	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	92182.661921495	MEAN ANOMALY:	6.2737
RIGHT ASCENSION:	305.7529	MEAN MOTION:	2.98492104
INCLINATION:	47.1115	MEAN MOTION DOT/2:	.00001757
ECCENTRICITY:	.6700939	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	319.3202	BSTAR:	.0014976

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 18 objects that were associated with this breakup. Twelve element sets were generated, but were of insufficient quality for a credible Gabbard Diagram or BLAST point. One object was cataloged on this event in early August 1992. This was the fifth in a series of fragmentations of this object type, and was the first located in a geosynchronous transfer orbit.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 20.0 May 1990  
DRY MASS (KG): 56  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 18 Nov 2011                      LOCATION: 60.2S, 217.8E (asc)  
TIME: 0344 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1292.55 km

**PRE-EVENT ELEMENTS**

EPOCH: 11321.47402816                      MEAN ANOMALY: 6.2919  
RIGHT ASCENSION: 24.8398                      MEAN MOTION: 4.33127778  
INCLINATION: 65.0258                      MEAN MOTION DOT/2: 0.00000578  
ECCENTRICITY: 0.5722498                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 332.9281                      BSTAR: 0.00072502

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0 min  
MAXIMUM  $\Delta I$ : 0 deg

**COMMENTS**

This is the 39<sup>th</sup> known breakup of a Proton-DM SOZ ullage unit since 1984. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Only one object has been officially cataloged. Due to the difficulty in observing and cataloging debris in deep-space, highly elliptical orbits, a much larger debris ensemble may have been created by this event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

“Only a Few Minor Satellite Breakups in 2011”, The Orbital Debris Quarterly News, NASA JSC, January 2012.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv16i1.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 19 May 1990  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	~28 Mar 1999	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	99087.88291821	MEAN ANOMALY:	123.5812
RIGHT ASCENSION:	319.9610	MEAN MOTION:	4.24414150137202
INCLINATION:	64.8090	MEAN MOTION DOT/2:	0.00000311
ECCENTRICITY:	0.5789417	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	199.4305	BSTAR:	0.0040281

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 20<sup>th</sup> event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the ninth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. 76 debris objects were detected.

**REFERENCE DOCUMENT**

“Abandoned Proton Ullage Motors Continue to Create Debris”, The Orbital Debris Quarterly News, NASA JSC, April 1999. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv4i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: CZ-4A Final Stage  
OWNER: PRC  
LAUNCH DATE: 3.04 Sep 1990  
DRY MASS (KG): 1000  
MAIN BODY: Cylinder-Nozzle; 2.9 m diameter by ~5 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	4 Oct 1990	LOCATION:	81S, 68E (asc)
TIME:	2014 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	895 km		

**PRE-EVENT ELEMENTS**

EPOCH:	90276.6451544	MEAN ANOMALY:	162.6773
RIGHT ASCENSION:	310.6975	MEAN MOTION:	14.01192890
INCLINATION:	98.9340	MEAN MOTION DOT/2:	.000003118
ECCENTRICITY:	.0010179	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	197.4122	BSTAR:	.0002183343

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.8 min  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**


This second flight of the CZ-4 final stage successfully deployed three payloads (one weather satellite and two inflated balloons) into a sun-synchronous orbit. Propellants used were N<sub>2</sub>O<sub>4</sub> and UDMH. An estimated 70-75 fragments were detected soon after the event.

**REFERENCE DOCUMENTS**

The Fragmentation of Fengyun 1-2 R/B, N. L. Johnson, Technical Report CS90-TR-JSC-013, Teledyne Brown Engineering, Colorado Springs, Colorado, November 1990.

“Analyzing the Cause of LM-4 (A)’s Upper Stage’s Disintegration and the Countermeasures”, W. X. Zhang and S. Y. Liao, 5<sup>th</sup> International Conference of Pacific Basin Societies, 6-9 Jun 1993, Shanghai.





Fengyun 1-2 R/B debris cloud remnant of 65 objects 5 days after the event as reconstructed from Naval Space Surveillance System database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 1.46 Oct 1990  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 30 Nov 1990  
TIME: 1720 GMT  
ALTITUDE: 210 km  
LOCATION: 54N, 157E (dsc)  
ASSESSED CAUSE: Deliberate

**PRE-EVENT ELEMENTS**

EPOCH: 90334.45391019  
RIGHT ASCENSION: 347.9431  
INCLINATION: 64.7547  
ECCENTRICITY: .0065418  
ARG. OF PERIGEE: 155.2258  
MEAN ANOMALY: 205.3252  
MEAN MOTION: 16.12811753  
MEAN MOTION DOT/2: .00671617  
MEAN MOTION DOT DOT/6: .000035339  
BSTAR: .00040815

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : >7.3 min\*  
MAXIMUM  $\Delta I$ : 0.3 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Spacecraft was destroyed with a planned detonation. Second fragmentation of the Cosmos 2031 subclass. Early elements on only 7 objects available. Most debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Fragmentation of Kosmos 2101, N. L. Johnson, Technical Report CS91-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, January 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2101 debris cloud remnant of 7 objects 3 days after the event was reconstructed from Naval Space Surveillance System database. This diagram is taken from the cited reference.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 23 Nov 1990  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	Approx. 14 Dec 1995	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	95348.79476448	MEAN ANOMALY:	300.3633
RIGHT ASCENSION:	140.3319	MEAN MOTION:	5.84898259
INCLINATION:	46.4887	MEAN MOTION DOT/2:	0.00111293
ECCENTRICITY:	0.4967539	MEAN MOTION DOT DOT/6:	0.00000006
ARG. OF PERIGEE:	117.7610	BSTAR:	0.00074791

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 69 objects that were associated with this breakup.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle”, B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 1.66 Dec 1990  
DRY MASS (KG): 767  
MAIN BODY: Cylinder; 1.0 m diameter by 3.6 m length  
MAJOR APPENDAGES: 1 solar panel  
ATTITUDE CONTROL: Active, 3 axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 1 Dec 1990  
TIME: 1610 GMT  
ALTITUDE: 850 km  
LOCATION: 6N, 232E (dsc)  
ASSESSED CAUSE: Propulsion

**POST-EVENT ELEMENTS**

EPOCH: 90335.71008487  
RIGHT ASCENSION: 4.0350  
INCLINATION: 98.8600  
ECCENTRICITY: 0.0080986  
ARG. OF PERIGEE: 359.1948  
MEAN ANOMALY: 0.9090  
MEAN MOTION: 14.29892145  
MEAN MOTION DOT/2: -0.00000049  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: -0.000010171

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : >2.0 min\*  
MAXIMUM  $\Delta I$ : 1.0 deg\*


\*Based on uncataloged debris data

**COMMENTS**

During the burn of USA 68's solid-fuel apogee kick motor (STAR-37S, TE-M-364-15), the 20 kg nozzle came apart, terminating thrust. At shutdown USA 68 was in an orbit of 610 km by 850 km. Immediately, a hydrazine orbit make-up system was activated, providing an additional 32.3 m/s DV. More than 40 pieces of non-Mission related debris were observed within a day of the event. The observed debris may include components of the USA 68 sun shield and AKM nozzle shield (total mass 2 kg). Most debris decayed very rapidly. The payload remained operational.

**REFERENCE DOCUMENT**

The Fragmentation of USA 68, N.L. Johnson, Technical Report CS91-TR-JSC-005, Teledyne Brown Engineering, Colorado Springs, Colorado, March 1991.



USA 68 debris cloud remnant of 48 fragments 12 days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 8.11 Dec 1990  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 21 Feb 2003                      LOCATION: 34.11 S, 208.61 E  
TIME: ~0300Z                      ASSESSED CAUSE: Propulsion  
ALTITUDE: ~17650 km

**PRE-EVENT ELEMENTS**

EPOCH: 03051.93857279                      MEAN ANOMALY: 300.1330  
RIGHT ASCENSION: 5.3297                      MEAN MOTION: 4.24855437  
INCLINATION: 65.3642                      MEAN MOTION DOT/2: -0.00000082  
ECCENTRICITY: 0.5638383                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 126.1785                      BSTAR: -0.00014197

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

No debris was cataloged for this breakup. This is the 26<sup>th</sup> event of the Proton Block DM SOZ ullage motor since 1984. This ullage motor was launched prior to Russian recognition of the problem and before implementation of preventive measures.

**REFERENCE DOCUMENT**

“Satellite Fragmentations in 2003”, The Orbital Debris Quarterly News, NASA JSC, January 2004. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i1.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 8.11 Dec 1990  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	14 Mar 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	98072.07217599	MEAN ANOMALY:	85.4178
RIGHT ASCENSION:	306.4512	MEAN MOTION:	4.23530449
INCLINATION:	65.0803	MEAN MOTION DOT/2:	0.00000895
ECCENTRICITY:	0.5724061	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	216.7168	BSTAR:	0.0025728

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 16<sup>th</sup> event of this class identified to date; it is the fifth associated with a GLONASS mission. More than 110 debris detected, but element sets developed for only a few.

**REFERENCE DOCUMENTS**

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93-LKD-004, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Three Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1-2. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 4 H-10 Third Stage  
OWNER: France  
LAUNCH DATE: 15.97 Jan 1991  
DRY MASS (KG): 1760  
MAIN BODY: Cylinder; 2.6 m diameter by 11.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	Late Apr-early May 1996	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	96106.15481796	MEAN ANOMALY:	312.6005
RIGHT ASCENSION:	104.8696	MEAN MOTION:	2.66496263
INCLINATION:	6.7146	MEAN MOTION DOT/2:	0.00007071
ECCENTRICITY:	0.6989841	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	132.7372	BSTAR:	0.0012265

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 147.3 min  
MAXIMUM  $\Delta I$ : 1.3 deg

**COMMENTS**

The event was first recognized by Naval Space Command analysts in early May 1996. Element sets for as many as 20 debris were developed. Since deliberate passivation of Ariane GTO stages was not implemented until 1993, the vehicle was not purged of its residual propellants or pressurants.

**REFERENCE DOCUMENT**

“Newly Recognized 1996 Breakup”, N. L. Johnson, The Orbital Debris Quarterly News, April 1997, p. 2. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV2i2.pdf>.



Italsat 1/Eutelsat 2 F2 R/B debris cloud of 20 fragments 1 year after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Cosmos Second Stage  
OWNER: CIS  
LAUNCH DATE: 12.12 Feb 1991  
DRY MASS (KG): 1435  
MAIN BODY: Cylinder; 2.4 m diameter by 6.6 m length  
MAJOR APPENDAGES: Payload deployment mechanism  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 5 Mar 1991                      LOCATION: 43S, 140E (asc)  
TIME: 1345 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1560 km

**PRE-EVENT ELEMENTS**

EPOCH: 91062.94236834                      MEAN ANOMALY: 112.8991  
RIGHT ASCENSION: 166.0317                      MEAN MOTION: 12.19552620  
INCLINATION: 74.0386                      MEAN MOTION DOT/2: 0.00000005  
ECCENTRICITY: 0.0166507                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 245.0348                      BSTAR: 0.000099999

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.3 min\*  
MAXIMUM  $\Delta I$ : 0.3 deg\*

\*Based on uncataloged debris data

**COMMENTS**

This is the second known fragmentation of the Cosmos second stage and the first in more than 25 years and 370 missions. Like the earlier event (Cosmos 61-63 R/B), this rocket body successfully completed its multiple payload delivery before breakup. NAVSPASUR determined that several minor separations occurred both prior to and after the main breakup cited above (see NAVSPASUR report referenced below).


**REFERENCE DOCUMENTS**

Cosmos 2125-2132 Rocket Body (U), Fragmentation and Breakup Report (U), E.L. Jenkins and R.E. Farmer, Naval Space Surveillance Center, Dahlgren, Virginia, April, 1991.

A Preliminary Analysis of the Fragmentations of the Kosmos 2125-2132 Rocket Body, N.L. Johnson, Technical Report CS91-TR-JSC-007, Teledyne Brown Engineering, Colorado Springs, Colorado, April 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45<sup>th</sup> IAF Congress, 1994.



**Cosmos 2125-32 R/B debris cloud of 54 objects 5 days after the major breakup event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the reference cited at the top of this page.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 12 Feb 1991  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Unknown  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 7 May 1994                      LOCATION: 10N, 112E  
TIME: 0930 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 16195 km

**PRE-EVENT ELEMENTS**

EPOCH: 94126.31580012                      MEAN ANOMALY: 240.6661  
RIGHT ASCENSION: 110.6447                      MEAN MOTION: 3.78477656  
INCLINATION: 46.6223                      MEAN MOTION DOT/2: 0.000127656  
ECCENTRICITY: 0.6204369                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 160.8637                      BSTAR: 0.00086951

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 38 objects that were associated with this breakup. Only 6 element sets were generated. This was the ninth in a series of fragmentations of this object type, and was the fourth located in a geosynchronous transfer orbit. Two possible fragmentation locations were calculated by the NAVSPOC. The numbers above represent the first possible calculated location.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.


Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

The Fragmentation of Cosmos 2133 Debris, I. W. Grissom and D. J. Nauer, TBE Technical Report CS94-LKD-016, Teledyne Brown Engineering, Colorado Springs, 30 June 1994.



History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Gabbard diagram of six objects from the Cosmos 2133 debris fragmentation.

**SATELLITE DATA**

TYPE: Ariane 4 H10 Third Stage  
OWNER: France  
LAUNCH DATE: 2.98 Mar 1991  
DRY MASS (KG): 1760  
MAIN BODY: Cylinder; 2.6 m diameter by 10 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 27 Apr 1994                      LOCATION: 0.5S, 79E (dsc)  
TIME: 0144 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 270 km

**PRE-EVENT ELEMENTS**

EPOCH: 94116.17965845                      MEAN ANOMALY: 157.2349  
RIGHT ASCENSION: 136.1778                      MEAN MOTION: 2.86975555  
INCLINATION: 6.5808                      MEAN MOTION DOT/2: 0.00006058  
ECCENTRICITY: 0.6829164                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 185.9406                      BSTAR: 0.001267

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 148 min  
MAXIMUM  $\Delta I$ : 1.1 deg

**COMMENTS**

The fragmentation of this R/B occurred over 37 months after launch. Since deliberate passivation of Ariane GTO stages was not implemented until 1993, the vehicle was not purged of its residual propellants or pressurants. As many as 30 debris fragments were detected.


**REFERENCE DOCUMENTS**

TRW Space Log 1957-1991. TRW Space and Defense Sector, Space and Technology Group. Redondo Beach, CA. 1992.

Space News, "Ariane Rocket Flies After Electrical Glitch Delay, Volume 2, Number 8, 11-17 March 1991.

Rockets of the World. Peter Alway, Ann Arbor, MI, 1993.

The Fragmentation of the Astra 1B/MOP 2 (1) Rocket Body, I. W. Grissom and D. J. Nauer, TBE Technical Report CS94-LKD-014, Teledyne Brown Engineering, Colorado Springs, 15 May 1994.



Astra 1B/MOP 2 R/B debris cloud of 7 fragments as reconstructed  
from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 04.0 Apr 1991  
DRY MASS (KG): 55  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 08 Mar 2009                      LOCATION: 35.5S, 21.8E (dsc)  
TIME: 1000 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 18,544.0 km

**PRE-EVENT ELEMENTS**

EPOCH: 09066.60605701                      MEAN ANOMALY: 350.1859  
RIGHT ASCENSION: 138.9363                      MEAN MOTION: 4.33919111  
INCLINATION: 64.9463                      MEAN MOTION DOT/2: 0.00000158  
ECCENTRICITY: 0.5689328                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 41.0118                      BSTAR: 0.00042936

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 200.0 min  
MAXIMUM  $\Delta I$ : 19.3 deg


**COMMENTS**

This is the 37th known breakup of a Proton-DM SOZ ullage unit since 1984. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Due to the difficulty in observing and cataloging debris in deep-space, highly elliptical orbits, a debris ensemble much larger than that cataloged may have been created by this event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

“Minor March Satellite Break-Up”, The Orbital Debris Quarterly News, NASA JSC, April 2009.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv13i2.pdf>.



The COSMOS ullage motor debris cloud, including 32 fragments cataloged up to 3 months after the event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 4.45 Apr 1991  
DRY MASS (KG): ~55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	16 Jun 2001	LOCATION:	Unknown
TIME:	~0700Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	01165.32627059	MEAN ANOMALY:	158.6980
RIGHT ASCENSION:	118.5521	MEAN MOTION:	4.28587592
INCLINATION:	64.5545	MEAN MOTION DOT/2:	0.00004370
ECCENTRICITY:	0.5826262	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	187.0212	BSTAR:	0.0011075

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 236.7 min\*  
MAXIMUM  $\Delta I$ : 2.13 deg\*


\* Based on uncataloged debris data

**COMMENTS**

The debris from this breakup were difficult for the US Space Surveillance Network to track. Although over 100 debris were initially tracked, none were cataloged. This is the 24<sup>th</sup> event of the Proton Block DM SOZ ullage motor since 1984. This ullage motor was launched prior to Russian recognition of the problem and before implementation of preventive measures.

**REFERENCE DOCUMENT**

"Two More Satellite Breakups Detected", The Orbital Debris Quarterly News, NASA JSC, July 2001. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv6i3.pdf>.



**Cosmos 2139-41 auxiliary motor debris cloud of 77 fragments within 2 weeks after the event as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Tsyklon Third Stage  
OWNER: CIS  
LAUNCH DATE: 28.30 Sep 1991  
DRY MASS (KG): 1360  
MAIN BODY: Cone-cylinder; 2.1 m diameter by 2.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: Unknown

**EVENT DATA**

DATE: 09 Oct 1999                      LOCATION: 41.5N, 217.9E (dsc)  
TIME: 1508 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 1460 km

**PRE-EVENT ELEMENTS**

EPOCH: 99281.98318497                      MEAN ANOMALY: 220.2415  
RIGHT ASCENSION: 96.5043                      MEAN MOTION: 12.54216420  
INCLINATION: 82.5731                      MEAN MOTION DOT/2: 0.00000027  
ECCENTRICITY: 0.0046780                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 140.1600                      BSTAR: 0.00010000

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.716 min  
MAXIMUM  $\Delta I$ : 0.79 deg


**COMMENTS**

This is the 4<sup>th</sup> event of this class identified to date and the second of 1999. All stages have been about 8-10 years old at the time of breakup. The vehicle is a Ukrainian-produced stage, using UDMH and N<sub>2</sub>O<sub>4</sub> as propellants. To date these stages have not been passivated at end of mission and may contain up to 300 kg of residual propellants. The issue of Tsyklon orbital stage breakups was discussed with representatives of the National Space Agency of Ukraine during 11-13 October 1999 in Darmstadt, Germany. More than 100 of these stages are currently in Earth orbit. Although the exact cause of these breakups remains unknown, all four events have occurred during periods of high solar flux, i.e., near solar maximum.

**REFERENCE DOCUMENT**

“Third Tsyklon Upper Stage Breaks Up”, The Orbital Debris Quarterly News, NASA JSC, July 1999. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv4i3.pdf>.





Cosmos 2157-2162 rocket body debris cloud of 31 fragments within 1 day of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 9.55 October 1991  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 6 December 1991                      LOCATION: 55N, 154E (dsc)  
TIME: 2021 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 210 km

**PRE-EVENT ELEMENTS**

EPOCH: 91340.51933896                      MEAN ANOMALY: 213.3470  
RIGHT ASCENSION: 37.7884                      MEAN MOTION: 16.18797546  
INCLINATION: 64.7678                      MEAN MOTION DOT/2: 0.00862876  
ECCENTRICITY: 0.0054670                      MEAN MOTION DOT DOT/6: 0.000035685  
ARG. OF PERIGEE: 147.5032                      BSTAR: 0.00035926

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : >9.8 min\*  
MAXIMUM  $\Delta I$ : 0.2 deg\*

\*Based on uncataloged debris data


**COMMENTS**

Spacecraft was destroyed with a planned detonation. Third fragmentation of the Cosmos 2031 subclass. Early elements on only 8 objects available. All debris reentered before being officially cataloged.

**REFERENCE DOCUMENTS**

The Fragmentation of Kosmos 2163, Technical Report CS92-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, January 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2163 debris cloud remnant of 8 objects 1 day after the event as reconstructed from the US SSN database. This diagram is taken from the cited reference.

**SATELLITE DATA**

TYPE: Ariane 4 Third Stage  
OWNER: France  
LAUNCH DATE: 29.96 Oct 1991  
DRY MASS (KG): ~1760  
MAIN BODY: Cylinder: 2.6 m diameter by 11.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	24 Dec 2001	LOCATION:	4.0 N, 344.4 E (asc)
TIME:	~2212Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	22,100 km		

**PRE-EVENT ELEMENTS**

EPOCH:	01358.15120659	MEAN ANOMALY:	1.1953
RIGHT ASCENSION:	264.6850	MEAN MOTION:	2.90501578
INCLINATION:	7.1968	MEAN MOTION DOT/2:	0.00042976
ECCENTRICITY:	0.6814056	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	351.9651	BSTAR:	0.0055981

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.45 min\*  
MAXIMUM  $\Delta I$ : 0.08 deg\*


\* Based on uncataloged debris data

**COMMENTS**

This 10-year-old Ariane 4 third stage appears to have suffered a minor fragmentation. The low inclination and high eccentricity of the orbit made debris detection and tracking difficult. Three pieces were initially detected by the SSN and ten objects cataloged a month after the event. The object was seen intact at about 2030 UTC, 24 December. Approximately 25 hours later a debris cloud of eight objects was seen by the same sensor. The perigee of the vehicle prior to breakup was sufficiently high that aerodynamic forces should not have been a factor in the event.

**REFERENCE DOCUMENT**

"Two Major Satellite Breakups Near End of 2001," The Orbital Debris Quarterly News, NASA JSC, January 2002. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv7i1.pdf>.



**Intelsat 601 R/B debris cloud of 3 fragments 3 days after the breakup as reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 28.56 Nov 1991  
DRY MASS (KG): 767  
MAIN BODY: Cylinder; 1.0 m diameter by 3.6 m length  
MAJOR APPENDAGES: 1 solar panel  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	15 Apr 2004	LOCATION:	31N, 56E (asc)
TIME:	1454 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	835 km		

**POST-EVENT ELEMENTS**

EPOCH:	04106.47330773	MEAN ANOMALY:	346.2855
RIGHT ASCENSION:	129.0059	MEAN MOTION:	14.15516644
INCLINATION:	98.6744	MEAN MOTION DOT/2:	0.00000244
ECCENTRICITY:	.0012890	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	13.8671	BSTAR:	0.0014668

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 2.8 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS**

The spacecraft was non-operational at the time of the event. The electrical power generation system had been passivated by discharging the batteries and disconnecting them from the charging circuit. Virtually no nitrogen remained on board due to a leak detected early in the mission. The only energy source assessed to be on the spacecraft at the time of the event was approximately 6 kg of hydrazine.

**REFERENCE DOCUMENT**

"Recent Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, October 2004.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i4.pdf>.



USA 73 debris cloud of 56 cataloged fragments 6 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Ariane 4 H10+ Third Stage  
OWNER: France  
LAUNCH DATE: 15.98 Apr 1992  
DRY MASS (KG): 1800  
MAIN BODY: Cylinder; 2.6 m diameter by 10 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	21 Apr 1993 (EST)	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	93110.33659871	MEAN ANOMALY:	335.5551
RIGHT ASCENSION:	224.3451	MEAN MOTION:	2.28914093
INCLINATION:	4.03	MEAN MOTION DOT/2:	0.000024
ECCENTRICITY:	0.7248434	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	110.6851	BSTAR:	0.0020699

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Although analysis indicates that 92-021C fragmented around 21 April 1993, the event was not recognized until eight pieces were cataloged during the period from 30 August 1994 to 2 September 1994. Naval Space Command reported that the eight objects were discovered during the period from July 1993 to July 1994.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Ariane 4 H10 Final Stage  
OWNER: France  
LAUNCH DATE: 9.95 Jul 1992  
DRY MASS (KG): ~1760  
MAIN BODY: Cylinder: 2.6 m diameter by 11.4 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	Feb 2002	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	02032.98792301	MEAN ANOMALY:	23.4497
RIGHT ASCENSION:	196.5922	MEAN MOTION:	3.10885568
INCLINATION:	7.0154	MEAN MOTION DOT/2:	.00036687
ECCENTRICITY:	.6663885	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	261.6162	BSTAR:	.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 41.05 min\*  
MAXIMUM  $\Delta I$ : 0.25 deg\*


\* Based on uncataloged debris data

**COMMENTS**

This marks the sixth known fragmentation of an Ariane 4 third stage. The last three vehicles involved in such events (1988-109C, 1991-075C, and 1992-041C) had been in orbit 9-10 years at the time of their respective breakups. All flights were conducted prior to the implementation of passivation measures for Ariane GTO missions in September 1993. No Ariane launch vehicle launched since that time is known to have experienced an on-orbit fragmentation.

**REFERENCE DOCUMENT**

“Second Identified Satellite Breakup of 2002”, [The Orbital Debris Quarterly News](https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv7i3.pdf), NASA JSC, July 2002. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv7i3.pdf>.



Insat 2A/Eutelsat 2F4 R/B debris cloud of 11 fragments 4 months after the breakup as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 30.08 Jul 1992  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE: 10 Jul 2004                      LOCATION: 34S, 240E (asc)  
TIME: 0240 GMT (est.)              ASSESSED CAUSE: Propulsion  
ALTITUDE: 18,525 km

**POST-EVENT ELEMENTS**

EPOCH: 04190.17957430              MEAN ANOMALY: 263.0579  
RIGHT ASCENSION: 223.5224              MEAN MOTION: 4.29145980  
INCLINATION: 64.8832              MEAN MOTION DOT/2: 0.00005202  
ECCENTRICITY: 0.5757033              MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 149.3553              BSTAR: 0.0055262

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 37.6 min  
MAXIMUM  $\Delta I$ : 0.5 deg


**COMMENTS**

The object was in a decaying, eccentric orbit; this event marks the 30<sup>th</sup> known breakup of a Proton Block DM SOZ ullage motor since 1984. More than 100 debris were detected from Sat. No. 22066 by the US SSN. The sister SOZ motor for this launch broke up in an unrelated event ten years earlier (22067).

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Recent Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, October 2004.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i4.pdf>.



SOZ motor debris cloud of 31 fragments less than 1 week after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 30.08 Jul 1992  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: Prior to 0824 GMT, 8 Nov 1994      LOCATION: Unknown  
TIME: Unknown      ASSESSED CAUSE: Propulsion  
ALTITUDE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 94310.28602258      MEAN ANOMALY: 9.8460  
RIGHT ASCENSION: 65.2049      MEAN MOTION: 4.23571466  
INCLINATION: 64.8556      MEAN MOTION DOT/2: 0.00001002  
ECCENTRICITY: 0.5708388      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 316.7786      BSTAR: 0.0033777

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.2 min  
MAXIMUM  $\Delta I$ : 0.9 deg

**COMMENTS**


Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO and Mr. Nicholas Johnson of Kaman Sciences, in October, 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 32 objects that were associated with this breakup on 8 Nov 94, 36 objects on 9 Nov and 31 objects on 10 Nov. This was the tenth in a series of fragmentations of this object type.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle, B. V. Cherniatiev, et al, First European Conference on Space Debris, 5-7 April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Gabbard Diagram from the Cosmos 2204-2206 debris fragmentation.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 27.55 Nov 1992  
DRY MASS (KG): ~55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	14 Jul 2001	LOCATION:	Unknown
TIME:	~1800Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	01194.12977223	MEAN ANOMALY:	232.1640
RIGHT ASCENSION:	101.3588	MEAN MOTION:	9.96766196
INCLINATION:	46.4697	MEAN MOTION DOT/2:	0.01023324
ECCENTRICITY:	0.2850325	MEAN MOTION DOT DOT/6:	0.0000014714
ARG. OF PERIGEE:	148.6125	BSTAR:	0.00050789

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This event marks the 25<sup>th</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. Due to the moderate eccentricity and altitude of the orbits, the debris were difficult for the US Space Surveillance Network to track. This ullage motor was launched before implementation of breakup preventive measures. No debris were cataloged from this breakup.

**REFERENCE DOCUMENT**

"New Satellite Breakups Detected", The Orbital Debris Quarterly News, NASA JSC, October 2001. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv6i4.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 17.53 Dec 1992  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	~22 Apr 2005	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	05112.46798568	MEAN ANOMALY:	2.1228
RIGHT ASCENSION:	268.8209	MEAN MOTION:	3.90056983
INCLINATION:	46.7270	MEAN MOTION DOT/2:	0.00018984
ECCENTRICITY:	0.6142562	MEAN MOTION DOT DOT/6:	0.00000003
ARG. OF PERIGEE:	348.3165	BSTAR:	0.0006277

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This event marks the 32<sup>nd</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. This object had a perigee near 200 km. The event happened sometime between 1100 GMT on April 22, and 1200 GMT on April 23. Only about a dozen pieces were detected by the US SSN.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Recent Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, July 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv9i3.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 22.50 Dec 1992  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 18 Feb 1993                      LOCATION: 55N, 157E (dsc)  
TIME: 1856 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 220 km

**PRE-EVENT ELEMENTS**

EPOCH: 93040.89217375                      MEAN ANOMALY: 244.5776  
RIGHT ASCENSION: 125.1196                      MEAN MOTION: 16.07940666  
INCLINATION: 64.8919                      MEAN MOTION DOT/2: 0.00301303  
ECCENTRICITY: 0.0039285                      MEAN MOTION DOT DOT/6: 0.000049705  
ARG. OF PERIGEE: 115.8892                      BSTAR: 0.00032572

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : > 2.3 min  
MAXIMUM  $\Delta I$ : > 0.5 deg


**COMMENTS**

Spacecraft was destroyed with a planned detonation. Fourth fragmentation of the Cosmos 2031 subclass. Early elements on only 10 objects (including the parent) available; 21 objects were observed by Fylingdales soon after the event.

**REFERENCE DOCUMENTS**

Analysis of Fragmentations from December 1992 - February 1993, Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, Colorado, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 2225 debris cloud remnant of 10 objects 4 days after the event as reconstructed from the data provided by Naval Space Surveillance System in a 22 February 1993 Satellite Support message.**

**SATELLITE DATA**

TYPE: Zenit Second Stage  
OWNER: CIS  
LAUNCH DATE: 25.25 Dec 1992  
DRY MASS (KG): 8300  
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants (~900 kg), explosive charge (?)

**EVENT DATA (1)**

DATE:	26 Dec 1992	LOCATION:	63 N, 60 E (asc)
TIME:	0738 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	830 km		

Note: NAVSPASUR could not correlate with 22285, but 22285 was closest object.

**EVENT DATA (2)**

DATE:	26 Dec 1992	LOCATION:	44 N, 168 E (asc)
TIME:	2249 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	830 km		

**EVENT DATA (3)**

DATE:	26 Dec 1992	LOCATION:	52 N, 63 E (dsc)
TIME:	2310 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	835 km		

**EVENT DATA (4)**

DATE:	30 Dec 1992	LOCATION:	22 S, 172 E (dsc)
TIME:	0903 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	~ 830 km		

**PRE-EVENT ELEMENTS TO EVENT 1**

EPOCH:	92361.30431818	MEAN ANOMALY:	289.8749
RIGHT ASCENSION:	227.4354	MEAN MOTION:	14.1258288
INCLINATION:	71.0274	MEAN MOTION DOT/2:	-0.00061925
ECCENTRICITY:	0.0005311	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	71.7543	BSTAR:	-0.034134

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 4.3 min \*  
MAXIMUM  $\Delta I$ : 1.4 deg \*

\* Based upon comparison to pre-event elements,  
includes all four events, based upon cataloged elements only.

**COMMENTS**

Four separate events were reported by NAVSPASUR. The first observed event was accompanied by an initial 18 objects, but could not be correlated with the rocket body element set. The rocket body was the closest object to the BLAST point. The second event followed 15 hours later with 96 objects. The third event followed the second by less than 20 minutes and was based upon 51 pieces. The fourth event was accompanied by 3 objects. Element data on 164 objects has been combined into a single Gabbard Diagram.

NAVSPASUR initially generated 164 element sets on the combined debris from these 4 events. On 24 April 1995 object 22366, 1992-093BF, fragmented liberating 1 associated piece.


## REFERENCE DOCUMENTS

Cosmos 2227 Rocket Body Fragmentation Event, E. L. Jenkins, et. al., NAVSPASUR, Dahlgren, VA.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45<sup>th</sup> IAF Congress, October 1994.



Naval Space Surveillance System generated 164 initial element sets on the four events that are plotted on the single Gabbard diagram above.

**SATELLITE DATA**

TYPE: Zenit Second Stage  
OWNER: CIS  
LAUNCH DATE: 26.10 Mar 1993  
DRY MASS (KG): 8300  
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants (~900 kg), explosive charge (?)

**EVENT DATA**

DATE:	28 Mar 1993	LOCATION:	70N, 37E (dsc)
TIME:	0716 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	840 km		

**PRE-EVENT ELEMENTS**

EPOCH:	93088.27687915	MEAN ANOMALY:	84.1791
RIGHT ASCENSION:	258.8192	MEAN MOTION:	14.14093359
INCLINATION:	70.9947	MEAN MOTION DOT/2:	0.00255882
ECCENTRICITY:	0.0006748	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	275.8565	BSTAR:	0.12879

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 3.5 min  
MAXIMUM  $\Delta I$ : 0.1 deg

**COMMENTS**

At least 26 initial element sets were generated on this event by NAVSPASUR. The BLAST point was calculated from 12 objects.


**REFERENCE DOCUMENTS**

The Fragmentation of the Cosmos 2237 & 2243 Rocket Bodies, D. J. Nauer, TBE Technical Report CS93-LKD-016, Teledyne Brown Engineering, Colorado Springs, 15 June 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45<sup>th</sup> IAF Congress, October 1994.





Naval Space Surveillance System generated 24 initial element sets that are plotted on the Gabbard diagram above.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	30.50 Mar 1993
DRY MASS (KG):	3000
MAIN BODY:	Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	1 Dec 1994	LOCATION:	6.5 S, 243.0 E (dsc)
TIME:	1111 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	275 km		

**PRE-EVENT ELEMENTS**

EPOCH:	94335.21831221	MEAN ANOMALY:	119.6648
RIGHT ASCENSION:	124.7826	MEAN MOTION:	16.06466469
INCLINATION:	65.0063	MEAN MOTION DOT/2:	0.00787680
ECCENTRICITY:	0.0069696	MEAN MOTION DOT DOT/6:	0.0000095760
ARG. OF PERIGEE:	239.7651	BSTAR:	0.00073936

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	Unknown

**COMMENTS**

Cosmos 2238 was a member of the Cosmos 699-type and the first such spacecraft to breakup for 7 years. As many as 26 debris were detected; however, additional debris probably decayed before they were observed. Cosmos is the 17<sup>th</sup> fragmentation of a Cosmos 699 class payload.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 27.44 Apr 1993  
DRY MASS (KG): 5700  
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 27 Apr 1993                      LOCATION: 61N, 81E (asc)  
TIME: 1044 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 200 km

**PRE-EVENT ELEMENTS \***

EPOCH:	93119.28633059	MEAN ANOMALY:	283.6524
RIGHT ASCENSION:	51.8515	MEAN MOTION:	16.26199828
INCLINATION:	70.3602	MEAN MOTION DOT/2:	0.02823100
ECCENTRICITY:	0.0032877	MEAN MOTION DOT DOT/6:	0.000019668
ARG. OF PERIGEE:	76.8057	BSTAR:	0.00077017

\* Note: Element Set 1 not generated until ~2 days after the event.

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.1 min  
MAXIMUM  $\Delta I$ : 0.4 deg


**COMMENTS**

Although this event was originally thought to be a fragmentation of the Soyuz final stage rocket body, it was actually the payload that fragmented. This event occurred near orbital insertion into the operational orbit. It is unclear whether the payload was attached at the time of the event. The payload malfunctioned and self-destructed. There were 25 initial element sets available after launch. NAVSPASUR reported tracking approximately 27 objects on 30 April 1993, and detected as many as 20 more unknowns. The final official piece count associated with this event was 172 objects. Due to the very low altitude, most objects decayed from this cloud within 2 weeks of launch. No cataloged element sets were released until almost 2 days after the event.

**REFERENCE DOCUMENTS**

The Fragmentation of the Cosmos 2237 & 2243 Rocket Bodies, D. J. Nauer, TBE Technical Report CS93-LKD-016, Teledyne Brown Engineering, Colorado Springs, 15 June 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Naval Space Surveillance System generated 25 initial element sets on the Cosmos 2243 fragmentation that are plotted on the Gabbard diagram above.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 16 Jun 1993  
DRY MASS (KG): 900  
MAIN BODY: cylinder; 2.035 m diameter x 2 m length  
MAJOR APPENDAGES: gravity gradient boom  
ATTITUDE CONTROL: gravity gradient (passive)  
ENERGY SOURCES: pressurized vessel; chemical batteries

**EVENT DATA**

DATE: 10 Feb 2009                      LOCATION: 72.5N, 97.9E (asc)  
TIME: 1656 GMT                      ASSESSED CAUSE: Collision  
ALTITUDE: 788.597 km

**PRE-EVENT ELEMENTS**

EPOCH: 09040.49834364                      MEAN ANOMALY: 261.5952  
RIGHT ASCENSION: 19.4646                      MEAN MOTION: 14.31135643  
INCLINATION: 74.0355                      MEAN MOTION DOT/2: -0.00000001  
ECCENTRICITY: 0.0016027                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 98.7014                      BSTAR: 0.0000095251

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 9.4 min  
MAXIMUM  $\Delta I$ : 24.7 deg

**COMMENTS**

The spacecraft, a member of the Soviet/Russian Strela-2M low-altitude communications satellite constellation, utilized the versatile KAUR-1 bus (*Kosmicheskii Apparat Universalnogo Ryada-1*, (Космический Аппарат Универсального Ряда), which can be translated as Spacecraft Bus from the Standardized Line-1). This bus consists of a central pressurized cylinder for the payload, an outer cylinder mounting solar cells (the Solar Battery), and a gravity gradient boom for passive stabilization. The spacecraft was derelict at the time of the event. Cosmos 2251 collided with Iridium 33 [q.v.] in the first, accidental collision of large, intact resident space objects.

**REFERENCE DOCUMENT**

“Satellite Collision Leaves Significant Debris Clouds”, The Orbital Debris Quarterly News, NASA JSC, April 2009.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv13i2.pdf>.



The COSMOS 2251 debris cloud, including 1648 fragments cataloged up to 5 years after the event.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	14.69 Jul 1993
DRY MASS (KG):	5700
MAIN BODY:	Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

**EVENT DATA**

DATE:	25 Jul 1993	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	93205.96411483	MEAN ANOMALY:	292.3177
RIGHT ASCENSION:	134.4696	MEAN MOTION:	16.09525981
INCLINATION:	67.1310	MEAN MOTION DOT/2:	0.00638090
ECCENTRICITY:	0.0113387	MEAN MOTION DOT DOT/6:	0.000023099
ARG. OF PERIGEE:	68.9805	BSTAR:	0.00025239

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	Unknown
MAXIMUM $\Delta I$ :	Unknown

**COMMENTS**

Spacecraft was destroyed after a malfunction prevented reentry and landing in the CIS. Event identified by Russian officials during investigation cited below.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 7.56 Sep 1993  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE: 18 Dec 1993                      LOCATION: 65N, 107E (dsc)  
TIME: 0711 GMT                      ASSESSED CAUSE: Deliberate  
ALTITUDE: 195 km

**PRE-EVENT ELEMENTS**

EPOCH: 93352.09835999                      MEAN ANOMALY: 294.6647  
RIGHT ASCENSION: 209.9170                      MEAN MOTION: 16.17608693  
INCLINATION: 64.8761                      MEAN MOTION DOT/2: 0.00554324  
ECCENTRICITY: 0.0065884                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 66.1310                      BSTAR: 0.00022099

**DEBRIS CLOUD DATA**

MAXIMUM ΔP: 8.7 min \*  
MAXIMUM ΔI: 0.8 deg \*

\* Based on uncataloged debris data


**COMMENTS**

Spacecraft was destroyed with a planned detonation. Fifth fragmentation of this sub-type (Cosmos 2031 subclass). Early elements on 43 objects (including the parent) were collected; at least 179 objects were reported by the NAVSPOC for early passes through the NAVSPASUR fence.

**REFERENCE DOCUMENTS**

The Fragmentation of Cosmos 2262, Technical Report CS94-LKD-006, Teledyne Brown Engineering, Colorado Springs, Colorado, 31 December 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2262 debris cloud based upon 43 early element sets provided by the NAVSPOC.

**SATELLITE DATA**

TYPE: Proton Block DM SOZ Ullage Motor  
OWNER: CIS  
LAUNCH DATE: 18.58 Nov 1993  
DRY MASS (KG): ~55 kg  
MAIN BODY: ~0.6 m by 0.6 m by 1.0 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants?

**EVENT DATA**

DATE: 6-7 Sep 2000                      LOCATION: Unknown  
TIME: between 1918-0253 GMT           ASSESSED CAUSE: Propulsion  
ALTITUDE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 00250.18110680                      MEAN ANOMALY: 305.0033  
RIGHT ASCENSION: 135.7916                      MEAN MOTION: 6.55809618  
INCLINATION: 46.7439                      MEAN MOTION DOT/2: 0.00601672  
ECCENTRICITY: 0.4592082                      MEAN MOTION DOT DOT/6: 0.00000031378  
ARG. OF PERIGEE: 109.1361                      BSTAR: 0.00059159

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 22<sup>nd</sup> breakup event for an object of this class, and the first of the year 2000. The breakups are assessed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. The environmental consequence of the breakup will be short-lived; the object is in catastrophic decay from a geosynchronous transfer orbit. Latest estimate of the breakup time is between 1918 GMT, 6 September and 0253 GMT, 7 September.

**REFERENCE DOCUMENT**

“September Breakup is 22<sup>nd</sup> in Series”, The Orbital Debris Quarterly News, NASA JSC, October 2000. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV5i4.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Titan II Second Stage  
OWNER: US  
LAUNCH DATE: 25.69 Jan 1994  
DRY MASS (KG): 2860  
MAIN BODY: Cylinder; 3.048 m diameter x 7.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 7 Feb 1994                      LOCATION: 59S, 234E (dsc)  
TIME: 1719 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 260 km

**PRE-EVENT ELEMENTS**

EPOCH: 94038.24510489                      MEAN ANOMALY: 208.0182  
RIGHT ASCENSION: 47.9208                      MEAN MOTION: 16.13665058  
INCLINATION: 66.9945                      MEAN MOTION DOT/2: 0.01050211  
ECCENTRICITY: 0.0027030                      MEAN MOTION DOT DOT/6: 0.0000059221  
ARG. OF PERIGEE: 152.2460                      BSTAR: 0.00081413

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.6 min \*  
MAXIMUM  $\Delta I$ : 0.6 deg \*


\* Based on uncataloged debris data

**COMMENTS**

First Titan II Second Stage to violently fragment. NAVSPOC reported observing a maximum of 364 objects in the early debris cloud, and the NAVSPOC released 45 element sets. Engineering analysis by the manufacturer (Martin Marietta) indicates no known failure mechanism, although unspent on-board propellants were present.

**REFERENCE DOCUMENT**

The Fragmentation of the Clementine Rocket Body, TBE Technical Report CS94-LKD-010, Teledyne Brown Engineering, Colorado Springs, Colorado, 31 March 1994.



Gabbard diagram of 45 NAVSPOC element sets.

**SATELLITE DATA**

TYPE: Pegasus HAPS  
OWNER: USA  
LAUNCH DATE: 19.71 May 1994  
DRY MASS (KG): 97  
MAIN BODY: Cylinder; 0.97 m diameter by 0.93 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.  
ENERGY SOURCES: On-board propellants and pressurants

**EVENT DATA**

DATE:	3 Jun 1996	LOCATION:	67 S, 56 E (asc)
TIME:	1518 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	625 km		

**PRE-EVENT ELEMENTS**

EPOCH:	96155.10100506	MEAN ANOMALY:	108.3711
RIGHT ASCENSION:	197.8565	MEAN MOTION:	14.56780581
INCLINATION:	81.9749	MEAN MOTION DOT/2:	0.00000158
ECCENTRICITY:	0.0165742	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	249.9583	BSTAR:	0.000025815

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 27.9 min  
MAXIMUM  $\Delta I$ : 2.4 deg


**COMMENTS**

The Pegasus Hydrazine Auxiliary Propulsion Stage (HAPS) was employed for only the second time. It failed to place its payload into the assigned circular orbit and had an estimated 5-8 kg of residual propellant plus propellant for attitude control on board. The fragmentation of the small, 2-year-old upper stage produced a record number (to that time) of more than 750 tracked debris, and necessitated the addition of a third place in the piece tag format in two line element sets. This is about an order of magnitude more than can be expected for the small dry mass of the R/B of 97 kg. Observations suggest that the debris are physically small with a high radar reflectivity. Investigations suggest that a regulator failure led to overpressurization of the propellant tank that in turn ruptured.

**REFERENCE DOCUMENT**

"Major Satellite Breakup in June", N. Johnson, Orbital Debris Quarterly News, NASA JSC, September 1996, p. 2 and 11. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV1i2.pdf>.





Step II R/B debris cloud of 713 fragments as of August 29, 1996 as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 6.99+ Jul 1994  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	Approx. 21 Oct 1995	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	95293.99530492	MEAN ANOMALY:	2.33725319
RIGHT ASCENSION:	157.0951	MEAN MOTION:	321.8211
INCLINATION:	47.0485	MEAN MOTION DOT/2:	0.00002472
ECCENTRICITY:	0.7223127	MEAN MOTION DOT DOT/6:	0.0000
ARG. OF PERIGEE:	127.9520	BSTAR:	0.0010694

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 114 objects that were associated with this breakup.


**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Cosmos 2282 ullage motor debris cloud of 6 fragments assembled by NAVSPOC.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 31.60 Oct 1994  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: Prior to 0547 GMT, 11 May 1995      LOCATION: Unknown  
TIME: Unknown      ASSESSED CAUSE: Propulsion  
ALTITUDE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 95130.00087914      MEAN ANOMALY: 317.6470  
RIGHT ASCENSION: 200.4799      MEAN MOTION: 11.93599702  
INCLINATION: 46.9113      MEAN MOTION DOT/2: 0.99999999  
ECCENTRICITY: 0.2007574      MEAN MOTION DOT DOT/6: 0.000034693  
ARG. OF PERIGEE: 63.6124      BSTAR: 0.021116

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Parent satellite was one of two small engine units that are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO and Mr. Nicholas Johnson of Kaman Sciences, in October, 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed up to 13 objects that were associated with this breakup on 11 May 95. This was the eleventh in a series of fragmentations of this object type.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle, B. V. Cherniatiev, et al, First European Conference on Space Debris, 5-7 April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 20 Nov 1994  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 7 June 2014  
TIME: unknown  
ALTITUDE: unknown  
LOCATION: unknown  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 14156.48285780  
RIGHT ASCENSION: 76.9596  
INCLINATION: 64.9844  
ECCENTRICITY: 0.5768591  
ARG. OF PERIGEE: 344.0988  
MEAN ANOMALY: 3.5477  
MEAN MOTION: 4.25680746  
MEAN MOTION DOT/2: 0.00004224  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: 0.050698

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : unknown  
MAXIMUM  $\Delta I$ : unknown

**COMMENTS**

This event was the 41st known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Although at least 15 small debris were observed by the SSN, none have been officially cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

"Flurry of Small Breakups in First Half of 2014", The Orbital Debris Quarterly News, NASA JSC, July 2014.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNV18i3.pdf>.

**Insufficient data to construct a Gabbard diagram.**

RS-15 R/B

1994-085B

23440

## SATELLITE DATA

TYPE: Rokot Third Stage  
OWNER: CIS  
LAUNCH DATE: 26.13 Dec 1994  
DRY MASS (KG): 1000  
MAIN BODY: Cylinder; 2.4 m diameter by 2.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Unknown  
ENERGY SOURCES: On-board propellants

## EVENT DATA

DATE:	26 Dec 1994	LOCATION:	51.6S, 307E (asc)
TIME:	0627 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	1880 km		

## PRE-EVENT ELEMENTS

EPOCH:	94361.79150546	MEAN ANOMALY:	66.1014
RIGHT ASCENSION:	172.1572	MEAN MOTION:	11.27113018
INCLINATION:	64.8297	MEAN MOTION DOT/2:	-0.00000043
ECCENTRICITY:	0.0188748	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	292.0126	BSTAR:	0.000000


## DEBRIS CLOUD DATA

MAXIMUM  $\Delta P$ : 4.5 min  
MAXIMUM  $\Delta I$ : 0.2 deg

## COMMENTS

Parent satellite was the Rokot third stage. The Rokot is an SS-19 ICBM based vehicle with the third stage being the *Briz-K*, retired after this launch for the improved *Briz-KM* stage. All three stages are fueled with UDMH/N204. NAVSPASUR observed 34 objects that were associated with this breakup, of which 26 entered the public satellite catalog.





Gabbard diagram for RS-15 R/B debris cloud of 23 fragments as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24 Mar 1995  
DRY MASS (KG): 767  
MAIN BODY: cylinder; 1.0 m diameter x 3.6 m length  
MAJOR APPENDAGES: solar panel  
ATTITUDE CONTROL: three-axis  
ENERGY SOURCES: on-board propellants and chemical batteries

**EVENT DATA**

DATE: 3.736 Feb 2015                      LOCATION: 40.8S, 7.5E  
TIME: 1740 GMT                      ASSESSED CAUSE: Battery  
ALTITUDE: 860.7 km

**PRE-EVENT ELEMENTS - unavailable**

EPOCH:                      MEAN ANOMALY:  
RIGHT ASCENSION:                      MEAN MOTION:  
INCLINATION:                      MEAN MOTION DOT/2:  
ECCENTRICITY:                      MEAN MOTION DOT DOT/6:  
ARG. OF PERIGEE:                      BSTAR:

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : unknown min  
MAXIMUM  $\Delta I$ : unknown deg

**COMMENTS**

This is the second known breakup of a Defense Meteorological Satellite Program (DMSP) Block 5D-2 spacecraft, the first being DMSP 5D-2 F11 (USA 73). USA 109 was active when the event occurred and supporting telemetry was available for the inquiry. Analysis indicates that the event was due to an explosion of one of the Ni-Cd batteries.

**REFERENCE DOCUMENT**

“Recent Breakup of a DMSP Satellite”, The Orbital Debris Quarterly News, NASA JSC, April 2015.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv19i2.pdf>.



USA 109 debris cloud. Debris cataloged between 22 and 160 days after event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 8.20 Jun 1995  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length  
MAJOR APPENDAGES: Solar arrays  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge?

**EVENT DATA**

DATE: 26 June 1997                      LOCATION: 44 N, 173 E (asc.)  
TIME: 0257 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 285 km

**PRE-EVENT ELEMENTS**

EPOCH: 97176.10173599                      MEAN ANOMALY: 124.6445  
RIGHT ASCENSION: 342.0749                      MEAN MOTION: 16.02369895  
INCLINATION: 65.0221                      MEAN MOTION DOT/2: 0.00306537  
ECCENTRICITY: 0.0084335                      MEAN MOTION DOT DOT/6: 0.0000069339  
ARG. OF PERIGEE: 234.6794                      BSTAR: 0.00033322

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

Cosmos 2313 was the second spacecraft of its type to breakup since November 1987. Prior to the current event 17 spacecraft of this class (Cosmos 699) have experienced breakups in low Earth orbit. In the 1980's procedures were introduced to deplete remaining propellants at the end of mission, reducing orbital lifetime at the same time. Cosmos 2313 performed such a maneuver during 22-23 April 1997 and was close to reentry at the time of the event. Earlier spacecraft breakups resulted in up to 150 or more trackable debris. The cause of the event may well not be propellant related, but by reducing the orbital lifetime recent vehicles have decayed before the trigger mechanism could activate. At least 90 debris were detected after this event.

**REFERENCE DOCUMENT**

"Three Satellite Breakups During May-June", The Orbital Debris Quarterly News, NASA JSC, July 1997, p. 2. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv2i3.pdf>.



Cosmos 2313 debris cloud of 13 fragments 1 day to 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	France
LAUNCH DATE:	7.68 Jul 1995
DRY MASS (KG):	50
MAIN BODY:	Box; 0.6 m by 0.3 m by 0.3 m
MAJOR APPENDAGES:	6 m long gravity-gradient boom; solar panels
ATTITUDE CONTROL:	Gravity-gradient stabilized
ENERGY SOURCES:	Battery

**EVENT DATA**

DATE:	24 Jul 1996	LOCATION:	38 S, 60 E (asc)
TIME:	0948 GMT	ASSESSED CAUSE:	Collision
ALTITUDE:	685 km		

**PRE-EVENT ELEMENTS**

EPOCH:	96205.39273562	MEAN ANOMALY:	292.8048
RIGHT ASCENSION:	141.7519	MEAN MOTION:	14.67264268
INCLINATION:	98.1025	MEAN MOTION DOT/2:	0.00000083
ECCENTRICITY:	0.0008991	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	67.4104	BSTAR:	0.000023247

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	unknown min
MAXIMUM $\Delta I$ :	unknown deg

**COMMENTS**

The incident marked the first time that two objects in the U.S. satellite catalog are known to have accidentally run into one another. The CERISE spacecraft (Satellite Number 23606, International Designator 1995-033B) is a microsatellite of British design. The other participant in the encounter was Satellite Number 18208 (International Designator 1986-019RF), which was generated in November 1986, when ESA's SPOT 1 rocket body broke up into nearly 500 tracked debris. The orbit of this fragmentation debris at the time of the collision was 660 km by 680 km at an inclination of 98.45 degrees. The collision, which occurred with a relative velocity of 14.8 km/s, produced only a single piece of debris large enough to be tracked, i.e., the upper portion of the gravity-gradient boom. Analysis of the manufacturer of the spacecraft bus, Surrey Satellite Technology Ctd. at the University of Surrey, United Kingdom suggested that the 6 m, gravity-gradient boom had been severed at 3.1-3.2 meter from its base.


Using USAF Space Command's COMBO (Computation of Miss Between Orbits) program, a close approach of less than 1 km between Satellite 23606 and Satellite 18208 was determined by NASA JSC to have taken place at 0948 GMT on 24 July over the southern Indian Ocean. Naval Space Operations Center (NAVSPOC) at Dahlgren, Virginia, replicated the NASA findings and, using direct observational data and special perturbation theory, was able to refine the miss distance uncertainty to within 137 m. In addition, NAVSPOC identified a minor perturbation in the orbit of Satellite 18208 that occurred about the time of the event.

**REFERENCE DOCUMENTS**

"First Natural Collision of Cataloged Earth Satellites", N. Johnson, The Orbital Debris Quarterly News, NASA JSC, September 1996, p. 1. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV1i2.pdf>.

"Collision of CERISE with Space Debris", F. Alby et al, Proceedings of the Second European Conference on Space Debris, SP-393, p. 589-596.

"First 'Confirmed' Natural Collision Between Two Cataloged Satellites", T. Payne, Proceedings of the Second European Conference on Space Debris, SP-393, p. 597-600.



**CERISE debris cloud of 2 fragments 4 days after the event as  
reconstructed from the US SSN database.**

**SATELLITE DATA**

TYPE: Proton Block DM SOZ Ullage Motor  
OWNER: CIS  
LAUNCH DATE: 24.66 Jul 1995  
DRY MASS (KG): ~55 kg  
MAIN BODY: ~0.6 m by 0.6 m by 1.0 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants?

**EVENT DATA**

DATE:	21 Nov 2000	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	00324.99357911	MEAN ANOMALY:	90.3648
RIGHT ASCENSION:	200.0539	MEAN MOTION:	4.50149006
INCLINATION:	64.4375	MEAN MOTION DOT/2:	0.00164632
ECCENTRICITY:	0.5787543	MEAN MOTION DOT DOT/6:	0.00000030156
ARG. OF PERIGEE:	213.7574	BSTAR:	0.00048999

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is the 4th breakup of 2000 and the 23rd breakup of a Proton SOZ motor (see Orbital Debris Quarterly Newsletter V, Issue 4, p. 2.) This object is associated with the 24 July 1995 launch (1995-037) of the Cosmos 2316-2318 satellites. These members of the GLONASS series are equivalent to GPS/Navstar satellites and reside in middle Earth orbit. This object was one of two pieces left in the transfer orbit and is assessed to be one of the SOZ ullage/orientation motor units. As of November 21, 2000, this object had been on orbit 5 years and 121 days.

**REFERENCE DOCUMENT**

“SOZ Ullage Motor Breakup”, The Orbital Debris Quarterly News, NASA JSC, January 2001. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv6i1.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Proton Blok DM Fourth Stage  
OWNER: CIS  
LAUNCH DATE: 19.36 Feb 1996  
DRY MASS (KG): 3400 (?)  
MAIN BODY: Cylinder; 3.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, pressurants, and batteries

**EVENT DATA**

DATE:	19 Feb 1996	LOCATION:	0.2 N, 88.8 E (dsc)
TIME:	1459 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	36511 km		

**POST-EVENT ELEMENTS**

EPOCH:	96058.46760248	MEAN ANOMALY:	359.9314
RIGHT ASCENSION:	280.4138	MEAN MOTION:	2.23172282
INCLINATION:	48.7	MEAN MOTION DOT/2:	0.0002158
ECCENTRICITY:	0.7321111	MEAN MOTION DOT DOT/6:	0.0000
ARG. OF PERIGEE:	1.7779	BSTAR:	0.00068491

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The first burn of this stage was successful and indicates that 23797 was in a transfer orbit. However, prior to the first pass through the NAVSPOC fence, 23797 fragmented. Twenty (20) pieces were observed during this first pass. During a subsequent pass, 196 pieces were observed that were associated with the upperstage. Stage apparently broke up after main engine restart for GEO apogee maneuver.

**REFERENCE DOCUMENT**

"Satellite Fragmentations in 1996", N. Johnson, The Orbital Debris Quarterly News, NASA JSC, January 1997, p. 1. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV2i1.pdf>.



Gabbard diagram from Raduga 33 from NAVSPOC elements.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25.09 May 1996  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Unknown  
ENERGY SOURCES: On-board Propellants

**EVENT DATA**

DATE:	~13 Dec 1999	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	99347.02294368	MEAN ANOMALY:	314.8549
RIGHT ASCENSION:	194.3249	MEAN MOTION:	9.75630550
INCLINATION:	46.4558	MEAN MOTION DOT/2:	0.00969995
ECCENTRICITY:	0.2950283	MEAN MOTION DOT DOT/6:	0.0000015400
ARG. OF PERIGEE:	75.9037	BSTAR:	0.00055450

**CATALOGED DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This is 21<sup>st</sup> breakup event for an object of this class, and the third in 1999. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. This is the most recently launched object to breakup (age = ~3.5 years). The environmental consequence of the breakup was short-lived; the object was in catastrophic decay from a geosynchronous transfer orbit.

**REFERENCE DOCUMENTS**

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 15.51 May 1997  
DRY MASS (KG): 6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar arrays  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	16 Sep 1997	LOCATION:	58.2 N, 157.5 E (asc.)
TIME:	2208 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	230 km		

**PRE-EVENT ELEMENTS**

EPOCH:	97258.16080604	MEAN ANOMALY:	247.0345
RIGHT ASCENSION:	1.1478	MEAN MOTION:	16.06645410
INCLINATION:	64.8485	MEAN MOTION DOT/2:	0.00206295
ECCENTRICITY:	0.0048612	MEAN MOTION DOT DOT/6:	0.000026376
ARG. OF PERIGEE:	113.5945	BSTAR:	0.00022999

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 7.3 min  
MAXIMUM  $\Delta I$ : 0.9 deg

**COMMENTS**

Cosmos 2343 was the sixth of the Cosmos 2031 class of spacecraft that debuted in 1989 but was not flown since 1993. In all five previous missions (1989-1993), the spacecraft was deliberately exploded at the end of mission. Previous missions of this type include Cosmos 2031, Cosmos 2101, Cosmos 2163, Cosmos 2225, and Cosmos 2262. All such events have occurred over Eastern Russia. This event, as with three of the previous events, occurred over the Kamchatka Peninsula. Highest previous piece count for large debris for this class of vehicle was 180, although more were probably created. Due to the low altitude of the breakup, the debris were short-lived.

**REFERENCE DOCUMENT**

“International LEO Spacecraft Breakup in September”, N. Johnson, [The Orbital Debris Quarterly News](https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv2i4.pdf), NASA JSC, October 1997, p. 2. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv2i4.pdf>.



Cosmos 2343 debris cloud of 28 fragments as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: USA  
LAUNCH DATE: 14 Sep 1997  
DRY MASS (KG): 556  
MAIN BODY: 3.6 m long triangular prism  
MAJOR APPENDAGES: single-axis solar panels (2); communication antennas (3)  
ATTITUDE CONTROL: three-axis stabilized  
ENERGY SOURCES: on-board hydrazine monopropellant; NiH<sub>2</sub> batteries

**EVENT DATA**

DATE:	10 Feb 2009	LOCATION:	72.5N, 97.9E (asc)
TIME:	1656 GMT	ASSESSED CAUSE:	Collision
ALTITUDE:	788.597 km		

**PRE-EVENT ELEMENTS**

EPOCH:	09040.36587205	MEAN ANOMALY:	274.2112
RIGHT ASCENSION:	121.8779	MEAN MOTION:	14.34219614
INCLINATION:	86.3996	MEAN MOTION DOT/2:	0.00000121
ECCENTRICITY:	0.0002273	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	85.9342	BSTAR:	0.000036194

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 8.0 min  
MAXIMUM  $\Delta I$ : 0.8 deg


**COMMENTS**

Iridium 33 was a member of the first generation Iridium low-altitude communication satellite constellation; it utilized a Lockheed Martin LM700A bus and was active at the time of the event. Iridium 33 collided with Cosmos 2251 [q.v.] in the first, accidental collision of large, intact resident space objects.

**REFERENCE DOCUMENT**

“Satellite Collision Leaves Significant Debris Clouds”, The Orbital Debris Quarterly News, NASA JSC, April 2009.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv13i2.pdf>.





The IRIDIUM 33 debris cloud, including 621 fragments cataloged up to 3 years after the event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 12.71 Nov 1997  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	14 Feb 2007	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	07044.95683864	MEAN ANOMALY:	35.6246
RIGHT ASCENSION:	14.2124	MEAN MOTION:	5.48131368
INCLINATION:	46.649	MEAN MOTION DOT/2:	0.00001445
ECCENTRICITY:	0.5113669	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	267.6957	BSTAR:	0.00013146

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The object was in a decaying geosynchronous transfer orbit; this event marks the 36<sup>th</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. By accident, an observer in Finland captured about 20 of the debris with two CCD cameras less than 24 hours after the event. The debris would have been too faint to be seen with the naked eye. An estimated 60 debris were detected by the US SSN.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Four Satellite Breakups in February Add to Debris Population”, The Orbital Debris Quarterly News, NASA JSC, April 2007. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i2.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 9.30 Dec 1997  
DRY MASS (KG): 3000  
MAIN BODY: 1.3 m diameter by 17 m length, plus solar arrays  
MAJOR APPENDAGES: Solar arrays  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge?

**EVENT DATA**

DATE:	22 Nov 1999	LOCATION:	31.6N, 4.3E (dsc)
TIME:	0440 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	370 km		

**PRE-EVENT ELEMENTS**

EPOCH:	99325.85267585	MEAN ANOMALY:	85.1293
RIGHT ASCENSION:	332.8746	MEAN MOTION:	15.83563975
INCLINATION:	65.0115	MEAN MOTION DOT/2:	0.00295116
ECCENTRICITY:	0.0134056	MEAN MOTION DOT DOT/6:	0.000036131
ARG. OF PERIGEE:	273.4567	BSTAR:	0.00065869

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.834 min  
MAXIMUM  $\Delta I$ : 0.22 deg


**COMMENTS**

Cosmos 2347 was the 19<sup>th</sup> spacecraft of this type known to have experienced a major fragmentation. Such events were common prior to 1988, but only three breakups have occurred during the past 12 years: Cosmos 2347, Cosmos 2238 (1 Dec 1994), and Cosmos 2313 (26 June 1997). In this case Cosmos 2347 had performed a standard end-of-mission maneuver on 19 November 1999, a little more than 2 days before the breakup. Extensive analyses of these events have been conducted, although the cause is still unknown in the open literature.

A second breakup of Cosmos 2347 was discovered on 10 December when the spacecraft's orbit had decayed to 175 km by 250 km. Three dozen new debris were detected after the second event, but the very low altitude made it difficult to assess accurately the number of large debris. Prior spacecraft (especially Cosmos 1220, 1260, and 1306) also experienced multiple fragmentations.

**REFERENCE DOCUMENT**

"Satellite Breakups Increase in Last Quarter of 1999", The Orbital Debris Quarterly News, NASA JSC, January 2000. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv5i1.pdf>.



Cosmos 2347 debris cloud of 7 fragments within 1 day of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Proton Blok DM Fourth Stage  
OWNER: CIS  
LAUNCH DATE: 24.97 Dec 1997  
DRY MASS (KG): 3400 (?)  
MAIN BODY: Cylinder; 3.7 m diameter by 6.3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	25 Dec 1997	LOCATION:	0.3 S, 91.2 E (dsc)
TIME:	0550 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	35995 km		

**POST-EVENT ELEMENTS**

EPOCH:	97359.90803672	MEAN ANOMALY:	359.8589
RIGHT ASCENSION:	92.0594	MEAN MOTION:	2.26580509
INCLINATION:	51.4499	MEAN MOTION DOT/2:	-0.00000507
ECCENTRICITY:	0.7304004	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	1.0181	BSTAR:	0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

The commercial Asiasat 3 spacecraft was launched by a Proton launch vehicle at 2319 GMT, 24 December 1997. The fourth stage completed its first burn successfully about 0035 GMT, 25 December, placing the R/B-S/C combination into a GTO. When the vehicle reached its first apogee, the main engine was restarted but shutdown within 1 second, apparently due to a catastrophic failure. The US Space Surveillance Network detected less than 10 objects, and by 9 January only 1-2 were still being observed. The fragmentation is similar to the breakup of the Raduga 33 upper stage on 19 Feb 1996. In that case, nearly 200 debris were detected by the SSN.

**REFERENCE DOCUMENT**

“Recent Satellite Fragmentation Investigations”, N. Johnson, The Orbital Debris Quarterly News, January 1998, p. 3. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i1.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: H-II Second Stage  
OWNER: Japan  
LAUNCH DATE: 21.33 Feb 1998  
DRY MASS (KG): 3000  
MAIN BODY: Spheroid + cylinder + cone; 4 m diameter by 10.1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	21 Feb 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**POST-EVENT ELEMENTS**

EPOCH:	98054.59975400	MEAN ANOMALY:	162.0601
RIGHT ASCENSION:	294.3031	MEAN MOTION:	13.51967368
INCLINATION:	30.0458	MEAN MOTION DOT/2:	0.0002873
ECCENTRICITY:	0.1097485	MEAN MOTION DOT DOT/6:	-0.000003104
ARG. OF PERIGEE:	194.5714	BSTAR:	0.00029603

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

According to a NASDA report, a welding failure caused the LE-5A engine shutdown that stranded the Japanese COMETS satellite (1998-011A) in an elliptical orbit. The failure occurred 47 seconds into an apogee-raising maneuver. The report determined from telemetry data that hot combustion gases managed to penetrate special welding, called brazing, between nickel alloy cooling tubes in the lowest part of the combustion chamber near the top of the engine's nozzle skirt. Burning through the tubes, combustion gases quickly caused a fire, which triggered the engine shutdown. The report concludes the accident was caused by a manufacturing flaw and not a fundamental design problem. At least three dozen debris were detected by optical sensors in Hawaii.

**REFERENCE DOCUMENTS**

Kallender, P., "LE-5A Shutdown Blamed on Welding." Space News, 23-29 March 1998, p. 6.

"The Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv3i2.pdf>.



**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Delta II Second Stage Rocket Body  
OWNER: US  
LAUNCH DATE: 23 Feb 1999  
DRY MASS (KG): 921  
MAIN BODY: 2.4 m diameter x 5 m long right circular cylinder  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: inactive 3-axis  
ENERGY SOURCES: none at time of event

**EVENT DATA**

DATE:	28 April 2014	LOCATION:	unknown
TIME:	unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	14117.05656630	MEAN ANOMALY:	143.8191
RIGHT ASCENSION:	271.0573	MEAN MOTION:	14.45733299
INCLINATION:	96.4621	MEAN MOTION DOT/2:	0.00000245
ECCENTRICITY:	0.0143136	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	329.6124	BSTAR:	0.00069149

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.2 minutes  
MAXIMUM  $\Delta I$ : 0.2°

**COMMENTS**

The cause of this event, occurring over 15 years after launch, is unknown. Seven fragments entered the catalog but all decayed from orbit by 16 May 2014. Since 1982, Delta II second stage rocket bodies have been fully passivated, implying that a small MMOD impact may have caused this event.

**REFERENCE DOCUMENT**

“Flurry of Small Breakups in First Half of 2014”, The Orbital Debris Quarterly News, NASA JSC, July 2014.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv18i3.pdf>.



**ARGOS/ORSTED/SUNSAT R/B debris cloud.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: PRC  
LAUNCH DATE: 10.06 May 1999  
DRY MASS (KG): 950  
MAIN BODY: Box; 1.5 m by 1.5 m by 1.5 m  
MAJOR APPENDAGES: Solar Panels, 1.5 m by 4 m  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE:	11 Jan 2007	LOCATION:	35N, 100E (asc)
TIME:	2226 GMT	ASSESSED CAUSE:	Deliberate (HVI)
ALTITUDE:	860 km		

**PRE-EVENT ELEMENTS**

EPOCH:	07011.90621003	MEAN ANOMALY:	94.0215
RIGHT ASCENSION:	1.7411	MEAN MOTION:	14.11820274
INCLINATION:	98.6464	MEAN MOTION DOT/2:	0.00000180
ECCENTRICITY:	0.0013513	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	266.0357	BSTAR:	0.00012153

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 33.4 min  
MAXIMUM  $\Delta I$ : 5.0 deg


**COMMENTS**

The debris cloud created by this anti-satellite test represents the worst contamination of low Earth orbit in history. More than half the identified debris were thrown into orbits exceeding a mean altitude of 850 km, meaning that much of the 10 cm and larger debris will be in orbit for decades or centuries.

**REFERENCE DOCUMENT**

“Chinese Anti-satellite Test Creates Most Severe Orbital Debris Cloud in History”, The Orbital Debris Quarterly News, NASA JSC, April 2007.

Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i2.pdf>.



*Fengyun 1C* debris cloud remnant of 2000+ cataloged fragments 6 months after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: PRC/Brazil  
LAUNCH DATE: 14.14 Oct 1999  
DRY MASS (KG): 1450  
MAIN BODY: Box: 1.8 m by 2.0 m by 2.2 m  
MAJOR APPENDAGES: 6.3 m x 2.6 m Solar Panels  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: On-board propellant?

**EVENT DATA**

DATE:	18 Feb 2007	LOCATION:	35N, 128E (asc)
TIME:	1107 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	780 km		

**PRE-EVENT ELEMENTS**

EPOCH:	07049.17726620	MEAN ANOMALY:	250.9413
RIGHT ASCENSION:	88.9135	MEAN MOTION:	14.34483847
INCLINATION:	98.2175	MEAN MOTION DOT/2:	-0.00000185
ECCENTRICITY:	0.0007520	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	109.2997	BSTAR:	-0.000051172

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 3.4 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**

The spacecraft exceeded its expected lifetime and had been moved to a retirement orbit in August 2003. It is unclear whether or not it was entirely passivated. The rocket body associated with this payload (1999-057C, 25942) experienced an unrelated, but significant fragmentation six months after launch.

**REFERENCE DOCUMENT**

“Four Satellite Breakups in February Add to Debris Population”, The Orbital Debris Quarterly News, NASA JSC, April 2007. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i2.pdf>.



CBERS 1 debris cloud of 16 cataloged fragments 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Long March 4 third stage  
OWNER: PRC  
LAUNCH DATE: 14.14 Oct 1999  
DRY MASS (KG): 1000  
MAIN BODY: Cylinder nozzle; 2.9 m diameter by ~5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 11 Mar 2000                      LOCATION: 51.2S, 311.5W  
TIME: 1304 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 741 km

**PRE-EVENT ELEMENTS**

EPOCH: 00070.18630445                      MEAN ANOMALY: 46.4837  
RIGHT ASCENSION: 146.5592                      MEAN MOTION: 14.46869143  
INCLINATION: 98.5376                      MEAN MOTION DOT/2: 0.00001547  
ECCENTRICITY: 0.0012358                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 313.5308                      BSTAR: 0.00043864

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 10.985 min  
MAXIMUM  $\Delta I$ : 0.99 deg


**COMMENTS**

This is the second Long March 4 to breakup in only four missions. The first breakup (flight 2) occurred on 4 Oct 1990, 1 month after launch. Long March 4 missions did not resume until 1999, when two more were flown. This breakup involved the second 1999 mission (flight 4) and occurred 5 months after launch. This event has created more trackable debris than the 1990 breakup, with more than 300 pieces tracked by the SSN. Chinese officials were aware of the international concern following the 1990 breakup and had pledged to adopt countermeasures before the 1999 missions. Passivation of this vehicle was attempted.

**REFERENCE DOCUMENT**

"Analyzing the Cause of LM-4 (A)'s Upper Stage's Disintegration and the Countermeasures", W. X. Zang and S. Y. Liao, 5<sup>th</sup> International Conference of Pacific Basin Societies, 6-9 Jun 1993, Shanghai.





CBERS-1 / SACI-1 long March 4 third stage debris cloud of 280 fragments within 1 day of the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 26.33 Dec 1999  
DRY MASS (KG): ~3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length, plus solar arrays  
MAJOR APPENDAGES: Solar Arrays  
ATTITUDE CONTROL: Active 3-axis  
ENERGY SOURCES: On-board propellant, explosive charge

**EVENT DATA**

DATE:	21 Nov 2001	LOCATION:	38.3 S, 342.3 E (dsc)
TIME:	1414Z	ASSESSED CAUSE:	Unknown
ALTITUDE:	410 km		

**PRE-EVENT ELEMENTS**

EPOCH:	03325.57054648	MEAN ANOMALY:	199.8631
RIGHT ASCENSION:	55.0233	MEAN MOTION:	15.51939724
INCLINATION:	65.0021	MEAN MOTION DOT/2:	0.00131711
ECCENTRICITY:	0.0008788	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	257.3641	BSTAR:	0.0021441

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 10.62 min\*  
MAXIMUM  $\Delta I$ : 1.28 deg\*


\* Based on uncataloged debris data

**COMMENTS**

Cosmos 2367 was the 20<sup>th</sup> spacecraft of this type (Cosmos 699 class) known to have experienced a major fragmentation. The previous spacecraft in this series was Cosmos 2347, which experienced two fragmentations, one each in Nov and Dec of 1999. Cosmos 2367 was still in its operational orbit at the time of the event. Over 100 pieces were detected by the SSN 1 week after the breakup. Based upon other observations, the actual number of pieces probably exceeded 300. Although some debris were thrown into orbits with apogees above 1000 km, in general the debris were short-lived.

**REFERENCE DOCUMENT**

“Two Major Satellite Breakups Near End of 2001”, The Orbital Debris Quarterly News, NASA JSC, January 2002. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv7i1.pdf>.



Cosmos 2367 debris cloud of 103 fragments 1 week after the breakup as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 4.99 Jul 2000  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	~1 Sep 2006	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	06244.59746638	MEAN ANOMALY:	38.1280
RIGHT ASCENSION:	18.3906	MEAN MOTION:	3.86574836
INCLINATION:	46.8834	MEAN MOTION DOT/2:	0.00005467
ECCENTRICITY:	0.6151900	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	248.4110	BSTAR:	0.00034737

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 98.8 min  
MAXIMUM  $\Delta I$ : 0.2 deg


**COMMENTS**

The object was in a decaying geosynchronous transfer orbit; this event marks the 35<sup>th</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. Only a handful of debris was detected from this event.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Three More Satellites Involved in Fragmentations”, The Orbital Debris Quarterly News, NASA JSC, October 2006. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv10i4.pdf>.



Cosmos 2371 SOZ motor debris cloud of 7 cataloged fragments plus the parent a day after the event. The debris pieces were never cataloged.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 21 Sep 2000  
DRY MASS (KG): 1475  
MAIN BODY: box; 1.88 m x 1.88 m x 4.2 m long  
MAJOR APPENDAGES: solar panel  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: on-board propellants and batteries

**EVENT DATA**

DATE:	25 Nov 2015	LOCATION:	77.5 N, 48.8 E (dsc)
TIME:	0950 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	855 km		

**PRE-EVENT ELEMENTS**

EPOCH:	15329.31881564	MEAN ANOMALY:	226.6499
RIGHT ASCENSION:	34.9954	MEAN MOTION:	14.13117297
INCLINATION:	98.9249	MEAN MOTION DOT/2:	0.00000058
ECCENTRICITY:	0.0011308	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	133.5614	BSTAR:	0.00054879

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : TBD min  
MAXIMUM  $\Delta I$ : TBD deg

**COMMENTS**

This event was the second known breakup of a NOAA-series spacecraft, the other being NOAA-8. NOAA-16 performed its nominal mission until placed in backup status in 2005. An on-board anomaly ended communication on 6 June 2014 and the spacecraft was decommissioned on 9 June 2014. The event is assessed as likely being a battery explosion.

**REFERENCE DOCUMENTS**

“Recent NOAA\_16 Satellite Breakup”, [The Orbital Debris Quarterly News](http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv20i1-2.pdf), NASA JSC, April 2016.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv20i1-2.pdf>.



NOAA 16 debris cloud; debris cataloged between approximately one week and 123 days after event.

**SATELLITE DATA**

TYPE: PSLV Final Stage  
OWNER: India  
LAUNCH DATE: 22.20 Oct 2001  
DRY MASS (KG): ~900  
MAIN BODY: Cylinder; 2.8 m diameter by 2.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board hypergolic propellants

**EVENT DATA**

DATE:	19 Dec 2001	LOCATION:	25 S, 340 E (asc)
TIME:	~1140Z	ASSESSED CAUSE:	Propulsion
ALTITUDE:	670 km		

**PRE-EVENT ELEMENTS**

EPOCH:	01352.90695581	MEAN ANOMALY:	316.4909
RIGHT ASCENSION:	65.6004	MEAN MOTION:	14.85657962
INCLINATION:	97.9010	MEAN MOTION DOT/2:	-0.00000443
ECCENTRICITY:	0.0088752	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	44.3375	BSTAR:	-0.000041058

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 9.86 min\*  
MAXIMUM  $\Delta I$ : 3.06 deg\*

\* Based on uncataloged debris data


**COMMENTS**

This is the first known breakup associated with the Polar Satellite Launch Vehicle (PSLV) fourth stage. While 332 fragments were initially detected by the SSN, 326 debris were cataloged. The vehicle employed hypergolic propellants that were not passivated after payload delivery. Some of the debris could remain in orbit for several years or longer.

**REFERENCE DOCUMENT**

“Two Major Satellite Breakups Near End of 2001”, The Orbital Debris Quarterly News, NASA JSC, January 2002. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv7i1.pdf>.





TES R/B debris cloud of 332 fragments 1 week after the breakup as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 21.17 Dec 2001  
DRY MASS (KG): 3000  
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length, plus solar arrays  
MAJOR APPENDAGES: Solar Arrays  
ATTITUDE CONTROL: Active 3-axis  
ENERGY SOURCES: On-board propellant; explosive charge

**EVENT DATA**

DATE: 28 Feb 2004                      LOCATION: 26S, 100E (dsc)  
TIME: ~1930 GMT                      ASSESSED CAUSE: Unknown  
ALTITUDE: 265 km

**PRE-EVENT ELEMENTS**

EPOCH: 04059.20843210                      MEAN ANOMALY: 95.7196  
RIGHT ASCENSION: 358.8049                      MEAN MOTION: 15.87352021  
INCLINATION: 64.9763                      MEAN MOTION DOT/2: 0.00416036  
ECCENTRICITY: 0.0131275                      MEAN MOTION DOT DOT/6: 0.000069430  
ARG. OF PERIGEE: 262.9022                      BSTAR: 0.00074756

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 3.4 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**

Cosmos 2383 was the 21<sup>st</sup> spacecraft of this type (Cosmos 699 class) known to have experienced a major fragmentation. The previous spacecraft in this series was Cosmos 2367, which experienced a fragmentation at an altitude just above the International Space Station in 2001. This event also produced debris crossing the ISS orbit altitude. Approximately 50 debris were detected by the US SSN. Fortunately, all the cataloged debris from this fragmentation were short-lived. Of the 48 spacecraft of this type, 21 have experienced fragmentation events.

**REFERENCE DOCUMENT**

"Fragmentation of Cosmos 2383", The Orbital Debris Quarterly News, NASA JSC, April 2004.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i2.pdf>.



Cosmos 2383 debris cloud of 14 cataloged fragments a few days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25.63 Jul 2002  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	1 Jun 2005	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	05151.71140009	MEAN ANOMALY:	222.2107
RIGHT ASCENSION:	143.5118	MEAN MOTION:	15.06786995
INCLINATION:	63.6569	MEAN MOTION DOT/2:	0.00075759
ECCENTRICITY:	0.0418207	MEAN MOTION DOT DOT/6:	0.000007275
ARG. OF PERIGEE:	140.9987	BSTAR:	0.00057187

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.2 min  
MAXIMUM  $\Delta I$ : 1.0 deg


**COMMENTS**

This event marks the 33<sup>rd</sup> known breakup of a Proton Block DM SOZ ullage motor since 1984. The motor experienced a second event a month later about 29 June. About 40 new debris were seen after each event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Recent Satellite Breakups”, The Orbital Debris Quarterly News, NASA JSC, July 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV9i3.pdf>.



SOZ motor debris cloud in July 2005 after the second breakup event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25.63 Jul 2002  
DRY MASS (KG): 55  
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	29 Oct 2004	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	04302.83463691	MEAN ANOMALY:	199.8896
RIGHT ASCENSION:	56.1075	MEAN MOTION:	15.09294101
INCLINATION:	63.6401	MEAN MOTION DOT/2:	0.00146672
ECCENTRICITY:	0.0436823	MEAN MOTION DOT DOT/6:	0.000010335
ARG. OF PERIGEE:	161.8395	BSTAR:	0.00073391

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : Unknown  
MAXIMUM  $\Delta I$ : Unknown

**COMMENTS**

This event marks the 31<sup>st</sup> known breakup of a Proton Blok DM SOZ ullage motor since 1984. More than 60 debris were detected by the Naval electronic fence. No debris were in orbit long enough to be cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Recent Satellite Breakups”, The Orbital Debris Quarterly News, NASA JSC, January 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv9i1.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 12.60 Aug 2003  
DRY MASS (KG): ~6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar Arrays  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	9 Dec 2003	LOCATION:	64.8 N, 135.4 E (asc)
TIME:	0129Z	ASSESSED CAUSE:	Deliberate
ALTITUDE:	189.33 km		

**PRE-EVENT ELEMENTS**

EPOCH:	03342.92270571	MEAN ANOMALY:	296.9639
RIGHT ASCENSION:	136.8172	MEAN MOTION:	16.22926227
INCLINATION:	64.9062	MEAN MOTION DOT/2:	0.01025110
ECCENTRICITY:	0.0055948	MEAN MOTION DOT DOT/6:	0.0000073532
ARG. OF PERIGEE:	63.7269	BSTAR:	0.00028689

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 7.34 min\*  
MAXIMUM  $\Delta I$ : 0.08 deg\*

\* Based on uncataloged debris data


**COMMENTS**

Cosmos 2399 was the seventh of the Cosmos 2031 class of spacecraft that debuted in 1989 but was not flown since 1997. In all six previous missions (1989-1997), the spacecraft was deliberately exploded at the end of mission. Previous missions of this type include Cosmos 2031, Cosmos 2101, Cosmos 2163, Cosmos 2225, Cosmos 2262, and Cosmos 2343. All such events have occurred over Eastern Russia. Highest previous piece count for large debris for this class of vehicle was 180, although more were probably created. Approximately 22 debris were detected by the SSN. Due to the low altitude of the breakup, the debris were short-lived.

**REFERENCE DOCUMENT**

"Satellite Fragmentations in 2003", The Orbital Debris Quarterly News, NASA JSC, January 2004. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV8i1.pdf>.





Cosmos 2399 debris cloud of 22 fragments 1 day after the breakup as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: Japan  
LAUNCH DATE: 24.06 Jan 2006  
DRY MASS (KG): ~3000  
MAIN BODY: Cylinder; 4.0 m diameter by 10.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: On-board propellant

**FIRST EVENT DATA**

DATE:	8 Aug 2006	LOCATION:	5N, 131E (asc)
TIME:	1407 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	685 km		

**SECOND EVENT DATA**

DATE:	27 Aug 2006	LOCATION:	76S, 135E (asc)
TIME:	1618 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	695 km		

**PRE-EVENT ELEMENTS**

EPOCH:	06220.18259253	MEAN ANOMALY:	147.5075
RIGHT ASCENSION:	300.3416	MEAN MOTION:	14.8204486
INCLINATION:	98.1944	MEAN MOTION DOT/2:	0.00000143
ECCENTRICITY:	0.0106899	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	211.9623	BSTAR:	0.000023737

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 1.0 min  
MAXIMUM  $\Delta I$ : 0.0 deg

**COMMENTS**

The first event shed four pieces of debris, the second event shed more than 15 pieces. The parent experienced little if any change in orbit and the debris from both events were ejected with relatively low delta velocity from the parent, making a propulsion explosion unlikely for the cause of breakup. All the debris appeared to have high area-to-mass ratios, causing the ejected debris to decay within six months of the events. The parent body remains in orbit as of August 2007. Another H-IIA second stage (2006-037B) experienced two minor fragmentation events a few months later. Possible source of the debris is light-weight insulation material.

**REFERENCE DOCUMENTS**

“Three More Satellites Involved in Fragmentations”, The Orbital Debris Quarterly News, NASA JSC, October 2006. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv10i4.pdf>.



The ALOS R/B debris cloud from the second event, a few days after the event. The parent body is the piece with the highest perigee, at the right of the graph.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 28.84 Feb 2006  
DRY MASS (KG): 2600  
MAIN BODY: Cylinder; 2.5 m diameter by 2.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None  
ENERGY SOURCES: On-board propellants

**EVENT DATA**

DATE: 19 Feb 2007                      LOCATION: 31S, 135E (asc)  
TIME: 1721 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 7640 km

**PRE-EVENT ELEMENTS**

EPOCH: 07050.57138199                      MEAN ANOMALY: 134.5177  
RIGHT ASCENSION: 213.0506                      MEAN MOTION: 5.25304422  
INCLINATION: 51.4995                      MEAN MOTION DOT/2: 0.00000185  
ECCENTRICITY: 0.5083307                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 197.8403                      BSTAR: 0.00029198

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 48.6 min  
MAXIMUM  $\Delta I$ : 2.6 deg


**COMMENTS**

This upper stage malfunctioned, stranding itself and its payload in an eccentric orbit. The cause of the breakup is assessed to be related to the ~8 metric tons of unused propellants. The breakup occurred over Southern Australia, and was captured by three amateur astronomers, which showed expansion of a faint cloud around the exploded fourth stage. Over a thousand objects 10 cm or larger were estimated by the US SSN.

**REFERENCE DOCUMENT**

“Two More Incidents Add to Growing Space Debris”, [Space News](#), February 26, 2007.

“Four Satellite Breakups in February Add to Debris Population”, [The Orbital Debris Quarterly News](#), NASA JSC, April 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i2.pdf>.



The *Briz-M* R/B debris cloud of uncataloged fragments 10 days after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: PRC  
LAUNCH DATE: 26 Apr 2006  
DRY MASS (KG): 2721.0  
MAIN BODY: unknown  
MAJOR APPENDAGES: unknown  
ATTITUDE CONTROL: unknown  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE:	4 Feb 2010	LOCATION:	56.3N, 140.7E (asc)
TIME:	0649 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	636.516 km		

**PRE-EVENT ELEMENTS**


EPOCH:	10034.53017668	MEAN ANOMALY:	264.9880
RIGHT ASCENSION:	28.5835	MEAN MOTION:	14.80351885
INCLINATION:	97.8566	MEAN MOTION DOT/2:	-0.00000264
ECCENTRICITY:	0.0001956	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	95.1578	BSTAR:	-0.000027865

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 5.4 min  
MAXIMUM  $\Delta I$ : 0.4 deg

**COMMENTS****REFERENCE DOCUMENT**

“Old and New Satellite Breakups Identified”, The Orbital Debris Quarterly News, NASA JSC, April 2010.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv14i2.pdf>.



Seven cataloged fragments 7 weeks after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 25 Jun 2006  
DRY MASS (KG): 3200  
MAIN BODY: 1.7 m diameter x 17 m long cylinder  
MAJOR APPENDAGES: solar panels  
ATTITUDE CONTROL: active, three-axis  
ENERGY SOURCES: on-board propellants, explosive charge (?)

**EVENT DATA**

DATE:	14 Mar 2008	LOCATION:	52.247S, 24.130E (dsc)
TIME:	0429 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	420.242 km		

**PRE-EVENT ELEMENTS**

EPOCH:	08073.77012377	MEAN ANOMALY:	145.3615
RIGHT ASCENSION:	48.2539	MEAN MOTION:	15.52978992
INCLINATION:	65.0437	MEAN MOTION DOT/2:	0.00011420
ECCENTRICITY:	0.0014765	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	285.7968	BSTAR:	0.00018556

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 8.1 min  
MAXIMUM  $\Delta I$ : 1.4 deg

**COMMENTS**

Cosmos 2421 was the last of the Soviet/Russian series of Electronic Ocean Reconnaissance Satellite (EORSAT) spacecraft. As with other spacecraft of the Cosmos 699 class, the high area-to-mass ratio of the majority of debris produced in this event resulted in a short residence on-orbit and no long-term environmental hazard.

**REFERENCE DOCUMENT**

“Satellite Breakups During First Quarter of 2008”, The Orbital Debris Quarterly News, NASA JSC, April 2008.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv12i2.pdf>.





**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: Japan  
LAUNCH DATE: 11.19 Sep 2006  
DRY MASS (KG): ~3000  
MAIN BODY: Cylinder; 4.0 m diameter by 10.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE: 28 Dec 2006  
TIME: 1729 GMT  
ALTITUDE: 470 km  
LOCATION: 58S, 131E (asc)  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 06361.50058695  
RIGHT ASCENSION: 117.7926  
INCLINATION: 97.2357  
ECCENTRICITY: 0.0043549  
ARG. OF PERIGEE: 12.7250  
MEAN ANOMALY: 347.5081  
MEAN MOTION: 15.35084918  
MEAN MOTION DOT/2: 0.00002838  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: 0.000083212

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 2.6 min  
MAXIMUM  $\Delta I$ : 0.2 deg

**COMMENTS**

This was the second fragmentation of an H-IIA second stage in 2006 (see 2006-002B). No debris were cataloged from the first event, but at least 20 new objects were detected. However, the rocket body experienced a second fragmentation event on 25 July 2007, releasing at least 15 new debris.

**REFERENCE DOCUMENT**

“Significant Increase in Satellite Breakups During 2006”, The Orbital Debris Quarterly News, NASA JSC, January 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i1.pdf>.



H-IIA debris cloud 2 weeks after the first event. The debris were never cataloged.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 14.57 Sep 2006  
DRY MASS (KG): ~6000  
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length  
MAJOR APPENDAGES: Solar Arrays  
ATTITUDE CONTROL: Active, 3-axis  
ENERGY SOURCES: On-board propellants, explosive charge

**EVENT DATA**

DATE:	17 Nov 2006	LOCATION:	Unknown
TIME:	~1800 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	210 km		

**PRE-EVENT ELEMENTS**

EPOCH:	06321.75318443	MEAN ANOMALY:	8.8408
RIGHT ASCENSION:	358.1498	MEAN MOTION:	16.11335386
INCLINATION:	64.8900	MEAN MOTION DOT/2:	0.00257180
ECCENTRICITY:	0.0061777	MEAN MOTION DOT DOT/6:	0.0000071463
ARG. OF PERIGEE:	106.6782	BSTAR:	0.00018281

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.8 min  
MAXIMUM  $\Delta I$ : 0.5 deg

**COMMENTS**

Cosmos 2423 was the eighth of the Cosmos 2031 class of spacecraft, which debuted in 1989. In all seven previous missions, the spacecraft was deliberately exploded at the end of mission. Cosmos 2423 had the shortest lifetime of any of this class of spacecraft, two months instead of a usual four months. Because these spacecraft are deliberately exploded at a low altitude, the lifetime of the trackable debris cloud is usually measured in days.

**REFERENCE DOCUMENTS**

“Significant Increase in Satellite Breakups During 2006”, The Orbital Debris Quarterly News, NASA JSC, January 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i1.pdf>.



Cosmos 2423 debris cloud of 28 fragments a few days after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: US  
LAUNCH DATE: 4.58 Nov 2006  
DRY MASS (KG): 2850  
MAIN BODY: Cylinder; 4.0 m diameter by 12 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event  
ENERGY SOURCES: On-board propellant

**EVENT DATA**

DATE:	4 Nov 2006	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	06308.62553010	MEAN ANOMALY:	119.1776
RIGHT ASCENSION:	307.4245	MEAN MOTION:	14.13676442
INCLINATION:	98.7885	MEAN MOTION DOT/2:	-0.00000044
ECCENTRICITY:	0.0022197	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	240.7178	BSTAR:	0.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 9.5 min  
MAXIMUM  $\Delta I$ : 0.3 deg

**COMMENTS**

This was the first major event associated with a Delta IV second stage. Debris appeared to separate from the parent body in a retrograde direction soon after orbit insertion. Over 60 pieces were eventually cataloged from this event. The rocket body did not see any performance degradation and was reentered directly after payload delivery. The cause of the debris release was investigated to ensure any countermeasures can be implemented for future Delta IV missions.

**REFERENCE DOCUMENTS**

“Significant Increase in Satellite Breakups During 2006”, The Orbital Debris Quarterly News, NASA JSC, January 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV11i1.pdf>.



Delta 4 debris cloud of 62 fragments less than two weeks after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: USA  
LAUNCH DATE: 14 Dec 2006  
DRY MASS (KG): unknown  
MAIN BODY: unknown  
MAJOR APPENDAGES: unknown  
ATTITUDE CONTROL: unknown  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE:	21 Feb 2008	LOCATION:	8.813N, 189.023E (asc)
TIME:	0326 GMT	ASSESSED CAUSE:	Deliberate (HVI)
ALTITUDE:	247.769 km		

**PRE-EVENT ELEMENTS - unavailable**

EPOCH:	MEAN ANOMALY:
RIGHT ASCENSION:	MEAN MOTION:
INCLINATION:	MEAN MOTION DOT/2:
ECCENTRICITY:	MEAN MOTION DOT DOT/6:
ARG. OF PERIGEE:	BSTAR:

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : unknown min  
MAXIMUM  $\Delta I$ : unknown deg

**COMMENTS**


This spacecraft was intentionally destroyed in order to minimize the potential ground hazard should it reenter with its fuel tank intact. NASA's standard reentry hazard analysis tool indicated a high probability that frozen/slush hydrazine monopropellant would survive intact to the ground, presenting a significant chemical hazard. The intercept was accomplished by an SM-3 missile launched by the US Navy Aegis cruiser USS *Lake Erie*.

**REFERENCE DOCUMENT**

"Satellite Breakups During First Quarter of 2008", The Orbital Debris Quarterly News, NASA JSC, April 2008.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/ODQNv12i2.pdf>.



## SSN 29651



The USA 193 debris cloud, including 174 fragments cataloged up to 1 month after the event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25 Dec 2006  
DRY MASS (KG): 55  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 27 July 2016  
TIME: 0119 GMT  
ALTITUDE: 18551.3 km  
LOCATION: 15.38S, 124.1E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 16208.24667120  
RIGHT ASCENSION: 261.9075  
INCLINATION: 64.7769  
ECCENTRICITY: 0.5783296  
ARG. OF PERIGEE: 27.2587  
MEAN ANOMALY: 356.6314  
MEAN MOTION: 4.23611820  
MEAN MOTION DOT/2: +0.00000237  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: +0.00030726

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 10 min  
MAXIMUM  $\Delta I$ : 0.7 deg


**COMMENTS**

This event was the 46th known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Multiple small debris were observed by the SSN, but due to difficulties in cataloging fragments in elliptical and deep-space orbits many more fragments could be present.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“New SOZ Breakup in July 2016”, The Orbital Debris Quarterly News, NASA JSC, October 2016. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i4.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and eight debris fragments cataloged up to 75 days post-event.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: PRC  
LAUNCH DATE: 02 Feb 2007  
DRY MASS (KG): 3062  
MAIN BODY: Cylinder; 3.0 m diameter x 12.4 m long  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: status unknown at time of event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	02 Feb 2007	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	07033.76400703	MEAN ANOMALY:	43.007
RIGHT ASCENSION:	9.4841	MEAN MOTION:	1.91693848
INCLINATION:	25.0136	MEAN MOTION DOT/2:	-0.00001383
ECCENTRICITY:	0.7597957	MEAN MOTION DOT DOT/6:	0.0000011914
ARG. OF PERIGEE:	179.8053	BSTAR:	0.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 5.5 min  
MAXIMUM  $\Delta I$ : 0.2 deg

**COMMENTS**

In the 14<sup>th</sup> edition of this work, this event was identified as being associated with the payload. To quote: “The spacecraft experienced problems soon after insertion into a geosynchronous transfer orbit. In March 2007, the spacecraft was recovered and maneuvered into GEO. As many as 100 debris were detected by the US SSN.” This event was more recently identified as being associated with the CZ-3A R/B. This is now recognized as being the first known CZ-3 third stage fragmentation event.

**REFERENCE DOCUMENT**

“Four Satellite Breakups in February Add to Debris Population”, The Orbital Debris Quarterly News, NASA JSC, January 2007. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i2.pdf>.



Identified Beidou R/B debris cloud 2 weeks after the event as reconstructed from the US SSN database.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: Japan  
LAUNCH DATE: 24 Feb 2007  
DRY MASS (KG): unknown  
MAIN BODY: truncated cone; 4.070 m diameter tapering to < 1.98 m diameter x ~ 1.5 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE: 23 Dec 2010  
TIME: 1600 GMT  
ALTITUDE: Unknown  
LOCATION: Unknown  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 10357.22196763  
RIGHT ASCENSION: 114.8768  
INCLINATION: 97.3356  
ECCENTRICITY: 0.0005569  
ARG. OF PERIGEE: 63.1040  
MEAN ANOMALY: 297.1353  
MEAN MOTION: 15.43699236  
MEAN MOTION DOT/2: 0.00018749  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: 0.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 0.9 min  
MAXIMUM  $\Delta I$ : 0.0 deg

**COMMENTS**

Parent object is the upper cap section of the three-piece Kawasaki Heavy Industries, Ltd. 4/4D-LC dual payload fairing's lower payload encapsulation system. Six objects were initially observed and three were officially cataloged. These objects displayed large area-to-mass ratios (0.38-0.85 m<sup>2</sup>/kg) and decayed rapidly from orbit. Subsequently an additional 11 pieces entered the catalog. All have decayed.

**REFERENCE DOCUMENT**

"New Satellite Fragmentations Add to Debris Population", The Orbital Debris Quarterly News, NASA JSC, January 2011.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv15i1.pdf>.



Four HII-A debris fragments cataloged within 5 days of the event.

**SATELLITE DATA**

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	26 Oct 2007
DRY MASS (KG):	3250
MAIN BODY:	stepped cylinder
MAJOR APPENDAGES:	solar panels & antennas
ATTITUDE CONTROL:	gravity gradient (passive)
ENERGY SOURCES:	unknown at time of event

**EVENT DATA**

DATE:	10 May 2014	LOCATION:	TBD
TIME:	2024 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	TBD km		

**PRE-EVENT ELEMENTS**

EPOCH:	14129.36499359	MEAN ANOMALY:	236.8999
RIGHT ASCENSION:	270.8988	MEAN MOTION:	14.12320352
INCLINATION:	70.9495	MEAN MOTION DOT/2:	0.00000475
ECCENTRICITY:	0.0010837	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	200.7382	BSTAR:	0.0028345

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	TBD min
MAXIMUM $\Delta I$ :	TBD deg


**COMMENTS**

Cosmos 2428 is believed to be the last Tselina-2 class spacecraft flown. Approximately 17 fragments have been observed, but only nine have been officially cataloged. Of these, eight have decayed from orbit by 23 September 2014. The remaining fragment is in an orbit similar to four pieces of previously-cataloged SL-16 launch vehicle debris, and may not be related to this event.

**REFERENCE DOCUMENTS**

“Flurry of Small Breakups in First Half of 2014”, The Orbital Debris Quarterly News, NASA JSC, July 2014.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv18i3.pdf>.





Cosmos 2428 debris cloud cataloged approximately one week after event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 26 Oct 2007  
DRY MASS (KG): 56  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 13 Aug 2014                      LOCATION: 30.7S, 201.4E (dsc)  
TIME: 1340 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 6877.5 km

**PRE-EVENT ELEMENTS**

EPOCH: 14223.45723491                      MEAN ANOMALY: 338.9903  
RIGHT ASCENSION: 24.9798                      MEAN MOTION: 4.23372123  
INCLINATION: 65.3851                      MEAN MOTION DOT/2: -0.00001815  
ECCENTRICITY: 0.5593625                      MEAN MOTION DOT DOT/6: 0.0  
ARG. OF PERIGEE: 72.9539                      BSTAR: -0.19915

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0 min  
MAXIMUM  $\Delta I$ : 0 deg

**COMMENTS**

This is the 43<sup>rd</sup> known breakup of a Proton Blok-DM SOZ ullage unit since 1984. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Approximately 70 fragments have been observed, but none have been officially cataloged. Due to the difficulty in observing and cataloging debris in deep-space, highly elliptical orbits, a much larger debris ensemble may have been created by this event.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

“Three Additional Breakups Mar 2014”, The Orbital Debris Quarterly News, NASA JSC, October 2014.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv18i4.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: USA  
LAUNCH DATE: 11 Nov 2007  
DRY MASS (KG): 3,490.0  
MAIN BODY: stepped cylinder: 5 m (max) diameter x 13.7 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: active; 3 axis RCS  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 11 Nov 2007  
TIME: Unknown  
ALTITUDE: Unknown  
LOCATION: Unknown  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS - unavailable**

EPOCH:  
RIGHT ASCENSION:  
INCLINATION:  
ECCENTRICITY:  
ARG. OF PERIGEE:  
MEAN ANOMALY:  
MEAN MOTION:  
MEAN MOTION DOT/2:  
MEAN MOTION DOT DOT/6:  
BSTAR:

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : unknown min  
MAXIMUM  $\Delta I$ : unknown deg

**COMMENTS**

First operational launch of a Delta IV Heavy (Delta 9250H), though second launch of the 5 m-diameter cryogenic second stage. The flight plan called for the second stage to insert itself and the payload into three distinct orbits: a LEO parking orbit; a geosynchronous transfer orbit; and a near geosynchronous final orbit. At least two dozen debris appear to have been released in the parking orbit of approximately 1575 km x 220 km. The debris release event had no apparent effect on subsequent orbit maneuvers, and the payload was successfully delivered to the planned final orbit.

**REFERENCE DOCUMENT**

“Two Minor Fragmentations End Worst Debris Year Ever”, [The Orbital Debris Quarterly News](http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv12i1.pdf), NASA JSC, January 2008.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv12i1.pdf>.



The Delta IV second stage R/B debris cloud of two dozen uncatalogued fragments were identified soon after launch.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25 Dec 2007  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	18 Aug 2011	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	11230.12943848	MEAN ANOMALY:	279.9120
RIGHT ASCENSION:	286.1835	MEAN MOTION:	4.23764448
INCLINATION:	65.0463	MEAN MOTION DOT/2:	0.00000228
ECCENTRICITY:	0.5712685	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	140.2548	BSTAR:	0.0

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0.0 min  
MAXIMUM  $\Delta I$ : 0.0 deg

**COMMENTS**

This event was the 38<sup>th</sup> known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Although some small debris were observed by the SSN, none have been officially cataloged.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

“Only a Few Minor Satellite Breakups in 2011”, The Orbital Debris Quarterly News, NASA JSC, January 2012.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNV16i1.pdf>.

**Insufficient data to construct a Gabbard diagram.**

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 14 Mar 2008  
DRY MASS (KG): 2510  
MAIN BODY: Cylinder + toroid; 4.1 m diameter x 2.65 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 13 Oct 2010  
TIME: 0553 GMT  
ALTITUDE: 10,799.1 km  
LOCATION: 33.768N, 120.670E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 10285.89612768  
RIGHT ASCENSION: 195.2356  
INCLINATION: 48.9364  
ECCENTRICITY: 0.6485876  
ARG. OF PERIGEE: 287.1455  
MEAN ANOMALY: 15.0680  
MEAN MOTION: 3.07372467  
MEAN MOTION DOT/2: 0.00000252  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: 0.0025757

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 189.6 min  
MAXIMUM  $\Delta I$ : 2.2 deg


**COMMENTS**

Event occurred 31 months after launch. The dry mass quoted above includes that of the *Briz-M* core stage and the toroidal Auxiliary Propulsion Tank (APT)—sometimes referred to as the Additional Fuel Tank (AFT); the malfunction stranding the stage in its elliptical orbit occurred prior to APT jettison. An estimated five metric tons of propellant was aboard.

**REFERENCE DOCUMENT**

“New Satellite Fragmentations Add to Debris Population”, The Orbital Debris Quarterly News, NASA JSC, January 2011.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv15i1.pdf>.





The *Briz-M* R/B debris cloud of 116 fragments cataloged up to 3.6 years after the event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25 Sep 2008  
DRY MASS (KG): 56  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 20 May 2014                      LOCATION: 62.4S, 148.5E (asc)  
TIME: 0032 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 16,288.3 km

**PRE-EVENT ELEMENTS**

EPOCH: 14135.66838656                      MEAN ANOMALY: 322.5973  
RIGHT ASCENSION: 154.3825                      MEAN MOTION: 4.23142676  
INCLINATION: 65.3219                      MEAN MOTION DOT/2: -0.00000189  
ECCENTRICITY: 0.5517601                      MEAN MOTION DOT DOT/6: 0.00000  
ARG. OF PERIGEE: 101.3049                      BSTAR: 0.00000

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 12.7 min  
MAXIMUM  $\Delta I$ : 0.3 deg


**COMMENTS**

This is the 40th known breakup of a Proton Blok-DM SOZ ullage unit since 1984. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Due to the difficulty in observing and cataloging debris in deep-space, highly elliptical orbits, a debris ensemble much larger than that cataloged may have been created by this event.

**REFERENCE DOCUMENT**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson et al. Kaman Sciences Corporation, October 2005.

“Flurry of Small Breakups in First Half of 2014”, The Orbital Debris Quarterly News, NASA JSC, July 2014.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv18i3.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and 10 debris fragments (this plot omits 2008-046S, SSN#40121).

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25 Dec 2008  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 26 Mar 2016                      LOCATION: 46.91S, 285.50E (asc)  
TIME: 1212 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 18075.34 km

**PRE-EVENT ELEMENTS**

EPOCH: 16084.51547544                      MEAN ANOMALY: 341.8531  
RIGHT ASCENSION: 57.2039                      MEAN MOTION: 4.23930172  
INCLINATION: 65.3219                      MEAN MOTION DOT/2: +0.00000377  
ECCENTRICITY: 0.5630529                      MEAN MOTION DOT DOT/6: 0.00000  
ARG. OF PERIGEE: 66.1764                      BSTAR: +0.0029410

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 11.4 min  
MAXIMUM  $\Delta I$ : 0.2 deg


**COMMENTS**

This event was the 44th known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Twenty-one pieces were initially observed. Due to the difficulty of cataloging debris in elliptical and deep space orbits there may be many more debris fragments than this number or those cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“Russian SOZ Unit Breakup Up in March”, The Orbital Debris Quarterly News, NASA JSC, April 2016.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i1-2.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and three debris fragments.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 25 Dec 2008  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 1 June 2016  
TIME: 0925 GMT  
ALTITUDE: 7148.03 km  
LOCATION: 32.86S, 339.90E (dsc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 16152.95219263  
RIGHT ASCENSION: 28.8315  
INCLINATION: 65.2630  
ECCENTRICITY: 0.5609396  
ARG. OF PERIGEE: 72.5352  
MEAN ANOMALY: 5.7190  
MEAN MOTION: 4.23951640  
MEAN MOTION DOT/2: +0.00005748  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: +0.053896

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 8.9 min  
MAXIMUM  $\Delta I$ : 0.4 deg


**COMMENTS**

This event was the 45th known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Due to the difficulty of cataloging debris in elliptical and deep space orbits there may be many more debris fragments than those cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“Two Additional Russian Breakups in 2016”, The Orbital Debris Quarterly News, NASA JSC, July 2016.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i3.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and 11 debris fragments cataloged up to 37 days post-event.

**SATELLITE DATA**

TYPE: payload  
OWNER: PRC  
LAUNCH DATE: 14 Apr. 2009  
DRY MASS (KG): 1100  
MAIN BODY: DFH-3 bus derivative; box 2.2 m long x 1.72 m wide x 2.0 m high  
MAJOR APPENDAGES: solar arrays and antennas  
ATTITUDE CONTROL: three-axis stabilized  
ENERGY SOURCES: propellant, batteries, reaction wheels

**EVENT DATA**

DATE:	29 June 2016	LOCATION:	unknown
TIME:	unknown	ASSESSED CAUSE:	unknown
ALTITUDE:	unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	16180.12570702	MEAN ANOMALY:	164.3864
RIGHT ASCENSION:	61.3828	MEAN MOTION:	1.00365151
INCLINATION:	4.7106	MEAN MOTION DOT/2:	-0.00000325
ECCENTRICITY:	0.0089308	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	195.1803	BSTAR:	0.00000

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : unknown  
MAXIMUM  $\Delta I$ : unknown

**COMMENTS**

This spacecraft was the first launch of the People's Republic of China (PRC) BeiDou 2<sup>nd</sup> generation regional navigation satellites in the Compass Navigation Satellite System, and is sometimes labeled as "Beidou-2 G2" to indicate 2nd generation, 2nd Geosynchronous (GEO) spacecraft (the -G1 was launched in 2010). This designation ("G") identifies it as being apart from the PRC's middle Earth orbit (MEO, "M") or inclined GEO ("IG") spacecraft constellations. The spacecraft uses the Chinese Academy of Spacecraft Technology (CAST) Dong Fang Hong 3 (DFH-3) communication satellite-heritage bus with the specialized navigational payload.

The spacecraft fragmented into at least five pieces, though no fragments have entered the catalog to accompany the parent body. Due to the difficulty in cataloging fragments in deep-space orbits there may be many more fragments resident at or near GEO.

**REFERENCE DOCUMENTS**

"BeiDou G2 Spacecraft Fragments in Geosynchronous Orbit", The Orbital Debris Quarterly News, NASA JSC, October 2016. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i4.pdf>.



Insufficient data to construct a Gabbard diagram.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 01 Mar 2010  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 9 July 2014  
TIME: 0828 GMT  
ALTITUDE: 755.2 km  
LOCATION: 33.96N, 41.3E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 14188.41970654  
RIGHT ASCENSION: 294.1777  
INCLINATION: 65.1872  
ECCENTRICITY: 0.5623059  
ARG. OF PERIGEE: 128.6500  
MEAN ANOMALY: 296.6908  
MEAN MOTION: 4.23407390  
MEAN MOTION DOT/2: -0.00000214  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: -0.013117

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 16.4 min  
MAXIMUM  $\Delta I$ : 0.6 deg


**COMMENTS**

This event was the 42nd known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Although at least 16 small debris were observed by the SSN, none have been officially cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“Three Additional Breakups Mar 2014”, The Orbital Debris Quarterly News, NASA JSC, October 2014.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv18i4.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and 10 debris fragments cataloged up to two years post-event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 01 Mar 2010  
DRY MASS (KG): 56.0  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 22 May 2018                      LOCATION: 8.59S, 90.0E (asc)  
TIME: 0206 GMT                      ASSESSED CAUSE: Propulsion  
ALTITUDE: 13745.8 km

**PRE-EVENT ELEMENTS**

EPOCH: 18141.55091406                      MEAN ANOMALY: 348.7596  
RIGHT ASCENSION: 177.3536                      MEAN MOTION: 4.23280497  
INCLINATION: 65.0720                      MEAN MOTION DOT/2: -0.00001771  
ECCENTRICITY: 0.5676424                      MEAN MOTION DOT DOT/6: 0.00000  
ARG. OF PERIGEE: 45.9342                      BSTAR: -0.0089882

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 23.7 min  
MAXIMUM  $\Delta I$ : 1 deg


**COMMENTS**

This event was the 48th known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Although at least 60 small debris were observed by the SSN, many more fragments could be present due to difficulties in cataloging fragments in elliptical and deep-space orbits.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“A SOZ Unit Breakup Predicted and Observed in May 2018”, The Orbital Debris Quarterly News, NASA JSC, September 2018. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv22i3.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and 10 debris fragments cataloged up to 64 days post-event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 2 Sep 2010  
DRY MASS (KG): 55  
MAIN BODY: ellipsoid; 0.6 m diameter x 1 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 03 Sept. 2017  
TIME: 0237 GMT  
ALTITUDE: 14887.2 km  
LOCATION: 54.96S, 115.3E (dsc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 17245.45043553  
RIGHT ASCENSION: 178.2175  
INCLINATION: 65.2305  
ECCENTRICITY: 0.5568611  
ARG. OF PERIGEE: 84.7390  
MEAN ANOMALY: 333.2513  
MEAN MOTION: 4.25073663  
MEAN MOTION DOT/2: +0.00009868  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: +0.12084

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 19.2 min  
MAXIMUM  $\Delta I$ : 0.6 deg


**COMMENTS**

This event was the 47th known fragmentation of Blok-DM ullage motors. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. Multiple small debris were observed by the SSN, but due to difficulties in cataloging fragments in elliptical and deep-space orbits many more fragments could be present.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations: A Joint U.S.-Russian Investigation. N.L. Johnson *et al.* Kaman Sciences Corporation, October 2005.

“Latest SOZ Breakup Occurs in September 2017”, The Orbital Debris Quarterly News, NASA JSC, November 2017. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv21i4.pdf>.



The COSMOS ullage motor debris cloud includes the parent body and nine debris fragments cataloged up to 45 days post-event.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: PRC  
LAUNCH DATE: 4 Sep 2010  
DRY MASS (KG): 3062  
MAIN BODY: Cylinder; 3.0 m diameter x 12.4 m long  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: status unknown at time of event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	~4 Sep 2010	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	10247.43584147	MEAN ANOMALY:	183.2812
RIGHT ASCENSION:	224.5993	MEAN MOTION:	1.91160163
INCLINATION:	25.2307	MEAN MOTION DOT/2:	0.00001931
ECCENTRICITY:	0.7603361	MEAN MOTION DOT DOT/6:	-0.11660e-5
ARG. OF PERIGEE:	179.3215	BSTAR:	0.0001

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 74.8 min  
MAXIMUM  $\Delta I$ : 3.2 deg

**COMMENTS**

Detected by software.

This was the second fragmentation of a CZ-3 third stage. Like the prior event, this event occurred within hours of launch and separation of the payload. Cataloging was delayed by high eccentricity of orbit.





The Chinasat 6A CZ-3B R/B debris cloud of 22 fragments cataloged up to 5 years after the event.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: PRC  
LAUNCH DATE: 1 Nov 2010  
DRY MASS (KG): 3062  
MAIN BODY: Cylinder; 3.0 m diameter x 12.4 m long  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: status unknown at time of event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	1 Nov 2010	LOCATION:	4.407S, 328.867E (asc)
TIME:	1731 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	33,072.2 km		

**PRE-EVENT ELEMENTS**

EPOCH:	10305.30000000	MEAN ANOMALY:	132.3340
RIGHT ASCENSION:	284.6090	MEAN MOTION:	2.28504000
INCLINATION:	20.4700	MEAN MOTION DOT/2:	0.00000669
ECCENTRICITY:	0.7313927	MEAN MOTION DOT DOT/6:	-0.74391e-6
ARG. OF PERIGEE:	179.8990	BSTAR:	0.0

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 446.6 min  
MAXIMUM  $\Delta I$ : 3.1 deg

**COMMENTS**

This was the third known fragmentation of a CZ-3 third stage. Like the prior event, this event occurred within hours of launch and separation of the payload.

**REFERENCE DOCUMENT**

“New Satellite Fragmentations Add to Debris Population”, The Orbital Debris Quarterly News, NASA JSC, January 2011.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv15i1.pdf>.



The CZ-3C R/B debris cloud of 30 fragments cataloged up to 4 years after the event.

**SATELLITE DATA**

TYPE:	Mission Related Debris
OWNER:	CIS
LAUNCH DATE:	21 Sep 2000
DRY MASS (KG):	375
MAIN BODY:	toroidal fuel tank; 0.821 m tank diameter x 3.44 m overall diameter
MAJOR APPENDAGES:	none
ATTITUDE CONTROL:	none
ENERGY SOURCES:	unknown

**EVENT DATA**

DATE:	3-4 Aug 2015	LOCATION:	unknown
TIME:	unknown	ASSESSED CAUSE:	unknown
ALTITUDE:	unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	15214.44003403	MEAN ANOMALY:	298.4148
RIGHT ASCENSION:	218.9517	MEAN MOTION:	11.24281384
INCLINATION:	51.4462	MEAN MOTION DOT/2:	0.00000437
ECCENTRICITY:	0.1913343	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	234.4912	BSTAR:	0.0011788

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	TBD min
MAXIMUM $\Delta I$ :	TBD deg

**COMMENTS**

The parent body is assumed to be the jettisonable auxiliary fuel tank discarded by the Fregat-SB upper stage. Twenty-four debris were observed but none have entered the SSN catalog.

**REFERENCE DOCUMENTS**

“Fragmentation of *Fregat* Upper Stage Debris”, The Orbital Debris Quarterly News, NASA JSC, April 2016.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNV20i1-2.pdf>.

Insufficient data to construct a Gabbard diagram.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: PRC  
LAUNCH DATE: 19 Dec 2011  
DRY MASS (KG): 3062  
MAIN BODY: Cylinder; 3.0 m diameter x 12.4 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: status unknown at time of event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	21 Dec 2011	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	11355.16500251	MEAN ANOMALY:	285.0544
RIGHT ASCENSION:	335.3965	MEAN MOTION:	1.91939558
INCLINATION:	24.3335	MEAN MOTION DOT/2:	-0.00001209
ECCENTRICITY:	0.7584148	MEAN MOTION DOT DOT/6:	0.0
ARG. OF PERIGEE:	179.8362	BSTAR:	-0.00031775

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 91.3 min  
MAXIMUM  $\Delta I$ : 2.4 deg

**COMMENTS**

This was the fourth fragmentation of a CZ-3 third stage. Like prior events, this event occurred within two days of launch and separation of the payload.

**REFERENCE DOCUMENT**

“Only a few minor satellite breakups in 2011”, *The Orbital Debris Quarterly News*, NASA JSC, January 2012.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv16i1.pdf>.



The CZ-3C R/B debris cloud of 16 fragments cataloged up to 2.7 years after the event.

**SATELLITE DATA**

TYPE:	Rocket Body
OWNER:	PRC
LAUNCH DATE:	24 Feb 2012
DRY MASS (KG):	3062
MAIN BODY:	Cylinder; 3.0 m diameter x 12.4 m length
MAJOR APPENDAGES:	none
ATTITUDE CONTROL:	status unknown at time of event
ENERGY SOURCES:	on-board propellants

**EVENT DATA**

DATE:	26 Feb 2012	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

**PRE-EVENT ELEMENTS**

EPOCH:	12056.56279906	MEAN ANOMALY:	353.3665
RIGHT ASCENSION:	35.2298	MEAN MOTION:	2.27377203
INCLINATION:	20.6965	MEAN MOTION DOT/2:	0.00007641
ECCENTRICITY:	0.7327583	MEAN MOTION DOT DOT/6:	0.0000012139
ARG. OF PERIGEE:	180.1005	BSTAR:	0.00010000

**DEBRIS CLOUD DATA**

MAXIMUM $\Delta P$ :	56.1 min
MAXIMUM $\Delta I$ :	2.6 deg


**COMMENTS**

This was the fifth fragmentation of a CZ-3 third stage. Like its preceding event, this event occurred within two days of launch and separation of the Beidou G5 spacecraft.

**REFERENCE DOCUMENT**

“Chinese Rocket Body Explosions Continue”, The Orbital Debris Quarterly News, NASA JSC, April 2012.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv16i2.pdf>.





The CZ-3C R/B debris cloud of 15 fragments cataloged up to 2.6 years after the event.

**SATELLITE DATA**

TYPE: *Briz-M* Upper Stage Core  
OWNER: CIS  
LAUNCH DATE: 17 May 2012  
DRY MASS (KG): 1220  
MAIN BODY: cylinder 2.49 m diameter x 2.65 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE:	23 Dec 2015	LOCATION:	11.9N, 178E (dsc)
TIME:	1600 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	24,310 km		

**PRE-EVENT ELEMENTS**

EPOCH:	15356.29062075	MEAN ANOMALY:	128.0880177
RIGHT ASCENSION:	68.3779	MEAN MOTION:	1.76901584
INCLINATION:	12.0183	MEAN MOTION DOT/2:	-0.00000143
ECCENTRICITY:	0.4187335	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	203.9714	BSTAR:	0.00000

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 13.9 min  
MAXIMUM  $\Delta I$ : 0.09 deg

**COMMENTS**

Eight debris (in addition to the parent object) have been officially cataloged. Debris in deep-space orbits are difficult for the SSN to track and catalog. Hundreds of additional fragments could be on-orbit.

**REFERENCE DOCUMENTS**

“Briz-M Core Stage Fragments in Elliptical Orbit”, [The Orbital Debris Quarterly News](http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNV20i1-2.pdf), NASA JSC, April 2016.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNV20i1-2.pdf>.



The *Briz-M* debris cloud; debris cataloged approximately 39 days after the event.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 6 August 2012  
DRY MASS (KG): 2510  
MAIN BODY: Cylinder + toroid; 4.1 m diameter x 2.65 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none at the time of the event  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 16 Oct 2012  
TIME: 1631 GMT  
ALTITUDE: 273.061 km  
LOCATION: 32.447N, 335.711E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 12289.67349823  
RIGHT ASCENSION: 103.4658  
INCLINATION: 49.8913  
ECCENTRICITY: 0.2633226  
ARG. OF PERIGEE: 127.8077  
MEAN ANOMALY: 259.1600  
MEAN MOTION: 10.14046751  
MEAN MOTION DOT/2: 0.00003146  
MEAN MOTION DOT DOT/6: 0.0000019595  
BSTAR: 0.00011788

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 38.9 min  
MAXIMUM  $\Delta I$ : 0.8 deg


**COMMENTS**

The dry mass quoted above includes that of the *Briz-M* core stage and the toroidal Auxiliary Propulsion Tank (APT)—sometimes referred to as the Additional Fuel Tank (AFT); the malfunction stranding the stage in its elliptical orbit occurred prior to APT jettison. The event occurred almost 70 days after launch. An estimated 10 metric tons of propellant was aboard.

**REFERENCE DOCUMENT**

“Upper Stage Explosion Places LEO Satellites at Risk”, The Orbital Debris Quarterly News, NASA JSC, January 2013.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv17i1.pdf>.

“New Russian Launch Failure Raises Breakup Concern”, The Orbital Debris Quarterly News, NASA JSC, October 2012.  
Available online at <http://orbitaldebris.jsc.nasa.gov/newsletter/pdfs/ODQNv16i4.pdf>.



The *Briz-M* R/B debris cloud of 113 fragments cataloged up to 3 weeks after the event.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: USA  
LAUNCH DATE: 29 Sep 2013  
DRY MASS (KG): 3900 kg  
MAIN BODY: cylinder; 3.66 m diameter x ~ 14 m length  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: active, 3 axis RCS  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE: 29 Sep 2013  
TIME: 1641 GMT  
ALTITUDE: 1204.12 km  
LOCATION: 78.026S, 8.302E (asc)  
ASSESSED CAUSE: Unknown

**PRE-EVENT ELEMENTS**

EPOCH: 13272.73704787  
RIGHT ASCENSION: 315.1956  
INCLINATION: 80.9876  
ECCENTRICITY: 0.0693087  
ARG. OF PERIGEE: 153.5198  
MEAN ANOMALY: 327.9211  
MEAN MOTION: 13.93734602  
MEAN MOTION DOT/2: 0.00000033  
MEAN MOTION DOT DOT/6: 0.0  
BSTAR: 0.0 (unavailable)

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 2.1 min  
MAXIMUM  $\Delta I$ : 0.16 deg

**COMMENTS**

The elements listed above are from the first published TLE; the epoch time is approximately one hour and 21 seconds after the debris-producing event. This was the first flight of the Falcon 9 v1.1 second stage. The second stage engine restart, intended to cast the vehicle into its disposal orbit, failed.

**REFERENCE DOCUMENT**

“Upper Stage of New Falcon 9 Rocket Did Not Explode After Launch, SpaceX Says”,  
<http://www.space.com/23038-spacex-falcon-9-rocket-explosion-rumors.html>, retrieved 23 April 2015.



The Falcon 9 R/B debris cloud of 15 fragments cataloged within 2 weeks of the event.

**SATELLITE DATA**

TYPE: payload  
OWNER: ESA  
LAUNCH DATE: 3 Apr 2014  
DRY MASS (KG): 2170  
MAIN BODY: cubical 3.9 m x 2.6 m x 2.5 m spacecraft envelope  
MAJOR APPENDAGES: dual solar arrays and synthetic aperture radar antenna  
ATTITUDE CONTROL: three-axis stabilized  
ENERGY SOURCES: monopropellant, batteries, gyroscope, reaction wheels

**EVENT DATA**

DATE:	23 Aug 2016	LOCATION:	72.03S, 39.59E (dsc)
TIME:	1707 GMT	ASSESSED CAUSE:	Collision, accidental
ALTITUDE:	723.20 km		

**PRE-EVENT ELEMENTS**

EPOCH:	16235.56155967	MEAN ANOMALY:	283.0743
RIGHT ASCENSION:	241.4752	MEAN MOTION:	14.59198146
INCLINATION:	98.1816	MEAN MOTION DOT/2:	+0.00000017
ECCENTRICITY:	0.0001365	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	77.0610	BSTAR:	+0.000013361

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 2.9 min  
MAXIMUM  $\Delta I$ : 0.1 deg


**COMMENTS**

This event is categorized as an accidental collision with a small particle. Normally, an event of this nature would have been categorized as an anomalous event; however, spacecraft attitude control was upset by the solar array impact and on-board cameras were able to document the before/after state of the penetrated solar array. While either small, un-cataloged debris or a micrometeoroid could have been this event's projectile, the source of the resulting tracked and cataloged debris was unambiguous.

**REFERENCE DOCUMENT**

Collecte Localisation Satellites, "Sentinel-1A Debris Collision August 2016," MPC-S1 (18 October 2016). Retrieved 28 September 2018 from [https://sentinel.esa.int/documents/247904/2142675/Sentinel-1A\\_Debris\\_Collision\\_August\\_2016\\_MPC.pdf](https://sentinel.esa.int/documents/247904/2142675/Sentinel-1A_Debris_Collision_August_2016_MPC.pdf).





The Sentinel 1A debris cloud; debris cataloged within approximately 18 days of the event.

**SATELLITE DATA**

TYPE: Soyuz-U (SL-4) Third Stage Rocket Body  
OWNER: CIS  
LAUNCH DATE: 28 April 2015  
DRY MASS (KG): 2400  
MAIN BODY: 2.66 m diameter x 8.1 m long cylinder  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: three-axis  
ENERGY SOURCES: on-board propellants

**EVENT DATA**

DATE:	28 April 2015	LOCATION:	TBD
TIME:	07:18:35 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	TBD km		

**PRE-EVENT ELEMENTS**

EPOCH:	TBD	MEAN ANOMALY:	TBD
RIGHT ASCENSION:	TBD	MEAN MOTION:	TBD
INCLINATION:	TBD	MEAN MOTION DOT/2:	TBD
ECCENTRICITY:	TBD	MEAN MOTION DOT DOT/6:	TBD
ARG. OF PERIGEE:	TBD	BSTAR:	TBD


**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : unknown  
MAXIMUM  $\Delta I$ : unknown

**COMMENTS**

In addition to the parent body, 20 debris have been cataloged. Due to the low altitude of the event, all had decayed from orbit by 7 May 2015.

**REFERENCE DOCUMENTS**



The SL-4 R/B debris cloud cataloged between 28 April and 1 May 2015.

**SATELLITE DATA**

TYPE: *Briz-M* Upper Stage Core  
OWNER: CIS  
LAUNCH DATE: 13 Dec 2015  
DRY MASS (KG): 1220  
MAIN BODY: cylinder 2.49 m diameter x 2.65 m long  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none at time of event  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE:	16 Jan 2016	LOCATION:	0.18S, 223.0E (dsc)
TIME:	0350 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	34,880.09 km		

**PRE-EVENT ELEMENTS**

EPOCH:	16015.10700804	MEAN ANOMALY:	221.1059
RIGHT ASCENSION:	135.1430	MEAN MOTION:	1.04652118
INCLINATION:	0.1737	MEAN MOTION DOT/2:	-0.00000109
ECCENTRICITY:	0.0286832	MEAN MOTION DOT DOT/6:	0.00000
ARG. OF PERIGEE:	5.8561	BSTAR:	0.00000

**DEBRIS CLOUD DATA**


MAXIMUM  $\Delta P$ : 33.1 min  
MAXIMUM  $\Delta I$ : 0.7 deg

**COMMENTS**

Seven debris (including the parent object) have been officially cataloged. Debris in deep-space orbits are difficult for the SSN to track and catalog. Hundreds of additional fragments could be on-orbit.

**REFERENCE DOCUMENTS**

“Briz-M Core Stage Fragments Near Geosynchronous Orbit”, [The Orbital Debris Quarterly News](https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i1-2.pdf), NASA JSC, April 2016. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i1-2.pdf>.



The *Briz-M* debris cloud; debris cataloged up to 127 days after the event.

**SATELLITE DATA**

TYPE: payload  
OWNER: Japan  
LAUNCH DATE: 17 Feb 2016  
DRY MASS (KG): < 2700  
MAIN BODY: cylinder 1.8 m diameter x 7.9 m long (13.6 m length overall after EOB erection)  
MAJOR APPENDAGES: Solar Array Paddles (SAP) and Extensible Optical Bench (EOB)  
ATTITUDE CONTROL: three-axis stabilized  
ENERGY SOURCES: propellant, batteries, reaction wheels

**EVENT DATA**

DATE: 26 Mar 2016  
TIME: 0142 GMT  
ALTITUDE: 573.92 km  
LOCATION: 20.82N, 267.36E (asc)  
ASSESSED CAUSE: Propulsion

**PRE-EVENT ELEMENTS**

EPOCH: 16084.46380907  
RIGHT ASCENSION: 87.9716  
INCLINATION: 31.0065  
ECCENTRICITY: 0.0011434  
ARG. OF PERIGEE: 273.0633  
MEAN ANOMALY: 86.8693  
MEAN MOTION: 14.98194942  
MEAN MOTION DOT/2: +0.00001057  
MEAN MOTION DOT DOT/6: 0.00000  
BSTAR: +0.00008

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 0.47 min  
MAXIMUM  $\Delta I$ : 0.02 deg


**COMMENTS**

This event is categorized as a propulsion-induced structural failure.

**REFERENCE DOCUMENTS**

“ASTRO-H Spacecraft Fragments During Payload Check-out Operations”, The Orbital Debris Quarterly News, NASA JSC, October 2016. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i4.pdf>.

JAXA, “Hitomi Experience Report: Investigation of Anomalies Affecting the X-ray Astronomy Satellite ‘Hitomi’ (ASTRO-H),” 8 June 2016 edition. Retrieved 1 October 2016 from [http://global.jaxa.jp/projects/sat/astro\\_h/topics.html?utm\\_source=dlvr.it&utm\\_medium=twitter#topics7815](http://global.jaxa.jp/projects/sat/astro_h/topics.html?utm_source=dlvr.it&utm_medium=twitter#topics7815)



The Hitomi debris cloud; debris cataloged up to approximately one year after the event.

**SATELLITE DATA**

TYPE: Mission Related Debris  
OWNER: CIS  
LAUNCH DATE: 26 Dec 2017  
DRY MASS (KG): 375  
MAIN BODY: toroidal fuel tank; 0.821 m tank diameter x 3.44 m overall diameter  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none  
ENERGY SOURCES: unknown

**EVENT DATA**

DATE: 12 Feb 2018  
TIME: 0957 GMT  
ALTITUDE: 396.48 km  
LOCATION: 38.06N, 117.94E (asc)  
ASSESSED CAUSE: unknown

**PRE-EVENT ELEMENTS**

EPOCH: 18041.75579119  
RIGHT ASCENSION: 273.8260  
INCLINATION: 50.4229  
ECCENTRICITY: 0.2212829  
ARG. OF PERIGEE: 98.0587  
MEAN ANOMALY: 287.5127  
MEAN MOTION: 10.99960807  
MEAN MOTION DOT/2: 0.00005800  
MEAN MOTION DOT DOT/6: 0.0000034339  
BSTAR: 0.00020634

**DEBRIS CLOUD DATA**

MAXIMUM  $\Delta P$ : 26.3 min  
MAXIMUM  $\Delta I$ : 0.3 deg


**COMMENTS**

The parent body is assumed to be the jettisonable auxiliary fuel tank discarded by the Fregat-SB upper stage.

**REFERENCE DOCUMENT**

“Fragmentation of *Fregat-SB* Upper Stage Debris”, The Orbital Debris Quarterly News, NASA JSC, May 2018.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv22i2.pdf>.





The Fregat-SB Auxiliary Propellant Tank debris cloud, composed of parent body and four fragments; debris cataloged up to 11 days after the event.



## 3.0 SATELLITE ANOMALOUS EVENTS

This section describes the identified anomalous events compiled throughout the years of the Satellite Catalog and orbital debris analysis associated with this volume. No exhaustive search for anomalous events has yet been conducted, although the following compilation should represent the most significant events noted thus far.

### 3.1 *Background and Status*

As defined in the introduction of this volume, an anomalous event is the unplanned separation, usually at low velocity, of one or more detectable objects from a satellite that remains essentially intact. The assessment that the configuration of the parent satellite has not changed significantly is to a degree subjective and is often based on indirect parameters and not on detailed imagery.

Anomalous events can be caused by material deterioration of items such as thermal blankets, protective shields, or solar panels and by impacts of small debris, either natural or man-made. Other satellite deteriorations, *e.g.*, paint debonding, are known to take place, but are undetectable with the sensors of the US SSN. Interestingly, 39 of the 78 satellites in this section, half, are U.S. with another (JASON 1) being a joint U.S.-French spacecraft, 25 are CIS, 3 are French, 2 each are ESA, Indian, and Canadian, and 1 each are from Japan, Indonesia, and the People's Republic of China; additionally, 1 is from a commercial organization headquartered in Luxembourg, SES. Of the 78 satellites, 57 are payloads and 21 are rocket bodies. These events are summarized in Tables 3.1 and 3.2.

Because of the usually low velocity of debris ejection and the potential delay in detecting debris liberated in small numbers, the accuracy of the calculated time of separation is often degraded. Hence, only the month and year of each event are provided, although in some cases the time of the event has been narrowed to a shorter interval. As in the previous section, orbital altitudes are cited to the nearest 5 km based on a mean Earth radius and on the last element set prior to the assessed event date.

Anomalous event debris often exhibit unusually high decay rates, which are indicative of high area-to-mass ratios. This feature, coupled with the normal small size of the debris, hinders official tracking and cataloging. Consequently, some debris are observed but are lost or decay before being assigned a permanent catalog number. The numbers of cataloged debris listed in this section are only from the anomalous events and do not include normal mission related debris identified with the particular launch nor the parent itself.

Historically, anomalous events have often been confused with satellite breakups and have not been the subject of separate, extensive analyses. The list of events in this section is known to be incomplete. Several other satellites have been tentatively tagged as sources of anomalous events. Moreover, preliminary satellite catalog surveys suggest that additional anomalous events have occurred but remain unrecognized as such. Table 3.2 suggests a potential correlation of anomalous events with high solar activity. This section will be updated as future studies warrant.

For additional information on anomalous events, see “Environmentally induced Debris Sources,” N. L. Johnson, Second World Space Congress, October 2002.

### **3.2    *Identified Satellite Anomalous Events***

Much like section 2.2 above, this section identifies particulars for the limited number of anomalous events thus far cataloged. There is no Gabbard Diagram included with these events, and each page often refers to multiple events. The first known date of the first anomalous event is categorized for each satellite. Where possible the best estimate of the cause and potential failure are noted in the comments section.

**TABLE 3.1 HISTORY OF SATELLITE ANOMALOUS EVENTS BY LAUNCH DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
VANGUARD 3	1959-007A	20	18-Sep-59	14-Feb-06	1	2	0	3310	510	33.4
TRANSIT 5B-2	1963-049B	704	5-Dec-63	9/10-Jan-98	1	2	2	1110	1060	90.1
ELEKTRON 1	1963-006A	746	30-Jan-64	prior to 1-Jan-80	1	24	1	6900	416	60.9
OPS 4412 (TRANSIT 9)	1964-026A	801	4-Jun-64	Dec-80	4	4	0	930	845	90.5
COSMOS 44 R/B	1964-053B	877	28-Aug-64	Nov-90	1	1	1	775	655	65.1
OPS 4988 (GREB 6)	1965-016A	1271	9-Mar-65	Nov-80	1	1	1	935	900	70.1
OPS 4682 (SNAPSHOT)	1965-027A	1314	3-Apr-65	1-Nov-79	7	158	158	1320	1270	90.3
OPS 8480 (TRANSIT 5B-6)	1965-048A	1420	24-Jun-65	Aug-80	4	9	0	1135	1025	89.9
ALOUETTE 2	1965-098A	1804	29-Nov-65	Aug-90	2	2	0	2705	505	79.8
FR-1 R/B	1965-101B	1815	6-Dec-65	21-Mar-03	1	2	0	660	655	75.8
OPS 1509 (TRANSIT 10)	1965-109A	1864	22-Dec-65	30-Nov-96	2	2	1	1065	895	89.1
OPS 1593 (TRANSIT 11)	1966-005A	1952	28-Jan-66	Apr-80	4	7	1	1205	855	89.8
OPS 1117 (TRANSIT 12)	1966-024A	2119	26-Mar-66	Jul-81	1	3	2	1115	890	89.9
NIMBUS 2	1966-040A	2173	15-May-66	Nov-97	Many	66	66	1175	1095	100.4
OPS 0856	1966-077A	2403	19-Aug-66	Mar-91	5	25	25	3710	3660	89.7
OPS 0100 (TRANSIT 15)	1967-034A	2754	14-Apr-67	Sep-92	1	5	4	1065	1035	90.1
OPS 7218 (TRANSIT 16)	1967-048A	2807	18-May-67	Feb-95	1	4	2	1090	1060	89.6
OPS 4947 (TRANSIT 17)	1967-092A	2965	25-Sep-67	Apr-81	4	7	0	1110	1035	89.3
COSMOS 206 R/B	1968-019B	3151	14-Mar-68	Nov-90	1	0	0	515	450	81.2
ISIS 1	1969-009A	3669	30-Jan-69	24-May-07	1	2	2	3455	580	88.5
TRANSIT 19	1970-067A	4507	27-Aug-70	7-Mar-98	1	1	0	1205	945	90.0
METEOR 1-7 R/B	1971-003B	4850	20-Jan-71	Jun-87	1	1	0	665	535	81.2
METEOR 1-12 R/B	1972-049B	6080	30-Jun-72	Sep-89	1	1	1	935	860	81.2
COSMOS 539	1972-102A	6319	21-Dec-72	21-Apr-02	1	1	0	1380	1340	74.0
GEOS 3 R/B	1975-027B	7735	9-Apr-75	Mar-78	1	3	2	845	835	115.0
KYOKKOH 1 (EXOS-A)	1978-014A	10664	4-Feb-78	Jan-88	2	2	0	4220	760	65.0
SEASAT	1978-064A	10967	27-Jun-78	Jul-83	>12	18	1	780	780	108.0
COSMOS 1043	1978-094A	11055	10-Oct-78	Feb-93	1	1	0	435	435	81.2
TIROS-N	1978-096A	11060	13-Oct-78	Sep-87	2	5	0	855	835	99.0
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	May-81	2	1	0	955	935	99.3
NOAA 6	1979-057A	11416	27-Jun-79	Sep-92	2	3	1	805	790	98.7
METEOR 2-5	1979-095A	11605	31-Oct-79	prior to 1-Jan-05	Multiple	83	60	881	862	81.2
METEOR 2-7	1981-043A	12456	14-May-81	Mar-04	1	20	15	895	825	81.3
METEOR 2-7 R/B	1981-043B	12457	14-May-81	Oct-96	1	1	1	920	825	81.3

**TABLE 3.1 HISTORY OF SATELLITE ANOMALOUS EVENTS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	Jul-98	1	0	0	33415	85	62.0
NOAA 7	1981-059A	12553	23-Jun-81	26-Jul-93	2	6	1	835	830	98.9
COSMOS 1417 R/B	1982-102B	13618	19-Oct-82	Early-09	1	1	1	1000	955	83.0
NOAA 8	1983-022A	13923	28-Mar-83	Early-05	2	4	3	810	790	98.7
OSCAR 30	1985-066A	15935	3-Aug-85	Nov-86	2	2	2	1255	1000	89.9
COSMOS 1689 R/B	1985-090B	16111	3-Oct-85	5-May-02	1	1	1	565	510	97.7
NOAA 10	1986-073A	16969	17-Sep-86	Jun-07	2	4	1	810	790	98.7
COSMOS 1818	1987-011A	17369	1-Feb-87	4-Jul-08	1	0	0	800	775	65.0
COSMOS 1823	1987-020A	17535	20-Feb-87	Apr-May 97	3	3	3	1525	1480	73.6
COSMOS 1867	1987-060A	18187	10-Jul-87	21-Mar to 4- Apr-14	1	0	0	800	775	65.0
METEOR 2-17	1988-005A	18820	30-Jan-88	2000-2001	2	0	0	960	936	82.5
COSMOS 1939 R/B	1988-032B	19046	20-Apr-88	30-Jul-96	2	2	2	655	585	97.6
NOAA 11	1988-089A	19531	24-Sep-88	24-Nov-10	1	2	2	850	835	98.8
COBE	1989-089A	20322	18-Nov-89	Mar-93	12	78	2	885	870	99.0
NADEZHDA 2 R/B	1990-017B	20509	27-Feb-90	22-Jun-05	1	1	1	1015	950	83.0
HST	1990-037B	20580	24-Apr-90	5-Aug-03	1	1	0	575	570	28.5
NOAA 12	1991-032A	21263	14-May-91	2-Oct-11	1	4	4	815	800	98.7
OKEAN 3	1991-039A	21397	4-Jun-91	12-Oct-98	1	1	0	655	620	82.5
ERS-1	1991-050A	21574	17-Jul-91	7-Jul-02	7	7	7	800	750	98.5
SARA	1991-050E	21578	17-Jul-91	22-Aug-03	3	4	0	730	730	98.1
ERS-1 R/B	1991-050F	21610	17-Jul-91	Apr-01	1	1	0	770	770	98.2
UARS	1991-063B	21701	12-Sep-91	10-Nov-07	3	5	0	485	355	57.0
EKA 1 (START 1)	1993-014A	22561	25-Mar-93	4-Mar-98	1	2	2	970	685	75.8
START 1 R/B	1993-014B	22562	25-Mar-93	Late-02	Multiple	56	22	920	680	75.8
USA 106 (DMSP 5D-2 F12)	1994-057A	23233	29-Aug-94	23-Oct-16	1	4	4	848	832	99.1
COSMOS 2297 R/B	1994-077B	23405	24-Nov-94	Jun-98	2?	1	0	845	845	71.0
NOAA 14	1994-089A	23455	30-Dec-94	Jul-12	1	1	1	860	850	98.8
ERS-2	1995-021A	23560	21-Apr-95	24-Jul-03	Multiple	6	5	787	785	98.6
ERS-2 R/B	1995-021B	23561	21-Apr-95	prior to 1-Jan- 18	1	1	1	772	762	98.8
KOREASAT 1 R/B	1995-041B	23640	5-Aug-95	6-Dec-95	1	1	0	1375	935	26.7
RADARSAT R/B	1995-059B	23711	4-Nov-95	30-Jan-96	1	2	0	1495	935	100.6
IRS B3	1996-017A	23827	21-Mar-96	Oct-00	1	1	0	822	820	98.6
IRIDIUM 47	1997-082C	25106	20-Dec-97	7-Jun-14	1	10	7	781	778	86.4
FUSE	1999-035A	25791	24-Jun-99	6-Jun-04	1	9	0	760	745	25.0

**TABLE 3.1 HISTORY OF SATELLITE ANOMALOUS EVENTS BY LAUNCH DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
TELKOM 1	1999-042A	25880	12-Aug-99	25-Aug-17	1	0	0	35793	35781	0.0112
IKONOS 2	1999-051A	25919	24-Sep-99	19-Mar-01	1	1	0	680	680	98.2
JASON 1	2001-055A	26997	7-Dec-01	16-Mar-02	1	2	2	1345	1330	66.0
IRIDIUM 91	2002-005A	27372	11-Feb-02	30-Nov-14	1	4	2	781	777	86.4
AMC-9 (GE-12)	2003-024A	27820	6-Jun-03	17-Jun-17	1	0	0	35798	35774	0.0174
BLITS	2009-049G	35871	17-Sep-09	22-Jan-13	1	1	1	825	815	98.6
WORLDVIEW 2	2009-055A	35946	8-Oct-09	18-Jul-16	1	16	16	768	767	98.5
HAIYANG 2A	2011-043A	37781	15-Aug-11	6/7-Jul-14	2	3	0	965	965	99.0
RISAT 1	2012-017A	38248	26-Apr-12	30-Sep-16	1	1	0	544	538	97.6
BRIZ-KM R/B	2015-020E	40556	31-Mar-15	29-Apr-15	1	6	6	1342	1339	82.5
					<b>TOTALS</b>	<b>722</b>	<b>446</b>			

**TABLE 3.2 HISTORY OF SATELLITE ANOMALOUS EVENTS BY EVENT DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
GEOS 3 R/B	1975-027B	7735	9-Apr-75	Mar-78	1	3	2	845	835	115.0
OPS 4682 (SNAPSHOT)	1965-027A	1314	3-Apr-65	1-Nov-79	7	158	158	1320	1270	90.3
ELEKTRON 1	1963-006A	746	30-Jan-64	prior to 1-Jan-80	1	24	1	6900	416	60.9
OPS 1593 (TRANSIT 11)	1966-005A	1952	28-Jan-66	Apr-80	4	7	1	1205	855	89.8
OPS 8480 (TRANSIT 5B-6)	1965-048A	1420	24-Jun-65	Aug-80	4	9	0	1135	1025	89.9
OPS 4988 (GREB 6)	1965-016A	1271	9-Mar-65	Nov-80	1	1	1	935	900	70.1
OPS 4412 (TRANSIT 9)	1964-026A	801	4-Jun-64	Dec-80	4	4	0	930	845	90.5
OPS 4947 (TRANSIT 17)	1967-092A	2965	25-Sep-67	Apr-81	4	7	0	1110	1035	89.3
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	May-81	2	1	0	955	935	99.3
OPS 1117 (TRANSIT 12)	1966-024A	2119	26-Mar-66	Jul-81	1	3	2	1115	890	89.9
SEASAT	1978-064A	10967	27-Jun-78	Jul-83	>12	18	1	780	780	108.0
OSCAR 30	1985-066A	15935	3-Aug-85	Nov-86	2	2	2	1255	1000	89.9
METEOR 1-7 R/B	1971-003B	4850	20-Jan-71	Jun-87	1	1	0	665	535	81.2
TIROS-N	1978-096A	11060	13-Oct-78	Sep-87	2	5	0	855	835	99.0
KYOKKOH 1 (EXOS-A)	1978-014A	10664	4-Feb-78	Jan-88	2	2	0	4220	760	65.0
METEOR 1-12 R/B	1972-049B	6080	30-Jun-72	Sep-89	1	1	1	935	860	81.2
ALOUETTE 2	1965-098A	1804	29-Nov-65	Aug-90	2	2	0	2705	505	79.8
COSMOS 44 R/B	1964-053B	877	28-Aug-64	Nov-90	1	1	1	775	655	65.1
COSMOS 206 R/B	1968-019B	3151	14-Mar-68	Nov-90	1	0	0	515	450	81.2
OPS 0856	1966-077A	2403	19-Aug-66	Mar-91	5	25	25	3710	3660	89.7
OPS 0100 (TRANSIT 15)	1967-034A	2754	14-Apr-67	Sep-92	1	5	4	1065	1035	90.1
NOAA 6	1979-057A	11416	27-Jun-79	Sep-92	2	3	1	805	790	98.7
COSMOS 1043	1978-094A	11055	10-Oct-78	Feb-93	1	1	0	435	435	81.2
COBE	1989-089A	20322	18-Nov-89	Mar-93	12	78	2	885	870	99.0
NOAA 7	1981-059A	12553	23-Jun-81	26-Jul-93	2	6	1	835	830	98.9
OPS 7218 (TRANSIT 16)	1967-048A	2807	18-May-67	Feb-95	1	4	2	1090	1060	89.6
KOREASAT 1 R/B	1995-041B	23640	5-Aug-95	6-Dec-95	1	1	0	1375	935	26.7
RADARSAT R/B	1995-059B	23711	4-Nov-95	30-Jan-96	1	2	0	1495	935	100.6
COSMOS 1939 R/B	1988-032B	19046	20-Apr-88	30-Jul-96	2	2	2	655	585	97.6
METEOR 2-7 R/B	1981-043B	12457	14-May-81	Oct-96	1	1	1	920	825	81.3
OPS 1509 (TRANSIT 10)	1965-109A	1864	22-Dec-65	30-Nov-96	2	2	1	1065	895	89.1
COSMOS 1823	1987-020A	17535	20-Feb-87	Apr-May 97	3	3	3	1525	1480	73.6
NIMBUS 2	1966-040A	2173	15-May-66	Nov-97	Many	66	66	1175	1095	100.4
TRANSIT 5B-2	1963-049B	704	5-Dec-63	9/10-Jan-98	1	2	2	1110	1060	90.1



**TABLE 3.2 HISTORY OF SATELLITE ANOMALOUS EVENTS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
EKA 1 (START 1)	1993-014A	22561	25-Mar-93	4-Mar-98	1	2	2	970	685	75.8
TRANSIT 19	1970-067A	4507	27-Aug-70	7-Mar-98	1	1	0	1205	945	90.0
COSMOS 2297 R/B	1994-077B	23405	24-Nov-94	Jun-98	2?	1	0	845	845	71.0
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	Jul-98	1	0	0	33415	85	62.0
OKEAN 3	1991-039A	21397	4-Jun-91	12-Oct-98	1	1	0	655	620	82.5
METEOR 2-17	1988-005A	18820	30-Jan-88	2000-2001	2	0	0	960	936	82.5
IRS B3	1996-017A	23827	21-Mar-96	Oct-00	1	1	0	822	820	98.6
IKONOS 2	1999-051A	25919	24-Sep-99	19-Mar-01	1	1	0	680	680	98.2
ERS-1 R/B	1991-050F	21610	17-Jul-91	Apr-01	1	1	0	770	770	98.2
JASON 1	2001-055A	26997	7-Dec-01	16-Mar-02	1	2	2	1345	1330	66.0
COSMOS 539	1972-102A	6319	21-Dec-72	21-Apr-02	1	1	0	1380	1340	74.0
COSMOS 1689 R/B	1985-090B	16111	3-Oct-85	5-May-02	1	1	1	565	510	97.7
ERS-1	1991-050A	21574	17-Jul-91	7-Jul-02	7	7	7	800	750	98.5
START 1 R/B	1993-014B	22562	25-Mar-93	Late-02	Multiple	56	22	920	680	75.8
FR-1 R/B	1965-101B	1815	6-Dec-65	21-Mar-03	1	2	0	660	655	75.8
ERS-2	1995-021A	23560	21-Apr-95	24-Jul-03	Multiple	6	5	787	785	98.6
HST	1990-037B	20580	24-Apr-90	5-Aug-03	1	1	0	575	570	28.5
SARA	1991-050E	21578	17-Jul-91	22-Aug-03	3	4	0	730	730	98.1
METEOR 2-7	1981-043A	12456	14-May-81	Mar-04	1	20	15	895	825	81.3
FUSE	1999-035A	25791	24-Jun-99	6-Jun-04	1	9	0	760	745	25.0
METEOR 2-5	1979-095A	11605	31-Oct-79	prior to 1-Jan-05	Multiple	83	60	881	862	81.2
NOAA 8	1983-022A	13923	28-Mar-83	Early-05	2	4	3	810	790	98.7
NADEZHDA 2 R/B	1990-017B	20509	27-Feb-90	22-Jun-05	1	1	1	1015	950	83.0
VANGUARD 3	1959-007A	20	18-Sep-59	14-Feb-06	1	2	0	3310	510	33.4
ISIS 1	1969-009A	3669	30-Jan-69	24-May-07	1	2	2	3455	580	88.5
NOAA 10	1986-073A	16969	17-Sep-86	Jun-07	2	4	1	810	790	98.7
UARS	1991-063B	21701	12-Sep-91	10-Nov-07	3	5	0	485	355	57.0
COSMOS 1818	1987-011A	17369	1-Feb-87	4-Jul-08	1	0	0	800	775	65.0
COSMOS 1417 R/B	1982-102B	13618	19-Oct-82	Early-09	1	1	1	1000	955	83.0
NOAA 11	1988-089A	19531	24-Sep-88	24-Nov-10	1	2	2	850	835	98.8
NOAA 12	1991-032A	21263	14-May-91	2-Oct-11	1	4	4	815	800	98.7
NOAA 14	1994-089A	23455	30-Dec-94	Jul-12	1	1	1	860	850	98.8
BLITS	2009-049G	35871	17-Sep-09	22-Jan-13	1	1	1	825	815	98.6
COSMOS 1867	1987-060A	18187	10-Jul-87	21-Mar to 4-Apr-14	1	0	0	800	775	65.0

**TABLE 3.2 HISTORY OF SATELLITE ANOMALOUS EVENTS BY EVENT DATE (CONT'D)**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	ON-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
IRIDIUM 47	1997-082C	25106	20-Dec-97	7-Jun-14	1	10	7	781	778	86.4
HAIYANG 2A	2011-043A	37781	15-Aug-11	6/7-Jul-14	2	3	0	965	965	99.0
IRIDIUM 91	2002-005A	27372	11-Feb-02	30-Nov-14	1	4	2	781	777	86.4
BRIZ-KM R/B	2015-020E	40556	31-Mar-15	29-Apr-15	1	6	6	1342	1339	82.5
WORLDVIEW 2	2009-055A	35946	8-Oct-09	18-Jul-16	1	16	16	768	767	98.5
RISAT 1	2012-017A	38248	26-Apr-12	30-Sep-16	1	1	0	544	538	97.6
USA 106 (DMSP 5D-2 F12)	1994-057A	23233	29-Aug-94	23-Oct-16	1	4	4	848	832	99.1
AMC-9 (GE-12)	2003-024A	27820	6-Jun-03	17-Jun-17	1	0	0	35798	35774	0.0174
TELKOM 1	1999-042A	25880	12-Aug-99	25-Aug-17	1	0	0	35793	35781	0.0112
ERS-2 R/B	1995-021B	23561	21-Apr-95	prior to 1-Jan-18	1	1	1	772	762	98.8
					<b>TOTALS</b>	<b>722</b>	<b>446</b>			

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 18 Sep 1959  
DRY MASS (KG): 45  
MAIN BODY: 50.8 cm sphere with third stage attached  
MAJOR APPENDAGES: 66 cm boom(s)  
ATTITUDE CONTROL: spin stabilized

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 14 Feb 2006

APOGEE	PERIGEE	PERIOD	INCLINATION
3310	510	125.14 min	33.4 deg

**COMMENTS**

At the time of the event, Vanguard 3 was the 5<sup>th</sup> oldest object in orbit. Two objects released, although the second object was not cataloged until May 2007.

**REFERENCE DOCUMENT**

“First Satellite Breakups of 2006”, The Orbital Debris Quarterly News, NASA JSC, July 2006.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV10i3.pdf>.

“Detection of Debris from Chinese ASAT Test Increases; One Minor Fragmentation Event in Second Quarter of 2007”, The Orbital Debris Quarterly News, NASA JSC, July 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV11i3.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 5 December 1963  
DRY MASS (KG): 75  
MAIN BODY: Octagon; 0.46 m diameter by 0.5 m length  
MAJOR APPENDAGES: Boom  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 9-10 January 1998

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
1110 km	1060 km	106.98 min	90.1 deg

**COMMENTS**

One of several Transit-class spacecraft involved in anomalous events. Spacecraft may have experienced earlier anomalous events in 1960's and 1970's. Only one object associated with January 1998 event.

**SATELLITE DATA**

TYPE: payload  
OWNER: CIS  
LAUNCH DATE: 30 Jan 1964  
DRY MASS (KG): 329  
MAIN BODY: Cylinder with hemispherical ends; 0.75 m diameter by 1.3 m length  
MAJOR APPENDAGES: Six solar arrays, antennas  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: prior to 1 January 1980

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
6900 km	416 km	166.8 min	60.9 deg

**COMMENTS**

“Event Data” is for epoch of 3 January 1980, given the uncertainty in actual time of separation event(s). It is likely that four of the 24 anomalous debris are associated with other space missions, including the sole piece on orbit as of this edition.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 4 June 1964  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient boom

**EVENT DATA**

KNOWN EVENTS: 4  
FIRST DATE: December 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
930 km	845 km	102.7 min	90.5 deg

**COMMENTS**

Second event observed July 1982. The third event occurred in May 1994. Fourth event date not determined but also close to May 1994. First fragment decayed rapidly; the second decayed more slowly. Two latest pieces not cataloged as of publication date. One of several known Transits involved in anomalous events.

**COSMOS 44 R/B**

**1964-053B**

**877**

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 28 August 1964  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: Late-1990

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
775 km	655 km	99.1 min	65.1 deg

**COMMENTS**

Cosmos 44 was the first prototype spacecraft of the Meteor 1 program. This is one of several Vostok final stages associated with this old program to shed a piece of debris since 1987.

**OPS 4988 (GREB 6)**

**1965-016A**

**1271**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 9 May 1965  
DRY MASS (KG): 40  
MAIN BODY: Sphere  
MAJOR APPENDAGES: Unknown  
ATTITUDE CONTROL: Unknown

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: November 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
935 km	900 km	103.4 min	70.1 deg

**COMMENTS**

No other events observed.



**SATELLITE DATA**

TYPE: Payload (attached to Agena D upper stage)  
OWNER: US  
LAUNCH DATE: 3 April 1965  
DRY MASS (KG): 2500 (approx.)  
MAIN BODY: Cylinder-cone; 1.5 m by 11.6 m  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: 7  
FIRST DATE: November 1979

APOGEE	PERIGEE	PERIOD	INCLINATION
1320 km	1270 km	111.5 min	90.3 deg

**COMMENTS**

Six additional events observed: Dec 1980, Aug 1981, Mar 1983, Aug 1983, Nov 1983, and Jan 1985. Decay rates of all debris are nominal for this altitude. One debris was administratively decayed in February 1989.

**REFERENCE DOCUMENTS**

Investigation of Certain Anomalies Associated with Object 1314, A US Nuclear Powered Satellite, G. T. DeVere, Technical Memorandum 85-S-001, Headquarters NORAD/ADCOM, DCS/Plans, March 1985 (Appendix TM-85-001A, Secret).

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24 June 1965  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: August 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
1135 km	1025 km	106.8 min	89.9 deg

**COMMENTS**

Three additional events observed: one 2 days after the initial event, one in June 1981, and the most recent in late 1999. All debris appear very small. One of several known Transits involved in anomalous events.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**SATELLITE DATA**

TYPE: Payload  
OWNER: Canada  
LAUNCH DATE: 29 November 1965  
DRY MASS (KG): 146  
MAIN BODY: Oblate spheroid; 0.86 m high by 1.1 m diameter  
MAJOR APPENDAGES: 73 m- and 22.8 m-long dipole antennas  
ATTITUDE CONTROL: spin-stabilized

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: August 1990

APOGEE	PERIGEE	PERIOD	INCLINATION
2742 km	506 km	118.7 min	79.8 deg

**COMMENTS**

First event in August 1990 (SSN 20833); second separation event 25 July 1996 (SSN 25058). Both objects displayed a high area-to-mass ratio resulting in relatively rapid decays on 11 February 1992 and 15 December 1999 respectively.

**REFERENCE DOCUMENT**

Corliss, W.R., Scientific Satellites. NASA SP-133 (1967).

**FR-1 R/B**

**1965-101B**

**1815**

### **SATELLITE DATA**

TYPE: Rocket Body  
OWNER: US  
LAUNCH DATE: 6 December 1965  
DRY MASS (KG): 26  
MAIN BODY: Cylinder, 0.64 m diameter by 2.53 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of the event

### **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 21 March 2003

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
660 km	655 km	97.89 min	75.8 deg

### **COMMENTS**

There was only one piece cataloged from the relatively small Scout R/B stage.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 22 December 1965  
DRY MASS (KG): 60  
MAIN BODY: Octagon; 0.5 m diameter by 0.4 m length  
MAJOR APPENDAGES: 4 vanes  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 30 November 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
1065 km	895 km	104.66 min	89.1 deg

**COMMENTS**

One of several Transit-class spacecraft involved in anomalous events. Two debris objects (one cataloged and one not cataloged) were being tracked in 1997.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 28 January 1966  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: 3  
FIRST DATE: April 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
1205 km	855 km	105.8 min	89.8 deg

**COMMENTS**

Two additional events observed: Sep 1980 and Jul 1983. Last event may have originated with a piece of debris from earlier event. One of several known Transits involved in anomalous events.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 26 March 1966  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: July 1981

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
1115 km	890 km	105.1 min	89.9 deg

**COMMENTS**

No other events observed. One of several known Transits involved in anomalous events.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 15 May 1966  
DRY MASS (KG): 414  
MAIN BODY: Conical skeleton; 1.45 m diameter by 3.0 m length  
MAJOR APPENDAGES: 2 Paddles  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: November 1997

APOGEE	PERIGEE	PERIOD	INCLINATION
1175 km	1095 km	108.03 min	100.4 deg

**COMMENTS**

A single piece of debris was detected on 16 November 1997. Separation may have occurred about 1 November. Numerous debris were released from the late 1990's to 2001. See cited reference below.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.



**SATELLITE DATA**

TYPE: Agena D Stage  
OWNER: US  
LAUNCH DATE: 19 August 1966  
DRY MASS (KG): 600  
MAIN BODY: Cylinder; 1.5 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of events

**EVENT DATA**

KNOWN EVENTS: 4  
FIRST DATE: March 1991

APOGEE	PERIGEE	PERIOD	INCLINATION
3710 km	3660 km	167.5 min	89.7 deg

**COMMENTS**

Second, third, and fourth events observed on 16 June 1992, 23 June 1992, and 1 November 1995 respectively. Additional events may have occurred.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 14 April 1967  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: September 1992

APOGEE	PERIGEE	PERIOD	INCLINATION
1065 km	1035 km	106.2	90.1

**COMMENTS**

Event most likely happened around 28 September 1992 based on element data near the event time and analysis using the COMBO algorithm in the SATRAK Astrodynamics Toolkit. One of several Transit-class satellites involved in anomalous events.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 18 May 1967  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient boom

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 11/12 February 1995

APOGEE	PERIGEE	PERIOD	INCLINATION
1090 km	1060 km	106.12 min	89.6 deg

**COMMENTS**

One piece of debris liberated. One of several Transit-class satellites involved in anomalous events.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 25 September 1967  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: 4  
FIRST DATE: April 1981

APOGEE	PERIGEE	PERIOD	INCLINATION
1110 km	1035 km	106.7 min	89.3 deg

**COMMENTS**

Second event observed in August 1986. One of several known Transits involved in anomalous events.

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 14 March 1968  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: Late-1990

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
515 km	450 km	94.3 min	81.2 deg

**COMMENTS**

Cosmos 206 was a prototype spacecraft of the Meteor 1 program. This is one of several Vostok final stages to shed a piece of debris since 1987. One piece of debris was released, although never officially cataloged.

**SATELLITE DATA**

TYPE: Payload  
OWNER: Canada  
LAUNCH DATE: 30 January 1969  
DRY MASS (KG): 240  
MAIN BODY: Cylinder; 1.27 m diameter x 1.07 m length  
MAJOR APPENDAGES: Several antennae  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 24.82 May 2007

APOGEE	PERIGEE	PERIOD	INCLINATION
3455 km	580 km	127.57 min	88.5 deg

**COMMENTS**

One piece of debris cataloged. Altitude at the time of breakup was approximately 2940 km.

**REFERENCE DOCUMENT**

“Two Minor Satellite Fragmentations Identified in the Third Quarter”, The Orbital Debris Quarterly News, NASA JSC, October 2007. Available online at: <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV11i4.pdf>

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 27 August 1970  
DRY MASS (KG): 60  
MAIN BODY: Octagon; 0.5 m diameter by 0.4 m length  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 7 March 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
1205 km	945 km	106.75 min	90.0 deg

**COMMENTS**

One of several Transit-class satellites involved in anomalous events.

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 20 January 1971  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: June 1987

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
665 km	535 km	96.7 min	81.2 deg

**COMMENTS**

No other events observed. One of several Vostok final stages to be involved in anomalous events.



**METEOR 1-12 R/B**

**1972-049B**

**6080**

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 30 June 1972  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: September 1989

APOGEE	PERIGEE	PERIOD	INCLINATION
935 km	860 km	102.9 min	81.2 deg

**COMMENTS**

No other events observed. One of several Vostok final stages involved in anomalous events.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 21 December 1972  
DRY MASS (KG): 600  
MAIN BODY: Unknown  
MAJOR APPENDAGES: Unknown  
ATTITUDE CONTROL: None at the time of the event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: April 2002

APOGEE	PERIGEE	PERIOD	INCLINATION
1380 km	1340 km	112.9 min	74.0 deg

**COMMENTS**

One piece of debris cataloged. It was concluded that because of the deduced debris ejecta velocity, Cosmos 539 was apparently struck by a small meteoroid or man-made object.

**REFERENCE DOCUMENTS**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

“A New Collision in Space?”, The Orbital Debris Quarterly News, NASA JSC, July 2002. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNV7i3.pdf>

**SATELLITE DATA**

TYPE: Delta Second Stage (2410)  
OWNER: US  
LAUNCH DATE: 9 April 1975  
DRY MASS (KG): 900  
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: March 1978

APOGEE	PERIGEE	PERIOD	INCLINATION
845 km	835 km	101.7 min	115.0 deg

**COMMENTS**

Only one event noted with three fragments cataloged 12 March 1978. There was repeated mis-tagging of objects during 1978 among rocket body and debris. One fragment lost in 1978 and administratively decayed in 1983. This event may be related to series of major Delta second stage breakups.

**KYOKKOH 1 (EXOS-A)**

**1978-014A**

**10664**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: Japan  
LAUNCH DATE: 4 February 1978  
DRY MASS (KG): 103  
MAIN BODY: Octagonal cylinder; 0.95 m by 0.8 m  
MAJOR APPENDAGES: 3 small booms  
ATTITUDE CONTROL: Unknown

## **EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: January 1988

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
4219 km	760 km	134.0 min	65.0 deg

## **COMMENTS**

First event (object 18816) may have occurred much earlier than the January 1988 date. Catalog actions taken at the end of 1988. The second event occurred in June 1992. Object 22008 led a short life, decaying on 2 August 1992.

**SATELLITE DATA**

TYPE: Payload (attached to Agena R/B)  
OWNER: US  
LAUNCH DATE: 27 June 1978  
DRY MASS (KG): 2300  
MAIN BODY: Cylinder; 1.5 m diameter by 21 m length  
MAJOR APPENDAGES: 2 solar panels; 1 antenna panel; miscellaneous booms  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: July 1983

APOGEE	PERIGEE	PERIOD	INCLINATION
780 km	780 km	100.5 min	108.0 deg

**COMMENTS**

On average, one piece of debris is released per year, but sometimes in groups. Most debris experience very rapid decay for this altitude. Last known release was in 2007.

**REFERENCE DOCUMENTS**

“Environmentally-Induced Debris Sources,” N.L. Johnson. Journal of Advances in Space Research, Vol. 34, Issue 5, 2004, pp. 993-999.

“Detection of Debris from Chinese ASAT Test Increases; One Minor Fragmentation Event in Second Quarter of 2007”, The Orbital Debris Quarterly News, NASA JSC, July 2007.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv11i3.pdf>.

**COSMOS 1043**

**1978-094A**

**11055**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 10 October 1978  
DRY MASS (KG): 2200 (est.)  
MAIN BODY: Cylinder; dimensions ~1.5 m diameter by 5 m length  
MAJOR APPENDAGES: Solar panels; payload panels; gravity-gradient boom  
ATTITUDE CONTROL: None at time of the event.

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: February 1993

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
437 km	435 km	94.9 min	81.2 deg

## **COMMENTS**

No other satellite of this type has experienced an anomalous event. The piece was cataloged on 28 Feb 93 and decayed on 11 Mar 93. Given prior cataloging practices, other spacecraft could have experienced similar events that went unrecorded.

**TIROS N**

**1978-096A**

**11060**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 13 October 1978  
DRY MASS (KG): 725  
MAIN BODY: Cylinder; 1.9 m diameter by 3.7 m length  
MAJOR APPENDAGES: 1 solar panel  
ATTITUDE CONTROL: None at time of the event

## **EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: September 1987

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
855 km	835 km	101.9 min	99.0 deg

## **COMMENTS**

Both fragments from the first event decayed rapidly during winter of 1988-89. A second event associated with 1978-096A occurred on 23 Feb 96 liberating 1 piece.

**SATELLITE DATA**

TYPE: Delta Second Stage (2910)  
OWNER: US  
LAUNCH DATE: 24 October 1978  
DRY MASS (KG): 900  
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: May 1981

APOGEE	PERIGEE	PERIOD	INCLINATION
955 km	935 km	104.0 min	99.3 deg

**COMMENTS**

Second anomalous event apparently occurred about January 1987. A more prolific event in December 1981 is tentatively categorized as a satellite breakup (see Section 2). The cataloged debris section above refers only to the new fragment observed after the second anomalous event and does not include the Delta second stage that is accounted for in the tables of Section 2. These events may be related to the series of major Delta second stage breakups.



**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 27 June 1979  
DRY MASS (KG): 723  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: 3-axis reaction control

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: September 1992

APOGEE	PERIGEE	PERIOD	INCLINATION
810 km	795 km	100.8 min	98.68 deg

**COMMENTS**

One piece of debris cataloged from the first event. A second event took place in June 1995 with one piece of debris liberated, but none cataloged.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**METEOR 2-5**

**1979-095A**

**11605**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 31 Oct 1979  
DRY MASS (KG): 2750  
MAIN BODY: Cylinder  
MAJOR APPENDAGES: Large Solar Arrays  
ATTITUDE CONTROL: None at the time of event

## **EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: prior to 1 Jan. 2005; orbital data for 1 Jan. 2014.

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
880.7 km	862 km	102.35 min	81.2 deg

## **COMMENTS**

Multiple anomalous debris from multiple individual events; the origination date of the pieces is not conclusive. The last event occurred as recently as late 2013 to early 2014.

**METEOR 2-7**

**1981-043A**

**12456**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 14 May 1981  
DRY MASS (KG): 2750  
MAIN BODY: Cylinder  
MAJOR APPENDAGES: Large Solar Arrays  
ATTITUDE CONTROL: None at the time of event

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: March 2004

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
895 km	825 km	102.15 min	81.3 deg

## **COMMENTS**

Eight pieces of debris cataloged, may have been from two individual events, the origination date of the pieces is not conclusive. The rocket body associated with the launch of this spacecraft experienced an anomalous event over seven years earlier. The events are unrelated.

**METEOR 2-7 R/B**

**1981-043B**

**12457**

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 14 May 1981  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: October 1996

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
920 km	825 km	102.41 min	81.3 deg

**COMMENTS**

One of several Vostok upper stages involved in anomalous events.

**MOLNIYA 3-16 R/B**

**1981-054E**

**12519**

## **SATELLITE DATA**

TYPE: Molniya Final Stage  
OWNER: CIS  
LAUNCH DATE: 9 Jun 1981  
DRY MASS (KG): 1100  
MAIN BODY: Cylinder; 2.7 m diameter by 3 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: July 1998

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
33415 km	85 km	583.42 min	62.0 deg

## **COMMENTS**

No debris was cataloged from this event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 23 June 1981  
DRY MASS (KG): 723  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 26.5 July 1993

APOGEE	PERIGEE	PERIOD	INCLINATION
835 km	830 km	101.6 min	98.9 deg

**COMMENTS**

Two objects were detected by the NAVSPOC and subsequently entered in the US SSN catalog. A piece separation analysis by the NAVSPOC identified the precise time these objects separated from the parent. It is unclear whether this event is a small breakup or whether other explanations such as spacecraft degradation could explain this separation. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 7 payload was inactive for 3 years prior to this event. In 1997 a second, more curious event occurred. Three new debris appeared simultaneously with a discrete decrease in the orbital period of NOAA 7 of approximately 1 second.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**COSMOS 1417 R/B**

**1982-102B**

**13618**

**SATELLITE DATA**

TYPE: Cosmos 3M/SL-8 Second Stage  
OWNER: CIS  
LAUNCH DATE: 19 October 1982  
DRY MASS (KG): 1435  
MAIN BODY: Cylinder; 2.4 m diameter by 6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: early 2009

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
1000 km	955 km	104.6 min	83.0 deg

**COMMENTS**

One piece of debris was cataloged. The object resides in an orbit similar to its parent.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 28.66 March 1983  
DRY MASS (KG): 740  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 2004

APOGEE	PERIGEE	PERIOD	INCLINATION
813 km	790 km	100.9 min	98.7 deg

**COMMENTS**

Four objects, liberated in two unique events, have been cataloged. The first event occurred in in 2004, and the last in 2011 (three debris). All objects displayed very high area-to-mass ratios and have decayed from orbit. Unless other evidence is uncovered, these events will be classified as anomalous events. The NOAA 8 payload employed the Advanced TIROS-N bus and was declared lost on 29 December 1985 following a battery thermal runaway. The battery was destroyed and that event is described in Section 2.



**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 3 August 1985  
DRY MASS (KG): 60  
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m  
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient boom

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 27 December 1991

APOGEE	PERIGEE	PERIOD	INCLINATION
1255 km	1000 km	107.8 min	89.9 deg

**COMMENTS**

Other debris pieces are associated with this dual payload launch. The most recent event identified (SCC 21878) apparently originated from Oscar 30 on 27 December 1991, when a portion of the gravity-gradient boom broke off. One of several Transit-class satellites involved in anomalous events.

**REFERENCE DOCUMENT**

“The Transit System,” L. Lee Pryor, AIAA Paper 92-1708, Applied Physics Laboratory, 1992.

**COSMOS 1689 R/B**

**1985-090B**

**16111**

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 3 October 1985  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: May 2002

APOGEE	PERIGEE	PERIOD	INCLINATION
565 km	510 km	95.4 min	97.7 deg

**COMMENTS**

One of several Vostok stages involved in anomalous events.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 17.66 September 1986  
DRY MASS (KG): 740  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 3  
FIRST DATE: April 2000

APOGEE	PERIGEE	PERIOD	INCLINATION
816 km	799 km	101.0 min	98.6 deg

**COMMENTS**

Four objects, liberated in three unique events, have been cataloged. The first event occurred in April 2000, the second in 2007, and the last in 2010. All objects displayed very high area-to-mass ratios and have decayed from orbit. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 10 payload employed the Advanced TIROS-N bus, was placed into a standby status on 17 September 1991 and had been decommissioned on 30 August 2001.

**SATELLITE DATA**

TYPE: Payload

OWNER: CIS

LAUNCH DATE: 23.86 April 1987

DRY MASS (KG): 2500

MAIN BODY: cylinder-cone 1.4 m diameter x 9.3 m long

MAJOR APPENDAGES: ~ 3 m beam extending from base of cylindrical section

ATTITUDE CONTROL: inactive at time of event

ENERGY SOURCES: inactive nuclear power source; other sources speculative

**EVENT DATA**

KNOWN EVENTS: 1

FIRST DATE: 04 Jul 2008

APOGEE	PERIGEE	PERIOD	INCLINATION
803	774	100.62 min	65.0 deg

**COMMENTS**

Cosmos 1818 was the first of two Plazma-A spacecraft, the second being Cosmos 1867. These spacecraft used a thermionic nuclear power reactor in lieu of the thermoelectric reactors aboard the predecessor Radar Ocean Reconnaissance (RORSAT) spacecraft series. However, like RORSATs, the Plazma-A spacecraft used sodium-potassium (NaK) as a coolant. Cosmos 1818's operational lifetime is estimated to be approximately five months. The event occurred after approximately 21.4 years on orbit. Radar observations indicate signatures consistent with small, metallic spheres, most likely NaK coolant droplets.

**REFERENCE DOCUMENT**

"New Debris Seen from Decommissioned Satellite with Nuclear Power Source", The Orbital Debris Quarterly News, NASA JSC, January 2009. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv13i1.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 20.20 Feb 1987  
DRY MASS (KG): 1500  
MAIN BODY: Cylinder; 2.4 m diameter by 4 m length  
MAJOR APPENDAGES: Gravity-gradient boom; 10 small solar panels  
ATTITUDE CONTROL: Gravity gradient

**EVENT DATA**

KNOWN EVENTS: 3  
FIRST DATE: Apr-May 1997

APOGEE	PERIGEE	PERIOD	INCLINATION
1525 km	1480 km	116.0 min	73.6 deg

**COMMENTS**

Cosmos 1823 appears to have experienced three separate anomalous events, two in 1997 and one in 1999. Because Cosmos 1823 suffered a serious fragmentation in December 1987, the anomalous debris pieces may have been loosely attached to the spacecraft, then separated after continued exposure to the space environment or change in attitude of the spacecraft remnant.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**METEOR 2-17**

**1988-005A**

**18820**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 30 January 1988  
DRY MASS (KG): 2750  
MAIN BODY: Cylinder  
MAJOR APPENDAGES: Large Solar Arrays  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 2000-2001

APOGEE	PERIGEE	PERIOD	INCLINATION
960	936	104 min	82.5 deg

**COMMENTS**

One debris object separated from the parent spacecraft in '00-'01 time frame, the second in the '02-'03 time frame. The debris were tracked under various analyst satellite numbers until being cataloged in 2012 as SSN 38540 and 38543.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 10.65 July 1987  
DRY MASS (KG): 2500  
MAIN BODY: cylinder-cone 1.4 m diameter x 9.3 m long  
MAJOR APPENDAGES: ~ 3 m beam extending from base of cylindrical section  
ATTITUDE CONTROL: inactive at time of event  
ENERGY SOURCES: inactive nuclear power source; other sources speculative

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 21 March to 4 April 2014

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
802	776	100.63 min	65.0 deg

**COMMENTS**

Cosmos 1867 was the second of two Plazma-A spacecraft, the first being Cosmos 1818. These spacecraft used a thermionic nuclear power reactor in lieu of the thermoelectric reactors aboard the predecessor Radar Ocean Reconnaissance (RORSAT) spacecraft series. However, like RORSATs, the Plazma-A spacecraft used sodium-potassium (NaK) as a coolant. Cosmos 1867's operational lifetime is estimated to be approximately five months. The event occurred after approximately 26.9 years on orbit and was an extended event. Radar observations indicate signatures consistent with small, metallic spheres, most likely NaK coolant droplets.

**COSMOS 1939 R/B**

**1988-032B**

**19046**

**SATELLITE DATA**

TYPE: Vostok Final Stage  
OWNER: CIS  
LAUNCH DATE: 20 April 1988  
DRY MASS (KG): 1440  
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of the event.

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 30 July 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
655 km	585 km	97.14 min	97.6 deg

**COMMENTS**

One of several Vostok final stages involved in anomalous events.



**NOAA 11**

**1988-089A**

**19531**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24.42 September 1988  
DRY MASS (KG): 740  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 24 November 2010

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
816 km	799 km	101.0 min	98.6 deg

## **COMMENTS**

Two low area-to-mass ratio objects have been cataloged. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 11 payload employed the Advanced TIROS-N bus and was decommissioned on 16 June 2004. This event occurred approximately 6.4 years after decommissioning.

**COBE**

**1989-089A**

**20322**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 18.61 November 1989  
DRY MASS (KG): 2265  
MAIN BODY: Cylinder; with protective shield, 4.0 m diameter by 5.8 m length  
MAJOR APPENDAGES: 3 - 8.6 m solar arrays  
ATTITUDE CONTROL: Spin stabilized; gyroscopes

## **EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: January 1993

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
885 km	870 km	102.5 min	99.0 deg

## **COMMENTS**

At least 12 separate event dates have been calculated by the NAVSPOC, and other events are certain to have occurred. Through December 1993 the satellite remained active, and the cause of the separations could be determined. No degradation of satellite performance was reported by the satellite operators.

## **REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 27 February 1990  
DRY MASS (KG): 1434  
MAIN BODY: Cylinder; 2.4 m diameter x 6.0 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of the event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 22 June 2005

APOGEE	PERIGEE	PERIOD	INCLINATION
1015	950	104.65 min	83.0 deg

**COMMENTS**

A piece was detected in a more eccentric and higher inclination orbit, indicating that this event may have been a collision with a small, uncataloged object or meteoroid.

**REFERENCE DOCUMENT**

“Recent Satellite Breakups”, The Orbital Debris Quarterly News, NASA JSC, July 2005.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv9i3.pdf>.

**HST**

**1990-037B**

**20580**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24 April 1990  
DRY MASS (KG): 10863  
MAIN BODY: Cylinder  
MAJOR APPENDAGES: Two Solar Array Panels  
ATTITUDE CONTROL: CMG controlled

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: August 2003

APOGEE	PERIGEE	PERIOD	INCLINATION
575 km	570 km	96.1 min	28.5 deg

**COMMENTS**

The Hubble Space Telescope (HST) debris decayed rapidly after the event.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 14.66 May 1991  
DRY MASS (KG): 740  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 2 October 2011

APOGEE	PERIGEE	PERIOD	INCLINATION
815 km	800 km	100 min	98.7 deg

**COMMENTS**

Four low area-to-mass ratio objects have been cataloged. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 12 (NOAA D pre-launch) payload employed the last TIROS-N bus, No. 5, and was decommissioned on 10 August 2007. This event occurred approximately 4.1 years after decommissioning.

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 4 June 1991  
DRY MASS (KG): 1922  
MAIN BODY: Cylinder; 1.4-0.8 m diameter by 3.5 m length  
MAJOR APPENDAGES: Solar arrays, payload trays, radar antenna  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 12 October 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
665 km	620 km	97.5 min	82.5 deg

**COMMENTS**

First event for this type object. No other events observed.

**REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**SATELLITE DATA**

TYPE: Payload

OWNER: ESA

LAUNCH DATE: 17 July 1991

DRY MASS (KG): 2084

MAIN BODY: SPOT Mk. 1 bus. Cubical box. Approximately 2 m x 2 m x 3 m long payload support module; 11.8 m length overall when antennas and solar panel deployed.

MAJOR APPENDAGES: Solar Array Panel, multiple instruments and antennas

ATTITUDE CONTROL: CMG/monopropellant thrusters; inactive at time of event

**EVENT DATA**

KNOWN EVENTS: 7

FIRST DATE: 7 July 2002

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
801.6 km	750.8 km	100.3 min	98.5 deg

**COMMENTS**

Seven debris objects were cataloged from seven unique production events, the most recent being in 2017. The ERS-1 mission ended on 10 March 2000 due to the failure of the attitude control system, approximately 2.3 years before the initial release event.

**SARA**

**1991-050E**

**21578**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: France  
LAUNCH DATE: 17 July 1991  
DRY MASS (KG): 26  
MAIN BODY: Cube; 360 mm per side  
MAJOR APPENDAGES: Several deployable 5 m long antennae  
ATTITUDE CONTROL: None at the time of events

## **EVENT DATA**

KNOWN EVENTS: 3  
FIRST DATE: August 2003

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
730 km	730 km	99.4 min	98.1 deg

## **COMMENTS**

This French “microsat” was no longer active at the time of the events. Some objects may be a piece broken off from any of the long antennae. Follow on events occurred on 17 April 2005 and 15 October 2006. Four debris total have been cataloged from the parent object.



**ERS-1 R/B**

**1991-050F**

**21610**

## **SATELLITE DATA**

TYPE: Ariane 40 Rocket Body  
OWNER: France  
LAUNCH DATE: 17 July 1991  
DRY MASS (KG): 1720  
MAIN BODY: Cylinder; 2.6 m diameter by 10 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: April 2001

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
770 km	770 km	100.2 min	98.2 deg

## **COMMENTS**

One piece of debris cataloged. Parent object was in a sun-synchronous orbit at the time of the event. First occurrence of an anomalous event with an Ariane R/B.

## **REFERENCE DOCUMENT**

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**UARS**

**1991-063B**

**21701**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 12 September 1991  
DRY MASS (KG): 10863  
MAIN BODY: Box; approximately 4.6 m x 4.6 m x 10.7 m long  
MAJOR APPENDAGES: Solar Array Panel, multiple instruments and antennas  
ATTITUDE CONTROL: CMG/torque rod controlled; inactive at time of event

## **EVENT DATA**

KNOWN EVENTS: 3  
FIRST DATE: 10 November 2007

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
483 km	353 km	92.9 min	57 deg

## **COMMENTS**

Five debris objects were cataloged and all debris decayed rapidly after their production events. UARS was decommissioned on 14 December 2005, approximately 1.9 years before this series of events.

**EKA 1 (START 1)**

**1993-014A**

**22561**

**SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 25 March 1993  
DRY MASS (KG): 260  
MAIN BODY: Two cylinders; < 1.5 m diameter  
MAJOR APPENDAGES: Solar panels; gravity-gradient boom  
ATTITUDE CONTROL: Gravity-gradient

**EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: 4 March 1998

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
970 km	685 km	101.43 min	75.8 deg

**COMMENTS**

EKA 1 is a test payload prior to launches of small communications satellites. First orbital launch of Start-1 booster derived from SS-20/SS-25 missiles.

**START 1 R/B**

**1993-014B**

**22562**

**SATELLITE DATA**

TYPE: Rocket Body  
OWNER: CIS  
LAUNCH DATE: 25 March 1993  
DRY MASS (KG): 200  
MAIN BODY: Cylinder; 1.4 m diameter x 2.5 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at the time of the event

**EVENT DATA**

KNOWN EVENTS: Multiple  
FIRST DATE: Late 2002

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
920 km	680 km	100.85 min	75.8 deg

**COMMENTS**

Dozens of pieces have been cataloged from this rocket body, starting in late 2002 through 2005. Exact time and date of the event(s) is unknown. The payload associated with this rocket body, START-1, also experienced an anomalous event in March of 1998, the events are unrelated.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 29 Aug. 1994  
DRY MASS (KG): 767  
MAIN BODY: TIROS N bus. Cylindrical; approximately 1.88 m diameter x 3.71 m long  
MAJOR APPENDAGES: Solar Array Panel, multiple instruments and antennas  
ATTITUDE CONTROL: reaction wheels/monopropellant thrusters; inactive at time of event

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 23 Oct. 2016

APOGEE	PERIGEE	PERIOD	INCLINATION
848 km	832 km	101.7 min	99.1 deg

**COMMENTS**

Four objects were cataloged from a single production event, prior cataloged debris being mission-related. Two line elements are not available for the payload after 2013 but are for the four anomalous debris; payload elements are taken from the 11 October 2016 public satellite catalog. This event may be similar in nature to the breakup events suffered by USA 29 (DMSP 5D-2 F9, SSN 18822), USA 73 (DMSP 5D-2 F11, SSN 21798), and USA 109 (DMSP 5D-2 F13, SSN 23533).

**SATELLITE DATA**

TYPE: Zenit Second Stage  
OWNER: CIS  
LAUNCH DATE: 24 November 1994  
DRY MASS (KG): 8300  
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

**EVENT DATA**

KNOWN EVENTS: 2?  
FIRST DATE: June 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
845 km	845 km	101.82 min	71.0 deg

**COMMENTS**

One piece of debris was cataloged.

**REFERENCE DOCUMENTS**

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Environmentally-Induced Debris Sources, N. L. Johnson, NASA Lyndon B. Johnson Space Center, Second World Space Congress, 2002.

**NOAA 14**

**1994-089A**

**23455**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 30 December 1994  
DRY MASS (KG): 740  
MAIN BODY: Rectangular; 3.71 m by 1.88 m  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: None at the time of event

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: July 2012

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
860 km	850 km	101 min	98.8 deg

## **COMMENTS**

A single low area-to-mass ratio object has been cataloged. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 14 payload employed the Advanced TIROS-N bus and was decommissioned on 23 May 2007.

**ERS-2**

**1995-021A**

**23560**

## **SATELLITE DATA**

TYPE: Payload

OWNER: ESA

LAUNCH DATE: 21 Apr. 1995

DRY MASS (KG): 2216

MAIN BODY: SPOT Mk. 1 bus. Cubical box. Approximately 2 m x 2 m x 3 m long payload support module; 11.8 m length overall when antennas and solar panel deployed.

MAJOR APPENDAGES: Solar Array Panel, multiple instruments and antennas

ATTITUDE CONTROL: CMG/monopropellant thrusters; inactive at time of event

## **EVENT DATA**

KNOWN EVENTS: 4

FIRST DATE: 24 July 2003

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
786.6 km	784.8 km	100.5 min	98.6 deg

## **COMMENTS**

Six debris objects were cataloged from at least four production events, the most recent being in 2011. The ERS-2 spacecraft was decommissioned on 5 Sept. 2011 when it was passivated in accordance with debris mitigation guidelines.



**SATELLITE DATA**

TYPE: Ariane 40+ Rocket Body  
OWNER: France  
LAUNCH DATE: 21 Apr. 1995  
DRY MASS (KG): 1720  
MAIN BODY: Cylinder; 2.6 m diameter by 10 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: prior to 1 Jan. 2018

APOGEE	PERIGEE	PERIOD	INCLINATION
772.4 km	761.6 km	100.1 min	98.8 deg

**COMMENTS**

One piece of debris (SSN 43351) cataloged. Parent object was in a sun-synchronous orbit at the time of the event. "Event data" epoch is 1 Jan. 2018 but actual separation time was earlier.

**KOREASAT 1 R/B**

**1995-041B**

**23640**

**SATELLITE DATA**

TYPE: Delta Second Stage  
OWNER: US  
LAUNCH DATE: 5 August 1995  
DRY MASS (KG): 900  
MAIN BODY: Cylinder; 2.4 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of the event.

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 6 December 1995

APOGEE	PERIGEE	PERIOD	INCLINATION
1375 km	935 km	108.5 min	26.7 deg

**COMMENTS**

One piece was liberated.

**RADARSAT R/B**

**1995-059B**

**23711**

**SATELLITE DATA**

TYPE: Delta Second Stage  
OWNER: US  
LAUNCH DATE: 5 November 1995  
DRY MASS (KG): 900  
MAIN BODY: Cylinder; 2.4 m diameter by 8 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 30 January 1996

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
1495 km	935 km	109.7 min	100.6 deg

**COMMENTS**

One piece was liberated.

**SATELLITE DATA**

TYPE: Payload  
OWNER: India  
LAUNCH DATE: 21 March 1996  
DRY MASS (KG): 838  
MAIN BODY: Cubical box; 1.6 m x 1.6 m by 1.2 m high  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: three-axis stabilized; reaction wheels, torque rods, and monopropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: October 2000

APOGEE	PERIGEE	PERIOD	INCLINATION
821.9 km	820.3 km	101.3 min	98.6 deg

**COMMENTS**

A single relatively high area-to-mass ratio object has been cataloged. "Event Data" epoch is 30 October 2000. Unless other evidence is uncovered, this event will be classified as an anomalous event. The payload was operational at the time of separation and was decommissioned in January 2006.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 20 December 1997  
DRY MASS (KG): 556  
MAIN BODY: Triangular prism, 3.6 m long  
MAJOR APPENDAGES: Two solar arrays, three antennas  
ATTITUDE CONTROL: Three-axis stabilized

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 7 June 2014

APOGEE	PERIGEE	PERIOD	INCLINATION
781 km	778 km	100.4 min	86.4 deg

**COMMENTS**

Ten pieces of debris were cataloged from this event. Three of the cataloged debris had reentered within 10 months indicating relatively large area-to-mass ratios. The event did not affect vehicle operations or performance.

**REFERENCE DOCUMENT**

“Iridium Anomalous Debris Events”, The Orbital Debris Quarterly News, NASA JSC, January 2015.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv19i1.pdf>.

**FUSE**

**1999-035A**

**25791**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24 June 1999  
DRY MASS (KG): 1360  
MAIN BODY: Box; 1.3 m by 0.9 m by 0.9 m  
MAJOR APPENDAGES: Two 3.5 m<sup>2</sup> solar Arrays  
ATTITUDE CONTROL: Three-axis stabilized

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 6 June 2004

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
760 km	745 km	99.90 min	25.0 deg

## **COMMENTS**

Eight pieces of debris were cataloged from this event. An additional piece was detected but never cataloged. The event might have been coincidental with a “safe mode” entry around 5 June 2004, which cause the closing and reopening of several sensor doors. Five of the cataloged debris had reentered within 8 months indicating higher than normal area-to-mass ratios. The event did not affect vehicle operations or performance.

## **REFERENCE DOCUMENT**

“FUSE Satellite Releases Unexpected Debris”, The Orbital Debris Quarterly News, NASA JSC, July 2004. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/ODQNv8i3.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: Indonesia  
LAUNCH DATE: 12 Aug. 1999  
DRY MASS (KG): 1640  
MAIN BODY: Lockheed-Martin A2100A bus. Cubical box; 1.8 m x 1.8 m by 3.7 m high  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: three-axis stabilized; reaction wheels and monopropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 25 Aug. 2017

APOGEE	PERIGEE	PERIOD	INCLINATION
35793 km	35781 km	1436.1 min	0.01 deg

**COMMENTS**

This event occurred after approximately 18.1 years on-orbit, three years past the nominal operational lifetime. The payload was operational at the time of the event. No debris have been cataloged as of this edition.

**REFERENCE DOCUMENT**

“Two Anomalous Events in GEO”, The Orbital Debris Quarterly News, NASA JSC, February 2018.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv22i1.pdf>.

**IKONOS 2**

**1999-051A**

**25919**

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 24.76 September 1999  
DRY MASS (KG): 735  
MAIN BODY: Box; 1.8 m by 1.8 m by 1.6 m  
MAJOR APPENDAGES: 3 solar panels  
ATTITUDE CONTROL: 3 axis stabilization

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 19 March 2001

APOGEE	PERIGEE	PERIOD	INCLINATION
680 km	678 km	98.3 min	98.2 deg

**COMMENTS**

One piece was liberated. A very high ballistic coefficient resulted in the anomalous debris object reentering on 11 April 2001.



**SATELLITE DATA**

TYPE: Payload

OWNER: US-France joint mission

LAUNCH DATE: 7 Dec. 2001

DRY MASS (KG): 472

MAIN BODY: box; 0.95 m x 0.95 m x 2.2 m high

MAJOR APPENDAGES: Solar panels

ATTITUDE CONTROL: three-axis stabilized; reaction wheels and monopropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1

FIRST DATE: 16 Mar. 2002

APOGEE	PERIGEE	PERIOD	INCLINATION
1344.7 km	1332.2 km	112.4 min	66.0 deg

**COMMENTS**

On 16 March 2002 spacecraft controllers noted an attitude upset of the payload. A detailed study of the spacecraft's perturbations allowed analysts to infer that the left solar array had been impacted by a small particle (micrometeoroid or orbital debris unknown). Two anomalous debris were observed and associated with this payload, although the objects did not enter the public catalog until 2009 (SSN 35414) and 2011 (SSN 37379). A second anomaly was experienced in 2005 but there is no evidence that this event liberated debris.

**REFERENCE DOCUMENTS**

"New Evidence of Particle Impact on Jason-1 Spacecraft", The Orbital Debris Quarterly News, NASA JSC, July 2011. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv15i3.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: US  
LAUNCH DATE: 11 February 2002  
DRY MASS (KG): 556  
MAIN BODY: Triangular prism, 3.6 m long  
MAJOR APPENDAGES: Two solar arrays, three antennas  
ATTITUDE CONTROL: Three-axis stabilized

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 30 November 2014

APOGEE	PERIGEE	PERIOD	INCLINATION
781 km	777 km	100.4 min	86.4 deg

**COMMENTS**

Four pieces of debris were cataloged from this event. Two of the cataloged debris had reentered within a year indicating relatively large area-to-mass ratios. The event did not affect vehicle operations or performance.

**REFERENCE DOCUMENT**

“Iridium Anomalous Debris Events”, The Orbital Debris Quarterly News, NASA JSC, January 2015.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv19i1.pdf>.

**SATELLITE DATA**

TYPE: Payload

OWNER: SES (formerly Société Européenne des Satellites; Luxembourg)

LAUNCH DATE: 6 June 2003

DRY MASS (KG): 1663

MAIN BODY: Thales Alenia Space Spacebus-3000B3 bus. Cubical box; 3.2 m x 2.4 m by 4 m high

MAJOR APPENDAGES: Solar panels

ATTITUDE CONTROL: three-axis stabilized; reaction wheels and bipropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1

FIRST DATE: 17 June 2017

APOGEE	PERIGEE	PERIOD	INCLINATION
35798 km	35774 km	1436.1 min	0.02 deg

**COMMENTS**

This event occurred after approximately 14 years on-orbit. The payload was operational at the time of the event and was subsequently boosted to the so-called GEO “graveyard orbit.” No debris have been cataloged as of this edition.

**REFERENCE DOCUMENT**

“Two Anomalous Events in GEO”, The Orbital Debris Quarterly News, NASA JSC, February 2018.  
Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv22i1.pdf>.

**BLITS**

**2009-049G**

**35871**

## **SATELLITE DATA**

TYPE: Payload  
OWNER: CIS  
LAUNCH DATE: 17 September 2009  
DRY MASS (KG): 7.53  
MAIN BODY: Nested spheres; 0.17 m diameter  
MAJOR APPENDAGES: none  
ATTITUDE CONTROL: none

## **EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 22 January 2013

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
825 km	818 km	101.3 min	98.6 deg

## **COMMENTS**

A single piece of debris was produced by this event. There remains uncertainty about the exact nature of this event so it is characterized as an anomalous event at this time.

## **REFERENCE DOCUMENT**

“Small Satellite Possibly Hit by Even Smaller Object”, The Orbital Debris Quarterly News, NASA JSC, April 2013. Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv17i2.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: DigitalGlobe (US)  
LAUNCH DATE: 8 Oct. 2009  
DRY MASS (KG): 2385  
MAIN BODY: Cylinder; 2.5 m diameter x 4.3 m high  
MAJOR APPENDAGES: Solar panels  
ATTITUDE CONTROL: three-axis stabilized; CMGs and monopropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1  
FIRST DATE: 18 July 2016

APOGEE	PERIGEE	PERIOD	INCLINATION
767.9 km	767.0 km	100.2 min	98.5 deg

**COMMENTS**

Nine anomalous debris were initially observed, but sixteen have been cataloged as of this edition. An initial analysis indicated a separation velocity of approximately 3 m/s for the longest-period debris object, and debris were observed with a maximum change, with respect to the parent body, in period of 0.8 minutes and inclination 0.02 deg. Debris were found at semimajor axes both larger and smaller than the parent body, indicating this event was not a simple shedding event. The spacecraft remained operational after the event.

**REFERENCE DOCUMENTS**

“WorldView 2 Spacecraft Fragments in July 2016”, The Orbital Debris Quarterly News, NASA JSC, October 2016. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i4.pdf>.

**SATELLITE DATA**

TYPE: Payload  
OWNER: PRC  
LAUNCH DATE: 15 August 2011  
DRY MASS (KG): 1500?  
MAIN BODY: Box, 3 m x 2 m x 2 m?  
MAJOR APPENDAGES: one solar array  
ATTITUDE CONTROL: Unknown at time of event

**EVENT DATA**

KNOWN EVENTS: 2  
FIRST DATE: 6-7 July 2014

APOGEE	PERIGEE	PERIOD	INCLINATION
969 km	967 km	100.4 min	99.4 deg

**COMMENTS**

Four pieces of debris were produced from these events, of which three entered the catalog. All three of the cataloged debris had reentered by 15 December 2014 indicating relatively large area-to-mass ratios. This spacecraft uses the CAST 968 bus; however, actual physical parameters are highly uncertain.

**REFERENCE DOCUMENT**

“Three Additional Breakups Mar 2014”, The Orbital Debris Quarterly News, NASA JSC, October 2014.  
Available online at <https://orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv18i4.pdf>.

**SATELLITE DATA**

TYPE: Payload

OWNER: India

LAUNCH DATE: 26 Apr. 2012

DRY MASS (KG): 1858 at launch (wet mass)

MAIN BODY: Cubical box; 2 m x 2 m by 5 m high

MAJOR APPENDAGES: Solar panels

ATTITUDE CONTROL: three-axis stabilized; reaction wheels, gyros, and monopropellant reaction control system

**EVENT DATA**

KNOWN EVENTS: 1

FIRST DATE: 30 Sept. 2016

APOGEE	PERIGEE	PERIOD	INCLINATION
543.7 km	538 km	95.4 min	97.6 deg

**COMMENTS**

Over 12 anomalous debris were initially observed, but only one (SSN 41797) has been cataloged as of this edition. All known debris have decayed.

**REFERENCE DOCUMENTS**

“Indian RISAT-1 Spacecraft Experiences Possible Fragmentation”, The Orbital Debris Quarterly News, NASA JSC, October 2016. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv20i4.pdf>.

“Indian RISAT-1 Spacecraft Fragments in Late September - Update”, The Orbital Debris Quarterly News, NASA JSC, February 2017. Available online at <https://www.orbitaldebris.jsc.nasa.gov/quarterly-news/pdfs/odqnv21i1.pdf>.

**BRIZ-KM R/B**

**2015-020E**

**40556**

**SATELLITE DATA**

TYPE: rocket body  
OWNER: CIS  
LAUNCH DATE: 31 Mar. 2015  
DRY MASS (KG): 1220  
MAIN BODY: Cylinder; 2.5 m diameter by 2.6 m length  
MAJOR APPENDAGES: None  
ATTITUDE CONTROL: None at time of event

**EVENT DATA**

KNOWN EVENTS: 1  
DATE: 29 Apr. 2015

<b>APOGEE</b>	<b>PERIGEE</b>	<b>PERIOD</b>	<b>INCLINATION</b>
1342.5 km	1339.2 km	112.5 min	82.5 deg



This Page Intentionally Left Blank

## **4.0 OTHER SATELLITES ASSOCIATED WITH FRAGMENTATIONS**

### **4.1 *Aerodynamic Associations with Fragmentation Events***

Aerodynamic breakups are associated with the breakup of a resident space object caused by interacting with Earth's atmosphere. Forty such events have occurred between 1994 and July 2018. Because of the orbit elements of the parent object at the time of fragmentation, only seven of these events showed any cataloged debris and all parent objects reentered within 1 year of the event (most reentered within a few days). It is understood that only a fraction of these fragmentations can be detected, because of the short remaining life of the parent and debris created. These events have no impact to the mid- or long-term debris environment and therefore, it was deemed more appropriate to separate these from the fragmentations in Chapter 2. The parent object for these aerodynamic events shall not be considered "fragmentation debris" when discussing object categorization. As mentioned, seven of these events produced cataloged debris other than the parent, and these debris objects represent the difference between the decayed fragmentation debris count in Table 1.3.2 and the decayed fragmentation debris count in Tables 2.1 and 2.2.

The following missions, listed by international designator in Table 4.1-1 and by event date in 4.1-2, have been determined to be solely related to aerodynamic effects at the time of reentry and therefore, did not contribute to the orbital environment. Note that the tables strictly interpret cataloging; in the case of there being no cataloged debris there were one to multiple objects observed and decayed prior to entry into the public satellite catalog.

**TABLE 4.1-1 HISTORY OF SATELLITE AERODYNAMIC EVENTS BY LAUNCH DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	REENTRY DATE	DEBRIS CATALOGED	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ADDITIONAL INFORMATION
ELEKTRON 1/2 R/B	1964-006D	751	30-Jan-64	13-Feb-98	15-Feb-98	1	56315	90	56.2	VOSTOK FINAL STAGE
COSMOS 41	1964-049E	898	22-Aug-64	Apr-04	7-May-04	0	~35750	~115	64.5	
COSMOS 862 DEB	1976-105F	9889	22-Oct-76	29-Mar-14	29-May-14	2	14990	110	62.0	
COSMOS 1030	1978-083A	11015	6-Sep-78	14-Aug-04	17-Aug-04	1	~4560	~95	61.9	
COSMOS 1172	1980-028A	11758	12-Apr-80	23-Dec-97	26-Dec-97	1	5125	75	61.8	
COSMOS 1188	1980-050A	11844	14-Jun-80	23-May-13	24-May-13	0	1745	100	62.2	
MOLNIYA 3-16	1981-054A	12512	9-Jun-81	5-Feb-98	10-Feb-98	0	7670	85	62.1	
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	28-Jul-98	30-Apr-99	0	33415	85	62.0	MOLNIYA FINAL STAGE
COSMOS 41 DEB	1964-049F	13091	22-Aug-64	30-Dec-02	31-Dec-02	0	1200	85	64.4	
MOLNIYA 3-19	1982-083A	13432	27-Aug-82	13-Jan-02	13-Jan-02	0	2075	95	62.3	
COSMOS 1658	1985-045A	15808	11-Jun-85	12-Nov-05	12-Nov-05	0	1730	80	62.1	
MOLNIYA 3-26	1985-091A	16112	3-Oct-85	21-Feb-01	22-Feb-01	0	5690	80	62.6	
MOLNIYA 1-66 R/B	1985-103D	16223	28-Oct-85	13-Jan-03	13-Jan-03	0	~1600	~120	62.4	MOLNIYA FINAL STAGE
COSMOS 1701	1985-105A	16235	9-Nov-85	29-Apr-01	11-May-01	0	25570	85	62.9	
COSMOS 1849	1987-048A	18083	4-Jun-87	27-Jan-03	4-Feb-03	0	7450	95	62.1	
COSMOS 1966	1988-076A	19445	30-Aug-88	~02-Nov-05	10-Nov-05	0	11535	90	62.9	
MOLNIYA 3-35	1989-043A	20052	8-Jun-89	14-Dec-01	14-Dec-01	0	593	65	61.9	
MOLNIYA 3-36	1989-094A	20338	28-Nov-89	19-May-00	20-May-00	0	1795	80	63.4	
MOLNIYA 3-36 R/B	1989-094B	20339	28-Nov-89	28-Jun-00	4-Jul-00	0	7145	75	63.6	MOLNIYA FINAL STAGE
MOLNIYA 1-77	1990-039A	20583	26-Apr-90	24-Feb-05	25-Feb-05	0	1710	75	62.0	
MOLNIYA 3-38 R/B	1990-052D	20649	13-Jun-90	~Sep-06	13-Sep-06	0	37710	130	62.4	MOLNIYA FINAL STAGE
COSMOS 2105	1990-099A	20941	20-Nov-90	16-Jan-08	21-Jan-08	0	2470	65	62.6	
MOLNIYA 1-82	1991-053A	21630	1-Aug-91	8-Oct-04	9-Oct-04	0	1510	75	61.7	
COSMOS 2176	1992-003A	21847	24-Jan-92	16-Jan-12	17-Jan-12	0	2555	75	62.1	
MOLNIYA 1-83 R/B	1992-011D	21900	4-Mar-92	26-Sep-06	26-Sep-06	0	1090	70	62.0	MOLNIYA FINAL STAGE
MOLNIYA 1-84	1992-050A	22068	6-Aug-92	3-Apr-08	4-Apr-08	0	2600	80	61.5	
MOLNIYA 3-44	1993-025A	22633	21-Apr-93	25-Jan-04	25-Jan-04	0	~1000	~90	63.4	
MOLNIYA 3-46 R/B	1994-051D	23214	23-Aug-94	17-Feb-08	19-Feb-08	0	5530	115	62.3	MOLNIYA FINAL STAGE
ETS-VI R/B	1994-056B	23231	28-Aug-94	31-Mar-95	2-Apr-95	0	4840	100	28.6	H-II SECOND STAGE
MOLNIYA 3-48	1996-060A	24640	24-Oct-96	13-Oct-07	18-Oct-07	0	7825	100	63.4	
MOLNIYA 3-52	2001-050A	26970	25-Oct-01	5-Dec-11	6-Dec-11	0	2745	85	63.9	
HELLAS SAT-2 R/B	2003-020B	27812	13-May-03	11-Dec-04	12-Dec-04	0	10300	90	17.5	ATLAS V
MOLNIYA 1-93	2004-005A	28163	18-Feb-04	15-Apr-16	16-Apr-16	0	2415	77	62.9	

**TABLE 4.1-1 HISTORY OF SATELLITE AERODYNAMIC EVENTS BY LAUNCH DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	REENTRY DATE	DEBRIS CATALOGED	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ADDITIONAL INFORMATION
USA 195 R/B	2007-046B	32259	11-Oct-07	21-Mar-08	21-Mar-08	0	59015	95	19.2	ATLAS V
CHANG'E R/B	2007-051B	32274	24-Oct-07	27-Jan-08	28-Jan-08	0	6035	80	30.7	CZ-3A FINAL STAGE
CTDRS R/B	2008-019B	32780	25-Apr-08	5-Mar-11	5-Mar-11	1	1065	110	17.9	CZ-3C FINAL STAGE
BRIZ-M TANK	2009-042C	35698	11-Aug-09	21-Jun-10	22-Jun-10	88	1490	90	48.4	Briz-M APT
USA 230 R/B	2011-019B	37482	7-May-11	17-Aug-11	17-Aug-11	1	2285	95	21.0	ATLAS V
BEIDOU IGSO4 R/B	2011-038B	37764	26-Jul-11	2-Mar-12	3-Mar-12	0	1580	95	54.4	CZ-3A FINAL STAGE
BREEZE-M DEB (TANK)	2014-064C	40279	21-Oct-14	17-Jun-15	18-Jun-15	0	4690	100	48.6	Briz-M APT
<b>TOTAL</b>						95				

**TABLE 4.1-2 HISTORY OF SATELLITE AERODYNAMIC EVENTS BY EVENT DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	REENTRY DATE	DEBRIS CATALOGED	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ADDITIONAL INFORMATION
ETS-VI R/B	1994-056B	23231	28-Aug-94	31-Mar-95	2-Apr-95	0	4840	100	28.6	H-II SECOND STAGE
COSMOS 1172	1980-028A	11758	12-Apr-80	23-Dec-97	26-Dec-97	1	5125	75	61.8	
MOLNIYA 3-16	1981-054A	12512	9-Jun-81	5-Feb-98	10-Feb-98	0	7670	85	62.1	
ELEKTRON 1/2 R/B	1964-006D	751	30-Jan-64	13-Feb-98	15-Feb-98	1	56315	90	56.2	VOSTOK FINAL STAGE
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	28-Jul-98	30-Apr-99	0	33415	85	62.0	MOLNIYA FINAL STAGE
MOLNIYA 3-36	1989-094A	20338	28-Nov-89	19-May-00	20-May-00	0	1795	80	63.4	
MOLNIYA 3-36 R/B	1989-094B	20339	28-Nov-89	28-Jun-00	4-Jul-00	0	7145	75	63.6	MOLNIYA FINAL STAGE
MOLNIYA 3-26	1985-091A	16112	3-Oct-85	21-Feb-01	22-Feb-01	0	5690	80	62.6	
COSMOS 1701	1985-105A	16235	9-Nov-85	29-Apr-01	11-May-01	0	25570	85	62.9	
MOLNIYA 3-35	1989-043A	20052	8-Jun-89	14-Dec-01	14-Dec-01	0	593	65	61.9	
MOLNIYA 3-19	1982-083A	13432	27-Aug-82	13-Jan-02	13-Jan-02	0	2075	95	62.3	
COSMOS 41 DEB	1964-049F	13091	22-Aug-64	30-Dec-02	31-Dec-02	0	1200	85	64.4	
MOLNIYA 1-66 R/B	1985-103D	16223	28-Oct-85	13-Jan-03	13-Jan-03	0	~1600	~120	62.4	MOLNIYA FINAL STAGE
COSMOS 1849	1987-048A	18083	4-Jun-87	27-Jan-03	4-Feb-03	0	7450	95	62.1	
MOLNIYA 3-44	1993-025A	22633	21-Apr-93	25-Jan-04	25-Jan-04	0	~1000	~90	63.4	
COSMOS 41	1964-049E	898	22-Aug-64	Apr-04	7-May-04	0	~35750	~115	64.5	
COSMOS 1030	1978-083A	11015	6-Sep-78	14-Aug-04	17-Aug-04	1	~4560	~95	61.9	
MOLNIYA 1-82	1991-053A	21630	1-Aug-91	8-Oct-04	9-Oct-04	0	1510	75	61.7	
HELLAS SAT-2 R/B	2003-020B	27812	13-May-03	11-Dec-04	12-Dec-04	0	10300	90	17.5	ATLAS V
MOLNIYA 1-77	1990-039A	20583	26-Apr-90	24-Feb-05	25-Feb-05	0	1710	75	62.0	
COSMOS 1966	1988-076A	19445	30-Aug-88	~02-Nov-05	10-Nov-05	0	11535	90	62.9	
COSMOS 1658	1985-045A	15808	11-Jun-85	12-Nov-05	12-Nov-05	0	1730	80	62.1	
MOLNIYA 3-38 R/B	1990-052D	20649	13-Jun-90	~Sep-06	13-Sep-06	0	37710	130	62.4	MOLNIYA FINAL STAGE
MOLNIYA 1-83 R/B	1992-011D	21900	4-Mar-92	26-Sep-06	26-Sep-06	0	1090	70	62.0	MOLNIYA FINAL STAGE
MOLNIYA 3-48	1996-060A	24640	24-Oct-96	13-Oct-07	18-Oct-07	0	7825	100	63.4	
COSMOS 2105	1990-099A	20941	20-Nov-90	16-Jan-08	21-Jan-08	0	2470	65	62.6	
CHANG'E R/B	2007-051B	32274	24-Oct-07	27-Jan-08	28-Jan-08	0	6035	80	30.7	CZ-3A FINAL STAGE
MOLNIYA 3-46 R/B	1994-051D	23214	23-Aug-94	17-Feb-08	19-Feb-08	0	5530	115	62.3	MOLNIYA FINAL STAGE
USA 195 R/B	2007-046B	32259	11-Oct-07	21-Mar-08	21-Mar-08	0	59015	95	19.2	ATLAS V
MOLNIYA 1-84	1992-050A	22068	6-Aug-92	3-Apr-08	4-Apr-08	0	2600	80	61.5	
BRIZ-M TANK	2009-042C	35698	11-Aug-09	21-Jun-10	22-Jun-10	88	1490	90	48.4	Briz-M APT
CTDRS R/B	2008-019B	32780	25-Apr-08	5-Mar-11	5-Mar-11	1	1065	110	17.9	CZ-3C FINAL STAGE
USA 230 R/B	2011-019B	37482	7-May-11	17-Aug-11	17-Aug-11	1	2285	95	21.0	ATLAS V

**TABLE 4.1-2 HISTORY OF SATELLITE AERODYNAMIC EVENTS BY EVENT DATE**

SATELLITE NAME	INTERNATIONAL DESIGNATOR	US SATELLITE NUMBER	LAUNCH DATE	BREAKUP DATE	REENTRY DATE	DEBRIS CATALOGED	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ADDITIONAL INFORMATION
MOLNIYA 3-52	2001-050A	26970	25-Oct-01	5-Dec-11	6-Dec-11	0	2745	85	63.9	
COSMOS 2176	1992-003A	21847	24-Jan-92	16-Jan-12	17-Jan-12	0	2555	75	62.1	
BEIDOU IGSO4 R/B	2011-038B	37764	26-Jul-11	2-Mar-12	3-Mar-12	0	1580	95	54.4	CZ-3A FINAL STAGE
COSMOS 1188	1980-050A	11844	14-Jun-80	23-May-13	24-May-13	0	1745	100	62.2	
COSMOS 862 DEB	1976-105F	9889	22-Oct-76	29-Mar-14	29-May-14	2	14990	110	62.0	
BREEZE-M DEB (TANK)	2014-064C	40279	21-Oct-14	17-Jun-15	18-Jun-15	0	4690	100	48.6	Briz-M APT
MOLNIYA 1-93	2004-005A	28163	18-Feb-04	15-Apr-16	16-Apr-16	0	2415	77	62.9	

This Page Intentionally Left Blank

## 4.2 Reactor Coolant Debris

The Soviet Union conducted the Radar Ocean Reconnaissance satellite (RORSAT) program with developmental and operational flights spanning 1965 (Cosmos 102) to 1988 (Cosmos 1932). Starting with Cosmos 198 (1967) large operational debris objects were left in their operational orbit while the nuclear reactor power source was boosted to a higher storage (or “graveyard”) orbit. Beginning with Cosmos 1176 (1980) RORSATs routinely ejected their reactor core. This practice resulted in the venting of all or part of the reactor’s Sodium-Potassium (NaK) liquid metal coolant. This population is largely undetectable by the sensors of the Space Surveillance Network (SSN). However, some coolant of sufficient size to be detected by at least some sensors has been cataloged by the SSN. Table 4.2 lists the coolant objects cataloged as of 4 July 2018.

**TABLE 4.2: CATALOGED RORSAT PROGRAM NAK COOLANT DEBRIS**

<i>international designator</i>	<i>common name</i>	<i>Total coolant cataloged</i>	<i>coolant on- orbit</i>
1976-103	COSMOS 860	3	3
1980-034	COSMOS 1176	2	2
1981-021	COSMOS 1249	17	17
1981-037	COSMOS 1266	1	1
1982-099	COSMOS 1412	1	1
1984-069	COSMOS 1579	31	31
1987-011	COSMOS 1818*	29	29
1987-060	COSMOS 1867*	40	40

\*not operational RORSAT program element; discussed in Section 3.

## 4.3 Spurious Associations with Fragmentation Events

Satellite fragmentation lists compiled by other organizations, in particular by the National Security Council and NAVSPASUR, were carefully reviewed during the preparation of the fourth edition of the History of On-Orbit Satellite Fragmentations. However, due to the frequent exchange of information within the small orbital debris and space operations community and the long period during which satellite fragmentation lists have been maintained, no current list is completely independent from all others.

These reviews also revealed the need to define better the terms "satellite breakup" and "anomalous event" as discussed in Section 1.0. Many "breakup" lists have historically included entries related to normal launch and mission activities which resulted in numbers of debris in excess of the handful usually observed on these occasions. Some researchers have been misled by tracking difficulties and cataloging procedures that may cause late cataloging or misidentification of debris, superficially giving the appearance of fragmentations. A higher than average number of debris alone is not sufficient to assume a satellite fragmentation. Such pitfalls can generally be avoided



by conducting analyses with complete satellite element set data rather than the limited orbital data available in the U.S. Satellite Catalog.

The following space missions, listed by international designator, have been examined in detail and have failed to qualify as either satellite breakup or anomalous event as set forth in Section 1.0. The source of debris associated with nearly all of these flights is of a mission-related nature. Bolded items indicate the alleged source of the debris when unique or appropriate. The Common Name prefix C indicates a Cosmos-series satellite.

**TABLE 4.3: SPURIOUS ASSOCIATION WITH FRAGMENTATIONS BY LAUNCH DATE**

INT'L DES.	COMMON NAME	S/C	R/B	TOTAL DEBRIS	DEBRIS ON-ORBIT
1963-014	FTV 1169	Payload	Agena B spacecraft	147	48
1965-073	C 86-90	Payload	<b>Cosmos 3</b>	5	5
1965-112	C 103	Payload	<b>Cosmos 3</b>	13	0
1967-001	INTELSAT 2-F2	INTELSAT II	<b>Delta 1 R/B (2): FW-4</b>	17	1
1967-011	<b>Diademe 1</b>	Payload	<b>Diamant</b>	13	0
1967-014	<b>Diademe 2</b>	Payload	<b>Diamant</b>	12	3
1967-024	<b>C 149</b>	DS-MO	Cosmos 2	16	0
1967-086	<b>C 176</b>	DS-P1-Yu	Cosmos 2	9	0
1968-117	C 261	DS-U2-GK	<b>Cosmos 2</b>	22	0
1969-021	C 269	<i>Tselina-O</i>	<b>Cosmos 3</b>	21	0
1970-005	C 320	DS-MO	<b>Cosmos 2</b>	5	0
1970-033	<b>C 334</b>	DS-P1-Yu	Cosmos 2	3	0
1970-065	C 359	Venera	<b>Molniya</b>	2	0
1972-078	<b>C 523</b>	DS-P1-Yu	Cosmos 2	10	0
1973-027	Skylab 1	Skylab workshop	<b>Saturn V</b>	22	0
1973-075	<b>C 601</b>	DS-P1-Yu	Cosmos 2	12	0
1974-074	<b>C 686</b>	DS-P1-Yu	Cosmos 2	18	0
1974-104	<b>Salyut 4</b>	Manned station	Proton	17	0
1976-012	C 801	DS-P1-I	<b>Cosmos 2</b>	15	0
1976-037	<b>C 816</b>	Romb	Cosmos 3	23	0
1976-057	<b>Salyut 5</b>	Manned station	Proton	8	0
1976-124	<b>C 885</b>	<i>Romb</i>	Cosmos 3	17	0
1977-042	<b>C 913</b>	<i>Romb</i>	Cosmos 3	20	0
1977-097	<b>Salyut 6</b>	Manned station	Proton	104	0
1977-111	<b>C 965</b>	<i>Romb</i>	Cosmos 3	25	0
1978-043	C 1004	<i>Zenit-2M</i>	<b>Soyuz</b>	5	0
1978-120	<b>C 1065</b>	Romb	Cosmos 3	6	0

INT'L DES.	COMMON NAME	S/C	R/B	TOTAL DEBRIS	DEBRIS ON- ORBIT
1979-008	<b>C 1074</b>	<i>Soyuz T test vehicle</i>	Soyuz	5	0
1979-063	<b>C 1112</b>	Romb	Cosmos 3	24	0
1980-047	<b>C 1186</b>	<i>Romb</i>	Cosmos 3	25	0
1980-067	<b>C 1204</b>	<i>Romb</i>	Cosmos 3	22	0
1980-083	C 1215	Payload	<b>Cosmos 3</b>	2	0
1981-093	SJ-2/-2A/-2B	Payloads	<b>CZ-2B</b>	6	0
1981-097	<b>C 1311</b>	Romb	Cosmos 3	24	0
1982-006	<b>OPS 2849</b>	Payload	Titan 3B Agena	4	3 (?)
1982-007	<b>C 1335</b>	Romb	Cosmos 3	22	0
1982-033	<b>Salyut 7</b>	Manned station	Proton	197	0
1982-034	<b>C 1351</b>	<i>Romb</i>	Cosmos 3	24	0
1982-076	<b>C 1397</b>	<i>Romb</i>	Cosmos 3	22	0
1983-034	<b>C 1453</b>	<i>Romb</i>	Cosmos 3	22	0
1983-049	<b>C 1465</b>	<i>Romb</i>	Cosmos 3	8	0
1983-091	<b>C 1494</b>	<i>Romb</i>	Cosmos 3	25	0
1983-101	<b>C 1501</b>	<i>Romb</i>	Cosmos 3	24	0
1984-008	STTW-T1	Payload	<b>CZ-3</b>	2	0
1984-104	<b>C 1601</b>	Romb	Cosmos 3	28	0
1985-021	GEOSAT	Payload	<b>Atlas 41E (OIS R/B)</b>	5	3
1985-050	<b>C 1662</b>	Romb	Cosmos 3	27	0
1985-075	<b>C 1677</b>	RORSAT	Tsyklon	2	0
1985-097	C 1697	<i>Tselina-2</i>	<b>Zenit</b>	4	4
1986-017	Mir	Manned station	Proton	323	0
1986-024	<b>C 1736</b>	RORSAT	Tsyklon	28	1
1986-030	C 1741	Payload	<b>Cosmos 3</b>	2	2
1986-052	C 1763	Payload	<b>Cosmos 3</b>	4	3
1986-067	<b>C 1776</b>	Romb	Cosmos 3	28	0
1986-101	C 1809	Payload	<b>Tsyklon</b>	9	9
1988-019	<b>C 1932</b>	RORSAT	Tsyklon	3	2
1988-065	<b>C 1960</b>	Romb	Cosmos 3	28	0
1988-067	FSW-1 2	Payload	<b>CZ-2C</b>	5	0
1988-113	<b>C 1985</b>	Duga-K	Tsyklon	36	0
1989-012	C 2002	<i>Romb</i>	<b>Cosmos 3</b>	10	0
1989-100	<b>C 2053</b>	<i>Duga-K</i>	Tsyklon	37	0
1990-012	C 2059	<i>Romb</i>	<b>Cosmos 3</b>	10	0
1990-038	<b>C 2075</b>	<i>Romb</i>	Cosmos 3	14	0
1990-104	<b>C 2106</b>	<i>Romb</i>	Tsyklon	28	0

INT'L DES.	COMMON NAME	S/C	R/B	TOTAL DEBRIS	DEBRIS ON- ORBIT
1995-008	<b>C 2306</b>	<i>Romb</i>	Cosmos 3	23	0
1998-067	<b>Zarya</b>	International Space Station (ISS)	Proton	107	4

Note: the debris count associated with 1998-067, the International Space Station (ISS), does not include payloads deployed from the ISS by the U.S., the Commonwealth of Independent States (CIS), partners, or participant countries and non-governmental organizations.

For more information on these events, see History of On-orbit Satellite Fragmentations, 4<sup>th</sup> Ed., Jan. 1990; the Interagency Group (Space) Report on Orbital Debris, 1989; and Soviet Space Programs, 1976-80, Part 3, May 1985.

## 5.0 SATELLITES NOT ASSOCIATED WITH BREAKUPS

The table below identifies specific SSN numbers of objects, which possess the same International Designator year and number but are not associated with the indicated event. For example, 1961-015C was an Ablestar rocket body, which broke up. The mission deployed two objects (Transit 4A and Solrad 3/Injun 1) that were not associated with the rocket body explosion. Those two objects are not counted in the 1961-015 totals, although they definitely are associated with the 1961-015 international designator.

Occasionally it is not obvious whether an object should be included in a fragmentation event. In those cases historical research and historical Satellite Catalogs usually reveal whether an object should be included in the count. The list below represents the best summary of excluded objects. The parent object is always considered a fragment. Aerodynamic breakups are included in this list if they produced cataloged fragmentation other than the parent object.

The list below is formatted as follows: The international designator and number of excluded debris in parenthesis are followed by the SSN numbers, which are not debris. A blank line separates years.

### International Designator

1961-015 (2) - 116 117

1962-057 (0) -

1963-047 (0) -

1964-006 (28) - 746 748 750 751 14427 14428 15786 16544 16545 16546 16547 16548 18589 18686 19010  
19173 19990 19991 19992 19993 19994 19995 19996 19997 19998 20101 20224 21621

1964-070 (1) - 920

1965-012 (1) - 1095

1965-020 (3) - 1267 1268 1269

1965-082 (1) - 1641

1965-088 (23) 1707 1708 1740 1741 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796  
1797 1798 1799 1800 1801 1802

1965-108 (4) - 1870 1902 1941 13912

1966-012 (2) - 2012 2014

1966-046 (3) - 2186 2189 2190

1966-056 (3) - 2255 2256 2511

1966-059 (1) - 2291

1966-088 (1) - 2438

1966-101 (0) -

1967-116 (1) - 3048

1968-003 (1) - 3096

1968-025 (1) - 3170

1968-081 (5) - 3428 3429 3430 3431 5999

1968-090 (0) -

1968-091 (1) - 3505

1968-097 (0) -

1968-114 (1) - 3615  
  
 1969-013 (1) - 3691  
 1969-029 (1) - 3835  
 1969-064 (1) - 4051  
 1969-082 (10) - 4111 4132 4166 4168 4237 4247 4256 4257 4259 4295  
  
 1970-025 (2) - 4362 4363  
 1970-089 (1) - 4597  
 1970-091 (0) -  
  
 1971-015 (1) - 4965  
 1971-106 (4) - 5650 5664 5665 5672  
  
 1972-058 (1) - 6126  
  
 1973-017 (1) - 6398  
 1973-021 (4) - 6434 6436 6442 6443  
 1973-086 (1) - 6920  
  
 1974-015 (1) - 7218  
 1974-089 (3) - 7529 7530 7531  
 1974-103 (1) - 7588  
  
 1975-004 (1) - 7615  
 1975-052 (2) - 7924 7965  
 1975-080 (1) - 8192  
 1975-102 (1) - 8417  
  
 1976-063 (1) - 8933  
 1976-067 (2) - 9013 9016  
 1976-072 (1) - 9048  
 1976-077 (1) - 9057  
 1976-105 (3) - 9496 9497 9506  
 1976-120 (2) - 9604 9605  
 1976-123 (4) - 9623 9624 9639 9640  
 1976-126 (3) - 9643 9644 9645  
  
 1977-027 (3) - 9912 9913 9921  
 1977-047 (3) - 10060 10066 10089  
 1977-065 (3) - 10143 10145 10156  
 1977-068 (3) - 10151 10152 10167  
 1977-092 (6) - 10366 10367 10368 10408 10484 11571  
 1977-121 (1) - 10532  
  
 1978-026 (2) - 10702 10703  
 1978-083 (3) - 11016 11017 11076  
 1978-098 (2) - 11080 18605  
 1978-100 (4) - 11084 11085 11086 11177  
  
 1979-017 (3) - 11279 11291 11322  
 1979-033 (2) - 11334 11367  
 1979-058 (3) - 11418 11423 11555  
 1979-077 (3) - 11512 11513 11550  
 1979-101 (2) - 11636 11637  
 1979-104 (3) - 11645 24754 25098

1980-021 (1) - 11730  
 1980-028 (5) - 11758 11759 11760 11761 11762  
 1980-030 (1) - 11766  
 1980-050 (3) - 11845 11846 11847  
 1980-057 (3) - 11872 11873 11888  
 1980-085 (3) - 12033 12034 12035  
 1980-089 (1) - 12055  
  
 1981-016 (4) - 12304 12305 12306 12311  
 1981-028 (1) - 12365  
 1981-031 (3) - 12377 12378 12384  
 1981-053 (1) - 12508  
 1981-058 (3) - 12548 12549 12561  
 1981-071 (3) - 12629 12630 12680  
 1981-072 (1) - 12632  
 1981-088 (5) - 12818 12819 12820 12821 12822  
 1981-089 (1) - 12829  
 1981-108 (3) - 12934 12935 12940  
  
 1982-025 (1) - 13114  
 1982-029 (3) - 13125 13126 13169  
 1982-038 (1) - 13151  
 1982-055 (2) - 13260 13261  
 1982-088 (1) - 13509  
 1982-115 (4) - 13685 13686 13692 13693  
  
 1983-020 (3) - 13901 13903 20413  
 1983-022 (8) - 13924 14477 16502 16503 28604 38839 38840 38841  
 1983-038 (6) - 14036 14037 14038 14041 14042 14043  
 1983-044 (1) - 14065  
 1983-070 (3) - 14183 14184 14191  
 1983-075 (5) - 14208 14209 14229 14631 14928  
 1983-127 (7) - 14590 14591 14592 14593 14594 14595 14607  
  
 1984-011 (6) - 14681 14688 14689 14692 14695 14696  
 1984-083 (1) - 15168  
 1984-106 (6) - 15333 15334 15335 15336 15337 17358  
 1984-114 (2) - 15385 15386  
  
 1985-030 (1) - 15654  
 1985-037 (7) - 15697 15698 15699 15700 15701 15702 15715  
 1985-039 (1) - 15735  
 1985-042 (5) - 15755 15770 15771 15772 15774  
 1985-082 (1) - 16055  
 1985-094 (6) - 16138 16140 16141 16142 16143 16144  
 1985-108 (1) - 16262  
 1985-118 (10) - 16396 16397 16398 16399 16403 16404 16405 16406 16407 16445  
 1985-121 (5) - 16434 16435 16436 16437 16438  
  
 1986-019 (3) - 16613 16614 16616  
 1986-059 (1) - 16896  
 1986-069 (4) - 16946 16947 16948 16949  
  
 1987-004 (1) - 17298  
 1987-020 (4) - 17536 26111 26601 26982

1987-059 (2) - 18185 18186  
 1987-062 (1) - 18215  
 1987-068 (1) - 18312  
 1987-078 (3) - 18350 18351 18353  
 1987-079 (6) - 18355 18356 18357 18358 18359 18360  
 1987-108 (1) - 18714  
 1987-109 (5) - 18715 18716 18717 18718 18722  
  
 1988-005 (3) - 18821 38540 38543  
 1988-006 (4) - 18845 18846 18855 18984  
 1988-007 (1) - 18824  
 1988-023 (1) - 18986  
 1988-040 (1) - 19121  
 1988-085 (6) - 19501 19502 19503 19504 19505 21751  
 1988-109 (3) - 19687 19688 19690  
  
 1989-001 (6) - 19749 19750 19751 19752 19753 19754  
 1989-004 (5) - 19765 19766 19767 19768 19776  
 1989-006 (1) - 19772  
 1989-039 (7) - 20024 20025 20026 20027 20028 20044 20082  
 1989-052 (5) - 20107 20108 20109 20110 20115  
 1989-054 (1) - 20125  
 1989-056 (2) - 20137 20138  
 1989-089 (79) - 20322 20324 20328 22625 22683 22695 22747 22748 22749 22750 22751 22752 22753 22754  
 22755 22756 22757 22758 22759 22760 22761 22762 22763 22764 22765 22766 22767 22768  
 22769 22770 22771 22772 22773 22774 22775 22776 22820 22852 22853 22854 22855 22856  
 22857 22858 22972 23053 23054 23055 23056 23057 23058 23059 23060 23061 23062 23063  
 23064 23065 23066 23067 23068 23069 23070 23071 23072 23073 23074 23075 23076 23077  
 23078 23079 23080 23081 23082 23083 23084 23085 23086  
 1989-100 (38) - 20389 20397 20398 20408 20467 20468 20515 20522 20531 20532 20637 20640 20802 20803  
 20821 20822 20823 20911 21020 21021 21022 21023 21042 21043 21064 21205 21206 21207  
 21537 21540 21767 21768 21769 21770 21771 21772 21773 21774  
 1989-101 (6) - 20391 20392 20393 20394 20400 21648  
  
 1990-045 (5) - 20619 20620 20621 20622 20623  
 1990-081 (7) - 20788 20789 20790 20792 20793 20797 20798  
 1990-087 (1) - 20829  
 1990-102 (5) - 20953 20954 20955 20958 21046  
 1990-105 (1) - 20978  
 1990-110 (6) - 21006 21007 21008 21009 21010 21011  
  
 1991-003 (3) - 21055 21056 21058  
 1991-009 (8) - 21100 21101 21102 21103 21104 21105 21106 21107  
 1991-010 (5) - 21111 21112 21113 21122 21129  
 1991-015 (4) - 21139 21140 21142 21904  
 1991-025 (6) - 21216 21217 21218 21219 21220 21221  
 1991-068 (6) - 21728 21729 21730 21731 21732 21733  
 1991-071 (1) - 21742  
 1991-075 (1) - 21765  
 1991-082 (4) - 21800 21801 21825 21836  
  
 1992-021 (3) - 21939 21940 21942  
 1992-041 (8) - 22027 22028 22033 27484 27485 27486 27487 27675  
 1992-047 (6) - 22056 22057 22058 22059 22060 22061  
 1992-082 (5) - 22245 22246 22247 22248 22249  
 1992-088 (5) - 22269 22270 22271 22272 22273

1992-091 (1) - 22281  
 1992-093 (5) - 22284 22290 22291 22292 22293  
  
 1993-016 (3) - 22565 22575 22576  
 1993-018 (1) - 22586  
 1993-028 (1) - 22642  
 1993-036 (3) - 22676 23007 25028  
 1993-045 (1) - 22717  
 1993-057 (2) - 22790 22953  
 1993-072 (5) - 22907 22908 22909 22910 22926  
  
 1994-004 (2) - 22973 22987  
 1994-029 (1) - 23105  
 1994-038 (5) - 23168 23169 23170 23171 23172  
 1994-069 (5) - 23327 23328 23329 23330 23339  
 1994-076 (7) - 23396 23397 23398 23399 23400 23401 23403  
 1994-085 (1) - 23439  
  
 1995-015 (4) - 23534 23535 23594 23595  
 1995-028 (1) - 23597  
 1995-033 (3) - 23605 23607 23608  
 1995-037 (9) - 23620 23621 23622 23623 23624 23625 23626 23627 23630  
  
 1996-010 (5) - 23794 23795 23796 23824 24736  
 1996-034 (5) - 23880 23881 23882 23883 23886  
  
 1997-024 (1) - 24806  
 1997-051 (7) - 24944 24945 24947 24948 24949 24950 24951  
 1997-070 (5) - 25045 25046 25047 25048 25053  
 1997-079 (1) - 25089  
 1997-086 (3) - 25126 25127 25128  
  
 1998-011 (1) - 25175  
  
 1999-008 (3) - 25634 25635 25636  
 1999-025 (5) - 25731 25732 25733 37580 37581  
 1999-057 (1) - 25941  
 1999-072 (1) - 26041  
  
 2000-036 (5) - 26394 26395 26396 26397 26399  
 2000-055 (1) - 27477  
  
 2001-049 (3) - 26957 26958 26959  
 2001-057 (1) - 27054  
  
 2002-037 (6) - 27470 27471 27472 27473 27476 27494  
  
 2003-035 (6) - 27857 28084 28085 28086 28087 28088  
  
 2006-002 (1) - 28931  
 2006-006 (1) - 28943  
 2006-015 (5) - 29093 29536 29537 29538 29539  
 2006-026 (1) - 29248  
 2006-037 (4) - 29393 29395 29396 29493  
 2006-039 (2) - 29397 29403  
 2006-050 (5) - 29522 29524 29525 29600 29637



2006-057 (1) - 29652  
 2006-062 (7) - 29670 29671 29672 29673 29674 29675 29682  
  
 2007-003 (2) - 30323 30479  
 2007-005 (14) - 30586 30587 30588 30589 30591 30651 31105 31106 31107 31108 31109 31110  
 31111 31112  
 2007-029 (7) - 31793 31794 31795 31796 31799 43374 43375  
 2007-052 (6) - 32275 32276 32277 32278 32279 32281  
 2007-054 (1) - 32287  
 2007-065 (10) - 32393 32394 32395 32396 32397 32398 32400 32401 32402 32403  
  
 2008-011 (1) - 32708  
 2008-019 (2) - 32779 32780  
 2008-046 (7) - 33378 33379 33380 33381 33382 33383 33384  
 2008-067 (6) - 33466 33467 33468 33469 33470 33471  
  
 2009-018 (1) - 34780  
 2009-042 (3) - 35696 35697 35698  
  
 2010-007 (9) - 36400 36401 36402 36403 36404 36405 36408 36409 36410  
 2010-041 (11) - 37137 37138 37139 37140 37141 37142 37144 37145 37146 37147 37149  
 2010-042 (1) - 37150  
 2010-057 (1) - 37210  
  
 2011-019 (2) - 37481 37482  
 2011-037 (6) - 37755 37757 37758 37759 37760 37761  
 2011-077 (1) - 38014  
  
 2012-008 (2) - 38091 38095  
 2012-026 (2) - 38342 38344  
 2012-044 (2) - 38744 38745  
  
 2013-055 (11) - 39265 39266 39267 39268 39269 39270 39280 39290 39292 39293 39369  
  
 2014-016 (1) - 39634  
  
 2015-024 (1) - 40619  
 2015-075 (2) - 41121 41123  
  
 2016-012 (5) - 41338 41339 41340 41341 41342  
  
 2017-086 (7) - 43087 43088 43090 43091 43092 43093 43094

## 6.0 SATELLITES NOT ASSOCIATED WITH ANOMALOUS EVENTS

The table below identifies specific SSN numbers of objects, which possess the same International Designator year and number but are not associated with the indicated anomalous event. The list below represents the best summary of excluded objects. Parent object is not considered a fragment.

The list below is formatted as follows: The international designator and number of excluded debris in parenthesis are followed by the SSN numbers that are not debris.

### International Designator

1959-007 (1) - 20

1963-049 (12) - 703 704 705 706 715 753 2432 2620 2930 4586 6182 6283

1964-006 (5) - 746 748 750 751 25278  
1964-026 (5) - 801 805 806 809 2986  
1964-053 (2) - 876 877

1965-016 (9) - 1208 1244 1245 1271 1272 1291 1292 1293 1310  
1965-027 (3) - 1314 1315 1316  
1965-048 (6) - 1420 1425 1428 1435 2701 3592  
1965-098 (10) - 1804 1806 1807 1808 1944 1948 1951 2092 2153 20833  
1965-101 (4) - 1814 1815 1934 1935  
1965-109 (5) - 1864 1865 2086 2226 2353

1966-005 (6) - 1952 1953 2140 2141 2889 2989  
1966-024 (3) - 2119 2120 3590  
1966-040 (2) - 2173 2174  
1966-077 (3) - 2403 2411 2412

1967-034 (6) - 2754 2755 2777 2778 6718 7670  
1967-048 (4) - 2807 2811 17723 19222  
1967-092 (4) - 2965 2967 2994 3122

1968-019 (2) - 3150 3151

1969-009 (2) - 3669 3670

1970-067 (5) - 4507 4515 5036 5447 6372

1971-003 (2) - 4849 4850

1972-049 (2) - 6079 6080  
1972-102 (2) - 6319 6320

1975-027 (2) - 7734 7735

1978-014 (6) - 10664 10665 12329 12330 12331 12406  
1978-064 (1) - 10967  
1978-094 (2) - 11055 11056  
1978-096 (3) - 11060 11061 11062  
1978-098 (2) - 11080 11081

1979-057 (3) -	11416 11419 11634
1979-095 (2) -	11605 11608
1981-043 (4) -	12456 12457 15769 25255
1981-054 (5) -	12512 12513 12514 12515 12519
1981-059 (3) -	12553 12559 12560
1982-102 (3) -	13617 13618 37865
1983-022 (9) -	13923 13924 14477 16442 16443 16444 16502 16503 16504
1985-066 (6) -	15935 15936 15938 15950 15951 16020
1985-090 (2) -	16110 16111
1986-073 (4) -	16969 16982 16983 26303
1987-011 (4) -	17369 17370 17399 17400
1987-020 (2) -	17535 17536 (there are over 100 pieces of fragmentation as well)
1987-060 (4) -	18187 18188 18191 18524
1988-005 (46) -	18821 28988 28999 28990 28991 28992 28993 28994 28995 29066 29067 29299 29300 29301 29302 31397 31398 31399 31400 31401 31402 35364 35365 35366 35367 35368 35369 35370 35371 35372 35373 38281 38282 38283 38284 38285 38286 38287 38330 38539 38541 38542 38544 38655 38656 18820
1988-032 (2) -	19045 19046
1988-089 (3) -	19531 19532 19534
1989-089 (2) -	20322 20323
1990-017 (2) -	20508 20509
1990-037 (3) -	20579 20580 22920
1991-032 (3) -	21263 21267 21298
1991-039 (3) -	21397 21398 21842
1991-050 (6) -	21574 21575 21576 21577 21578 21610
1991-063 (2) -	21700 21701
1993-014 (5) -	22561 22562 22567 22568 22599
1994-057 (5) -	23233 23234 23235 12150 23277
1994-077 (11) -	23404 23405 23406 23407 23408 23409 23410 23417 23418 23419 27760
1994-089 (3) -	23455 23457 23458
1995-021 (3) -	23560 23561 28066
1995-041 (3) -	23639 23640 23641
1995-059 (2) -	23710 23711
1996-017 (3) -	23827 23828 31403
1997-082 (7) -	25104 25105 25106 25107 25108 25109 25141
1999-035 (2) -	25791 25792
1999-042 (2) -	25880 25881
1999-051 (3) -	25919 25920 25921

2001-055 (5) - 26997 26998 26999 27000 27497  
2002-005 (6) - 27372 27373 27374 27375 27376 27377  
2003-024 (3) - 27820 27821 28998  
2009-049 (8) - 35865 35866 35867 35868 35869 35870 35871 35872  
2009-055 (2) - 35946 35947  
2011-043 (6) - 37781 37782 38313 38314 38315 38316  
2012-017 (2) - 38248 38249  
2015-020 (5) - 40552 40553 40554 40555 40556

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p><b>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</b></p>						
1. REPORT DATE (DD-MM-YYYY) 11/28/2018		2. REPORT TYPE Technical Memorandum			3. DATES COVERED (From - To) Aug - Oct 2018	
4. TITLE AND SUBTITLE History of On-Orbit Satellite Fragmentations, 15th edition				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Phillip D. Anz-Meador, John N. Opiela, Debra Shoots, and J.-C. Liou				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Lyndon B. Johnson Space Center Houston, Texas 77058				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001				10. SPONSOR/MONITOR'S ACRONYM(S) NASA		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) NASA/TM-2018-220037		
12. DISTRIBUTION/AVAILABILITY STATEMENT Available electronically via the NASA Technical Reports server at <a href="http://www.nttrs.nasa.gov">http://www.nttrs.nasa.gov</a> .						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT The History of On-Orbit Satellite Fragmentations chronicles all known satellite fragmentation events, this 15th edition complete through a suspense date of 4 July 2018. Since the 14th edition breakups, in addition to launch activity, have resulted in an approximately 36% increase in the number of cataloged space objects. More significantly, breakup and anomalous debris accounted for 65% of the catalog growth observed. The reason for these large increases was the first accidental collision of two intact spacecraft, Iridium 33 and Cosmos 2251, and the continued cataloging of debris created by the intentional destruction of the Fengyun 1C spacecraft-the most environmentally harmful fragmentation to date.						
15. SUBJECT TERMS orbital debris; space debris; fragmentations; breakups; anomalous debris; debris environment; Orbital Debris Program Office; ODPO						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)	
U	U	U	UU	636		