Multi-Object Extractor Test Document

A comprehensive document for testing PDF parsing & entity extraction

1. Plain Text Content

This section contains standard prose paragraphs to test basic text extraction capabilities. The NIST Cybersecurity Framework (CSF) provides a policy framework of computer security guidance for how private sector organizations in the United States can assess and improve their ability to prevent, detect, and respond to cyber attacks. Version 2.0 was released in February 2024 and introduces the GOVERN function as a new core pillar alongside IDENTIFY, PROTECT, DETECT, RESPOND, and RECOVER.

ISO/IEC 27001:2022 specifies the requirements for establishing, implementing, maintaining, and continually improving an information security management system (ISMS). Organizations like ACME Corp (headquartered in San Francisco, CA) with over 2,500 employees typically require SOC 2 Type II compliance. Their CISO, Dr. Elena Rodriguez, reported a 34% reduction in security incidents after implementing zero-trust architecture across their AWS infrastructure in us-east-1 and eu-west-2 regions.

1.1 Technical Entities

Common vulnerabilities include CVE-2024-3094 (XZ Utils backdoor, CVSS 10.0), CVE-2023-44487 (HTTP/2 Rapid Reset, CVSS 7.5), and CVE-2024-21762 (Fortinet FortiOS, CVSS 9.6). Affected systems communicate over ports 443/TCP, 8080/TCP, and 53/UDP. The attacker's C2 infrastructure was traced to IP addresses 198.51.100.42, 203.0.113.7, and domain names evil-c2.example.com and malware-drop.test.net.

2. Structured Lists

2.1 Unordered List - OWASP Top 10 (2021)

- A01:2021 - Broken Access Control (moved up from 5th position)
- A02:2021 - Cryptographic Failures (previously Sensitive Data Exposure)
- A03:2021 - Injection (including SQL, NoSQL, OS, LDAP injection)
- A04:2021 - Insecure Design (new category in 2021)
- A05:2021 - Security Misconfiguration (includes XML External Entities)
- A06:2021 - Vulnerable and Outdated Components
- A07:2021 - Identification and Authentication Failures
- A08:2021 - Software and Data Integrity Failures
- A09:2021 - Security Logging and Monitoring Failures
- A10:2021 - Server-Side Request Forgery (SSRF)

2.2 Numbered Steps - Incident Response Process

1. Preparation: Establish incident response team and communication plan
2. Detection & Analysis: Monitor SIEM alerts (Splunk/Elastic) and triage
3. Containment: Isolate affected systems via network segmentation (VLAN 666)
4. Eradication: Remove malware, patch CVEs, reset compromised credentials
5. Recovery: Restore from backup (RPO < 4h, RTO < 8h), validate integrity
6. Lessons Learned: Document timeline, update playbooks, brief C-suite

3. Data Tables

3.1 Risk Assessment Matrix

Threat	Likelihood	Impact	Risk Score	Mitigation
Ransomware	High	Critical	9.2	Air-gapped backups + EDR
Phishing	Very High	High	8.7	DMARC + Security training
SQL Injection	Medium	Critical	7.8	WAF + Parameterized queries
DDoS	Medium	High	7.1	CDN + Rate limiting
Insider Threat	Low	Critical	6.5	DLP + UEBA monitoring
Supply Chain	Medium	Critical	8.3	SBOM + Vendor audits
Zero-Day	Low	Critical	7.9	Virtual patching + EDR

3.2 Infrastructure Inventory

Asset ID	Type	OS/Platform	IP Address	Owner	Criticality
SRV-001	Web Server	Ubuntu 22.04	10.0.1.15	DevOps Team	High
SRV-002	Database	RHEL 9.3	10.0.2.30	DBA Team	Critical
SRV-003	API Gateway	Alpine 3.19	10.0.1.20	Platform	High
FW-001	Firewall	FortiOS 7.4	10.0.0.1	NetSec	Critical
LB-001	Load Balancer	F5 BIG-IP	10.0.0.5	NetOps	High
K8S-001	Cluster	K8s 1.29	10.0.3.0/24	Platform	Critical

3.3 Compliance Mapping Table

Control ID	Framework	Description	Status	Evidence
AC-2	NIST 800-53	Account Management	Compliant	IAM Policy v3.2
A.8.1	ISO 27001	Asset Inventory	Partial	CMDB 78% complete
CC6.1	SOC 2	Logical Access	Compliant	Okta SSO logs
PR.AC-1	NIST CSF	Identity Management	Compliant	Azure AD + MFA
164.312(a)	HIPAA	Access Control	N/A	Not in scope
Req 6.2	PCI DSS	Patch Management	Non-Compliant	30-day SLA breached

4. Code & Configuration Blocks

4.1 Python Security Scanner

```
import hashlib
from pathlib import Path

def compute_sha256(file_path: Path) -> str:
    """Compute SHA-256 hash for file integrity verification."""
    sha256 = hashlib.sha256()
    with file_path.open("rb") as f:
        for chunk in iter(lambda: f.read(8192), b""):
            sha256.update(chunk)
    return sha256.hexdigest()

# Expected: a1b2c3d4e5f6...  (64 hex chars)
result = compute_sha256(Path("/etc/passwd"))
```

4.2 YAML Configuration

```
apiVersion: networking.k8s.io/v1
kind: NetworkPolicy
metadata:
  name: restrict-ingress
  namespace: production
spec:
  podSelector:
    matchLabels:
      app: web-api
  policyTypes: ["Ingress"]
  ingress:
    - from:
        - namespaceSelector:
            matchLabels:
              env: production
      ports:
        - protocol: TCP
          port: 8443
```


4.3 SQL Query

```
SELECT u.username, u.email, r.role_name,
       COUNT(al.event_id) AS login_attempts,
       MAX(al.timestamp) AS last_login
FROM users u
JOIN user_roles ur ON u.user_id = ur.user_id
JOIN roles r ON ur.role_id = r.role_id
LEFT JOIN audit_log al ON u.user_id = al.user_id
WHERE al.event_type = 'LOGIN_ATTEMPT'
  AND al.timestamp > NOW() - INTERVAL '30 days'
GROUP BY u.username, u.email, r.role_name
HAVING COUNT(al.event_id) > 10
ORDER BY login_attempts DESC;
```

5. Charts & Graphs


5.1 Bar Chart - Incident Distribution

The following bar chart shows the distribution of cybersecurity incidents across different categories during 2025. Phishing remains the most prevalent attack vector with 342 incidents recorded.




5.2 Pie Chart - Cloud Distribution

Infrastructure distribution across cloud providers shows AWS leading at 34%, followed by Azure at 28%. Multi-cloud adoption continues to grow.


Cloud Infrastructure Distribution
On-Prem
Hybrid
GCP
12.0%
8.0%
18.0%
34.0%
AWS
28.0%
Azure


5.3 Line Chart - Vulnerability Trends

Monthly vulnerability discovery vs patch application rate. The gap between found and patched vulnerabilities (shown in red shading) represents the organization's exposure window. Mean time to patch: 12.3 days.



5.4 Scatter Plot - Risk Assessment


Risk clustering analysis plotting impact score against likelihood score. Four distinct risk clusters were identified using k-means clustering (k=4). Critical assets in the upper-right quadrant require immediate remediation.


Risk Assessment Scatter Plot
Low Risk
Medium Risk
High Risk
Critical
Likelihood Score
Impact Score
1
2
3
4
5
6
7
8
9
0
2
4
6
8

6. Diagrams & Images


6.1 System Architecture Diagram

High-level architecture of the RAG (Retrieval-Augmented Generation) pipeline showing the flow from API Gateway through authentication, vector storage, and the LLM engine. The Knowledge Base serves as the central repository.



6.2 Decorative Image

Sample landscape image to test non-informational image extraction behavior. Extractors should identify this as a decorative/non-text image and handle accordingly.



7. Mixed Content Blocks

This section combines multiple content types on a single page to test the parser's ability to maintain correct reading order and entity boundaries.

7.1 Inline Entities with Table Context

On 2025-03-15, the SOC team at Meridian Technologies (NASDAQ: MRDN) detected anomalous traffic from 192.168.50.0/24 subnet targeting their PostgreSQL cluster on port 5432. The MITRE ATT&CK technique T1190 (Exploit Public-Facing Application) was identified. Contact: soc@meridian-tech.example.com / +1-555-0142.

Timestamp	Source IP	Dest IP	Port	Action	Rule ID
2025-03-15 02:14:33	192.168.50.12	10.0.2.30	5432	BLOCK	FW-2847
2025-03-15 02:14:35	192.168.50.12	10.0.2.30	5432	BLOCK	FW-2847
2025-03-15 02:15:01	192.168.50.18	10.0.2.31	5432	BLOCK	FW-2847
2025-03-15 02:15:44	192.168.50.12	10.0.1.15	8080	ALLOW	FW-1203
2025-03-15 02:16:02	203.0.113.7	10.0.0.5	443	BLOCK	IDS-0091

7.2 Key-Value Metadata Block

Document ID: DOC-2025-00847
Classification: CONFIDENTIAL
Author: Dr. Elena Rodriguez, CISSP
Department: Information Security
Review Date: 2025-06-30
Retention: 7 years (regulatory requirement)
SHA-256: e3b0c44298fc1c149afbf4c8996fb924...

8. Special Content

8.1 Mathematical Notation

Risk quantification formula: Annual Loss Expectancy (ALE) = SLE x ARO, where Single Loss Expectancy (SLE) = Asset Value (AV) x Exposure Factor (EF). For a server worth $150,000 with EF=0.4 and ARO=2.5 events/year: ALE = ($150,000 x 0.4) x 2.5 = $150,000/year.

Shannon Entropy: H(X) = -sum(p(x) * log2(p(x))) for all x in X. For a password with charset=72 and length=16: Entropy = 16 * log2(72) = 98.7 bits (exceeds 80-bit minimum threshold).

8.2 URLs, Emails & Identifiers

Resources:
- NIST NVD: https://nvd.nist.gov/vuln/detail/CVE-2024-3094
- MITRE ATT&CK: https://attack.mitre.org/techniques/T1190/
- Internal Wiki: https://wiki.internal.example.com/security/playbooks
- Contact: security-team@example.com, abuse@example.net
- Slack: #incident-response, #security-alerts
- Jira: SEC-4521, SEC-4522, SEC-4530
- Git commit: a1b2c3d4e5f6a7b8c9d0e1f2a3b4c5d6e7f8a9b0

8.3 Acronyms & Abbreviations

Acronym	Full Form	Domain
SIEM	Security Information & Event Management	Security Ops
SOAR	Security Orchestration, Automation & Response	Security Ops
SBOM	Software Bill of Materials	Supply Chain
CSPM	Cloud Security Posture Management	Cloud
CWPP	Cloud Workload Protection Platform	Cloud
XDR	Extended Detection & Response	Endpoint
UEBA	User & Entity Behavior Analytics	Analytics
ZTNA	Zero Trust Network Access	Network

8.4 Multi-language Content

English: The firewall blocked 1,247 intrusion attempts.
French: Le pare-feu a bloque 1 247 tentatives d'intrusion.
Spanish: El cortafuegos bloqueo 1.247 intentos de intrusion.
German: Die Firewall hat 1.247 Eindringversuche blockiert.