

# MATH 112A - Mathematical Biology

Dani Nguyen

Winter 2025

## Contents

|          |                                           |          |
|----------|-------------------------------------------|----------|
| <b>1</b> | <b>Review</b>                             | <b>1</b> |
| 1.1      | Ordinary Differential Equations . . . . . | 1        |

## 1 Review

### 1.1 Ordinary Differential Equations

An ODE can be written as  $F(y, y', y'', \dots, y^{(k)}) = 0$ . The order of the ODE is the order of the highest derivative.

Linear ODEs are a special class of ODEs that have the form:

$$a_0(t)y + a_1(t)y' + \dots + a_k(t)y^{(k)} = f(t)$$

There exists two special cases:

1. If  $f(t) = 0$  then the linear ODE is called homogeneous.
2. If  $a_i(t)$  are constant and  $f(t) = 0$  then we have a linear homogeneous ODE with constant coefficients.

*ex*

$$y' = 0$$

This is a first order linear homogeneous ODE with constant coefficients.

$$y''' + \sin t \cdot y'' + (t^2 + 1)y + 20t = 0$$

This is a third order linear non-homogeneous ODE

$$y' \cdot y + 20$$

This is a first order non-linear non-homogeneous ODE.

$$y^2 + y'' = 0$$

This is a second order non-linear homogeneous ODE.

The simplest type of ODEs is linear, homogeneous, with constant coefficients.

$$\boxed{ex} \quad y'' + y' - 6y = 0$$

Look for solutions as:

$$\begin{aligned} y &= e^{pt} \\ y' &= pe^{pt} \\ y'' &= p^2 e^{pt} \end{aligned}$$

$$p^2 e^{pt} + pe^{pt} - 6e^{pt} = 0$$

$$p^2 + p - 6 = 0$$

$$\begin{aligned} p &= \frac{-1 \pm 5}{2} \\ &= -3 \text{ or } 2 \end{aligned}$$

The general solution is  $y(t) = Ae^{-3t} + Be^{2t}$  Initial value problem: Suppose

$$y(0) = 1$$

$$y'(0) = 0$$

Then use the general solution to find  $A$  and  $B$

$$y' = -3Ae^{-3t} + 2Be^{2t}$$

$$\begin{cases} y(0) = Ae^{-3 \cdot 0} + Be^{2 \cdot 0} = A + B = 1 \\ y'(0) = -3A + 2B = 0 \end{cases}$$

Solving the linear system gives  $A = \frac{2}{5}$  and  $B = \frac{3}{5}$

$$\boxed{ex} \quad y' + 2y - e^t = 0$$

$$p(t) = 2 \quad q(t) = e^t$$

$$E(t) = \exp \int_0^t p(t) dt = e^{2t}$$

$$ye^{2t} = e^{3t}$$

$$y = \frac{1}{3}e^t + ce^{-2t}$$

Separable ODEs

$$\frac{dy}{dt} = g(y)h(t)$$

$$\frac{dy}{g(y)} = h(t)dt$$

$$\int \frac{dy}{g(y)} = \int h(t)dt$$

A more realistic model of population growth where  $r$  = growth rate and  $k$  = carrying capacity.

$$\frac{dy}{dt} = ry\left(1 - \frac{y}{k}\right)$$

When  $y \ll k$ ,  $\text{RHS} \approx ry$