

## **FOLDABLE HISTORY**





Pister, K. S. J., Judy, M. W., Burgett, S. R. & Fearing, R. S. Microfabricated hinges. Sensors Actuators A Phys. 33, 249–256 (1992).






Fig. 1. Robot manipulator. (a) Structure of an articulated manipulator with revolute joints and mechanical links. (b) Photograph of an operational macroscopic articulated manipulator.




Fig. 2. SEM picture of 1-DOF robotic test structures.

 Yeh, R., Kruglick, E. J. J. & Pister, K. S. J. Microelectromechanical Components For Articulated Microrobots. in Proceedings of the International Solid-State Sensors and Actuators Conference - TRANSDUCERS '95 2, 346-349 (IEEE, 1995).









Figure 8 Processing a concave angle; (a) feature with a concave angle in a solid, (b) overlapping in a flat model, (c) decomposing concave angle



•1. Huang, S. F. Feature decomposition from solid models for automatic flattening. **26**, (1996).







•Reid, J. R., Bright, V. M. & Butler, J. T. Automated assembly of flip-up micromirrors. Sensors Actuators A Phys. 66, 292–298 (1998).







Figure 16: Folding with fixtures.









Figure 15: Sheet metal folding









• Fearing, R. S. et al. Wing transmission for a micromechanical flying insect. in Proceedings 2000 ICRA. Millennium Conference. IEEE International Conference on Robotics and Automation. Symposia Proceedings (Cat. No.00CH37065) 2, 1509–1516 (IEEE, 2000).






Figure 6: Spherical joint design

An assembled wing differential, attached to two four-bars, is shown in Figure 7. Experimental results with this mechanism with a wing attached are discussed in section 3.






Figure 7: Photo of wing differential mounted on 2 fourbars (labels correspond to those of Figure 5).






Yan, J., Wood, R. J., Avadhanula, S., Sitti, M. & Fearing, R. S. Towards flapping wing control for a micromechanical flying insect. in *Proceedings 2001 ICRA*. *IEEE International Conference on Robotics and Automation (Cat. No.01CH37164)* **4,** 3901–3908 (IEEE, 2001).









Sahai, R., Lee, J. & Fearing, R. S. Semi-automated micro assembly for rapid prototyping of a one DOF surgical wrist. *Proc.* 2003 IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS 2003) (Cat. No.03CH37453) **2**, (2003).









Piezoelectric
 Actuator model

1. Wood, R. J., Avadhanula, S., Menon, M. & Fearing, R. S. Microrobotics using composite materials: the micromechanical flying insect thorax. in *2003 IEEE International Conference on Robotics and Automation* 1842–1849 (IEEE, 2003). doi:10.1109/ROBOT.2003.1241863







Buchner, T.
 Kinematics of 3D
 Folding Structures
 for Nanostructured
 Origami. (2004).






(a) Latest airframe structure of the Micromechanical Flying Insect




(b) Biomimetic Fishbot [14] (c) Microrobotic Crawler





Avadhanula, S. & Fearing, R. S. Flexure design rules for carbon fiber microrobotic mechanisms. in Proceedings - IEEE International Conference on Robotics and Automation 2005, 1579–1584 (IEEE, 2005).





Wood, R. J., Steltz, E. & Fearing, R. S. Optimal energy density piezoelectric bending actuators. *Sensors Actuators A Phys.* **119**, 476–488 (2005).








Fig. 5. Three representative width profiles.













1. Sahai, R. *et al.* Towards a 3g crawling robot through the integration of microrobot technologies. *Proc. - IEEE Int. Conf. Robot. Autom.* **2006**, 296–302 (2006).






Hoover, A. M. & Fearing, R. S. Fast scale prototyping for folded millirobots. 2008 IEEE Int. Conf. Robot. Autom. 1777–1778 (2008). doi:10.1109/ROBOT.2008.4543462






Hoover, A. M. & Fearing, R. S. Fast scale prototyping for folded millirobots. 2008 IEEE Int. Conf. Robot. Autom. 1777–1778 (2008). doi:10.1109/ROBOT.2008.4543462








Wood, R. J. The First Takeoff of a Biologically Inspired At-Scale Robotic Insect. *IEEE Trans. Robot.* **24,** 341–347 (2008).





1. Hoover, A. M., Steltz, E. & Fearing, R. S. RoACH: An autonomous 2.4g crawling hexapod robot. in 2008 IEEE/RSJ International Conference on Intelligent Robots and Systems 26–33 (IEEE, 2008). doi:10.1109/IROS.2008.4651149





Birkmeyer, P., Peterson, K. & Fearing, R. S. DASH: A dynamic 16g hexapedal robot. 2009 IEEE/RSJ Int. Conf. Intell. Robot. Syst. 2683–2689 (2009). doi:10.1109/IROS.2009.5354561




#### BOLT

Bipedal Ornithopter for Locomotion Transitioning

Kevin Peterson and Ronald S. Fearing
Biomimetic Millisystems Lab
University of California, Berkeley

K. Peterson and R. Fearing, "Experimental Dynamics of Wing Assisted Running for a Bipedal Ornithopter," IEEE International Conference on Intelligent RObots and Systems (IROS), San Francisco, CA, Sep. 2011.





Koh, J.-S. & Cho, K.-J. Omega-Shaped Inchworm-Inspired Crawling Robot With Large-Index-and-Pitch (LIP) SMA Spring Actuators. *IEEE/ASME Trans. Mechatronics* **18**, 419–429 (2013).





Haldane, D. W., Peterson, K. C., Garcia Bermudez, F. L. & Fearing, R. S. Animal-inspired design and aerodynamic stabilization of a hexapedal millirobot. *2013 IEEE Int. Conf. Robot. Autom.* 3279–3286 (2013). doi:10.1109/ICRA.2013.6631034



## Dash + Wings

DASH+Wings

The effect of flapping wings on a hexapedal running robot.



Peterson, K., Birkmeyer, P., Dudley, R. & Fearing, R. S. A wing-assisted running robot and implications for avian flight evolution. *Bioinspiration and Biomimetics* **6**, (2011).

### **Wheel Robot**

# Origami Wheel Robot based on Magic-ball Origami Structure

Seoul National University
Biorobotics Laboratory
School of Mechanical and Aerospace Engineering

Dae-Young Lee, Ji-Suk Kim, Jae-Jun Park, Sa-Reum Kim Prof. Kyu-Jin Cho



## Gripper





## **Self Folding**

Self-Folding Origami using Torsion SMA wire Actuator

Seoul National University Biorobotics Lab.



## Venus Flytrap





## Flea Inspired

2013 IEEE International Conference on Intelligent Robots and Systems November 3-8, 2013 at Tokyo Big Sight, Japan

### A Jumping Robotic Insect Based on Torque Reversal Catapult Mechanism

Je-Sung Koh<sup>1</sup>, Sun-Pill Jung<sup>1</sup>, Robert J. Wood<sup>2</sup> and Kyu-Jin Cho<sup>1</sup>

Dept. of Mechanical and Aerospace Eng., Seoul National University, Korea

<sup>2</sup> SEAS and the Wyss Institute for Biologically Inspired Engineering, Harvard University, USA





1. Koh, J. S., Jung, S. P., Noh, M., Kim, S. W. & Cho, K. J. Flea inspired catapult mechanism with active energy storage and release for small scale jumping robot. *Proc. - IEEE Int. Conf. Robot. Autom.* 26–31 (2013). doi:10.1109/ICRA.2013.6630552



Programmable Matter by Folding


multiple shapes, compound folds





Hoffman, K. L. & Wood, R. J. Passive undulatory gaits enhance walking in a myriapod millirobot. in 2011 IEEE/RSJ International Conference on Intelligent Robots and Systems 2, 1479–1486 (IEEE, 2011).






Sreetharan, P. S., Whitney, J. P., Strauss, M. D. & Wood, R. J. Monolithic fabrication of millimeter scale machines. *J. Micromechanics Microengineering* **22**, 55027 (2012).

### Self-folding with shape memory composites

Harvard Microrobotics Lab

1. Felton, S. M. et al. Self-folding with shape memory composites. Soft Matter **9**, 7688 (2013).





1Baisch, A. T., Ozcan, O., Goldberg, B., Ithier, D. & Wood, R. J. High speed locomotion for a quadrupedal microrobot. *Int. J. Rob. Res.* (2014). doi:10.1177/0278364914521473



#### Self-Folding Crawler

Harvard Microrobotics Lab

Felton, S., Tolley, M., Demaine, E., Rus, D. & Wood, R. A method for building self-folding machines. *Science* (80-. ). **345**, 644–646 (2014).



### 2013-



https://techcrunch.com/2013/09/05/cheap-diy-robot-kit-dash/



## The Flying Monkey: a multifunctional mesoscale robot that can run, fly, and grasp

Yash Mulgaonkar Luis Guerrero Anurag Makineni Vijay Kumar

Brandon Araki Daniela Rus Je-sung Koh Daniel M. Aukes Robert J. Wood

Michael J. Tolley













1. Miyashita, S., Guitron, S., Ludersdorfer, M., Sung, C. R. & Rus, D. An Untethered Miniature Origami Robot that Self-folds, Walks, Swims, and Degrades. 1490–1496 (2015). doi:10.1109/ICRA.2015.7139386





Overvelde, J. T. B., Weaver, J. C., Hoberman, C. & Bertoldi, K. Rational design of reconfigurable prismatic architected materials. *Nature* **541**, 347–352 (2017).




•https://vimeo.com/224701422





Karras, J. T. et al. Pop-up mars rover with textile-enhanced rigid-flex PCB body. in 2017 IEEE International Conference on Robotics and Automation (ICRA) 5459–5466 (IEEE, 2017). doi:10.1109/ICRA.2017.7989642





### The Design and Control of the Multi-Locomotion Origami Robot, Tribot

Z. Zhakypov, M. Falahi, M. Shah and Jamie Paik

Reconfigurable Robotics Laboratory École Polytechnique Fédérale de Lausanne (EPFL)





