

Resilient decentralized communication for unstructured peer-to-peer networks

From Sparsity to Reliability: the Decentralized Path to Free Speech

Dan Bachar, David Guzman

Wednesday 26th November, 2025

Chair of Connected Mobility
School of Computation, Information, and Technology
Technical University of Munich




Introduction

Motivation

Provide resilient distributed communication during Internet shutdowns in case of disasters

- Consolidation of power in Internet infrastructure due to running services, protocol, and algorithms in a few closed providers
- Centralization enables both rapid information diffusion but also censorship, failure points, and control, worsened by disasters and political unrest



Towards addressing fragile consolidation of power, resilient decentralization is key!

- Providing connectivity without infrastructure: p2p networks
 - Structured: Kademlia [MM02], Chord [SMK⁺01], more recently DLT [GTO24]: ETH [GTDO24], Bitcoin [Nak08], Ripple XRP [GTMF22], etc
 - **Unstructured**: FireChat [Sim14], Twimight [Leg11], Briar [bri18], bittchat [JD25], Amigo [IRJ⁺25]

To enable sustainable critical communication for all: use efficient ubiquitous p2p protocols

- **BLE**
- Others: WiFi-Direct, Zigbee, LoRA [FKK13]

Introduction

Contribution

Research Question How to provide resilient decentralized communication over unstructured p2p networks using efficient p2p communication protocols in the presence of network disruptions?

Approach Collect empirical data to parameterize signal, simulate distributed network topologies, measure resilience w.r.t centralization metrics

Introduction

State-of-the-Art

Setup

Evaluation

Discussion

Future Work

- Distributed resilience in communication, not resources: overall similar node degrees in topology
- Compare different metrics: L_0 norm, $\mathcal{L}$ -Score [HRAD25], Gini [Nic08]




Figure 1: Star topology, $L_0 = 1.0$

State-of-the-Art

Resilience Metrics: the $\mathcal{S}$ -Score

- Metric coming from US antitrust laws to measure market concentration
- Measures similarity to maximally centralized topology




Figure 2: Star topology, $\mathcal{S} = 1.0$

State-of-the-Art

Resilience Metrics: Six Criteria of Sparsity [Nic08]

1. Robin Hood: Stealing from the rich and giving to the poor decreases sparsity
2. **Scaling**: multiplying all values by a constant does not change sparsity
3. Rising Tide: Adding a constant to all values decreases sparsity
4. Cloning: Cloning the vector does not change sparsity
5. Bill Gates: Adding a large value to the vector increases sparsity
6. Babies: Adding a zero to the vector increases sparsity

- $\mathcal{S}$ -Score does not satisfy **Scaling** axiom




Figure 3: Topology $[2, 2, 2, 2]$ with $\mathcal{S} = 0.75$




Figure 4: Topology $[1, 1, 1, 1]$ with $\mathcal{S} = 0.5$

State-of-the-Art

Resilience Metrics: the Gini Coefficient

- Popular metric used to compare wealth distributions of populations
- Measures inequality of node degrees in a topology




Figure 5: Topology [2, 2, 2, 2] with $G = 0$




Figure 6: Topology [1, 1, 1, 1] with $G = 0$

Introduction

State-of-the-Art



Setup

Evaluation

Discussion

Future Work

- **What** Measure real-life outdoor signal propagation of BLE: measure RSSI of BLE advertisements at increasing distances until failure
- **How** Two standard Raspberry Pi 3B+ boards, open field with minimal interference
- **Why** Obtain empirical data to parameterize simulations of BLE communication at scale



- Rx pi scan window 600s, tx pi advertisement interval 20ms, repeat 20 times
- Measured RSSI at distances: 0m, 1m, 5m, 10m, incrementing by 10m until no more ads received: 100m




Figure 7: Mean RSSI vs. Distance




Figure 8: RSSI CDF

- Model advertisement success probability vs. distance using empirical RSSI data
- Use number of advertisements received at $d_0 = 0$
- Probability of advertisement being received at distance d :

$$P_{adv}(d) = \frac{\text{Number of received advertisements at } d}{\text{Total number of received advertisements at } d_0}$$




Figure 9: Advertisement Success Probability vs. Distance

Setup

Simulations

- **What** Measure resilience of communication clusters established using empirical BLE signal stochastics
- **How** The ONE Simulator, $400m \times 400m$ L-shaped field, divided to $100m \times 100m$ grid cells




Figure 10: Simulation Area

- 12 cluster cells, 6 hosts per cell, static movement model
- Epidemic Router, same amount of messages sent between each host pair
- 25 simulator runs consist of: network interface communication range, maximum peer degree, communication mode

Setup

Simulations

- Parameterize network interface bandwidth based on link distance using RSSI results from testbed
- Use log-normal path loss model [ASC23] to interpolate signal propagation decay between discrete distance points
- BLE 1M PHY [She21]: Use maximum channel bandwidth of 1 Mbps at $\leq 1m$ distance to deduce message transfer time




Figure 11: Topological Matrix for communication range 90m and max peer degree 5

Introduction

State-of-the-Art

Setup

Evaluation

Discussion

Future Work

Evaluation

Model Insights

- Gini much more indicative of resilience, as $\mathcal{S}$ – Score saturates very quickly, not indicative of sparsity
- Centralization correlates with an increase in peer degree, especially in higher ranges
- In lower communication ranges, increasing the maximum node degree has almost no effect on centralization




Figure 12: Centralization vs. Max Peer Degree

Model Insights

- Increasing the maximum peer degree beyond a threshold decreases latency for long-distance messages
- Short-distance messages are penalized by a high peer degree due to increased contention
- Long tail of short-distance indicates most direct links are short ranged




Figure 13: Latency vs. Max Peer Degree at BLE 1M PHY Range

- Latency decreases with increasing centralization for long-distance messages
- Increasing centralization for short-range messages penalizes latency due to contention




Figure 14: Latency vs. Gini Coefficient

- Latency decreases with increasing centralization for long-distance messages
- Increasing centralization for short-range messages penalizes latency due to contention




Figure 15: Latency vs. $\mathcal{S}$ — Score

Introduction

State-of-the-Art

Setup

Evaluation

Discussion

Future Work

- Gini coefficient is a better indicator of resilience than the $\mathcal{I}$ -Score
- $\mathcal{I}$ -Score much more sensitive to extreme centralization, detecting SPOFs
- Design considerations for establishing P2P BLE networks: consider centralization and intended message range when designing P2P networks, communication-intense algorithms reduce resilience
- Gossip without consideration of peer degree can lead to communication bottlenecks and reduced resilience: consider global goal parameters such as resilience when designing p2p communication algorithms!

Introduction

State-of-the-Art

Setup

Evaluation

Discussion

Future Work

- Explore other resilience metrics, e.g. Freedman Centralization Score
- Introduce edge churn based on advertisement success probability plot
- Measure throughput and latency in testbed based on BLE transport (unicast P2P instead of broadcast)
- Repeat empirical experiment for longer time, use the same environment for low and high ranges, compare different times of day, use custom Bluetooth stack for more control (control channel)
- Repeat experiment using mobile phones
- MA: Build p2p peering algorithm based on design considerations from this work, measure resilience in practice

Thank you!
Questions?



Farid Yuli Martin Adiyatma, Dwi Joko Suroso, and Panarat Cherntanomwong.

Regression-based path loss model correction to construct fingerprint database for indoor localization.

In Proceedings of the 2023 6th International Conference on Electronics, Communications and Control Engineering, ICECC '23, page 181–186. Association for Computing Machinery, 2023.



Ghadeer Awwad and Kentaro Toyama.

Digital repression in palestine.

In Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems, CHI '24, New York, NY, USA, 2024. Association for Computing Machinery.



Vitalik Buterin et al.

Ethereum white paper.

GitHub repository, 1(22-23):5–7, 2013.



Juan Benet.

Ipfs - content addressed, versioned, p2p file system, 2014.



Bluetooth Special Interest Group.

Bluetooth Core Specification Version 4.2.



Briar.

GitLab, 05 2018.

Available at: <https://code.briarproject.org/briar/briar>. Accessed on: 2025-11-03 21:00 GMT+0200.



Leonhard Balduf, Saidu Sokoto, Onur Ascigil, Gareth Tyson, Björn Scheuermann, Maciej Korczyński, Ignacio Castro, and Michaundefined Król.

Looking at the blue skies of bluesky.

In *Proceedings of the 2024 ACM on Internet Measurement Conference, IMC '24*, page 76–91, New York, NY, USA, 2024. Association for Computing Machinery.



V. Cerf, S. Burleigh, A. Hooke, L. Torgerson, R. Durst, K. Scott, K. Fall, and H. Weiss.

Rfc 4838: Delay-tolerant networking architecture, 2007.



Emergency Telecommunications Cluster.

Communication and Information Dynamics in Gaza.

Brief, December 2023.

Available at: https://www.etcluster.org/sites/default/files/documents/Communications_and_Information_Dynamics_in_Gaza_December_2023_1.pdf. Accessed on: 2025-11-03 21:00 GMT+0200.



Association for Progressive Communications Derechos Digitales.

Internet shutdowns and human rights.

OCHR Submission, February 2022.

Available at: https://www.apc.org/sites/default/files/internet_shutdowns_and_human_rights_ohchr_submission_2022.pdf. Accessed on: 2025-11-03 21:00 GMT+0200.



Roy Friedman, Alex Kogan, and Yevgeny Krivolapov.

On power and throughput tradeoffs of wifi and bluetooth in smartphones.

IEEE Transactions on Mobile Computing, 12(7):1363–1376, 2013.



David Guzman, Dirk Trossen, Trinh Viet Doan, and Joerg Ott.

Proliferation of the service-centric distributed consensus model and its impact on ethereum.

In *2024 IEEE International Conference on Blockchain and Cryptocurrency (ICBC)*, ICBC '24, pages 1–6. IEEE, 2024.



David Guzman, Dirk Trossen, Mike McBride, and Xinxin Fan.

Insights on impact of distributed ledgers on provider networks.

In *Blockchain – ICBC 2022: 5th International Conference, Held as Part of the Services Conference Federation, SCF 2022, Honolulu, HI, USA, December 10–14, 2022, Proceedings*, page 3–17. Springer-Verlag, 2022.



David Guzman, Dirk Trossen, and Joerg Ott.

If iterative diffusion is the answer, what was the question?

In *Proceedings of the 2nd ACM SIGCOMM Workshop on Future of Internet Routing & Addressing*, FIRA '23, page 29–34, New York, NY, USA, 2023. Association for Computing Machinery.



David Guzman, Dirk Trossen, and Joerg Ott.

Communication cost for permissionless distributed consensus at internet scale.

In *Proceedings of the ACM Conext-2024 Workshop on the Decentralization of the Internet*, DIN '24, page 28–35. Association for Computing Machinery, 2024.



David Guzman, Dirk Trossen, and Joerg Ott.

Multicast Applicability for Distributed Consensus Systems.

Internet-Draft draft-guzman-multicast-applicability-dcs-00, Internet Engineering Task Force, March 2025.

Work in Progress, Expired 4 September 2025.



Mark Handley.

Why the internet only just works.

BT Technology Journal, 24(3):119–129, 2006.

Bibliography



Rumaisa Habib, Kimberly Ruth, Gautam Akiwate, and Zakir Durumeric.

Formalizing dependence of web infrastructure.

In *Proceedings of the ACM SIGCOMM 2025 Conference*, SIGCOMM '25, page 1132–1153. Association for Computing Machinery, 2025.



David Inyangson, Sarah Radway, Tushar M. Jois, Nelly Fazio, and James Mickens.

Amigo: Secure Group Mesh Messaging in Realistic Protest Scenarios.

In *Proceedings of the 2025 ACM SIGSAC Conference on Computer and Communications Security*, CCS '25. Association for Computing Machinery, 2025.

Preprint available at <https://eprint.iacr.org/2024/1872>. Accessed on: 2025-11-03 21:00 GMT+0200.



multiple open source contributors Jack Dorsey.

bitchat.

GitHub, 07 2025.

Available at: <https://github.com/permissionlesstech/bitchat/blob/main/WHITEPAPER.md>. Accessed on: 2025-11-03 21:00 GMT+0200.



Keränen, Ari and Ott, Jörg and Kärkkäinen, Teemu.

The ONE simulator for DTN protocol evaluation.

In *Proceedings of the 2nd International Conference on Simulation Tools and Techniques*, Simutools '09, Brussels, BEL, 2009. ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering).



Anders Lindgren and Avri Doria.

Experiences from deploying a real-life dtn system.

In Proceedings of the Fourth IEEE Consumer Communications and Networking Conference, pages 217–221, Las Vegas, Nevada, USA, 2007. IEEE.



Franck Legendre.

30 years of ad hoc networking research: what about humanitarian and disaster relief solutions? what are we still missing?

In Proceedings of the 1st International Conference on Wireless Technologies for Humanitarian Relief, ACWR '11, page 217. Association for Computing Machinery, 2011.



Petar Maymounkov and David Mazières.

Kademlia: A peer-to-peer information system based on the xor metric.

In Revised Papers from the First International Workshop on Peer-to-Peer Systems, IPTPS '01, page 53–65, Berlin, Heidelberg, 2002. Springer-Verlag.



Satoshi Nakamoto.

Bitcoin: A peer-to-peer electronic cash system.

Available at SSRN 3440802, 2008.



Nick Hurley, Scott Rickard.

Comparing measures of sparsity.

In *Proceedings of the IEEE Workshop on Machine Learning for Signal Processing*, pages 55–60, Cancun, Mexico, 2008. IEEE.



Nordic Semiconductor.

Bluetooth Low Energy Fundamentals: Advertising Process.



Reliefweb.

Gaza crisis: Update: Internet Connectivity Blackout in Gaza.

Situation Report, June 2025.

Available at: <https://reliefweb.int/report/occupied-palestinian-territory/gaza-crisis-update-internet-connectivity-blackout-gaza-16-june-2025-emergency-tel>

Accessed on: 2025-11-03 21:00 GMT+0200.



Aravindh Raman, Sagar Joglekar, Emiliano De Cristofaro, Nishanth Sastry, and Gareth Tyson.

Challenges in the decentralised web: The mastodon case.

In *Proceedings of the Internet Measurement Conference, IMC '19*, page 217–229, New York, NY, USA, 2019. Association for Computing Machinery.



Sheikh, Muhammad Usman and Badihi, Behnam and Ruttik, Kalle and Jäntti, Riku.
Adaptive physical layer selection for bluetooth 5: Measurements and simulations.
Wireless Communications and Mobile Computing, 2021(1):8842919, 2021.



Tim Simonite.

The Latest Chat App for iPhone Needs No Internet Connection.

Article on MIT Technology Review, 03 2014.

Available at: <https://web.archive.org/web/20151127150930/http://www.technologyreview.com/news/525921/the-latest-chat-app-for-iphone-needs-no-internet->
Accessed on: 2025-11-03 21:00 GMT+0200.



Ion Stoica, Robert Morris, David Karger, M. Frans Kaashoek, and Hari Balakrishnan.

Chord: A scalable peer-to-peer lookup service for internet applications.

In *Proceedings of the 2001 Conference on Applications, Technologies, Architectures, and Protocols for Computer Communications*, SIGCOMM '01, page 149–160. Association for Computing Machinery, 2001.