



Resilient decentralized communication for unstructured peer-to-peer networks

From Sparsity to Reliability: the Decentralized Path to Free Speech

Dan Bachar, David Guzman

Wednesday 19th November, 2025

Chair of Connected Mobility
School of Computation, Information, and Technology
Technical University of Munich

Introduction

Motivation

Problems with the current state of the Internet

- government control
- war causes disruptions
- political unrest
- free speech

Introduction

Use Case

Provide resilient way to communicate during Internet shutdowns in case of disasters or political unrest (Gaza war, political control in Palestine)

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!
 - Structured p2p networks: Kademlia, BitTorrent, more recently DLT: ETH, Bitcoin, Ripple XRP, etc

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!
 - Structured p2p networks: Kademlia, BitTorrent, more recently DLT: ETH, Bitcoin, Ripple XRP, etc
 - Unstructured p2p networks: FireChat, Twimight, Briar, bitchat, Amigo

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!
 - Structured p2p networks: Kademlia, BitTorrent, more recently DLT: ETH, Bitcoin, Ripple XRP, etc
 - Unstructured p2p networks: FireChat, Twimight, Briar, bitchat, Amigo
 - How to use p2p networks without Internet: use p2p protocols!

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!
 - Structured p2p networks: Kademlia, BitTorrent, more recently DLT: ETH, Bitcoin, Ripple XRP, etc
 - Unstructured p2p networks: FireChat, Twimight, Briar, bitchat, Amigo
 - How to use p2p networks without Internet: use p2p protocols!
 - BLE

Introduction

Solution Approaches

- To solve consolidation of power, decentralization is key
 - Different network type than IP networks: use p2p networks!
 - Structured p2p networks: Kademlia, BitTorrent, more recently DLT: ETH, Bitcoin, Ripple XRP, etc
 - Unstructured p2p networks: FireChat, Twimight, Briar, bitchat, Amigo
 - How to use p2p networks without Internet: use p2p protocols!
 - BLE
 - WiFi-Direct
 - Others: Zigbee, LoRA and others

Introduction

Problem Statement, Approach, Contribution

Problem Statement: How to provide resilient decentralized communication over unstructured p2p networks using efficient p2p communication protocols in the presence of network disruptions?

Introduction

Problem Statement, Approach, Contribution

Problem Statement: How to provide resilient decentralized communication over unstructured p2p networks using efficient p2p communication protocols in the presence of network disruptions?

Approach: Collect empirical data on signal propagation stochastics, use data to parameterize simulations of network topologies, measure resilience w.r.t centralization metrics

Introduction

Problem Statement, Approach, Contribution

Problem Statement: How to provide resilient decentralized communication over unstructured p2p networks using efficient p2p communication protocols in the presence of network disruptions?

Approach: Collect empirical data on signal propagation stochastics, use data to parameterize simulations of network topologies, measure resilience w.r.t centralization metrics

Contribution: Provide the design space for resilient unstructured p2p networks

State-of-the-art

State-of-the-art

Setup

Setup

Evaluation

Evaluation

Future Work

Future Work