

18 Feb 2006

Junichi Uekawa

18 Feb 2006

24 Jan edition found in

<http://www.debian.org/News/weekly/2006/04/>

## Question: 1. What's the reason for denying an official Debian web forum

- A: Forum will soon be ruled by a forum dictator, and that's not free
- B: Forum will deteriorate into a name-calling anonymous BBS
- C: Users of mailing lists and web forums are fundamentally different

## Question: 1. What's the reason for denying an official Debian web forum

- A: Forum will soon be ruled by a forum dictator, and that's not free
- B: Forum will deteriorate into a name-calling anonymous BBS
- C: Users of mailing lists and web forums are fundamentally different

C

Question: 2. What are the release candidate architectures that Anthony Towns announced on 1 Jan?

- A: alpha, amd64, hppa, i386, ia64, mips, mipsel, powerpc
- B: i386, powerpc, amd64
- C: i386, m68k

Question: 2. What are the release candidate architectures that Anthony Towns announced on 1 Jan?

- A: alpha, amd64, hppa, i386, ia64, mips, mipsel, powerpc
- B: i386, powerpc, amd64
- C: i386, m68k

A

## Question: 3. What is the java compiler used for kaffe?

- A: jikes
- B: gcj
- C: ecj

## Question: 3. What is the java compiler used for kaffe?

- A: jikes
- B: gcj
- C: ecj

C



31 Jan edition found in

<http://www.debian.org/News/weekly/2006/05/>

## Question: 4. When will Debian Day for 2006 be held?

- A: 13 May
- B: 13 June
- C: 13 July

## Question: 4. When will Debian Day for 2006 be held?

- A: 13 May
- B: 13 June
- C: 13 July

A

## Question: 5. What to do when using subdirectories under `/var/run/`

- A: Include in package
- B: Do not ever use sub-directories
- C: Recreate on every boot

## Question: 5. What to do when using subdirectories under /var/run/

- A: Include in package
- B: Do not ever use sub-directories
- C: Recreate on every boot

C

## Question: 6. What were the objections for using launchpad for Debian development?

- A: They are ubuntu products
- B: Depending on non-free products is not good
- C: Don't want to use web interfaces

## Question: 6. What were the objections for using launchpad for Debian development?

- A: They are ubuntu products
- B: Depending on non-free products is not good
- C: Don't want to use web interfaces

B

7 Feb edition found in

<http://www.debian.org/News/weekly/2006/06/>



## Question: 7. What came out of Extremadura hacking session?

- A: Political thoughts
- B: GUI version of D-I
- C: suntan

## Question: 7. What came out of Extremadura hacking session?

- A: Political thoughts
- B: GUI version of D-I
- C: suntan

B

## Question: 8. Who stood first up for Debian Project Leader Election for 2006

- A: Branden Robinson
- B: Junichi Uekawa
- C: Lars Wirzenius

## Question: 8. Who stood first up for Debian Project Leader Election for 2006

- A: Branden Robinson
- B: Junichi Uekawa
- C: Lars Wirzenius

C

## Question: 9. What is FLUG

- A: Finland Linux Users Group
- B: Finland Lost Users Group
- C: Finland Legal Users Group

## Question: 9. What is FLUG

- A: Finland Linux Users Group
- B: Finland Lost Users Group
- C: Finland Legal Users Group

A

14 Feb edition found in

<http://www.debian.org/News/weekly/2006/07/>

## Question: 10. What happened to iBook G4 wireless

- A: Specification has been released
- B: Does not work as usual
- C: It now works



## Question: 10. What happened to iBook G4 wireless

- A: Specification has been released
- B: Does not work as usual
- C: It now works

C

## Question: 11. What position does Debian take on trademarks

- A: If it does not obstruct change and redistribution, no problem
- B: Trademarks are against freedom, and intolerable
- C: What is it, does it taste good?

## Question: 11. What position does Debian take on trademarks

- A: If it does not obstruct change and redistribution, no problem
- B: Trademarks are against freedom, and intolerable
- C: What is it, does it taste good?

A

Question: 12. How is  
<http://lists.debian.org/msgid-search/> used?

- A: [http://lists.debian.org/msgid-search/\*message-ID\*](http://lists.debian.org/msgid-search/message-ID)
- B: [http://lists.debian.org/msgid-search/\*name\*](http://lists.debian.org/msgid-search/name)
- C: [http://lists.debian.org/msgid-search/\*mail-subject\*](http://lists.debian.org/msgid-search/mail-subject)

Question: 12. How is  
<http://lists.debian.org/msgid-search/> used?

- A: [http://lists.debian.org/msgid-search/\*message-ID\*](http://lists.debian.org/msgid-search/message-ID)
- B: [http://lists.debian.org/msgid-search/\*name\*](http://lists.debian.org/msgid-search/name)
- C: [http://lists.debian.org/msgid-search/\*mail-subject\*](http://lists.debian.org/msgid-search/mail-subject)

A