

第 17 回 東京エリア Debian **勉強会** 事前資料

Debian 勉強会会場係 上川純一* 2006 年 6 月 17 日

 $^{^{\}ast}$ Debian Project Official Developer

目次

1	Introduction To Debian 勉強会	2
1.1	講師紹介	2
1.2	事前課題紹介	2
2	Debian Weekly News trivia quiz	3
2.1	2006年16号	3
2.2	2006年17号	3
2.3	2006年18号	4
2.4	2006年19号	4
2.5	2006年20号	4
2.6	2006年21号	4
2.7	2006年22号	5
2.8	2006年23号	5
2.9	2006年24号	5
3	最近の Debian 関連のミーティング報告	7
3.1	東京エリア Debian 勉強会 16 回目報告	7
4	Debconf で開催された会議概要	8
4.1	Debian Conference の過去の経緯	8
4.2	会場	8
4.3	- 会の規模	9
4.4	セッション	10
5	pbuilder cowdancer cowbuilder	13
5.1	pbuilder とは	13
5.2	cowdancer とは	16
5.3	cowbuilder とは	17
5.4	cowbuilder の使い方	17
5.5	cowbuilder の今後の課題	17
6	次同	12

1 Introduction To Debian 勉強会

今月の Debian 勉強会へようこそ。これから Debian のあやしい世界に入るという方も、すでにどっぷりとつかっているという方も、月に一回 Debian について語りませんか?

目的として下記の二つを考えています。

- メールではよみとれない、もしくはよみとってられないような情報を情報共有する場をつくる
- まとまっていない Debian を利用する際の情報をまとめて、ある程度の塊として出してみる

また、東京には Linux の勉強会はたくさんありますので、Debian に限定した勉強会にします。Linux の基本的な利用方法などが知りたい方は、他でがんばってください。Debian の勉強会ということで究極的には参加者全員が Debian Package をがりがりと作りながらスーパーハッカーになれるような姿を妄想しています。

Debian をこれからどうするという能動的な展開への土台としての空間を提供し、情報の共有をしたい、というのが目的です。次回は違うこと言ってるかもしれませんが、御容赦を。

1.1 講師紹介

• 上川純一 宴会の幹事です。

1.2 事前課題紹介

今回の事前課題は「Debconf に自分が参加するならこれをしたい」というタイトルで 200-800 文字程度の文章を書いてください。というものでした。その課題に対して下記の内容を提出いただきました。

1.2.1 小室さん

Debian Conference が実は夜這いがメインならば、気に入った人&イケメンを口説き落とす。それは置いといても参加するならば(自分に何が出来るかどうかと考えてみると)、あんまり即席プログラムとか出来ないので、どちらかというと運営側なら出来るかなと。幹事みたいな事とか。Debconf が始まったら参加者全員とツーショットを撮る。後やっぱり日本で開催されたら、秋葉原とか板橋の花火大会とかに連れて行き、最後に109の前で集合写真を撮る。その前にまず Debconf に参加する人達についていけるように勉強に励みたいと思います。

1.2.2

1.2.3 上川

2 Debian Weekly News trivia quiz

ところで、Debian Weekly News (DWN) は読んでいますか?Debian 界隈でおきていることについて書いている Debian Weekly News. 毎回読んでいるといろいろと分かって来ますが、一人で読んでいても、解説が少ないので、意味がわからないところもあるかも知れません。みんなで DWN を読んでみましょう。

漫然と読むだけではおもしろくないので、DWN の記事から出題した以下の質問にこたえてみてください。後で内容は解説します。

2.1 2006年16号

http://www.debian.org/News/weekly/2006/16/ にある 4月 18 日版です。

問題 1. DPL 選挙の結果リーダーとして選出されたのは

- A Branden Robinson
- B Ted Walther
- C Anthony Towns

問題 2. X11R7 のリリースで何がおきたか

- A パッケージはまだアップロードされていないのでわからない
- B 今までうごいていたビデオカードは原則として全部動かないように改変された
- C X 独自のディレクトリツリー構造を廃棄し、/usr/bin 以下などに直接バイナリがインストールされるようになった

2.2 2006年17号

http://www.debian.org/News/weekly/2006/17/ にある 4月 25 日版です。

問題 3. 単独のパッケージをあたらしく共同でメンテナンスするためには Alioth のどの機能を使うのが有効か?

- A 新規プロジェクトの申請
- B collab-maint パッケージ
- C IRC チャンネル

問題 4. mozilla はどうなるか

- A サポートされなくなるので削除され, xulrunner に移行が必要
- B mozilla は永遠です
- C 使いにくいので IE に置き換える

2.3 2006年18号

http://www.debian.org/News/weekly/2006/18/ にある 5月2日版です。

問題 5. debian-www で www.debian.org のライセンスが議論された理由は

- A 現状のライセンスが DFSG フリーではないのだが , DFSG フリーであるライセンスに合意がとれなかった
- B www.debian.org のライセンスは non-free でそんなものは Debian のウェブページとして存在して良い分けが 無いから
 - C www.debian.org をホスティングしているサーバが障害で停止したから

問題 6. buildd.net で何がおきたか

- A 創始者が引退した
- B Debian 以外に拡張された
- Cソースが公開された

2.4 2006年19号

http://www.debian.org/News/weekly/2006/19/ にある5月9日版です。

問題 7. Christian Perrier によると stable/unstable/testing は何か

- A suite/branch
- B distribution
- C release

問題 8. bts-link は何をしてくれるものか?

- A リンクに失敗したら BTS に報告してくれるリンカー
- BBTS を自分の現在作業している内容とリンク
- C Debian BTS と upstream の BTS の連係

2.5 2006年20号

http://www.debian.org/News/weekly/2006/20/ にある 5月 16 日版です。

問題 9. Canonical が HP のためにまとめた multi-arch についての調査報告書が提案したのは

- A 必要なあらゆる機能を dpkg で実現するため , dpkg 2.0 を実装
- B 対象アーキテクチャのために chroot を複数メンテナンスする
- C biarch を実装する

問題 10. apt 0.6.44 で実装された機能は何か

- A コマンドラインで実行するとコンソール画面に AA で牛があらわれて去って行くだけの apt-moo 機能
- B 最近の用途パターンから今後必要なパッケージを分析して勝手にインストールしてくれるプロビジョニング機能
- C apt-get update の際に差分ファイルを利用してダウンロード量節約する機能

2.6 2006年21号

http://www.debian.org/News/weekly/2006/21/ にある 5月 23 日版です。

問題 11. debian-installer のグラフィカル版が最初に追加されたアーキテクチャは

A i386

B amd 64

C hppa

問題 12. Debconf6 は何回目の Debconf か.

A 4

B 6

C 7

2.7 2006年22号

http://www.debian.org/News/weekly/2006/22/ にある5月30日版です。

問題 13. irc.debian.org に接続すると今後どこの IRC ネットワークに接続するようになるのか

A freenode

B OFTC

C WIDE

問題 14. solaris/i386 への 移植版について問題になったのは

A 思想的に十分フリーでない OS への嫌悪

B あまりにも Linux と互換性がなさすぎること

C GPL 互換ではないライブラリとリンクする必要があること

2.8 2006年23号

http://www.debian.org/News/weekly/2006/23/ にある 6月6日版です。

問題 15. Martin Krafft が Debconf で実施した実験とは何か

A 実は同時にアメリカで Benjamin Mako Hill の結婚式にも出席していた

B 別人のふりをして Keysigning party に参加した

C 偽の身分証明書をもって keysigning party に参加した

問題 16. Debian の広報を改善するために創られたメーリングリストは何か?

A debian-propaganda

B debian-publicity

C debian-daihonneihappyou

2.9 2006年24号

http://www.debian.org/News/weekly/2006/24/ にある 6月 13 日版です。 問題 17. A

В

 \mathbf{C}

問題 18.

A

В

 \mathbf{C}

3 最近の Debian 関連のミーティング報告

上川純一

3.1 東京エリア Debian 勉強会 16 回目報告

東京エリア Debian 勉強会報告。5 月 14 日 (日本時間) に第 16 回 Debian 勉強会を実施しました。今回は、Debconf 参加者への質問と、参加者が何をする予定なのか、ということを発表しました。今回の参加人数は 8 人くらいだった でしょうか。実際に集まるのは難しかったので IRC 経由で開催しました。ネットワークトラブルや、到着できなかった、という問題があり、実際には開始時間は二時間くらい遅れましたが、参加いただき、ありがとうございました。

品質管理についての質問や、ソースの管理、ウェブの扱いについての議論をしました。Debconf の期間中にメンバーと議論できるとよいですね。Debconf の日本開催については、Debconf[67] セッションで議論になると思います。Debconf を日本で開催するまでに、日本ローカルで合宿をしてみてドライランをする必要があるでしょう。

Debconf 参加者がこの期間中に何をするのか宣言してもらいました。岩松さんは SuperH や flash についての議論をしたいとのことで、さらにプールのとびこみ台からとびこむのが目標だそうです。矢吹さんは NM の作業をする予定だそうです。

勉強会の後の宴会は、実際に開催されたのかどうかについては不明です。

4 Debconf で開催された会議概要

岩松、上川

2006年の Debian Conference はメキシコで開催されました。

4.1 Debian Conference の過去の経緯

Debian Conference *1 は Debian の開発者たちが一同に介するイベントです。通常顔をあわせることのないメンバーたちが一同に介し友好を深め、技術的な議論を戦わせます。過去の開催履歴を見てみると以下のようになります。

- 2000: debconf 0 フランス ボルドー
- 2001: debconf 1 フランス ボルドー
- 2002: debconf 2 カナダ トロント 90 名
- 2003: debconf 3 ノルウェー オスロ 140 名
- 2004: debconf 4 ブラジル ポルトアレグレ 150 名
- 2005: debconf 5 フィンランド ヘルシンキ 200 名
- 2006: debconf 6 メキシコ オアスタペック 300 名

4.2 会場

今回の Debian Conference の会場は Mexico City から車で 2 時間ほど走ったところにある Oaxtapec というリゾート地です。オリンピックに使われた会場をそのままリゾートホテルにしているような雰囲気です。Centro Vacacional IMSS Oaxtepec という会場でした。プールと 10m のとびこみ台などが完備されており、ハック以外にもいろいろとできる感じがしていました。



^{*1} http://debconf6.debconf.org/

4.3 会の規模

会議室は 150 人程度入れる会議室が準備されていました。 Hacklab として、二つの部屋があり、それぞれには 50 人 づつくらいが入れるようになっていたようです。

今回の参加者は登録記録によると 300 人だそうです。国別の表を右に示します a 。

今回のネットワークは 192.168.x.x で、23 ビットだった。 大体 500 台位接続できる計算になりますが、全員接続して いた時間帯において DHCP サーバから IP がとれなくなっ ていました。これは DHCP のプールを使い切っていたの ではないでしょうか?

MEXICO	144
UNITED STATES	48
VENEZUELA	31
GERMANY	29
UNITED KINGDOM	17
ITALY	17
SPAIN	16
EL SALVADOR	16
BRAZIL	
	16
FINLAND	15
FRANCE	9
COLOMBIA	8
ARGENTINA	8
NORWAY	6
JAPAN	5
CANADA	5
BELGIUM	5
PERU	4
BELIZE	4
SWITZERLAND	3
SWEDEN	3
NETHERLANDS	3
INDIA	3
GREECE	3
CAMEROON	3
AUSTRIA	3
AUSTRALIA	3
RUSSIAN FEDERATION	2
ROMANIA	2
NIGERIA	2
BOSNIA AND HERZEGOVINA	2
BOLIVIA	2
UKRAINE	1
NEW ZEALAND	1
LATVIA	1
KENYA	
	1
ISRAEL	1
IRELAND	1
INDONESIA	1
GUINEA	1
GUATEMALA	1
GAMBIA	1
EGYPT	1
CZECH REPUBLIC	1
CUBA	1
CROATIA	1
CHINA	1
CHILE	1
CAMBODIA	1
BANGLADESH	1

 $[^]a$ http://lists.debconf.org/lurker/message/20060518. 203936.b6df5950.en.html

4.4 セッション

我々が参加した各セッションについて簡単に説明します。 全体として,参加した人数の概要 は右の表 a のようでした.

a http://lists.debconf.org/
lurker/message/20060611.
120202.28413c61.en.html

	時間	タイトル	参加人数
2006-05-14 Sunday 11:00-11:45		Welcome by DebConf Organizers	50
2006-05-14 Sunday	12:50-13:35	wiki.debian.org BoF by Joey Hess	29
2006-05-14 Sunday	12:50-13:35	OpenSolaris, Java dn Debian: can we be	92
		friends? Simon Phipps, Alvaro Lopez Ortega	
2006-05-14 Sunday	15:20-16:05	Advanced tools for wasting time by Enrico	90
		Zini	
2006-05-14 Sunday	18:00-19:00	Multithreading: Why and how we should use	30
2000 05 45 15 1	40.05.44.45	it by Ben Huthcings	
2006-05-15 Monday	10:05-11:45	Python BoF by Andreas Barth et al	28
2006-05-15 Monday	10:05-10:50	Embedding Debian by Wookey	31
2006-05-15 Monday 11:00-11:45		Topper: An Open Source Driver Framework	59
2006-05-15 Monday	11:55-12:40	by Maxim Alt and Dario Rapisardi Ubuntu annual report by Mark Shuttleworth	122
2006-05-15 Monday 2006-05-15 Monday	12:50-13:35	i18n Infrastructure AdHoc Session I by Chris-	35
2000-05-15 Monday	12.50-15.55	tian Perrier	35
2006 05 15 Mondow 15:20 10 05		Representing Debian - Doing the best for the	35
2006-05-15 Monday 15:20-16:05		best? by Alexander Schmehl	
2006-05-15 Monday	16:15-17:55	Security Enhanced Linux UML instances - an	100
		Introcution and recipe by Manoj Srivastava	
2006-05-15 Monday	18:00-19:00	Resurecting Computers with Free Software by	30
		Vagrant Cascadian and Hector Colina	
2006-05-15 Monday	19:00-20:00	debian-installer and SELinux by Manoj Sri-	25
		vastava	
2006-05-15 Monday	21:30-22:30	debian-installer BoF by Joey Hess	38
2006-05-16 Tuesday	10:05-10:50	stable release BoF by Andreas Barth	21
2006-05-16 Tuesday	10:05-10:50	ideas for repository of meta-information	35
V		(watchfiles et al) by Filippo Giunchedi	
2006-05-16 Tuesday	11:00-11:45	Common Lisp development in Debian by Peter	8
v		van Eynde	
2006-05-16 Tuesday	11:00-11:45	Optimizing boot time by Margarita Manterola	100
2006-05-16 Tuesday	11:55-13:35	GPLv3 by Don Armstrong	120
2006-05-16 Tuesday	15:20-16:05	Debian Community Guidelines by Enrico Zini	120
2006-05-16 Tuesday	16:15-17:55	Let's port together. Debian fun for everyone	110
		by Peter de Schrijver and Steve Langasek	
2006-05-16 Tuesday	18:00-19:00	BoF Debian en Latinoamerica by Anibal Mon-	37
		salve Salazar and David Moreno Garza	
2006-05-16 Tuesday	19:00-20:00	Scratchbox 2, bringing crosscompiling to De-	12
		bian by Riku Voipio	
2006-05-16 Tuesday	21:30-22:30	Webapps Common: Tthe central point in de-	21
		veloping a next-generation web server and web	
2000 05 10 50	1005 1050	application policy by Neil McGovern	
2006-05-18 Thursday	10:05-10:50	Debian and the \$ 100 Laptop by Jim Gettys	28
2006-05-18 Thursday	10:05-10:50	Governance of the Debian Project by Bdale Garbee	57
2006 OF 10 Thursday	11.00 11.45		0.5
2006-05-18 Thursday 2006-05-18 Thursday	11:00-11:45 11:55-13:35	X.org status and plans by Keith packard releasing in time - etch in December 06 by An-	95 98
2000-05-18 Thursday	11.55-15.55	dreas Barth and Steve Langasek	96
2006-05-18 Thursday	15:20-17:00	Debian installer internals by Frans Pop	60??
2006-05-18 Thursday 2006-05-18 Thursday	17:10-18:50	Weeding out security bugs by Javier	47
2000-05-18 Thursday	17.10-10.00	Fernandez-Sanguino	41
2006-05-19 Friday	10:05-10:50	i18n Infrastructure AdHoc Session II by Chris-	30
2000-00-13 111day	10.00-10.00	tian Perrier	30
2006-05-19 Friday	10:05-10:50	AM BoF	30
2006-05-19 Friday	11:00-11:45	The X Community - History and Directions	70
2000 00 10 111day	11.00 11.10	by Keith Packard	
2006-05-19 Friday	11:55-12:40	Experiences with large CDD-installations by	100
2000 00 10 111day	11.00 12.10	Knut Yrvin	100
2006-05-19 Friday	12:50-13:35	LTSP Muekow Next Generation by Vagrant	?
		Cascadian and Octavio H. Ruiz Cervera	
2006-05-19 Friday	12:50-13:35	the future of the NM process by Christoph	75
		Berg	
2006-05-19 Friday	15:20-16:05	Packaging shared libraries by Josselin Mouette	50
2006-05-19 Friday	16:15-17:55	Cheap Thrills - Instant inspiration for the	55
·		masses by Meike Reichle	
2006-05-19 Friday	21:30-22:30	What's new and cool with MySQL by Jorge	?
· ·		del Conde	
2006-05-20 Saturday	10:05-10:50	Ubuntu Question and Answer Bof by Mark	?
		Shuttleworth	
2006-05-20 Saturday	10:05-10:50	Alternative developer's interface to APT:	?
		libapt-front by Petr Rockai	
2006-05-20 Saturday	11:00-11:45	Codes of Value: An Anthropological Analysis	?
		of Hacker Values by Gabriella Coleman	
2006-05-20 Saturday	11:55-12:40	Lightning Talks by Joey Hess et al	?
2006-05-20 Saturday	12:50-13:35	www.debian.org redesign by Agnieszka Cza-	?
		jkowska	
2006-05-20 Saturday	12:50-13:35	Debian's Debugging Debacle: the Debrief by	?
2000 05 22 2		Erinn Clark and Anthony Towns	
2006-05-20 Saturday	15:20-16:05	debconf[67] by Andreas Schuldei	80
2006-05-20 Saturday	16:15-17:55	state of the art for Debian i18n/l10n by Chris-	50
0000 05 00 0 : 1	10.00.00.00	tian Perrier and Javier Fernandez-Sanguino	
2006-05-20 Saturday	19:00-20:00	Devotee and the temple of Doom by Manoj	?
2006 05 20 5 4	91,20, 99,20	Srivastava	?
2006-05-20 Saturday	21:30-22:30	zeroconf BoF by Joey Hess	٠ (

4.4.1 Embedded Debian BOF by wookey

組み込み系の Debian についての BOF です。一番大きな話題はおそらく、XXX.

4.4.2 100 dollar PC by Jim Gettys

ハードウェアを開発しており、もうすこしで、サンプルボードが出荷されるそうです。ただ、消費電力を少なくするために、白黒の液晶を反射型ではなく透過型を利用するらしく、まだ生産できていないようです。子どもは 5W-10W程度の電力を発電できるそうで、それで駆動させるために、1W程度の消費電力におさえているそうです。

ソフトウェアの革命的な変更が必要だ、と主張していました。

CPU は Geode だそうです。

本来はキーを押すたびにスリープから復活するような設計にするつもりだったのですが、そうすると 100ms 程度かかってしまうので、反応が悪すぎてあきらめたそうです。

4.4.3 GPL v3

GPL v3 についての議論をしました。

Debian として GPL v3 の策定に参加しているので、意見があるのなら、コーディネータにメールするようにという事です。

次のドラフトがもうすぐでるので、それに対してまたコメントしましょう、ということでした。

4.4.4 X の歴史

X Consortium はひどかった。The Open Group に移管、された後、XFree86 が実質的な権限をもっていた。XFree86 は X Consortium に参加するための企業として登録されているのだが、登録を簡単にするために必要最低限の会則だけがあり、この時点では実際は一人で運営されており、最終的に開発者が追放されたり、ライセンスが変更になったりした。

Xorg になってよかったね。

教訓としては

- ガバナンス重要
- いそいでつくりあげてしまったものは長い間残る
- 参加して、オープンで居続けるべき。

4.4.5 ハッカー文化

Biella Coleman が自分の研究成果について説明していました。

4.4.6 translation/i18n BOF

3回に及ぶ BOF。

翻訳についての現状とこれからについて議論していました。

Rosetta などの既存の新しいツールでは解決できない問題、これからどうしていきたいのか、と言う事について話し合われました。

4.4.7 Lightening Talk

名前のよみかたについて。

4.4.8 debconf67 BOF

結論が出ませんでした。

各サイトの担当者が発表しました。情報を比較しました。

4.4.9

追加してください。

5 pbuilder cowdancer cowbuilder

Debconf の会場で開発したツール、cowbuilder についてご紹介します。

cowdancer 自体は Finland での Debconf (2005 年) で開発を開始しましたが、構想をねっていた cowbuilder に着手し完了したのは、 Mexico での Debconf (2006 年) でした。 cowbuilder ツールについて紹介します。

5.1 pbuilder とは

まず、cowbuilder のベースになっている pbuilder について紹介します。

pbuilder*2 は Debian パッケージのビルドテストをクリーンルーム環境 (chroot) で実施することが簡単になるようにつくられたツールです。chroot 環境を利用すると、いろいろな試験を実施することができますが、実はバージョンを最新にする手間とか、最小のパッケージをインストールするための手間などが結構かかります。特に、いつでも最新版の Debian をインストールできる必要があるため、ときおりトラブルが起き、その問題を解決する必要があります。そこで、 chroot 管理に関連した QA 作業を集中してスクリプト化しておき、このスクリプトさえ使えばいつでも動くようにしてしまおう、という目論見ではじめたのが pbuilder です。

ここで解説している対象はバージョン 0.155 です。

pbuilder build パッケージ.dsc ファイル コマンドを利用すると、tar.gz から chroot を展開して、その中で Debian パッケージをビルドしてくれます。ビルドに必要な依存関係は debian/control ファイルの Build-Depends フィールドと Build-Depends-Indep フィールドを参考に apt-get install でインストールします。

pbuilder create は Debian の初期インストールイメージを作成し、tar.gz として管理します。--basetgz オプションを利用すれば、tar.gz ファイルを指定できます*3。--distribution オプションで Debian etch/sarge/sid を指定することができるので、各バージョン用の chroot 環境を作成することができます。

pbuilder update は Debian の初期インストールイメージを最新版の状態に更新します。Debian unstable は一日一回新しいバージョンがリリースされてしまうので、一日に一回実行する必要があります。

pdebuild は、一般ユーザ権限で Debian パッケージのソースディレクトリの中に居る場合に、sudo コマンドを利用してで root 権限になり、Debian のソースパッケージの作成から chroot 環境でのビルドまでを自動化してくれるツールです。

ここから、pbuilder create, pbuilder update, pbuilder build, pdebuild のそれぞれの実行時のログの例を紹介します。

 $^{^{*2}}$ http://pbuilder.alioth.debian.org/, http://www.netfort.gr.jp/ $^{\sim}$ dancer/software/pbuilder.html.ja

^{*3} デフォルトは/var/cache/pbuilder/base.tgz

```
# pbuilder update --mirror http://ftp.jp.debian.org/debian --override-config --distribution sid
W: /home/dancer/.pbuilderrc does not exist
W: /nome/dancer/.pbuilderrc does not exist
Upgrading for distribution sid
Building the build Environment

-> extracting base tarball [/var/cache/pbuilder/base.tgz]

-> creating local configuration

-> copying local configuration
  -> mounting /proc filesystem
-> mounting /dev/pts filesystem
  -> policy-rc.d already exists
-> Installing apt-lines Refreshing the base.tgz
-> upgrading packages
Get:1 http://ftp.jp.debian.org sid Release.gpg [189B]
Get:2 http://ftp.jp.debian.org sid Release [38.3kB]
Ign http://ftp.jp.debian.org sid Release
Get:3 http://ftp.jp.debian.org sid/main Packages [4030kB]
Fetched 4069kB in 4s (904kB/s)
Reading package lists... Done
W: GPG error: http://ftp.jp.debian.org sid Release: Could not execute '/usr/bin/gpgv' to verify signature
  (is gnupg installed?)
W: You may want to run apt-get update to correct these problems
dpkg - warning: ignoring request to remove lilo which isn't installed. Obtaining the cached apt archive contents
Reading package lists... Done
Reading package lists... Done
Building dependency tree... Done
Calculating upgrade... Done
The following NEW packages will be installed:
    cpp-4.1 g++-4.1 gcc-4.1 libstdc++6-4.1-dev tasksel-data
The following packages will be upgraded:
    apt apt-utils aptitude bsdutils coreutils cpio cpp cpp-4.0 debconf
[中略]
wget
77 upgraded, 5 newly installed, 0 to remove and 0 not upgraded.
Need to get 25.4MB/49.3MB of archives.
After unpacking 25.4MB of additional disk space will be used.
WARNING: The following packages cannot be authenticated!
bsdutils dpkg coreutils debianutils diff libc6-dev tzdata libc6 e2fslibs
libgnutls12 telnet dhcp3-client dhcp3-common
Get:1 http://ftp.jp.debian.org sid/main dpkg 1.13.21 [1569kB]
Get:41 http://ftp.jp.debian.org sid/main telnet 0.17-32 [72.1kB]
Fetched 25.4MB in 17s (1423kB/s)
Extracting templates from packages: 100%
Preconfiguring packages ... (Reading database ... 12009 files and directories currently installed.)
Preparing to replace bsdutils 1:2.12r-9 (using .../bsdutils_1%3a2.12r-10_amd64.deb) ...
Unpacking replacement bsdutils ...
Setting up bsdutils (2.12r-10)
Preparing to replace libgpg-error0 1.2-1 (using .../libgpg-error0_1.2-1_amd64.deb) ... Unpacking replacement libgpg-error0 ...
Setting up libc6-dev (2.3.6-15) ...
「中略]
Setting up dpkg-dev (1.13.21) \dots Reading package lists... Done
Building dependency tree... Done
build-essential is already the newest version. dpkg-dev is already the newest version.
apt is already the newest version.

O upgraded, O newly installed, O to remove and 1 not upgraded.
Copying back the cached apt archive contents
 「中略]
  -> new cache content libgnutls12_1.2.11-1_amd64.deb added
  -> unmounting dev/pts filesystem
-> unmounting proc filesystem
-> creating base tarball [/var/cache/pbuilder/base.tgz]
  -> cleaning the build env
       -> removing directory /var/cache/pbuilder/build//2252 and its subdirectories
```

```
$ sudo pbuilder build ~/pending/20060531/pbuilder_0.154.dsc
W: /home/dancer/.pbuilderrc does not exist
I: using fakeroot in build.
The using lake 1001 in bullut.

pbuilder-buildpackage/amd64 $Id: debianmeetingresume200606.tex,v 1.10 2006/06/12 13:46:19 dancer Exp $
$Id: debianmeetingresume200606.tex,v 1.10 2006/06/12 13:46:19 dancer Exp $
Current time: Sat Jun 10 23:42:44 JST 2006
pbuilder-time-stamp: 1149950564
Building the build Environment
  -> extracting base tarball [/var/cache/pbuilder/base.tgz]
  -> creating local configuration
-> copying local configuration
  -> copying local configuration
-> mounting /proc filesystem
-> mounting /dev/pts filesystem
-> policy-rc.d already exists
-> created buildresult dir :/var/cache/pbuilder/result/
Obtaining the cached apt archive contents
Installing the build-deps
  -> Attempting to parse the build-deps: pbuilder-satisfydepends,v 1.28 2006/05/30 23:45:45 dancer Exp $
-> Considering debhelper (>= 4.1.0)
-> Trying debhelper
「中略]
-> Installing debhelper docbook-xsl ldp-docbook-xsl xsltproc
Reading package lists... Done
Building dependency tree... Done
The following extra packages will be installed:
[中略]
0 upgraded, 14 newly installed, 0 to remove and 1 not upgraded. Need to get 2643 \, \text{kB} / 5118 \, \text{kB} of archives.
After unpacking 23.1MB of additional disk space will be used.
WARNING: The following packages cannot be authenticated!
libmagic1 file html2text gettext intltool-debian po-debconf debhelper
sgml-base xml-core docbook-xsl ldp-docbook-xsl libxml2 libxslt1.1 xsltproc
Get:1 http://ftp.jp.debian.org sid/main libmagic1 4.17-1 [277kB]
Get:10 http://ftp.jp.debian.org sid/main xsltproc 1.1.17-1 [100kB]
Fetched 2643kB in 2s (953kB/s)
Selecting previously deselected package libmagic1.
(Reading database ... 12605 files and directories currently installed.)
Unpacking libmagic1 (from .../libmagic1_4.17-1_amd64.deb) ...
Selecting previously deselected package file.
「中略]
Setting up xsltproc (1.1.17-1) ... -> Finished parsing the build-deps
Reading package lists... Done
Building dependency tree... Done
The following NEW packages will be installed:
    fakeroot
0 upgraded, 1 newly installed, 0 to remove and 1 not upgraded.
Need to get 96.2kB of archives.
After unpacking 401kB of additional disk space will be used.
WARNING: The following packages cannot be authenticated!
   fakeroot.
Get:1 http://ftp.jp.debian.org sid/main fakeroot 1.5.8 [96.2kB]
Fetched 96.2kB in 0s (513kB/s)
Selecting previously deselected package fakeroot.
(Reading database ... 14355 files and directories currently installed.)
Unpacking fakeroot (from .../fakeroot_1.5.8_amd64.deb) ...
Setting up fakeroot (1.5.8) ...
Copying back the cached apt archive contents
「中略]
Copying source file
       -> copying [/home/dancer/pending/20060531/pbuilder_0.154.dsc]
-> copying [/home/dancer/pending/20060531/pbuilder_0.154.tar.gz]
Extracting source
su: Authentication service cannot retrieve authentication info.
dpkg-source: warning: no utmp entry available and LOGNAME not defined; using uid of process (1234) dpkg-source: warning: could not verify signature on ./pbuilder_0.154.dsc since gpg isn't installed dpkg-source: extracting pbuilder in pbuilder-0.154 dpkg-source: unpacking pbuilder_0.154.tar.gz

-> Building the package
su: Authentication service cannot retrieve authentication info.
(Ignored)
dpkg-parsechangelog: warning: no utmp entry available and LOGNAME not defined; using uid of process (1234) debian: warning: no utmp entry available and LOGNAME not defined; using uid of process (1234)
「中略]
  fakeroot debian/rules clean
[中略]
  debian/rules build
[中略]
  -> unmounting dev/pts filesystem
-> unmounting proc filesystem
Current time: Sat Jun 10 23:43:47 JST 2006
pbuilder-time-stamp: 1149950627
                                                                                                            15
   -> cleaning the build env
        -> removing directory /var/cache/pbuilder/build//10498 and its subdirectories
```

```
$ pdebuild
 W: /home/dancer/.pbuilderrc does not exist
dpkg-buildpackage: source package is pbuilder
dpkg-buildpackage: source version is 0.155
dpkg-buildpackage: source changed by Junichi Uekawa <dancer@debian.org>
dpkg-buildpackage: source version without epoch 0.155
  fakeroot debian/rules clean
dh_testdir
dh_testroot
     -f build-stamp configure-stamp
# Add here commands to clean up after the build process./usr/bin/make clean
make[1]: Entering directory '/home/dancer/cvscheckout/external/pbuilder/pbuilder'
rm -f *.bak *~ TAGS
rm -f testsuite/testimage
rm -rf testsuite/testbuild testsuite/testbuild2
make[1]: Leaving directory '/home/dancer/cvscheckout/external/pbuilder/pbuilder'
rm -rf debian/pbuilder-uml/
dh clean
  dpkg-source -b pbuilder
dpkg-source: warning: source directory './pbuilder' is not <sourcepackage>-<upstreamversion> 'pbuilder-0.155' dpkg-source: building pbuilder in pbuilder_0.155.tar.gz dpkg-source: building pbuilder in pbuilder_0.155.dsc
dpkg-genchanges -S
dpkg-genchanges: including full source code in upload
dpkg-buildpackage: source only upload: Debian-native package
W: /home/dancer/.pbuilderrc does not exist
I: using fakeroot in build.
pbuilder-buildpackage/amd64 $Id: debianmeetingresume200606.tex,v 1.10 2006/06/12 13:46:19 dancer Exp $
$Id: debianmeetingresume200606.tex,v 1.10 2006/06/12 13:46:19 dancer Exp $
Current time: Sat Jun 10 23:49:35 JST 2006
pbuilder-time-stamp: 1149950975
Building the build Environment
  -> extracting base tarball [/var/cache/pbuilder/base.tgz]
 -> creating local configuration
  -> copying local configuration
 -> mounting /proc filesystem
-> mounting /dev/pts filesystem
  -> policy-rc.d already exists
-> created buildresult dir :/var/cache/pbuilder/result
Obtaining the cached apt archive contents
Installing the build-deps
[中略]
dpkg-buildpackage: full upload; Debian-native package (full source is included)
Copying back the cached apt archive contents
     unmounting dev/pts filesystem
-> unmounting proc filesystem
-> unmounting proc filesystem
Current time: Sat Jun 10 23:50:38 JST 2006
pbuilder-time-stamp: 1149951038
  -> cleaning the build env
      -> removing directory /var/cache/pbuilder/build//13247 and its subdirectories
```

5.2 cowdancer とは

cowdancer*4 はディレクトリをハードリンクでコピーしておけば、書き込みをされる段階にハードリンクの関係を破壊する、というツールです。大きなディレクトリツリーを作業用にコピーして、作業したあとは捨てる、と言うような利用方法の場合、実際にコピーすると書き込み量が大きく、待たされます。また全てのファイルを変更するわけではなく、一部のファイルしか書き換えないので、書き換える段階になってから実物をコピーしたほうが効率良い場合があります。そのような用途に利用します。

GNU の cp コマンドであれば、 cp -al でコピーをすると、ファイルを全部コピーするかわりに全てのファイルをハードリンクでコピーしてくれます。 cp -al でコピーしたツリーに対して、cow-shell コマンドで起動したシェルの中で作業すればよいです。

例えば、下記のような作業をしても、linux-2.6 ディレクトリの中身には影響を与えません。また、cp-a コマンドでコピーするのに比べると格段にはやいです。

```
$ cp -al linux-2.6 linux-2.6-work
$ cd linux-2.6-work
$ cow-shell
Invoking /bin/bash
$ vi .config
[fr\overline{x}]
$ exit
exit
exit
$ cd ../
$ rm -rf linux-2.6-work
```

 $^{^{*4}}$ http://www.netfort.gr.jp/ $^{\sim}$ dancer/software/cowdancer.html.ja

5.3 cowbuilder とは

cowbuilder は cowdancer を利用して pbuilder を高速化したツールです。pbuilder は便利ですが、Debian のインストールイメージの .tar.gz を毎回展開しているため、遅いという重大な欠点がありました。.tar.gz のかわりに作業用のツリーを展開した状態で保持しておき、cowdancer を利用して、ハードリンクを毎回利用するようにしたところ、..tar.gz の展開の部分が省略されたため、高速になりました。

オペレーション	pbuilder	cowbuilder	speed
update	150	16	10x
build (N/W down)	80	18	5x
build (pbuilder)	177	86	2x
login	80	4	20x

5.4 cowbuilder の使い方

cowbuilder --build パッケージ.dsc ファイル コマンドを利用すると、Debian パッケージを cowbuilder 環境でビルドしてくれます。

cowbuilder --create は Debian の初期インストールイメージを作成します。--basepath オプションを利用すれば、そのイメージを配置する場所を指定できます。 *5 。--distribution オプションで Debian etch/sarge/sid を指定することができるので、各バージョン用の chroot 環境を作成することができます。

cowbuilder --update は Debian の初期インストールイメージを最新版の状態に更新します。 Debian unstable は一日一回新しいバージョンがリリースされてしまうので、一日に一回実行する必要があります。

pdebuild --pbuilder cowbuilder は、一般ユーザ権限で Debian パッケージのソースディレクトリの中に居る場合に、sudo コマンドを利用してで root 権限になり、Debian のソースパッケージの作成から chroot 環境でのビルドまでを自動化してくれるツールです。

5.5 cowbuilder の今後の課題


debuild を利用してパッケージをビルドする時間と比較してみると、実はまだまだ高速化できる余地はあります。 apt-get でベースインストールイメージから Build-Depends をそろえる部分にて、時間を取られていることもあり、また、ext3 ファイルシステムを利用している場合、ハードリンクしたツリーの rm -rf が結構遅いこともあります。 今後の方策としてはいろいろありますが、下記が考えられます:

- 各パッケージ向けのインストールイメージのキャッシュ。Build-Depends の解析は一日一回ですむようにして、 ビルドツリーのキャッシュを保持しておく。
- apt-get install を高速化する, dpkg -i を高速化する, dpkg をデーモン化させ、 apt-get からはデーモンを呼ばせる
- ext3 の削除ルーチンの高速化

apt-get install の高速化は日常的なオペレーションにとっても利点があるので、そちらを注目して作業してみるとよいでしょう。

^{*5} デフォルトは/var/cache/pbuilder/base.cow

東京エリア Debian 勉強会 2006



未定です。内容は本日決定予定です。 参加者募集はまた後程。



Debian 勉強会資料

2006 年 6 月 17 日 初版第 1 刷発行 東京エリア Debian 勉強会 (編集・印刷・発行)