

Name: Adam Amiel V. Gonzales

1. Display all columns from tbl\_employees.

```
MariaDB [db_gonzales]> SELECT * FROM tbl_employees
-> ;
```

| id | firstname | lastname | position_id | gender | salary    | date_hired | status |
|----|-----------|----------|-------------|--------|-----------|------------|--------|
| 1  | Jerwin    | Cruz     | 1           | M      | 60000.00  | 2018-06-30 | ACTIVE |
| 2  | Peter     | Parker   | 2           | M      | 65000.00  | 2011-12-02 | ACTIVE |
| 3  | Tony      | Stark    | 2           | M      | 102000.00 | 2002-02-01 | ACTIVE |
| 4  | Natasha   | Romanoff | 4           | F      | 70000.00  | 2015-10-24 | ACTIVE |
| 5  | Wanda     | Maximoff | 3           | F      | 48000.00  | 2016-09-25 | ACTIVE |
| 6  | Steve     | Rogers   | 1           | M      | 58000.00  | 2017-07-25 | ACTIVE |
| 7  | Stephen   | Strange  | 5           | M      | 52000.00  | 2013-08-25 | ACTIVE |

7 rows in set (0.000 sec)

2. Display only the firstname and lastname of all employees.

```
MariaDB [db_gonzales]> SELECT firstname, lastname FROM tbl_employees;
```

| firstname | lastname |
|-----------|----------|
| Jerwin    | Cruz     |
| Peter     | Parker   |
| Tony      | Stark    |
| Natasha   | Romanoff |
| Wanda     | Maximoff |
| Steve     | Rogers   |
| Stephen   | Strange  |

7 rows in set (0.001 sec)

3. Show firstname, lastname, and salary of all employees.

```
MariaDB [db_gonzales]> SELECT firstname, lastname, salary FROM tbl_employees;
```

| firstname | lastname | salary    |
|-----------|----------|-----------|
| Jerwin    | Cruz     | 60000.00  |
| Peter     | Parker   | 65000.00  |
| Tony      | Stark    | 102000.00 |
| Natasha   | Romanoff | 70000.00  |
| Wanda     | Maximoff | 48000.00  |
| Steve     | Rogers   | 58000.00  |
| Stephen   | Strange  | 52000.00  |

7 rows in set (0.000 sec)

4. Find all employees whose firstname starts with 'S'.

```
MariaDB [db_gonzales]> SELECT * FROM tbl_employees WHERE firstname LIKE 'S%';
```

| id | firstname | lastname | position_id | gender | salary   | date_hired | status |
|----|-----------|----------|-------------|--------|----------|------------|--------|
| 6  | Steve     | Rogers   | 1           | M      | 58000.00 | 2017-07-25 | ACTIVE |
| 7  | Stephen   | Strange  | 5           | M      | 52000.00 | 2013-08-25 | ACTIVE |

```
2 rows in set (0.000 sec)
```

5. Find all employees whose lastname ends with 'off'.

```
MariaDB [db_gonzales]> SELECT * FROM tbl_employees WHERE lastname LIKE '%off'
-> ;
```

| id | firstname | lastname | position_id | gender | salary   | date_hired | status |
|----|-----------|----------|-------------|--------|----------|------------|--------|
| 4  | Natasha   | Romanoff | 4           | F      | 70000.00 | 2015-10-24 | ACTIVE |
| 5  | Wanda     | Maximoff | 3           | F      | 48000.00 | 2016-09-25 | ACTIVE |

```
2 rows in set (0.000 sec)
```

6. Find employees with firstname containing 'an'.
7. Find employees whose firstname second letter is 'e'.
8. Find employees whose lastname starts with 'R'.
9. Show distinct position\_id values.
10. Show distinct gender values from the table.
11. Display all employees with a salary greater than **60,000**.
12. Display all employees who were hired before **2015-01-01**.
13. Display employees with gender = 'F'.
14. Show employees whose status is ACTIVE.
15. Display employees whose salary is between **50,000** and **70,000**.
16. Display employees sorted by firstname in ascending order.
17. Display employees sorted by salary in descending order.
18. Show employees sorted by date\_hired (oldest first).
19. Count how many employees are in each position\_id.
20. Count how many employees are grouped by gender.
21. Find the total salary per position\_id.

22. Show position\_id groups having more than **1 employee**.
23. Show gender groups where the average salary is above **60,000**.
24. Show only the **first 3 employees** from the table.
25. Show **3 employees starting from the 3rd record** in the table.