

[Dashboard](#) / [My courses](#) / [2021F CSSE280-01](#) / [Hello Frameworks](#) / [Hello Frameworks 02 CSSE280 Template quiz](#)

Started on	Sunday, September 13, 2020, 2:10 PM
State	Finished
Completed on	Sunday, September 13, 2020, 2:20 PM
Time taken	9 mins 32 secs
Grade	4.00 out of 4.00 (100%)
Feedback	Nice work!

Question 1

Correct

1.00 points out of 1.00

In the `index.html` file of the template there are 3 **CSS stylesheets** loaded. What are they?

- ☐ a. jQuery import
- ☐ b. `<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">`
- ☒ c. The Roboto font from Google (a dependency of Material Design for Bootstrap) ✓
- ☒ d. The Bootstrap for Material Design CSS file ✓
- ☒ e. A **main.css** file where you will put all of your CSS additions. ✓
- ☐ f. `<meta charset="utf-8">`
- ☐ g. Firebase CSS rules

Your answer is correct.

The correct answers are:

The Bootstrap for Material Design CSS file, The Roboto font from Google (a dependency of Material Design for Bootstrap),

A **main.css** file where you will put all of your CSS additions.

Correct

Marks for this submission: 1.00/1.00.

Question 2

Correct

1.00 points out of 1.00

At the bottom of the <body> there are 5 scripts in the template that we'll use in this unit. What are they?

Note: these 5 do NOT include the Firebase client libraries (which we deleted for this unit).

- | | | |
|---|--|---|
| <input checked="" type="checkbox"/> a. A line of code that runs some Bootstrap for Material Design initialization | <input checked="" type="checkbox"/> Note: this is NOT part of normal Bootstrap. It's just something Fez (Federico Zivolo) needed to add for the button ripple effects. | |
| <input checked="" type="checkbox"/> b. main.js for you JavaScript additions | | ✓ |
| <input type="checkbox"/> c. React.js | | |
| <input type="checkbox"/> d. Angular.js | | |
| <input type="checkbox"/> e. Vue.js | | |
| <input checked="" type="checkbox"/> f. Popper (a dependency of Bootstrap 4) | | ✓ |
| <input checked="" type="checkbox"/> g. Bootstrap for Material Design | | ✓ |
| <input checked="" type="checkbox"/> h. jQuery (a dependency of Bootstrap 4) | | ✓ |

Your answer is correct.

The correct answers are:

jQuery (a dependency of Bootstrap 4),

Popper (a dependency of Bootstrap 4),

Bootstrap for Material Design,

A line of code that runs some Bootstrap for Material Design initialization,

main.js for you JavaScript additions

Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct

1.00 points out of 1.00

The template added a file that will be used to set the tab icon (look at your Chrome tabs now and notice the icons). What is the name of that image file (you can find it in the template)?

Note: that icon will only be visible when the page is **served**, via either a localhost server or deployed. You won't see it working until later in the unit, but I wanted to talk about the template here.

BTW that image looks like this:



Hint: include the file extension in your answer.

Answer: favicon.ico



The correct answer is: favicon.ico

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct

1.00 points out of 1.00

True or False. The index.html is based on the Getting Started template for Bootstrap. The real Bootstrap template uses CDNs (content delivery network) to serve the CSS and JavaScript files. However in the CSSE280 template the CSS and JavaScript files are local (i.e. served by us in the /scripts and /styles folders).

Select one:

☒ True ✓

☐ False

Correct. That statement is accurate. Notice all the files we have:

```
└─ scripts
   ├── bootstrap-material-design.js
   ├── bootstrap-material-design.js.map
   ├── jquery.min.js
   ├── main.js
   ├── popper.js
   └── popper.js.map
└─ styles
   ├── bootstrap-material-design.min.css
   └── main.css
```

Really we could've used CDNs for Bootstrap, jQuery, Popper, etc. and then we'd have only these files:

```
└─ scripts
   └── main.js
└─ styles
   └── main.css
```

Interestingly, the font file is the only one where the template uses a CDN. See how it is different in the index.html it starts with https://

The correct answer is 'True'.

Correct

Marks for this submission: 1.00/1.00.

◀ Hello Frameworks 01 Overview quiz

Jump to...

Hello Frameworks 03 Bootstrap Buttons and Grid Intro quiz ▶