


Buat branch

```
pc-1@pc-1-E520:~/Documents/VCS$ git branch staff
```

Buat staff.html



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows three files: mahasantri.html, dosen.html, and staff.html.
- Code Editor:** Displays the content of staff.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Staff Petik</title>
</head>
<body>
    <h3>Daftar Staff PeTIK</h3>
    <ul>
        <li>Ucup</li>
        <li>Uke</li>
        <li>Udin</li>
    </ul>
</body>
</html>
```
- Bottom Status Bar:** Shows the current file is staff.html, line 9, column 27, and other details like encoding and date.

Mencommit staff.html

```
● pc-1@pc-1-E520:~/Documents/VCS$ git add staff.html
● pc-1@pc-1-E520:~/Documents/VCS$ git commit -m "Menambahkan staff.html"
[staff aae5246] Menambahkan staff.html
 1 file changed, 16 insertions(+)
  create mode 100644 staff.html
● pc-1@pc-1-E520:~/Documents/VCS$ git log
commit aae52467429cf7853271d632eaa44e8b352416d0 (HEAD -> staff)
Author: dandika <dandiadriandopo@gmail.com>
Date:   Fri Dec 12 09:10:50 2025 +0700
```

Menambahkan staff.html

