

01 · THE PROBLEM

Messy workspace = lost agent

When you start with OpenClaw, everything seems simple. A file here, a script there. But after a few months, without structure, the workspace becomes chaos · and so does the agent.

· MESSY WORKSPACE

Loose files in the root

Agent doesn't know where to save

Reports mixed with drafts

Skills uncategorized

Impossible to audit what is where

Context window polluted with junk

· ORGANIZED WORKSPACE

Each type of file has a destination

Agent knows exactly where to save

Reports are easily searchable

Skills categorized and documented

memory_search finds anything

Clean and relevant context

·

The golden rule

The workspace isn't just where you save files · it's your agent's externalized memory.

The more organized, the smarter it seems.

EXTRA CLASS · WORKSPACE

How to organize your workspace

to scale

Folder structure, rules for where to save each thing, and how the workspace evolves along with your agent.

·~20 min

·Practical

·Foundation for scale

3/15/26, 3:48 PM

Aula Extra · Organizando seu Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

1/11

02 · BASIC STRUCTURE

The structure that scales

This is the structure that works for any type of use · solo founder, small team, content creator.

The example below is the real workspace of Amora · agent of Pixel Educação, used as Chief of Staff by Bruno Okamoto.

.

Real workspace · Amora (workspace-amora-cos)

Amora is the agent that manages business, content, community and the Pixel Educação course.

Her workspace has 25 skills, 9 active projects and more than 80 memory files. It is the template that you will adapt for your case.

workspace-amora-cos/ · Amora's real workspace

- ... SOUL.md · "Bruno's Chief of Staff. Partner, not assistant."
- ... IDENTITY.md · Amora v4.0, Opus, bot @amoralicebot, HQ group
- ... USER.md · Bruno Okamoto · business, ADHD, tone of voice, family
- ... MEMORY.md · index + map of where each type of memory is located
- ... AGENTS.md · startup sequence, red lines, group rules
- ... TOOLS.md · 10+ integrations, credentials, folder structure
- ... HEARTBEAT.md · calendar, projects, crons, skills (daily checks)

.

... memory/

- ... context/ · decisions.md, lessons.md, people.md, business-context.md
- ... projects/ · comunidade-ai.md, metrikaas.md, mgm.md, mission-control-v2.md...
- ... integrations/ · credentials-map.md, telegram-map.md, social-access.md
- ... content/ · voice/, training-data/, editorial calendar
- ... curso-openclaw/ · PRDs, prompts, templates, QA, course materials
- ... sessions/ · 2026-03-14.md, 2026-03-13.md... (daily diary)

.

... skills/ · 25 skills in 4 categories

- ... content/ · carrossel-instagram, yt-hype, craft-api, figma...
- ... analytics/ · chartmogul, ga4
- ... operations/ · notion-api, remind-me, planner-adhd, perplexity...
- ... research/ · deep-research-protocol, circle-api, blogwatcher...

.

... scripts/ · youtube/, content/, metrics/, utils/

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

2/11

... projects/ · notion-gestao-projetos/PRD.md, mission-control/PRD.md...
... reports/ · business/, mgm/, sales/, social-media/, misc/
... archive/ · htmls/, pdfs/, imgs/, prds arquivados
..

Never drop files in the root

The root is reserved for the 7 identity files. Any output goes in a subfolder · this is the pattern that makes Amora know where everything is without having to ask.

03 · THE 7 ROOT FILES

Your agent's identity

These files are in the root and are loaded in every session. They are the basis of everything.

FILE

WHAT GOES HERE

UPDATES WHEN?

SOUL.md

Personality, tone, values, anti-patterns of the agent

When the agent needs behavioral adjustment

IDENTITY.md

Name, version, model, communication channels, IDs

When channel changes or integration is added

USER.md

Who you are · business, routine, tone of voice, family

When something relevant changes in your life/business

MEMORY.md

Memory index · points to files in memory/

When new permanent context is added

AGENTS.md

Operational rules, startup sequence, red lines

When the expected behavior of the agent changes

TOOLS.md

Integration map, credentials, folder structure

When a new tool or integration is added

HEARTBEAT.md

Checklist of what to check periodically (email, calendar)

When your monitoring routine changes

3/15/26, 3:48 PM

Aula Extra · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

3/11

SOUL.md and USER.md are the most important

An agent without SOUL.md is a generic chatbot. An agent without USER.md doesn't know you.

Invest time in both · it's what makes the difference between a mediocre agent and one that seems to have worked with you for years.

04 · THE RULE OF WHERE TO SAVE

Each file has a correct destination

The biggest source of confusion in messy workspaces: no one (human or agent) knows where to save each thing. The rule below solves this.

FILE TYPE

DESTINATION

Report / analysis (MD, HTML)

reports/{category}/

Generated HTML Dashboard

reports/{category}/

Deliverable PDF

reports/{category}/

Deliverable image (PNG, JPG)

reports/{category}/

Screenshot / temporary image

archive/imgs/

New project PRD

projects/{name}/PRD.md

New Skill

skills/{category}/SKILL.md

Operational script

scripts/{category}/name.sh

Old / obsolete doc

archive/

Active project memory

memory/projects/{name}.md

Permanent decision

memory/context/decisions.md

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

4/11

FILE TYPE

DESTINATION

Today's session log

memory/sessions/YYYY-MM-DD.md

.

The simple rule

If it's going to be consulted again · reports/ . If it's a draft or temporary · archive/ .

Never in the root.

05 · STRUCTURED MEMORY

The memory/ folder as a second brain

The memory/ folder is where the agent persists knowledge between sessions. Each subfolder has a specific purpose.

· context/

Permanent decisions, lessons

learned, relevant people,

business context. Rarely changes

· it's your agent's "constitution".

DECISIONS.MD

LESSONS.MD

PEOPLE.MD

· projects/

One file per active project. Status,

next steps, decisions. When

finished · archive/. Below are the

actual Amora projects:

COMUNIDADE-AI.MD

METRICAAS.MD

MGM.MD

MISSION-CONTROL-V2.MD

OPENCLAW.MD

_INDEX.MD

· integrations/

Map of tools, channel IDs,

credentials (always via 1Password ·

never hardcoded!), access settings.

· sessions/

Session log: one file per day

(YYYY-MM-DD.md). The agent loads

today + yesterday automatically. The rest

is searched via memory_search when

necessary.

2026-03-14.MD

2026-03-13.MD

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

5/11

CREDENTIALS-MAP.MD

TELEGRAM-MAP.MD

.

memory_search finds anything

You don't need to load all files into the context. The agent uses memory_search("term") to semantically search the entire memory/ folder on demand · economical in tokens and very efficient.

06 · SKILLS AS CAPABILITIES

Organizing your skills

Skills are the agent's specialized capabilities. Each skill lives in skills/{category}/SKILL.md . Categorize by type of work, not by tool.

Below are the 25 real skills of Amora · organized by work category:

skills/ · 25 skills, 4 categories

... content/ · content creation (9 skills)

· ... carrossel-instagram/SKILL.md

· ... carrossel-linkedin/SKILL.md

· ... yt-hype/SKILL.md · titles, descriptions, thumbnails

· ... craft-api/SKILL.md

· ... figma/SKILL.md · + 4 more

... analytics/ · metrics (2 skills)

· ... chartmogul/SKILL.md · MRR, churn, LTV

· ... ga4/SKILL.md

... operations/ · automations and ops (9 skills)

· ... notion-api/SKILL.md

· ... remind-me/SKILL.md

· ... planner-adhd/SKILL.md · max 3 priorities/day

· ... perplexity/SKILL.md · + 5 more

... research/ · research and intelligence (5 skills)

... deep-research-protocol/SKILL.md

... circle-api/SKILL.md · community

... blogwatcher/SKILL.md · + 2 more

3/15/26, 3:48 PM

Aula Extra · Organizando seu Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

6/11

Skill governance

Before creating a new skill, check if it already exists in ClawHub. And always document: what the skill does, when to use it, when NOT to use it. Skills without documentation become garbage in 3 months.

07 · CONTINUOUS EVOLUTION

The workspace grows with you

A well-structured workspace is not static · it evolves as your usage changes. Follow this cycle.

1

Start simple

Don't try to create the perfect structure on day 1. Start with the 7 root files + memory/basic. Add as the need arises.

2

Document where to save in TOOLS.md

As soon as you decide on a pattern ("MRR reports go in reports/business/"), write it in TOOLS.md. The agent will follow without having to ask every time.

3

Review periodically

Once a month: audit what's in archive/, delete what's no longer needed, and see if any folder has grown too much and needs subcategories.

4

Update root files whenever the workspace grows

Created a new skill category? Added a new integration? Started a project important? Register in the root files immediately. There's no point in having the structure if the agent doesn't know it exists.

..

The agent only knows what you taught it

If you created a "Meta Ads analysis" skill but didn't update TOOLS.md and MEMORY.md, in the next session the agent will act as if it doesn't exist · and may create another from scratch or stop using it.

· Practical rule: when creating/adding anything new, update:

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

7/11

- New skill · TOOLS.md + MEMORY.md
- New integration · TOOLS.md
- New project · MEMORY.md (projects/)
- New behavior rule · SOUL.md or AGENTS.md

5

Let the agent suggest improvements

Well-configured agents (with a strong SOUL.md) will notice when something is out of place and suggest reorganization. Accept this feedback · it's a sign that the system is working.

08 · STUDENT PROMPT

Organize your workspace now

Paste this prompt into your OpenClaw agent to perform a diagnosis and reorganization of your workspace.

I just watched the class on workspace organization. I want you to do a complete audit of my workspace and help me organize.

****Phase 1 · Diagnosis:****

1. List what's in the root of the workspace (ls in the root directory)
2. Identify files that are out of place
3. Check if the 7 root files exist: SOUL.md, IDENTITY.md, USER.md, MEMORY.md, AGENTS.md, TOOLS.md, HEARTBEAT.md
4. Tell me what's missing or misplaced

****Phase 2 · Structure:****

5. Create the missing folders:

- memory/context/ (decisions.md, lessons.md, people.md)
- memory/projects/
- memory/integrations/
- memory/sessions/
- skills/ (with subfolders: content/, analytics/, operations/, research/)
- reports/ (with subfolders: business/, misc/)
- archive/

****Phase 3 · Rules in TOOLS.md:****

6. Add a "Where to save each output" section to TOOLS.md with the table of destinations

STUDENT PROMPT

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

8/11

Tip: use Amora's workspace as a reference

The workspace shown in this class is Amora's actual workspace (Pixel Educação's agent).

You can use it as a template · adapt the categories to your context.

09 · PROJECT MANAGEMENT

Where are the tasks and pending items?

This is the question everyone asks when organizing the workspace. And the honest answer is: there is no single recipe. What exists is a decision framework.

The golden rule

Choose a source of truth for your tasks and have the agent always point to it. The problem is not which tool · it's having two sources at the same time.

The 3 options

· pending.md per project

SIMPLER

Each project has a memory/projects/{projeto}.md file with a ## section

Pending . The agent reads and updates directly, without API, without setup.

· Zero external dependency · Agent accesses directly · No visual interface

7. Define the categories of reports that make sense for my use

****Phase 4 · Test:****

8. Have me create a test output (a small report) and save it in the right place

9. Confirm that you can find it later with memory_search

Objective: at the end of this session, my workspace should have a clear structure and you should know exactly where to save any type of file without needing to ask me.

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

9/11

· · Notion / Linear / Trello

MORE VISUAL

Tasks live in your favorite tool. The agent accesses via API (Notion has native integration in OpenClaw). You visualize in the browser.

· Visual interface · · Collaborative · · Depends on API · · More setup

· Own Dashboard (Mission Control)

MAXIMUM CONTROL

You build your own management panel · connected to the agent, to Notion, to business metrics. Total control, custom visual, with your own data.

· Total control · · Integrated with agent · · Requires build · · More complex

The rule that works in all options

Regardless of which tool you choose, do this in each project file:

.

This works with any tool

Notion, Obsidian, Linear, Trello, ClickUp · it doesn't matter. What matters is that the agent knows where to look when you mention a task.

10 · CHECKLIST

Your workspace is ready when...

memory/projects/meu-projeto.md

Tasks

Option A: direct link to Notion

Tasks: <https://notion.so/seu-workspace/meu-projeto>

Option B: pending right here

- [] Pending task

- [x] Completed task

3/15/26, 3:48 PM

Extra Class · Organizing your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

10/11

- The 7 root files exist and are filled (SOUL, IDENTITY, USER, MEMORY, AGENTS, TOOLS, HEARTBEAT)
- The memory/ folder has the subfolders: context/, projects/, integrations/, sessions/
- Skills are in skills/{category}/SKILL.md
- TOOLS.md has the table "where to save each output"
- reports/ has subfolders by category (business/, misc/, etc.)
- There are no loose files in the root other than the 7 identity files
- The agent can answer "where should I save an MRR report?" without needing to ask
- memory_search can find something you asked to save yesterday
- Each project in memory/projects/ has a reference to where the tasks are (Notion, pending.md, or another tool)

OpenClaw · Course 2026

Extra Class · Workspace · How to organize to scale

3/15/26, 3:48 PM

Extra Class · Organizing Your Workspace | OpenClaw

<http://localhost:8765/aula-extra-workspace-v2.html>

11/11