

.

gog CLI

v0.12.0+

Google Workspace in the terminal · and via Telegram, WhatsApp or Discord with your OpenClaw agent

Two ways to use it

Most people don't need to touch the terminal. Just talk to the agent through the channel you already use.

· Telegram / WhatsApp / Discord

.

· OpenClaw Agent

.

· gog CLI

.

· Google Workspace

· Authentication: always OAuth 2.0

gog has always used OAuth 2.0 · there is no simple API key login.

You need a client_secret.json generated in the Google Cloud

Console only once. After that, the agent takes care of everything.

Recent addition: ADC support (GOG_AUTH_MODE=adc) for Cloud Run /

Workload Identity. For personal use, the flow remains OAuth Desktop

App.

1 · Using via agent (main mode)

If gog is already configured by your admin, you don't need to

install anything. Just send a message to your agent on the channels:

· Telegram

- WhatsApp
- Discord
- Gmail
- Google Calendar
- Google Drive
- EXAMPLE PROMPT

Show me the last 10 unread emails from my inbox

- EXAMPLE PROMPT

Send an email to someone@company.com with the subject "Meeting tomorrow" saying that I confirm my presence at 3pm

- EXAMPLE PROMPT

Search for emails from Ryanair from the last 30 days and show me the flight numbers

- EXAMPLE PROMPT

What events do I have this week?

- EXAMPLE PROMPT

Create an event "Call with client" tomorrow at 2pm for 1 hour on my Google Calendar

- EXAMPLE PROMPT

Do I have any schedule conflicts next week?

- EXAMPLE PROMPT

Search my Drive for the client X's commercial proposal file and send me the link

- EXAMPLE PROMPT

- Google Sheets
- Google Docs
- Contacts

2 · Technical Setup (one-time only)

This section is for those who will configure the server/agent. If you are an end user, skip directly to step 1 above.

Upload this file I sent you to the "Projetos/2026" folder in my Drive

- EXAMPLE PROMPT

Read the "Vendas" tab of my control spreadsheet and tell me what the total was last month

- EXAMPLE PROMPT

Add a new row to the spreadsheet with the data: João, 11/03/2026, R\$500

- EXAMPLE PROMPT

Read the document "Briefing do Produto" on my Drive and give me a summary

- EXAMPLE PROMPT

Export this Doc as PDF and send it to me here

- EXAMPLE PROMPT

Find Maria's email in my Google contacts

2.1 Install gog

brew install steipete/tap/gogcli

verify

gog --version

2.2 Create credentials in the Google Cloud Console

1 Create a project: console.cloud.google.com/projectcreate

2 Activate the necessary APIs (links below)

3 Configure OAuth consent screen

(External, Testing):

console.cloud.google.com/auth/branding

4 Add your account as Test

User:

console.cloud.google.com/auth/audience

5 Create the OAuth Client

.

Desktop

app

[:console.cloud.google.com/auth/clients](https://console.cloud.google.com/auth/clients)

6 Download the JSON · save as client_secret.json

APIs to activate:

- Gmail API
- Google Calendar API
- Google Drive API
- Google Docs API
- Google Sheets API
- People API (Contacts)

- Google Tasks API
- Google Forms API
- Google Slides API
- Google Chat API
- Apps Script API
- Admin SDK API

2.3 Configure gog

1. Register OAuth credentials

gog auth credentials ~/Downloads/client_secret.json

2. Add account (opens browser to authorize)

gog auth add you@gmail.com --services gmail,calendar,drive,contacts,docs,sheets

3. Verify

gog auth list

4. Default account (add to .bashrc / .zshrc)

export GOG_ACCOUNT=you@gmail.com

2.4 Multiple accounts

gog auth add work@empresa.com

Use specific account in a command

gog gmail search 'newer_than:1d' --account work@empresa.com

3 · Quick command reference (terminal)

For reference by admins and power users. End users don't need to memorize this · just talk to the agent in natural language.

Service

Command

Description

Gmail

`gog gmail search 'newer_than:7d' --max 10`

Last 7 days

(threads)

Gmail

`gog gmail messages search "in:inbox" --max 20`

Individual

messages

Gmail

`gog gmail send --to a@b.com --subject "Hi" --body "Hello"`

Send e-mail

Gmail

`gog gmail send --to a@b.com --subject "Hi" --body-html "<p>...</p>"`

Send e-mail

HTML

Calendar

`gog calendar events <calId> --from <iso> --to <iso>`

List events

Calendar

`gog calendar create <calId> --summary "Title" --from <iso> --to <iso>`

Create event

Drive

`gog drive search "query" --max 10`

Search files

Sheets

`gog sheets get <id> "Tab!A1:D10" --json`

Read spreadsheet

Sheets

`gog sheets update <id> "Tab!A1:B2" --values-json '[["A","B"]]'`

Write to

spreadsheet

Docs

`gog docs cat <docId>`

Read document

Contacts

`gog contacts list --max 20`

List contacts

4 · Tips for use via agent

- Works well
- "Show me today's emails"
- "Create event X tomorrow at 10am"
- "Search for file Y in Drive"
- "Send email to Z saying..."
- "What is the total in the Sales tab?"
- · Be specific when needed
- Indicate which account if you have more than one
- For spreadsheets, state the name of the file and tab
- For events, state the date, time and duration
- For Drive, state the destination folder
- Confirm before sending important emails

Generated by Amora · [gogcli.sh](#) · [github.com/steipete/gogcli](#) · March 2026