# A Secure Password Wallet based on the SEcube™ framework

#### Walter Gallego Gómez

Department of control and computer engineering
Politecnico di Torino

July 23, 2018



The need for a hardware-based password manager is justified answering these three questions:

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

The need for a hardware-based password manager is justified answering these three questions:

#### Are passwords still relevant?

Yes, they are the dominant form of authentication.

The need for a hardware-based password manager is justified answering these three questions:

#### Are passwords still relevant?

Yes, they are the dominant form of authentication.

Why should people use password managers?

The need for a hardware-based password manager is justified answering these three questions:

#### Are passwords still relevant?

Yes, they are the dominant form of authentication.

### Why should people use password managers?

So they can use unique strong passwords.

The need for a hardware-based password manager is justified answering these three questions:

#### Are passwords still relevant?

Yes, they are the dominant form of authentication.

### Why should people use password managers?

So they can use unique strong passwords.

Why are hardware-based approaches more reliable?

The need for a hardware-based password manager is justified answering these three questions:

#### Are passwords still relevant?

Yes, they are the dominant form of authentication.

### Why should people use password managers?

So they can use unique strong passwords.

### Why are hardware-based approaches more reliable?

To authenticate, Master password + Device are required

## **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ►The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - ▶ Basics of Operation
  - ►Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

## **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ► The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - **▶** Basics of Operation
  - ► Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

## Introduction

This work regards the implementation as a desktop application that exploits the capabilities of the SEcube™ (Secure Environment cube) hardware and software framework to store and protect passwords.

The desktop application, named **SEcubeWallet**, was written in C/C++and Qt, and it interacts with a SEcube™ device, requesting services like authentication and encryption/decryption of data.

## **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ►The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - **▶** Basics of Operation
  - ► Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

The following open source libraries were used:

The following open source libraries were used:

**Qt: GUI and wrappers** 

The following open source libraries were used:

### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

The following open source libraries were used:

**Qt: GUI and wrappers** 

C++ library, cross-platform, elegant design

SQLite: DataBase management

The following open source libraries were used:

#### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

#### SQLite: DataBase management

Self-contained, written in C, Transactional

The following open source libraries were used:

#### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

#### SQLite: DataBase management

Self-contained, written in C, Transactional

PwGen: Password generator

The following open source libraries were used:

#### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

#### SQLite: DataBase management

Self-contained, written in C, Transactional

#### PwGen: Password generator

Configurable, random or readable

The following open source libraries were used:

#### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

#### **SQLite: DataBase management**

Self-contained, written in C, Transactional

### PwGen: Password generator

Configurable, random or readable

### zxcvbn: Password strength estimator

The following open source libraries were used:

#### **Qt: GUI and wrappers**

C++ library, cross-platform, elegant design

#### **SQLite: DataBase management**

Self-contained, written in C, Transactional

### PwGen: Password generator

Configurable, random or readable

### zxcvbn: Password strength estimator

Dictionaries, keyboard patterns, sequences, years

**Hardware** 

Software

#### **Hardware**

**Software** 

Developed by the Blu5 Group

#### **Hardware**

Software

Developed by the Blu5 Group

## **Family**

- SEcube<sup>™</sup> Chip
- SEcube™ DevKit
- USEcube<sup>™</sup> Stick

#### **Hardware**

**Software** 

Developed by the Blu5 Group

## **Family**

- SEcube<sup>™</sup> Chip
- SEcube™ DevKit
- USEcube™ Stick

### SEcube™ Chip

- MCU: STM32F4 (STM)
- FPGA: MachXO2-7000 (Lattice)
- Smart Card: SLJ52G (infineon)

### **Hardware**

Developed by the Blu5 Group

## **Family**

- SEcube<sup>™</sup> Chip
- SEcube<sup>™</sup> DevKit
- ► USEcube<sup>™</sup> Stick

## SEcube™ Chip

- MCU: STM32F4 (STM)
- FPGA: MachXO2-7000 (Lattice)
- Smart Card: SLJ52G (infineon)

## Software

Developed by European research institutions. Written in C using the Eclipse IDE.

### **Hardware**

Developed by the Blu5 Group

## **Family**

- SEcube<sup>™</sup> Chip
- SEcube™ DevKit
- ► USEcube<sup>™</sup> Stick

## SEcube™ Chip

- MCU: STM32F4 (STM)
- FPGA: MachXO2-7000 (Lattice)
- Smart Card: SLJ52G (infineon)

## Software

Developed by European research institutions. Written in C using the Eclipse IDE.

Firmware: Developers can customize the firmware to their needs, and load the updated version to the SEcube™ chip.

### **Hardware**

Developed by the Blu5 Group

## **Family**

- SEcube<sup>™</sup> Chip
- SEcube™ DevKit
- ► USEcube<sup>™</sup> Stick

### SEcube™ Chip


- MCU: STM32F4 (STM)
- FPGA: MachXO2-7000 (Lattice)
- Smart Card: SLJ52G (infineon)


### **Software**


Developed by European research institutions. Written in C using the Eclipse IDE.


Firmware: Developers can customize the firmware to their needs, and load the updated version to the SEcube™ chip.


Host libraries: Allow to experience the platform as a high-security black box.













## **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ►The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - ► Basics of Operation
  - ►Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work


# **SEcubeWallet Application**




# Open device and authenticate




## **Create In-memory Wallet**




## **Generate Password/Passphrase**




## **Evaluate Strength**



## **Encrypt and Save Wallet to disk**



### **General Architecture**



- ► At factory initialization, an admin/developer writes to the SEcube<sup>™</sup> flash memory:
  - Admin pin
  - User pin
  - User Keys

- ► At factory initialization, an admin/developer writes to the SEcube<sup>™</sup> flash memory:
  - Admin pin
  - User pin
  - User Keys
- User logins with its pin and a challenge-based authentication.

- ► At factory initialization, an admin/developer writes to the SEcube<sup>™</sup> flash memory:
  - Admin pin
  - User pin
  - User Keys
- User logins with its pin and a challenge-based authentication.
- User chooses which of the keys to use to encrypt/decrypt.

- ► At factory initialization, an admin/developer writes to the SEcube<sup>™</sup> flash memory:
  - Admin pin
  - User pin
  - User Keys
- User logins with its pin and a challenge-based authentication.
- User chooses which of the keys to use to encrypt/decrypt.

#### The data (passwords) can only be accessed if:

- SEcube™ device is connected
- Login pin is the correct one
- Key inside the device is the correct one.

▶ New Wallet: An In-memory SQLite DB is created.

- New Wallet: An In-memory SQLite DB is created.
- Save Wallet: An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents

- New Wallet: An In-memory SQLite DB is created.
- Save Wallet: An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents
- Open Wallet: The selected In-disk DB is decrypted and its contents are dumped into an In-memory DB

- New Wallet: An In-memory SQLite DB is created.
- Save Wallet: An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents
- Open Wallet: The selected In-disk DB is decrypted and its contents are dumped into an In-memory DB
- Delete Wallet: Both the In-memory DB and the In-disk encrypted file are deleted.

#### Main Window

- Table View for displaying the wallet entries
- Filters So the user can search in each of the table's columns.
- Tool Bars for Wallets, Tables and Entries.
- Menu Bar with all the actions.
- Status Bar used to display messages and the wallet's name

#### Main Window


- Table View for displaying the wallet entries
- Filters So the user can search in each of the table's columns.
- Tool Bars for Wallets, Tables and Entries.
- Menu Bar with all the actions.
- Status Bar used to display messages and the wallet's name


#### Preference Window

- Password Generators Configuration.
- zxcvbn Configuration.


- Main Window
  - Table View for displaying the wallet entries
  - Filters So the user can search in each of the table's columns.
  - Tool Bars for Wallets, Tables and Entries.
  - Menu Bar with all the actions.
  - Status Bar used to display messages and the wallet's name
- Preference Window
  - Password Generators Configuration.
  - zxcvbn Configuration.
- Help Window

- Main Window
  - Table View for displaying the wallet entries
  - Filters So the user can search in each of the table's columns.
  - Tool Bars for Wallets, Tables and Entries.
  - Menu Bar with all the actions.
  - Status Bar used to display messages and the wallet's name
- Preference Window
  - Password Generators Configuration.
  - zxcvbn Configuration.
- Help Window
- Environment Window







Data: Entries in a table from the In-memory DB.




- Data: Entries in a table from the In-memory DB.
- Model: Wrapper for handling SQLite DBs easily.



- Data: Entries in a table from the In-memory DB.
- Model: Wrapper for handling SQLite DBs easily.
- Proxy Model: Custom filtering for each column.



- Data: Entries in a table from the In-memory DB.
- Model: Wrapper for handling SQLite DBs easily.
- Proxy Model: Custom filtering for each column.
- Delegate View: Data is displayed as a table.



- Data: Entries in a table from the In-memory DB.
- Model: Wrapper for handling SQLite DBs easily.
- Proxy Model: Custom filtering for each column.
- Delegate View: Data is displayed as a table.
  - Delegate: Used to Show/Hide the passwords.

#### zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a Dynamic Library

#### zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a Dynamic Library

#### PwGen: Pronounceable Passwords Generator

Available as a Program, but instead the sources were directly included in the project.2

#### zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a Dynamic Library

#### PwGen: Pronounceable Passwords Generator

Available as a Program, but instead the sources were directly included in the project.2

#### **PassPhrase Generator**

- Implemented as a C++/Qt function.
- Works by extracting Random words out of dictionary files (plain text).

Search for expired passwords
 Using date's column custom filter

Search for expired passwords
 Using date's column custom filter

Launch entry's domain In default OS web browser

- Search for expired passwords
   Using date's column custom filter
- Launch entry's domain In default OS web browser

► l33t converter From PenicuikCiting to 9en1cu1kC1t1ng.

# **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ►The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - **▶** Basics of Operation
  - ►Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

# Login and Open a Wallet



# Generate and evaluate password



# **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ► The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - **▶** Basics of Operation
  - ► Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength
- All the used libraries in this project are open source, proving it is possible to achieve a high level of security with the use of open software and hardware tools.

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength
- All the used libraries in this project are open source, proving it is possible to achieve a high level of security with the use of open software and hardware tools.
- The developed application still lacks some features in order to be considered a truly commercial product.

# **Outline**

- 1. Introduction
- 2. Technologies used
  - ► Software libraries
  - ►The SEcube<sup>™</sup> Framework
- 3. Design and implementation
  - ► General Architecture
  - **▶** Basics of Operation
  - ► Implementation details
- 4. Demos
- 5. Conclusions
- 6. Future Work

#### Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that "talks" with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

#### Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that "talks" with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

### More than static passwords

- One Time Passwords
- FIDO U2F

#### Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that "talks" with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

### More than static passwords

- One Time Passwords
- FIDO U2F

#### **Android**

- Use a SEcube™ phone device
- Port SEcube™ host-side libraries to android
- Port Qt application to android