A Secure Password Wallet based on the SEcube™ framework

Walter Gallego Gómez

Department of control and computer engineering
Politecnico di Torino

July 23, 2018

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Yes, they are the dominant form of authentication.

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Yes, they are the dominant form of authentication.

Why should people use password managers?

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Yes, they are the dominant form of authentication.

Why should people use password managers?

So they can use unique strong passwords.

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Yes, they are the dominant form of authentication.

Why should people use password managers?

So they can use unique strong passwords.

Why are hardware-based approaches more reliable?

Motivation

The need for a hardware-based password manager is justified answering these three questions:

Are passwords still relevant?

Yes, they are the dominant form of authentication.

Why should people use password managers?

So they can use unique strong passwords.

Why are hardware-based approaches more reliable?

To authenticate, Master password + Device are required

Outline

Outline

Introduction

This work regards the implementation as a desktop application that exploits the capabilities of the SEcube™ (Secure Environment cube) hardware and software framework to store and protect passwords.

The desktop application, named **SEcubeWallet**, was written in C/C++and Qt, and it interacts with a SEcube™ device, requesting services like authentication and encryption/decryption of data.

Outline

1. Introduction

2. **Technologies used**
   - ▶ Software libraries
   - ▶ The SEcube™ Framework

3. Design and implementation

4. Results
   - ▶ Demos

5. Conclusions

6. Future Work

Software Libraries

The following open source libraries were used:

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Self-contained, written in C, Transactional

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Self-contained, written in C, Transactional

PwGen: Password generator

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Self-contained, written in C, Transactional

PwGen: Password generator

Configurable, random or readable

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Self-contained, written in C, Transactional

PwGen: Password generator

Configurable, random or readable

zxcvbn: Password strength estimator

Software Libraries

The following open source libraries were used:

Qt: GUI and wrappers

C++ library, cross-platform, elegant design

SQLite: DataBase management

Self-contained, written in C, Transactional

PwGen: Password generator

Configurable, random or readable

zxcvbn: Password strength estimator

Dictionaries, keyboard patterns, sequences, years

The SEcube™ Open Security Platform

Hardware

Software

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Software

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Family

- SEcube™ Chip
- SEcube™ DevKit
- USEcube™ Stick

Software

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Family

- SEcube™ Chip
- SEcube™ DevKit
- USEcube™ Stick

SEcube™ Chip

- **MCU:** STM32F4 (STM)
- **FPGA:** MachXO2-7000 (Lattice)
- **Smart Card:** SLJ52G (infineon)

Software

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Family

- SEcube™ Chip
- SEcube™ DevKit
- USEcube™ Stick

SEcube™ Chip

- **MCU:** STM32F4 (STM)
- **FPGA:** MachXO2-7000 (Lattice)
- **Smart Card:** SLJ52G (infineon)

Software

Developed by European research institutions. Written in C using the Eclipse IDE.

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Family

- SEcube™ Chip
- SEcube™ DevKit
- USEcube™ Stick

SEcube™ Chip

- **MCU:** STM32F4 (STM)
- **FPGA:** MachXO2-7000 (Lattice)
- **Smart Card:** SLJ52G (infineon)

Software

Developed by European research institutions. Written in C using the Eclipse IDE.

Firmware: Developers can customize the firmware to their needs, and load the updated version to the SEcube™ chip.

The SEcube™ Open Security Platform

Hardware

Developed by the Blu5 Group

Family

- SEcube™ Chip
- SEcube™ DevKit
- USEcube™ Stick

SEcube™ Chip

- **MCU:** STM32F4 (STM)
- **FPGA:** MachXO2-7000 (Lattice)
- **Smart Card:** SLJ52G (infineon)

Software

Developed by European research institutions. Written in C using the Eclipse IDE.

Firmware: Developers can customize the firmware to their needs, and load the updated version to the SEcube™ chip.

Host libraries: Allow to experience the platform as a high-security black box.

SEcube™ APIs hierarchy



SEcube™ APIs hierarchy



- Discover Devices
- Open Connection
- TX RX Data
- Close Connection

SEcube™ APIs hierarchy



SEcube™ APIs hierarchy



- SEfile
- secureSQLite
- SElink

SEcube™ APIs hierarchy



Outline

SEcubeWallet Application



Open device and authenticate



Create In-memory Wallet



Generate Password/Passphrase



Evaluate Strength



Encrypt and Save Wallet to disk



General Architecture



Basics of Operation

Basics of Operation

- At factory initialization, an admin/developer writes to the SEcube™ flash memory:
  - Admin pin
  - User pin
  - User Keys (A single device can have multiple keys, and they can be used to share data with other SEcube™ users)

Basics of Operation

- At factory initialization, an admin/developer writes to the SEcube™ flash memory:
  - Admin pin
  - User pin
  - User Keys (A single device can have multiple keys, and they can be used to share data with other SEcube™ users)
- User logins with its pin and a challenge-based authentication.

Basics of Operation

- At factory initialization, an admin/developer writes to the SEcube™ flash memory:
  - Admin pin
  - User pin
  - User Keys (A single device can have multiple keys, and they can be used to share data with other SEcube™ users)
- User logins with its pin and a challenge-based authentication.
- User chooses which of the keys to use to encrypt/decrypt.

Basics of Operation

- At factory initialization, an admin/developer writes to the SEcube™ flash memory:
  - Admin pin
  - User pin
  - User Keys (A single device can have multiple keys, and they can be used to share data with other SEcube™ users)
- User logins with its pin and a challenge-based authentication.
- User chooses which of the keys to use to encrypt/decrypt.

The data (passwords) can only be accessed if:

- SEcube™ device is connected
- Login pin is correct one
- Key inside the device is the correct one.

In-Memory and In-Disk DBs

In-Memory and In-Disk DBs

- **New Wallet:** An In-memory SQLite DB is created.

In-Memory and In-Disk DBs

- **New Wallet:** An In-memory SQLite DB is created.
- **Save Wallet:** An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents

In-Memory and In-Disk DBs

- **New Wallet:** An In-memory SQLite DB is created.
- **Save Wallet:** An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents
- **Open Wallet:** The selected In-disk DB is decrypted and its contents are dumped into an In-memory DB

In-Memory and In-Disk DBs

- **New Wallet:** An In-memory SQLite DB is created.
- **Save Wallet:** An In-disk encrypted secureSQLite DB is created and populated with the In-memory DB contents
- **Open Wallet:** The selected In-disk DB is decrypted and its contents are dumped into an In-memory DB
- **Delete Wallet:** Both the In-memory DB and the In-disk encrypted file are deleted.

Windows and display elements

Windows and display elements

- Main Window
  - **Table View** for displaying the wallet entries
  - **Filters** So the user can search in each of the table's columns.
  - **Tool Bars** for Wallets, Tables and Entries.
  - **Menu Bar** with all the actions.
  - **Status Bar** used to display messages and the wallet's name

Windows and display elements

- Main Window
  - **Table View** for displaying the wallet entries
  - **Filters** So the user can search in each of the table's columns.
  - **Tool Bars** for Wallets, Tables and Entries.
  - **Menu Bar** with all the actions.
  - **Status Bar** used to display messages and the wallet's name
- Preference Window
  - Password Generators Configuration.
  - zxcvbn Configuration.

Windows and display elements

- Main Window
  - **Table View** for displaying the wallet entries
  - **Filters** So the user can search in each of the table's columns.
  - **Tool Bars** for Wallets, Tables and Entries.
  - **Menu Bar** with all the actions.
  - **Status Bar** used to display messages and the wallet's name
- Preference Window
  - Password Generators Configuration.
  - zxcvbn Configuration.
- Help Window

Windows and display elements

- Main Window
  - **Table View** for displaying the wallet entries
  - **Filters** So the user can search in each of the table's columns.
  - **Tool Bars** for Wallets, Tables and Entries.
  - **Menu Bar** with all the actions.
  - **Status Bar** used to display messages and the wallet's name
- Preference Window
  - Password Generators Configuration.
  - zxcvbn Configuration.
- Help Window
- Environment Window

Data Display: Model/View architecture

Data Display: Model/View architecture



Data Display: Model/View architecture



- **Data:** Entries in a table from the In-memory DB.

Data Display: Model/View architecture



- **Data:** Entries in a table from the In-memory DB.
- **Model**: Wrapper for handling SQLite DBs easily.

Data Display: Model/View architecture



- **Data:** Entries in a table from the In-memory DB.
- **Model**: Wrapper for handling SQLite DBs easily.
- **Proxy Model**: Custom filtering for each column.

Data Display: Model/View architecture



- **Data:** Entries in a table from the In-memory DB.
- **Model**: Wrapper for handling SQLite DBs easily.
- **Proxy Model**: Custom filtering for each column.
- **View**: Data is displayed as a table.

Data Display: Model/View architecture



- **Data:** Entries in a table from the In-memory DB.
- **Model**: Wrapper for handling SQLite DBs easily.
- **Proxy Model**: Custom filtering for each column.
- **View**: Data is displayed as a table.
- **Delegate**: Used to Show/Hide the passwords.

SW Libraries

SW Libraries

zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a **Dynamic Library**

SW Libraries

zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a **Dynamic Library**

PwGen: Pronounceable Passwords Generator

Available as a Program, but instead the sources were directly included in the project.2

SW Libraries

zxcvbn: Password strength estimator

- C/C++ open sources.
- Included in the project as a **Dynamic Library**

PwGen: Pronounceable Passwords Generator

Available as a Program, but instead the sources were directly included in the project.2

PassPhrase Generator

- Implemented as a C++/Qt function.
- Works by extracting Random words out of dictionary files (plain text).

Other functionalities

Other functionalities

Other functionalities

- Search for expired passwords.

Other functionalities

- Search for expired passwords.
- Launch entry domain.

Other functionalities

- Search for expired passwords.
- Launch entry domain.
- l33t converter.

Outline

Login and Open a Wallet

Generate and evaluate password

Outline

Conclusions

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.

Conclusions

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength

Conclusions

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength
- All the used libraries in this project are open source, proving it is possible to achieve a high level of security with the use of open software and hardware tools.

Conclusions

- The SEcube™ is perfect for this type of application as it offers both reliability and simplicity to use.
- In any password manager it is important to suggest random passwords and to check their strength
- All the used libraries in this project are open source, proving it is possible to achieve a high level of security with the use of open software and hardware tools.
- The developed application still lacks some features in order to be considered a truly commercial product.

Outline

Future Work

Future Work

Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that ”talks” with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

Future Work

Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that ”talks” with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

More than static passwords

- One Time Passwords
- FIDO U2F

Future Work

Web Browse Integration

- Port the entire Application to a web browser complement.
- Web browser complement that ”talks” with the SEcubeWallet
- Use keyboard emulation to Auto Fill forms

More than static passwords

- One Time Passwords
- FIDO U2F

Android

- Use a SEcube™ phone device
- Port SEcube™ host-side libraries to android
- Port Qt application to android