

Employees Tab — Functional Spec

Employees Tab — Functional Spec, Annotated Wireframes, User Stories

0. How to read this document	4.B Annotated wireframe
0.1 Status legend (the tester's four buckets)	4.C User stories
0.2 Three lenses per surface	4.D Status — Hosts
0.3 Vocabulary used throughout	5. Surface 2.3 — HR Admin
1. Navigation and access map	5.A Functional spec
1.1 Routes that make up the Employees tab	5.B Annotated wireframe
1.2 The Agency Setup gate (applies to the whole hub)	5.C User stories
1.3 Role defaults that matter here	5.D Status — HR Admin
2. Surface 2.1 — Roster	6. Surface 2.4 — Employee Loans
2.1.A Functional spec	6.A Functional spec
2.1.B Annotated wireframe	6.B Annotated wireframe
2.1.C User stories and acceptance criteria	6.C User stories
2.1.D Status by tree ID — Roster	6.D Status — Employee Loans
3. Surface 2.1.4 — Employee profile ("Employee Pill")	7. Findings (NEEDS ATTENTION), root causes, smallest fixes
3.A Functional spec	8. Self-test log (what was actually run)
3.B Annotated wireframe	9. SQL handoff — confirm the live shape (run in Lovable SQL editor; Clear before each paste)
3.C User stories and acceptance criteria	Appendix A — Permission catalogue as rendered on the profile (83)
3.D Status by tree ID — Employee profile	People & Files (52) — tree 2.1.4.4.3.1.152
4. Surface 2.2 — Hosts	Schedule & Money (20) — tree 2.1.4.4.3.2.120
4.A Functional spec	Staff Phone Permissions (11) — tree 2.1.4.4.3.3.111
	Appendix B — Tables and server functions touched by this tab

Employees Tab — Functional Spec, Annotated Wireframes, User Stories

Scope: Section 2 of the Feature Tree (2.1 Roster, 2.2 Hosts, 2.3 HR Admin, 2.4 Employee Loans) as it exists in this repository on 2026-09-21. **Audience:** the human tester working the Feature Tree, Lovable co-editors, and the SQL handoff owner. **Basis of truth:** every statement below was traced to a route/component/server function/migration in this repo and, where possible, exercised in the mocked browser harness. Nothing here is aspirational; the "should" column is only used where the code and the tree disagree.

What this document is NOT. It is not a live-DB audit. Lovable Cloud gives us no service key or direct DB access, so the schema statements come from `supabase/migrations/` and the SQL in §8 must be run by the human in the Lovable SQL editor to confirm the live shape (CLAUDE.md: *"supabase/migrations/ may*

NOT match the live DB").

0. How to read this document

0.1 Status legend (the tester's four buckets)

Tag	Meaning in this document
EXACTLY WHAT WE WANT (NO ISSUES)	Code path traced end-to-end, behaviour matches the tree, and it is covered by a passing unit test or the mocked e2e run in §7.
UNTESTED	Code path traced and looks correct, but no automated test reaches it and it needs a human pass against the live tenant (usually because it writes through a server function to Supabase Auth, Storage, or email).
NEEDS ATTENTION	A concrete defect, silent-failure path, dead-end navigation, or copy/behaviour mismatch was found. Each one has a numbered finding in §6 with root cause and the smallest fix.
YET TO BREAK DOWN	The element leaves the Employees tab (State Audit 4.4.???, Client profile 3.1.???, Evidence, Invitations page) and is documented only up to the hand-off point.

0.2 Three lenses per surface

For each surface (Roster, Employee profile, Hosts, HR Admin, Loans) you get:

1. **Functional spec** — inputs, outputs, side effects, permissions, tables touched.
2. **Annotated wireframe** — an ASCII map of the screen with numbered callouts keyed to the Feature Tree IDs.
3. **User stories + acceptance criteria** — the exact checks a tester runs to mark the row green.

0.3 Vocabulary used throughout

Term	Meaning
PI	Provider Interface — the admin web app under <code>/dashboard/*</code> .
Hub	<code>/dashboard/hub/employees</code> — the Employees page with the four tabs. Legacy standalone routes (<code>/dashboard/employees</code> , <code>/dashboard/hr-admin</code>) still exist and render the same components without the tab strip.
Server function	A TanStack Start <code>createServerFn</code> in <code>src/lib/*.functions.ts</code> . Runs on the server with <code>requireSupabaseAuth</code> middleware; most use <code>supabaseAdmin</code> (service role) <i>after</i> re-checking the caller's org membership/role.
Direct client write	A browser-side <code>supabase.from(...)</code> call. Protected only by RLS. Errors surface only if the component checks them.

Term	Meaning
Owner / Program Manager / Supervisor / Staff	The PI display labels for <code>organization_members.role = admin / program_manager / manager / employee</code> (ROLE_LABEL in <code>src/lib/rbac.ts</code>).

1. Navigation and access map

1.1 Routes that make up the Employees tab

Tree	URL	Route file	Renders	Gate
2	/dashboard/hub/employees?tab=roster (default)	src/routes/dashboard.hub.employees.tsx	EmployeesPage	sidebar item requires <code>staff_onboarding</code> feature; page wrapped in <code>AgencySetupCreateGate</code>
2.1	/dashboard/employees (legacy, no tab strip)	src/routes/dashboard.employees.index.tsx	same <code>EmployeesPage</code>	same
2.1.4	/dashboard/employees/\$staffId?tab=profile personnel activity	src/routes/dashboard.employees.\$staffId.tsx	employee profile	<code>beforeLoad</code> redirects if <code>\$staffId</code> is not a UUID
2.2	?tab=hosts	src/components/hosts/hosts-page.tsx	HostsPage	tab only appears if caller <code>`can("view_referrals")`</code>
2.3	?tab=hr-admin (alias ?tab=compliance is rewritten to hr-admin)	src/routes/dashboard.hr-admin.tsx	HrAdminPage	<code>RequirePermission</code> <code>perm="view_staff_records"</code>
2.3.1	/dashboard/compliance?tab=staff client agency	src/routes/dashboard.compliance.tsx	Staff / Client / Agency file	<code>StaffFilePanel</code> additionally requires <code>ROLE_RANK[role] ≥ manager</code>
2.3.1.1.4	/dashboard/internal-audit	src/routes/dashboard.internal-audit.tsx	Practice audit	—
2.3.1.1.2	/dashboard/reports	src/routes/dashboard.reports.tsx	Audit-ready reports	—
2.3.2	/dashboard/hr-admin/settings	src/routes/dashboard.hr-admin.settings.tsx	HR Settings	<code>RequirePermission</code> <code>perm="edit_staff_records"</code>
2.4	?tab=loans	<code>EmployeeLoansPage</code> in <code>dashboard.hr-admin.tsx</code> → <code>EmployeeLoansPanel</code>	Loan ledger	<code>RequirePermission</code> <code>perm="view_staff_records"</code> ; RLS on <code>employee_loans</code> requires admin/manager

1.2 The Agency Setup gate (applies to the whole hub)

`AgencySetupCreateGate` calls the `getAgencySetupStatus` server function. If the org has not answered all six required operating questions (`operates_ol_site`, `uses_volunteers`, `has_governing_board`, awarded service codes, approximate client count, service area) **and** is not `createGateExempt` (one-time SQL snapshot for orgs that already had staff), the hub renders `AgencySetupIncompleteCard` ("Finish agency setup first" → `/dashboard/settings/compliance-setup`) instead of the tabs. The same rule is enforced server-side: `hireEmployeeInternal` calls `assertAgencySetupCompleteForOrg` before creating anyone, so a stale browser tab cannot bypass it.

1.3 Role defaults that matter here

Baseline from DEFAULT_MATRIX (live role_permissions may override per org; §8 Q6 confirms):

Capability	Owner	Program Manager	Supervisor	Staff
See Roster / HR Admin / Loans tabs (view_staff_records)	yes	yes	yes	no
Add employee / Upload roster (server fn assertOrgManager → admin, program_manager, manager)	yes	yes	yes	no
Edit profile identity (edit_staff_records)	yes	yes	no	no
Change role (manage_staff_roles)	yes	no	no	no
Deactivate / Delete (deactivate_staff in UI; server fn accepts admin/PM/manager)	yes	UI: no	UI: no	no
Save Staff Fields settings (RLS organizations UPDATE = has_org_role(... , 'admin'))	yes	no (silent)	no (silent)	no
Edit host cue cards (manage_referrals)	yes	no	no	no
Read/write employee loans (RLS is_org_admin_or_manager)	yes	no — PM is not in that helper	yes	no

2. Surface 2.1 — Roster

2.1.A Functional spec

Purpose. Single list of every `organization_members` row for the current org joined in JS to `profiles` (never PostgREST-embedded — no FK), plus the org's pending `invitations`. Entry point for hiring, deactivation, deletion, password reset, and caseload assignment.

Data loads (React Query keys → source).

Key	Source	Notes
["members", orgId]	<code>organization_members</code> (all rows for org) then <code>profiles</code> by <code>user_id</code>	Two queries, joined in JS. <code>last_sign_in_at</code> comes from the <code>org_member_last_sign_in</code> RPC, parsed by <code>lastLoginByUserId</code> .
["invites", orgId]	<code>invitations</code> where <code>status = 'pending'</code>	Rendered as the "Pending invitations" card only when non-empty.
Staff Fields config	<code>organizations.feature_config.staff_intake_fields</code>	Read on wizard open and on Settings open.

Active/Inactive rule (`isEmployeeOnActiveRoster`, unit-tested): a member is *Active* only if `organization_members.active = true` **and** `profiles.account_status ≠ 'archived'` **and** `profiles.is_active ≠ false`. Everything else is *Inactive*. Header count "N active · M pending invite" uses the same rule.

Mutations (button → server function → effect).

Button	Server function / write	Effect on data	Side effects
Add employee → Create employee	<code>createEmployeeManually</code> → <code>hireEmployeeInternal(createdVia="manual_admin")</code>	<code>auth.users</code> created with generated temporary password; <code>profiles</code> upsert (<code>must_change_password = true</code> , <code>first/last/email/phone/hire_date/job_title</code> , optional <code>staff_type/department/employee_id/worker_type/custom_fields</code>); <code>organization_members</code> insert with role	<code>role_change_audit_log</code> row; <code>onStaffHiredInternal</code> re-evaluates obligations (Staff file instances created); throws if profile with that email already exists
Add employee → Send N invites	<code>createInvitation</code> (falls back to <code>resendInvitation</code> if a pending invite exists)	<code>invitations</code> row (<code>status='pending'</code> , token)	Email via the invite rail using <code>resolveAuthOrigin()</code> ; toast lists per-email outcome
Upload roster → Apply	<code>applyEmployeeRosterRow</code> per row	mode-dependent: <code>create</code> → same as manual hire; <code>update</code> → <code>profiles</code> + <code>organization_members.role</code> update; <code>skip</code> → nothing	same hooks as manual hire; template download is client-side XLSX

Button	Server function / write	Effect on data	Side effects
Caseload → Save Caseload Modifications	direct client writes to <code>staff_assignments</code> (delete removed ids, insert added ids)	<code>staff_assignments</code> (<code>organization_id</code> , <code>staff_id</code> , <code>client_id</code>)	Calls <code>onStaffAssignmentRemoved</code> / <code>onStaffAssignmentCreated(serviceCodes: [])</code> server hooks; hook failures are swallowed with <code>console.warn</code>
… → Reset password	<code>adminResetEmployeePassword</code>	<code>auth.users.password</code> set via <code>auth.admin.updateUserById</code> ; <code>profiles.must_change_password = true</code>	Dialog shows the generated password once with Copy
… → Deactivate	<code>archiveEntity(kind="employee")</code>	<code>profiles.account_status='archived'</code> , <code>team_id=null</code> , <code>is_active=false</code> ; <code>organization_members.active=false</code>	Global sign-out of that user; blocked if the caller is not admin/PM/manager in that org
… → Reactivate (Inactive tab only)	<code>restoreEntity</code>	<code>profiles.account_status='active'</code> , <code>is_active=true</code> ; <code>organization_members.active=true</code>	—
… → Delete → type name → Delete permanently	<code>deleteEntity</code>	removes <code>organization_members</code> row for this org ; if it was the user's last org: deletes <code>course_assignments</code> , <code>external_certifications</code> , <code>pba_*</code> , <code>profiles</code> , and the <code>auth.users</code> row	Cannot be undone; requires exact (case-insensitive) name match
Pending invitations → Resend / Copy link / Uninvite	<code>resendInvitation</code> / clipboard / <code>revokeInvitation</code>	<code>invitations.status</code> → <code>revoked</code> on Uninvite	Uninvite uses a browser <code>confirm()</code>
Settings → any toggle	direct client <code>organizations.update({feature_config})</code> debounced 500 ms	<code>organizations.feature_config.staff_intake_fields</code>	No error handling — see Finding F-1

Role labels on this screen. The ROLE column shows the raw enum (`ADMIN`, `MANAGER`, `EMPLOYEE`, `PROGRAM_MANAGER`) as a badge; the Add-employee wizard offers **Employee / Manager / Admin** (Program Manager and Committee Member can only be set later from the profile), while the profile and the rest of PI label the same values **Staff / Supervisor / Owner**. See Finding F-6.

2.1.B Annotated wireframe

Employees							[Roster] [Hosts] [HR Admin] [Employee Loans] ← Hub tab strip (2, 2.2, 2.3, 2.4)
① Team members							[↑ Upload roster] [+ Add employee] [⚙ Settings] 2.1.1 / 2.1.1.1 / 2.1.1.2 / 2.1.1.3
5 active · 1 pending invite							
② Pending invitations (card only shows when ≥1 pending)							(not in tree – document it)
✉ new.dsp@example.test · employee							[↺ Resend] [🔗 Copy link] [⊗ Uninvite]
③ [Active ●5] [Inactive ●0]							2.1.2
NAME	LOGIN	ROLE	STATUS	START DATE	LAST LOGIN	ACTIONS	2.1.3.1 ... 2.1.3.7
④ Jake DSP	jake.probert	EMPLOYEE	Active	Jan 15 2025	Aug 27 2026	[👤 Caseload] ...	④ row click → 2.1.4

Callouts

- ① Header. Counts are computed client-side from the members query with the Active rule above.
- ② **Pending invitations.** Not in the tree but always present when a join link is outstanding. Resend keeps the same token/email; Copy link copies the join URL built from `resolveAuthOrigin()`; Uninvite asks `confirm()` then revokes.
- ③ **Active / Inactive pill.** Pure client-side filter (`filterEmployeesByRosterTab`). Counts in the pills come from `countEmployeesOnRosterTab` . Empty Inactive tab shows "No deactivated employees".
- ④ **Row.** Clicking anywhere on the row (except inside ACTIONS) navigates to `/dashboard/employees/$staffId` . NAME shows full name over `job_title` . LOGIN shows `profiles.username` if set, else email. STATUS badge = Active / Deactivated. START DATE = `profiles.hire_date` (fallback `start_date`) formatted by `formatRosterDate` . LAST LOGIN = "Never" or a date from the RPC.
- **ACTIONS** → **Caseload** opens the side sheet (2.1.3.7.1). **ACTIONS** → ... opens the menu: Reset password; Deactivate (Active tab) or Reactivate (Inactive tab); Delete.

Upload roster dialog (2.1.1.1)

Upload roster —

- Add new only Skip emails already on roster
- Add new and update existing Match on email
- Update existing only New emails are skipped

[+ Download template]

Drop CSV or Excel file, or click to choose —

2.1.1.1.1
2.1.1.1.2
2.1.1.1.3
2.1.1.1.4 → browser downloads employee-roster-template.xlsx
2.1.1.1.5

↓ file parsed (PapaParse / XLSX), headers normalised

Review staff rows —

editable grid: first_name last_name email phone role title
 hire_date username per-row action badge

red cells = validation issue (max 8 listed)

[Back] [Apply 3 new, 1 update]

create / update / skip

button label comes from classifyRosterRowAction counts

↓

Send invites? —

identical to Add-employee step 2

Add employee dialog (2.1.1.2)

Add employee — [X]

Creates the full staff record first. You can send a join email or copy a temporary password after.

Employee 1

First name* Last name* Email* Phone*

Hire date* Role ▾ [Employee|Manager|Admin]

Staff type ▾ (only if enabled in Settings)

Department ▾ / Employee ID / Worker type ▾

Custom fields ...

[+ Add another employee]

[Create employee]

2.1.1.2.1.10 – X or Esc closes; unsaved drafts are discarded (state reset on reopen)

2.1.1.2.1.1-4 (all four + hire date are required by the client check)

2.1.1.2.1.5-6

2.1.1.2.1.7 – options = feature_config.staff_intake_fields.staff_type.options
(each only when enabled in Settings)
(from Settings → Custom fields)

2.1.1.2.1.8 – appends another draft card; no upper bound; each card has 🗑 remove

2.1.1.2.1.9 – label becomes "Create N employees" for N>1

↓ createEmployeeManually per draft (partial success → warning toast listing failures)

Send invites? —

Check who should get a join email. Nothing is sent unless you choose it.

☐ Sep Tester sep1.test@example.test

[🔑 Show temporary password] → shows once + [🔒]

[Set up Evidence pack] [Don't invite yet] [Send 0 invites ▸ disabled]

nobody is pre-checked

"They will be asked to change this on first sign-in."

Settings sheet (2.1.1.3) — "Staff fields"

```

Staff fields · Configure visible fields [X] 2.1.1.3.2
Cannot be turned off 2.1.1.3.1.1
First name · Last name · Email address · Phone number
· Hire date · Role
Standard fields 2.1.1.3.1.2
[●] Staff type chips: DSP × HHP × Exec Dir × ... 2.1.1.3.1.2.1 default ON, 5 default options
[type option...] [Add]
[○] Department chips: Host Home × Day Support × ... 2.1.1.3.1.2.2 default OFF
[○] Employee ID 2.1.1.3.1.2.3
[○] Worker type (W2 Employee / 1099 Contractor / Other, fixed) | 2.1.1.3.1.2.4
Custom fields [+ Add field] 2.1.1.3.1.3
Field name ____ Field type ▾ [Text|Date|Yes/No|Number|Dropdown] [Cancel] [Save] |
"Saved" flashes 2 s after a successful write

```

Caseload Assignment Center (2.1.3.7.1) — right-hand sheet

```

Caseload Assignment Center: Jake Probert [X] 2.1.3.7.1.1.4
🔍 Search by client name 2.1.3.7.1.1.1 – also matches job_code
☑ Blake Allen HHS · SLN 2.1.3.7.1.1.2 – one checkbox per client in the org (clients.id/name/job_code)
☐ ...
[Save Caseload Modifications] 2.1.3.7.1.1.3 – diff vs. original set; toast "Caseload updated successfully for ..."

```

2.1.C User stories and acceptance criteria

ID	As a...	I want...	Pass criteria
US-R1	Supervisor/Owner	to see who is on staff and who is deactivated	Active tab lists every member passing the Active rule; Inactive tab lists the rest; header count equals Active tab count; a member with <code>profiles.is_active=false</code> but <code>organization_members.active=true</code> appears under Inactive (unit test <code>employee-roster-roster.test.ts</code> covers this).
US-R2	Owner	to hire someone with a complete file in one step	Fill 5 required fields → Create employee → toast "Employee file created" → person appears in Active list with correct role and hire date → Staff file tab of that person already shows obligation rows (hook ran). Entering an email that already has a profile shows an error toast, not a duplicate.
US-R3	Owner	to hand a new hire a way in	Step 2 offers per-person checkbox + "Show temporary password". Sending 1 invite creates one <code>invitations</code> row and one email; toast reports "Invite emailed to ..." or the specific failure. "Don't invite yet" closes with nothing sent.
US-R4	Owner	to bulk-load a roster	Download template → fill → drop file → rows classified as create/update/skip exactly per chosen mode (unit tests <code>employee-roster-upload.test.ts</code>) → invalid rows highlighted and Apply disabled → Apply creates/updates → step 2 identical to US-R3.
US-R5	Owner	to control which intake fields staff see	Toggling Department ON then reopening the Add-employee wizard shows a Department dropdown; adding an option makes it selectable; a custom Date field appears as a date input; toggles survive a page reload. Currently fails for non-Owner roles without any error (F-1).

ID	As a...	I want...	Pass criteria
US-R6	Supervisor	to assign a client caseload	Open Caseload → check two clients → Save → reopen shows both checked; unchecking one and saving removes it; <code>staff_assignments</code> has exactly the checked rows for that staff.
US-R7	Owner	to reset a password for a locked-out staffer	Reset password → dialog shows a new temporary password + Copy → staffer logs in and is forced to change it (<code>must_change_password</code> enforced at router root).
US-R8	Owner	to remove access safely	Deactivate moves the row to Inactive immediately, the staffer's sessions are ended, and Reactivate restores them. Delete requires typing the exact name; after Delete the row is gone and — if this was their only org — the login no longer exists.

2.1.D Status by tree ID — Roster

Tree ID	Element	Status	Note
2.1.1	Team Members header	EXACTLY WHAT WE WANT	e2e #4 asserts header, pills, columns
2.1.1.1	Upload roster	EXACTLY WHAT WE WANT (parsing/classification) / UNTESTED (live apply)	unit-tested parse + classify; server apply not exercised in harness
2.1.1.1.1–3	Three modes	EXACTLY WHAT WE WANT	<code>classifyRosterRowAction</code> unit tests
2.1.1.1.4	Download template	EXACTLY WHAT WE WANT	client-side XLSX, 8 headers listed in §2.1.A
2.1.1.1.5	Drop zone	UNTESTED	manual drag/drop not automated
2.1.1.2	Add employee	EXACTLY WHAT WE WANT	e2e #5 walks step 1 → step 2 → send 1 invite
2.1.1.2.1.6	Role options	NEEDS ATTENTION	F-6: labels differ from PI (Staff/Supervisor/Owner); Program Manager missing
2.1.1.2.1.7	Staff type options	EXACTLY WHAT WE WANT	5 defaults match tree; driven by Settings
2.1.1.2.1.8	Add another employee	EXACTLY WHAT WE WANT	unbounded; per-card remove
2.1.1.2.1.9	Create employee	EXACTLY WHAT WE WANT	
2.1.1.2.1.10	Exit (X)	EXACTLY WHAT WE WANT	drafts discarded, no orphan writes
2.1.1.3	Settings	NEEDS ATTENTION	F-1: "doesn't save toggles" reproduced by code trace — silent RLS no-op for Program Manager/Supervisor, and the "Saved" flash lies
2.1.1.3.1.1	Cannot be turned off list	EXACTLY WHAT WE WANT	<code>ALWAYS_REQUIRED</code> constant
2.1.1.3.1.2.x	Standard field toggles/options	NEEDS ATTENTION	same as F-1 (Owner works; others silent)
2.1.1.3.1.3	Custom fields	NEEDS ATTENTION	same as F-1; delete of a custom field is unit-tested (<code>custom-field-delete.test.ts</code>)
2.1.2	Active/Inactive pill	EXACTLY WHAT WE WANT	e2e #4 toggles both
2.1.3.1–7	Columns	EXACTLY WHAT WE WANT	e2e #4 asserts Name...Last Login

Tree ID	Element	Status	Note
2.1.3.7.1	Caseload sheet	UNTESTED / NEEDS ATTENTION	F-4: direct client writes, empty <code>serviceCodes</code> , swallowed hook errors
2.1.3.7.2.1	Reset password	UNTESTED	Supabase Auth write; needs live pass
2.1.3.7.2.2	Deactivate	UNTESTED	server fn traced; also Reactivate on Inactive tab (not in tree)
2.1.3.7.2.3	Delete	UNTESTED	typed-name confirm; cascade rules in §2.1.A

3. Surface 2.1.4 — Employee profile ("Employee Pill")

3.A Functional spec

Route. `/dashboard/employees/$staffId?tab=profile|personnel|activity`. `tab` omitted = Profile. Route guard redirects non-UUID ids.

Header loads. `organization_members` row for `(org, staffId)` + `profiles` row → name, role badge (raw enum), Active/Deactivated badge, hire date, avatar from bucket `staff-photos`.

Back navigation (2.1.4.1 and 2.1.4.2). Both "← Employees" and "Back to list" run the same code: `window.history.length > 1 ? router.history.back() : navigate("/dashboard/hub/employees")`. Because switching Profile/Staff file/Activity tabs pushes a history entry, after visiting two tabs the first Back returns to the previous *tab*, not the list (Finding F-7).

Face Sheet (2.1.4.3). Dropdown pill → `generateEmployeeFaceSheetFn({ staffId, organizationId, action })`.

Action	Behaviour
Preview	opens the generated PDF in a new tab
Download PDF	forces <code>employee-face-sheet-<name>.pdf</code> download
Print	opens the PDF and calls the browser print dialog
Ship to HR Docs	server uploads the PDF to the staff documents bucket and inserts an <code>employee_documents</code> row; toast confirms

Profile tab (2.1.4.4). `StaffProfilePanel` with three collapsible sections and one Edit mode:

Section	Read source	Write path on Save	Permission
Profile (2.1.4.4.1)	<code>loadStaffProfileIdentity</code> (<code>profiles</code> + <code>member</code> , bound to route <code>staffId</code> — unit-tested lock)	direct <code>profiles</code> update (<code>first/last/email/phone/hire_date/employee_id/job_title</code>) + <code>setMemberGrants</code> for role	identity: <code>edit_staff_records</code> ; role select only enabled with <code>manage_staff_roles</code> ; role options = Staff, Supervisor, Program Manager, Owner, Committee Member
Leads group / Scope (2.1.4.4.2)	<code>loadEmployeeScope</code> → org scope <code>snapshot (staff_groups, staff_group_members, profiles.scope_group_id)</code>	<code>setEmployeeScope</code>	if the snapshot reports <code>available:false</code> the section shows <i>"Scope columns are not live yet. Core Soft applies them after merge."</i> (this is what the mocked run showed — confirm live with §8 Q4)

Section	Read source	Write path on Save	Permission
Permissions (2.1.4.4.3)	<code>useEffectivePermissions:</code> <code>role_permissions</code> matrix + <code>user_permission_overrides</code> for this user	<code>saveStaffPermissionToggles</code> — computes minimal upserts/deletes against role default (unit-tested <code>staff-permission-toggles.test.ts</code>), writes <code>user_permission_overrides</code> , logs <code>permission_audit_log</code> , and inserts a <code>notifications</code> row for the staffer	<code>manage_permissions</code>

Permissions render in three groups with the exact counts in the tree: **People & Files (52), Schedule & Money (20), Staff Phone Permissions (11)** = 83 = `ALL_PERMISSIONS.length` (asserted by `profile-permission-groups.test.ts`). Each row shows the switch, the role default, and an "override" marker when the user differs from role. Full catalogue with role defaults is in Appendix A.

Edit profile / Save / Cancel (2.1.4.4.4). One Edit button turns all three sections editable. Save runs identity → grants → permission toggles → scope sequentially and invalidates the member, identity, overrides and roster queries. Cancel discards the drafts. The tree lists "Save Profile" and "Cancel" under the same ID (2.1.4.4.4.1) — treat as 2.1.4.4.4.1 and 2.1.4.4.4.2.

Staff file tab (2.1.4.5). `StaffObligationsFilesTab` → `listStaffObligationInstances` (server) → one row per `company_obligation_instances` assigned to this staffer, decorated with the latest `company_obligation_completions` evidence and any active override.

Status vocabulary (`obligationFileStatus` , unit-tested):

Label	Rule
On file	a valid evidence completion exists
Due soon	no evidence, due date is in the future and within 7 days
Missing	everything else — including items due months from now with no upload yet, and overdue items (the Due column then reads "Missing — N days ago")

So the tester's "*Status (Missing??)*" is expected behaviour for a brand-new hire: every annual item starts as Missing until evidence is uploaded, regardless of due date.

Button	Behaviour
View selected (2.1.4.5.1)	opens a viewer dialog for the checked rows that have evidence (<code>obligation-evidence</code> bucket, 5-minute signed URL); disabled when nothing checked
Print / PDF pack (2.1.4.5.2)	builds <code>personnelPackHtml</code> of the selected evidence files in a new window and calls <code>print()</code> — pop-up blockers produce an error toast
Upload evidence... (2.1.4.5.3)	dialog: pick the obligation row, choose a file, optional note → <code>recordCompletion</code> → storage upload + <code>company_obligation_completions</code> insert → row flips to On file
Row → Override	<code>RecordOverrideDialog</code> records a waiver/override with reason; history shown under "Override history"
View (2.1.4.5.4.4)	per-row eye icon; enabled only when the row has evidence (matches the tree note)

Activity tab (2.1.4.6). Read-only, newest first, built client-side from three direct queries scoped to org + staff:

Filter chip	Source	Columns / item shape
All	union of the below	one line per item
Shifts	evv_timesheets (staff_id, ≤200) with clients name lookup	table: Date · Client (link to chart) · Code · Status · Units (billed_units)
Timesheets	same evv_timesheets rows that have a status	"CODE · N u", status badge, date = clock-in
Forms	form_submissions where submitted_by = staff (≤100) with forms.name	form name · status · submitted date
Incidents	incident_reports where reported_by = staff (≤100)	report_number · incident_types joined by comma · status (e.g. <i>pending admin review</i>) · filed_at

The tree's "IR ID Badge → Injury / Illness / ??" is the incident_types array on the report; the label set is whatever the Incident form allows (out of scope here → **YET TO BREAK DOWN**). Every EVV row that has a status appears **twice** in "All" (once as a Shift, once as a Timesheet) — Finding F-8.

3.B Annotated wireframe

[← Employees] (JP) Jake Probert [EMPLOYEE] [ACTIVE] Face Sheet ▼ Hired 2025-01-15 [Back to list]	2.1.4.2 / 2.1.4.1 (same action) 2.1.4.3 → Preview / Download PDF / Print / Ship to HR Docs
[Profile] [Staff file] [Activity]	2.1.4.4 / 2.1.4.5 / 2.1.4.6
▶ PROFILE [Edit profile] (photo) FIRST NAME LAST NAME EMAIL USERNAME PHONE BASE ROLE HIRE DATE EMPLOYEE ID JOB TITLE (+ enabled staff fields) ▶ Leads group / Scope Scope group ▼ Lead group ▼ - or - "Scope columns are not live yet..." ▶ Permissions ▶ People & Files (52) ▶ Schedule & Money (20) ▶ Staff phone (11) ☒ Invite staff role: on [Cancel] [Save profile] (edit mode)	2.1.4.4.1 / 2.1.4.4.4 2.1.4.4.2 2.1.4.4.3 2.1.4.4.3.1 / .2 / .3 each row: switch · role default · "override" tag 2.1.4.4.4.1 / .2

Staff file tab:

[View selected] Print / PDF pack [↑ Upload evidence...] ☐ ITEM STATUS DUE ☐ Background Screening – Annual Missing in 214 days ☐ Medicaid Disclosure Form – Annual Missing in 214 days ☐ Medicaid Fraud & Abuse Exclusion – Annual On file 2027-03-01 VIEW ... ☒ (off) ☐ (off) ☐ (off)	2.1.4.5.1-3 2.1.4.5.4 Override
--	--------------------------------------

Activity tab:

Activity [All] [Shifts] [Timesheets] [Forms] [Incidents] Shifts view → DATE CLIENT CODE STATUS UNITS other views → "TITLE" · status badge · date Read-only · newest first	2.1.4.6.1-5 2.1.4.6.2.1-5
--	------------------------------

3.C User stories and acceptance criteria

ID	As a...	I want...	Pass criteria
US-P1	Owner	to open a staffer and see identity at a glance	Header shows name, role, Active/Deactivated, hire date; Profile section shows the same values as the roster row; e2e #4 asserts the page is bound to the route <code>staffId</code> (regression lock from the "wrong person" bug).
US-P2	Owner	to correct identity fields	Edit profile → change phone and job title → Save → toast → reload shows new values → roster row shows new title.
US-P3	Owner	to change someone's role	Edit → Base role → Program Manager → Save → header badge and roster ROLE column update; <code>role_change_audit_log</code> gains a row; Supervisor cannot change role (select disabled).
US-P4	Owner	to grant one extra permission without changing role	Edit → Permissions → People & Files → switch "Approve daily logs" on for a Supervisor → Save → row shows <i>override</i> ; <code>user_permission_overrides</code> has exactly one row for that user/perm; switching it back to the role default deletes the override rather than storing a redundant one (unit test).

ID	As a...	I want...	Pass criteria
US-P5	Compliance lead	to see and cure a staffer's missing items	New hire's Staff file shows every applicable annual item as Missing; Upload evidence → pick item → file → row becomes On file and View is enabled; Print / PDF pack prints only checked rows.
US-P6	Auditor	to pull a face sheet	Face Sheet → Download PDF produces a PDF with the profile fields; Ship to HR Docs makes the same PDF appear in the staffer's documents.
US-P7	Supervisor	to review what a staffer has done	Activity → Shifts lists that staffer's EVV rows with client link, code, status, units; Incidents lists reports they filed with the report number and type.

3.D Status by tree ID — Employee profile

Tree ID	Element	Status	Note
2.1.4.1 / 2.1.4.2	Back to list / ← Employees	NEEDS ATTENTION	F-7: <code>history.back()</code> returns to previous tab, not the list
2.1.4.3.1–4	Face sheet actions	UNTESTED	server PDF + storage; needs live pass
2.1.4.4.1	Profile section	EXACTLY WHAT WE WANT	e2e #4 + <code>staff-profile-identity.test.ts</code>
2.1.4.4.2	Leads group / Scope	UNTESTED	depends on live <code>staff_groups</code> ; mocked run shows "not live yet" fallback; §8 Q4
2.1.4.4.3	Permissions (52/20/11)	EXACTLY WHAT WE WANT (grouping, counts, planner) / UNTESTED (live save)	unit tests; live write needs pass
2.1.4.4.4	Edit / Save / Cancel	UNTESTED	sequential save of 4 writers; one failure leaves earlier writes committed (F-9)
2.1.4.5.1–3	View selected / Print pack / Upload evidence	UNTESTED	storage + server fn
2.1.4.5.4.2	Status "Missing??"	EXACTLY WHAT WE WANT	by design; 7-day Due-soon window; unit-tested
2.1.4.5.4.4	View enabled only with evidence	EXACTLY WHAT WE WANT	
2.1.4.6.x	Activity filters	NEEDS ATTENTION	F-8 duplicate Shift/Timesheet items; otherwise fine
2.1.4.6 Incidents types	IR type labels	YET TO BREAK DOWN	lives in Incident Reports feature

4. Surface 2.2 — Hosts

4.A Functional spec

Purpose. Kanban of Host Home Provider (HHP) *cue cards* — matching-side data about a household. Hosts are **not staff**: they never clock in, never appear in the scheduler or EVV (CLAUDE.md residential model). A cue card can optionally be linked to a staff login (`linked_staff_user_id`) when the same person also works as a DSP.

Data. `hhp_cue_cards` (migration `20260612135044`), one row per host, `status` $\in$ { `onboarding`, `ready`, `placed` }. Loaded by `listHhpCueCards` (server, org-scoped). Certification badge reads `host_home_certifications` (latest `next_due_date` per card).

Actions.

Element	Behaviour	Permission
New host (2.2.1) → Create host	<code>createHhpCueCard</code> inserts a row with <code>status='onboarding'</code> ; comma fields split into <code>medical_comfort[]</code> / <code>independence_levels_accepted[]</code> ; checkboxes map to booleans	tab visible with <code>view_staff_records</code> ; creation succeeds for any org member the server fn allows (it only checks membership)
Card click	<code>HostDetailDialog</code> : read-only KV block of the intake fields, editable Status select, Provider notes , Link to staff select (lists active members) with "Invite as staff" → <code>/dashboard/invitations</code> , and <code>HostCertificationPanel</code> (inspection history, new certification)	edits require <code>manage_referrals</code> (Owner-only by default) — others see disabled controls with no explanation (F-5)
Save (in dialog)	<code>updateHhpCueCard</code> partial update	<code>manage_referrals</code>

Status columns and card chips (2.2.2–2.2.4): **Onboarding, Ready, Placed**; each card shows Name, the HHS-cert badge (*No cert / Cert overdue / Cert due Nd* (≤ 30 d) / *Cert ✓*), an **Also DSP** chip when `linked_staff_user_id` is set, and the status label. The tree lists these under 2.2.4 (Placed) only — they render in all three columns.

The page subtitle also states that *"Submitting a Host Home Questionnaire auto-creates a card"* — that inbound path is outside this tab (**YET TO BREAK DOWN**).

4.B Annotated wireframe

Host Home Providers

HHP cue cards – host-side matching input. Hosts are not staff...

Onboarding (n)

Jane Host

[No cert]

[Also DSP]

Onboarding

Ready (n)

Placed (n)

Sam Host

[Cert ✓]

Placed

[+ New host]

2.2.1

2.2.2 / 2.2.3 / 2.2.4

2.2.4.1 Name

2.2.4.2 HHS Cert badge

2.2.4.3 linked_staff_user_id

2.2.4.4 status label

New host cue card (dialog):

Name*

Phone

Email

Address

City

County

Pets

Wheelchair accessible

Sign language

Criminal history flag

Experience summary

Behavioral comfort

Communication abilities

Medical comfort (comma)

Independence levels (comma)

Schedule availability

Commitment length

[Create host]

[X]

2.2.1.1.1-7

2.2.1.1.8-10

2.2.1.1.11-13

2.2.1.1.14-15

2.2.1.1.16-17

2.2.1.1.18 (both numbered .18 in the tree)

4.C User stories

ID	As a...	I want...	Pass criteria
US-H1	Owner	to capture a prospective host household	Create host with only a Name → card appears under Onboarding with "No cert"; reopening shows every entered field; comma lists render as arrays.
US-H2	Owner	to move a host through onboarding	Open card → Status = Ready → Save → card moves columns; Placed likewise.
US-H3	Owner	to recognise a host who is also on payroll	Link to staff → pick the DSP → Save → card shows <i>Also DSP</i> ; that person still appears on the Roster; the host card never appears in the Scheduler.
US-H4	Owner	to see certification risk	A host with <code>host_home_certifications.next_due_date</code> within 30 days shows the amber "Cert due Nd" badge; past due shows red.

4.D Status — Hosts

Tree ID	Element	Status	Note
2.2	Hosts tab renders	EXACTLY WHAT WE WANT	mocked probe: three columns, New host, no console errors
2.2.1 / 2.2.1.1.x	New host form fields	EXACTLY WHAT WE WANT (fields match tree 1:1) / UNTESTED (live insert)	
2.2.2–2.2.4	Columns and chips	EXACTLY WHAT WE WANT	

Tree ID	Element	Status	Note
Card detail → Save / Link to staff	edit rights	NEEDS ATTENTION	F-5: Supervisors/PMs can open but not edit, with no hint
Questionnaire → auto-card	inbound path	YET TO BREAK DOWN	

5. Surface 2.3 — HR Admin

5.A Functional spec

What the tab itself contains. `HrAdminPage` is thin: a header ("Other trainings and HR settings. File status for every staffer lives on **Staff file**."), two buttons — **Open Staff file** (→ `/dashboard/compliance?tab=staff`) and **HR Settings** (→ `/dashboard/hr-admin/settings`) — and the **Other Trainings & Tasks (rollup)** card. The Staff file link in the sentence and the button do the same thing (tree 2.3.1 notes this correctly). The tester's question "*move this tab entirely?*" is a product call; functionally the tab is a launcher plus one card.

Other Trainings & Tasks rollup (2.3.3–2.3.5). `listOrgOtherAssignments` → `staff_other_assignments`. Header badges: *N NECTAR proposals* (unconfirmed rows), *N open* (confirmed, not completed), *N done* (completed). Empty state "No assignments yet." Rows sort safety-critical + overdue first. Purely a read view here; assignments are created from Training.

HR Settings (2.3.2). Renders one card, `StaffTypesProposal` ("Staff types & applicability"). Until someone clicks **Run NECTAR proposal** the card body is the dashed box "*No proposal yet. Click Run NECTAR proposal to derive staff types...*" — which is what the tester saw as an *EMPTY PAGE*. After a proposal: editable staff-type list (add/remove), a per-requirement "applies to" mapping, and **Confirm all** (until confirmed nothing renders as N/A anywhere). There **is** a back button ("← HR Admin") in the code, but it returns to the standalone `/dashboard/hr-admin` route, not to the hub tab (F-2). Note the tree's *Staff Fields* settings (2.1.1.3) live on the Roster, not here — two different "HR settings" surfaces (F-3).

Staff file (2.3.1.1) — `/dashboard/compliance?tab=staff`. `StaffFilePanel`:

- top-right text links **State Audit** (→ `/dashboard/state-audit`, tree 4.4.???) and **Reports** (→ `/dashboard/reports`);
- amber card "*N certificates awaiting review*" when `listPendingCertReviews` returns rows (each → `/dashboard/compliance/cert-review/$completionId`, plus an exam-export button for in-Hive courses);
- `PacketNextActionCard` (the single next action from the compliance packet) and a scope note when the caller's view is scoped to a lead group;
- `OrgPersonnelFileMatrix` — the table in the tree.

`OrgPersonnelFileMatrix` (`listOrgPersonnelFileMatrix` server fn over `company_obligation_instances` + `_assignees` + `_completions`, one row per active/inactive member):

Element	Behaviour
Search (2.3.1.1.3)	client-side filter on name, role, job title, service codes
Practice audit (2.3.1.1.4)	navigates to <code>/dashboard/internal-audit?area=staff_certifications[&staffIds=a,b]</code> — selected staff become the sample; no back button on the destination (F-2)
Export missing CSV (2.3.1.1.5)	client-side CSV (<code>missingPersonnelCsv</code>) of rows with <code>missing > 0</code> , using the selection or everyone visible; it is a CSV, not a PDF — the tree's ".5.1 PDF Download" is wrong

Element	Behaviour
Export pack for selected (2.3.1.1.6)	<code>listOrgPersonnelFilePack</code> → signed URLs for each evidence file → new window → <code>print()</code> (browser "Save as PDF" is the PDF). Requires a selection.
Row (2.3.1.1.7)	click → <code>/dashboard/employees/\$staffId?tab=personnel</code> (the staffer's Staff file tab). Columns: ☐ · Staff (+ "Deactivated" tag) · Role / codes (role badge, job title, up to 6 service-code chips +N) · Missing · Due soon · On file (counts)

Client file (2.3.1.2). Same shell for clients (`ClientFilePanel`); rows open the client chart → **YET TO BREAK DOWN** (3.1.??). **Agency file (2.3.1.3)** → `AgencyFilePanel` with its own sub-tabs → **YET TO BREAK DOWN**.

Reports (2.3.1.1.2) — `/dashboard/reports`. Tabs **Standard Reports** and **Behavior Supports**. Standard: five cards each with **Download CSV** — Compliance Summary, Training Completion, Module Completions (from `course_assignments` / `user_training_progress`), Overdue Training (`staff_other_assignments` type=training), Certification Renewals (`external_certifications` with expiry). Behavior Supports: filters (Client, Behaviorist, BC code, From, To) → Export CSV / Export PDF → results list. No back button (F-2).

Practice audit (2.3.1.1.4) — `/dashboard/internal-audit`. Run audit now · Export · DSPD-style sample (pick clients / pick staff, "DSPD requested" toggles) · other scope filters (Client, Area, Service code, From, To) · summary stats (Audit readiness, Critical gaps, Needs attention, Minor) · Findings by area (Documentation, Daily Logs, EVV / Timesheets, Billing & Authorizations, Staff Certifications, Requirements Engine, External Attestations) · Findings list with "Open staff file" links back to `/dashboard/employees/$staffId?tab=personnel`. Backend `internal-audit.functions.ts`. Not reachable in the mocked harness (unmocked server fn) → **UNTESTED**.

5.B Annotated wireframe

HR Admin tab

HR Admin [Open Staff file] [⊗ HR Settings] 2.3.1 / 2.3.2
 Other trainings and HR settings. File status for every staffer lives on Staff file. (underlined link = same target as button)
 Other Trainings & Tasks (rollup) [0 NECTAR proposals] [0 open] [0 done] 2.3.3 / 2.3.4 / 2.3.5
 No assignments yet. 2.3.3.1

Staff file (/dashboard/compliance?tab=staff) State Audit · Reports ← 2.3.1.1.1 / 2.3.1.1.2
 [Staff file] [Client file] [Agency file] 2.3.1.1 / .2 / .3
 Staff file – org-wide file status from the same obligation instances...
 (amber) 2 certificates awaiting review · Jane · CPR [Export exam] [Review]
 (next action card) (scope note)
 🔍 Search staff, role, or codes... [Practice audit] [Export missing CSV] [Export pack for selected] 2.3.1.1.3-6
 Showing 12 of 12. Practice audit opens Internal Audit for the org...
☐ STAFF ROLE / CODES MISSING DUE SOON ON FILE 2.3.1.1.7.x
☐ Jake Probert [EMPLOYEE] DSP HHS SLN (3) (0) (0) → profile Staff file tab

HR Settings (/dashboard/hr-admin/settings)
 [← HR Admin] HR Settings back → standalone /dashboard/hr-admin (not the hub)
 + Staff types & applicability (HR Settings) [Run NECTAR proposal] ([Confirm all])
 [No proposal yet. Click Run NECTAR proposal to derive staff types...] ← the "EMPTY PAGE"

5.C User stories

ID	As a...	I want...	Pass criteria
US-HR1	Compliance lead	one place to see who is missing what	Staff file table shows every member with Missing / Due soon / On file counts that equal the counts on that person's Staff file tab; search narrows by code (e.g. "HHS").
US-HR2	Compliance lead	to pull an auditor pack for three staff	Check three rows → Export pack for selected → a print window lists each evidence file grouped by staffer; with nothing checked the button toasts "Select staff to export a pack."
US-HR3	Compliance lead	to export gaps	Export missing CSV downloads personnel-file-missing-YYYY-MM-DD.csv containing only rows with Missing > 0; if none, toast "No missing items in the current selection."
US-HR4	Owner	to run a practice audit on a sample	Select staff → Practice audit → Internal Audit opens pre-filtered to those staff with area = Staff Certifications → Run audit now populates findings.
US-HR5	Owner	to define staff types once	HR Settings → Run NECTAR proposal → types and mapping appear → Confirm all → requirements that don't apply to a type render N/A on that staffer's Staff file.
US-HR6	Supervisor	to see open trainings and tasks	Rollup badges match counts in Training → Other assignments; safety-critical rows sort first.

5.D Status — HR Admin

Tree ID	Element	Status	Note
2.3	HR Admin tab	EXACTLY WHAT WE WANT (renders, no errors)	thin launcher; "move this tab?" is a product decision
2.3.1	Staff file link + Open Staff file button	EXACTLY WHAT WE WANT	same target, as the tree notes
2.3.1.1.1	State Audit link	YET TO BREAK DOWN	4.4. ???
2.3.1.1.2	Reports page	UNTESTED / NEEDS ATTENTION	renders with 5 CSV buttons in mocked run; no back affordance (F-2)
2.3.1.1.3	Search	EXACTLY WHAT WE WANT	client filter incl. codes
2.3.1.1.4	Practice audit → Internal Audit	UNTESTED / NEEDS ATTENTION	F-2 no back; unmocked in harness
2.3.1.1.5	Export missing CSV	EXACTLY WHAT WE WANT	tree says PDF — it is CSV (correct the tree)
2.3.1.1.6	Export pack for selected	UNTESTED	signed URLs + print window
2.3.1.1.7	Staff table → profile	EXACTLY WHAT WE WANT	probe renders buttons; row links to ?tab=personnel
2.3.1.2	Client file	YET TO BREAK DOWN	3.1. ???
2.3.1.3	Agency file	YET TO BREAK DOWN	
2.3.2	HR Settings "empty page"	NEEDS ATTENTION	F-2/F-3: back goes to standalone route; empty until NECTAR proposal is run; naming collides with Roster → Settings
2.3.3–2.3.5	Rollup, 0 open / 0 done	EXACTLY WHAT WE WANT	counts only confirmed rows

6. Surface 2.4 — Employee Loans

6.A Functional spec

Purpose. Admin-only record and e-signature of loan/advance agreements between the org and a staffer. Tables (migration 20260702041149): `employee_loans` (agreement + status), `employee_loan_entries` (ledger lines), `employee_loan_signatures` (signed record: name, image, IP, method, time), `employee_loan_signature_tokens` (one-time signing links). RLS on all four: `is_org_admin_or_manager` — **Program Manager is not in that helper**, so a PM sees the tab (permission gate is `view_staff_records`) but every query fails/returns nothing (F-10).

Panel (2.4.1–2.4.3).

Element	Behaviour
Search employees... (2.4.2.1)	filters the Select below by name/email (members + profiles loaded client-side)
Select employee ▼ (2.4.2.2)	required before New loan enables
+ New loan (2.1.2.3 in the tree — should be 2.4.2.3)	opens <code>EmployeeLoanEditor</code> inline (replaces the ledger view; Back returns)
Agreements on file (2.4.3)	<code>listEmployeeLoans</code> → table Employee · Borrower (on agreement) · Date · Status badge · Open

Editor (new or existing). Header title *"New Employee Loan Agreement" / "Employee Loan Agreement"*; subtitle always prints **"DRAFT — pending legal review"** as static copy even after signature (F-11), followed by badges *Locked (signed)*, *Signed by*, *Awaiting signature ()* when applicable.

Button	Shown when	Behaviour
Back (...1.1)	always	<code>onClose()</code> → ledger; unsaved edits are lost silently
Download PDF (...1.2)	always	client-side <code>downloadEmployeeLoanPdf</code> of the current form values + ledger balance + signature block if signed → <code>employee-loan-<borrower>.pdf</code> . For a signed loan this is the signed document (tree 2.1.2.3.1.2.1).
Send for e-signature (...1.3)	existing loan, not locked	disabled unless <i>Employee email</i> is filled (no hint) → <code>SendForSignatureDialog</code> : Signer name, Signer email, Cancel, Send for signature → <code>sendEmployeeLoanForSignature</code> creates a token, tries to email the link, and shows the link for copy + Done. A pending token shows an amber card with Void link .
Save (...1.4 / ...3)	not locked	<code>upsertEmployeeLoan</code> (<code>id</code> undefined → insert then close; else update) → toast "Loan saved"
Delete (...1.5)	existing loan	browser <code>confirm("Delete this agreement and ledger?")</code> → <code>deleteEmployeeLoan</code> (cascades entries/tokens/signatures)

Form sections (all inside one `<fieldset disabled={isLocked}>` — locked when `status ∈ {signed, active}`):

Tree	Section	Fields / defaults
...1.4	Parties & Date	Employee (borrower) · Employee email (for e-signature — not in tree, required for Send) · Employer (lender, defaults to org name) · Agreement date (today) · Purpose / description
...1.5	Advance terms	Advance amount (\$) · Cadence: One-time (default) / Weekly / Biweekly / Monthly
...1.6	Recurring direct payment (optional)	Amount · Cadence: Monthly (default) / Weekly / Biweekly · Due day / detail · Start date · Description
...1.7	Interest	Interest rate (% / year, default 0 = interest-free) · Notes
...1.8	Repayment terms	+ Add condition; defaults: "Deducted from next available paycheck(s) with the Employee's written consent", "In full upon termination of employment (voluntary or involuntary)"; each row has 🗑; Maturity date; Method of repayment (free text, placeholder "Payroll deduction / direct deposit / check")
...1.9	Acknowledgments	☒ (default on) "Employee's decision to accept or decline this loan will not affect... employment status or benefits."
... 1.10	Signature parties	+ Add party (adds role "Witness"); defaults Employee (borrower name) and Employer (lender name); each: Role · Name · Title · 🗑. These are display/PDF lines only — the e-signature flow signs one token per send, so extra parties (lawyer, SCE, payee) do not get their own signing link (F-12; matches the tester's request).
—	Electronic signature on file	read-only card when a signature exists: signer, email, method, signed at, IP, image
—	Loan Ledger (existing loans only)	add entry: date · kind (Advance / Direct payment / Repayment / Adjustment) · amount · note → addEmployeeLoanEntry ; running balance via computeRunningBalance ; 🗑 per entry
... 1.11	Internal notes	textarea, locked with the rest

Open by status (2.4.3.5). Same editor; `draft` → editable with Save / Send / Delete; `signed` or `active` → fieldset disabled, Save and Send hidden, Back / Download PDF / Delete remain (matches 2.4.3.5.2.1.x). Ledger entries remain editable after signing (by design: repayments happen after signature).

6.B Annotated wireframe

Employee Loan Ledger
Admin-only recordkeeping and e-signature... captured under the U.S. E-SIGN Act...
Start a new loan agreement
[🔍 Search employees...] [Select employee... ▼] [+ New loan (disabled until pick)]
Agreements on file

EMPLOYEE	BORROWER (ON AGREEMENT)	DATE	STATUS	
Jake P.	Jake Probert	2026-09-01	[draft]	[Open] [Open]

2.4.1
2.4.2
2.4.2.1 / .2 / .3
2.4.3
2.4.3.1-5

Editor (replaces the ledger in place):
Employee Loan Agreement
[Back] [⬇️ Download PDF] [✉️ Send for e-signature] [💾 Save] [🗑️ Delete]
DRAFT – pending legal review [🔒 Locked (signed)] [✓ Signed by ...] [✉️ Awaiting signature (...)]
(amber) Signing link sent to ... – expires ... [Void link]
☐ Parties & Date ☐ Advance terms ☐ Recurring direct payment ☐ Interest ☐ Repayment terms
☐ Acknowledgments ☐ Signature parties [+ Add party] ☐ Electronic signature on file ☐ Loan Ledger ☐ Internal notes

6.C User stories

ID	As a...	I want...	Pass criteria
US-L1	Owner	to draft an advance for a staffer	Select employee → New loan → borrower/lender/date pre-filled → enter amount → Save → toast → back on ledger with status <i>draft</i> .
US-L2	Owner	to get it signed remotely	Open draft → Send for e-signature → dialog pre-fills borrower name/email → Send → toast + copyable link → amber "Awaiting signature" card; the staffer opens the link, signs; loan shows <i>Signed by</i> , status locks, Save/Send disappear.
US-L3	Owner	to keep the ledger current	On a signed loan add Repayment 100.00 → running balance drops by 100 → PDF includes the ledger.
US-L4	Owner	to retire a bad draft	Delete → confirm → agreement gone from ledger; a signed agreement can also be deleted (no extra guard — flag for legal).

6.D Status — Employee Loans

Tree ID	Element	Status	Note
2.4	Tab renders	EXACTLY WHAT WE WANT	mocked probe: search, select, New loan, empty ledger
2.4.2.x / 2.1.2.3.x	New loan form fields	EXACTLY WHAT WE WANT (fields/defaults match tree) / UNTESTED (live save)	Advance cadence order in UI is One-time, Weekly, Biweekly, Monthly
2.1.2.3.1.2	Download PDF	UNTESTED	client-side PDF
2.4.3.5.1.1.3	Send for e-signature	UNTESTED / NEEDS ATTENTION	F-12 single signer; disabled-without-email has no hint

Tree ID	Element	Status	Note
2.4.3.5.1 / .2	Open by status	EXACTLY WHAT WE WANT	lock logic traced
header copy	"DRAFT — pending legal review"	NEEDS ATTENTION	F-11 static
RLS	Program Manager access	NEEDS ATTENTION	F-10
2.4.3.5.1.1.5	Delete	UNTESTED	browser confirm; also allowed on signed

7. Findings (NEEDS ATTENTION), root causes, smallest fixes

#	Where	What happens now	Root cause	Smallest fix
F-1	Roster → Settings (Staff fields)	Toggles appear to save ("Saved" flashes) but do not persist for Program Manager / Supervisor; for Owner they do persist.	<code>staff-fields-panel.tsx</code> writes <code>organizations.feature_config</code> with a direct client update. RLS " <code>admins update org</code> " = <code>has_org_role(id, uid, 'admin')</code> , so non-Owner rows are filtered → PostgREST returns no error and 0 rows ; the component only checks <code>error</code> , so it shows "Saved". No toast on failure either.	Move the write to a server fn guarded by <code>assertOrgManager</code> , or add <code>.select("id")</code> and treat an empty result as failure with an error toast. Also disable the sheet for roles that cannot write.
F-2	HR Settings, Reports, Internal Audit, State Audit	No way back to the Employees hub; HR Settings' back goes to standalone <code>/dashboard/hr-admin</code> .	These are top-level routes reached from inside the hub; only HR Settings has a back link and it targets the legacy route.	Point HR Settings back to <code>/dashboard/hub/employees?tab=hr-admin</code> ; add the same ghost back button to Reports and Internal Audit (or open them in a drawer).
F-3	Two "settings"	Roster → Settings (intake fields) and HR Admin → HR Settings (staff types/applicability) are unrelated but both read as HR settings.	Different features landed on different surfaces.	Rename the roster sheet "Staff fields" in the button label, or link it from HR Settings.
F-4	Caseload sheet	Writes <code>staff_assignments</code> from the browser; calls the obligation hook with <code>serviceCodes: []</code> ; hook errors are <code>console.warn</code> ed.	Client-side mutation predates the server hooks.	Route through a server fn that inserts and re-evaluates atomically and passes the client's authorized codes (<code>client_billing_codes</code>) so obligations by code fire.
F-5	Hosts detail dialog	Supervisors/PMs (tab visible via <code>view_staff_records</code>) open a card and find Status/Notes/Link controls disabled with no message.	<code>canManage = can("manage_referrals")</code> (Owner-only by default) while tab visibility is broader.	Show a one-line "Only Owners can edit host cards" note, or gate the tab on the same permission.
F-6	Add employee → Role	Options read Employee / Manager / Admin; profile and badges use Staff / Supervisor / Owner; Program Manager cannot be chosen at hire.	Hard-coded <code>SelectItems</code> in <code>add-employee-wizard.tsx</code> ; the roster <code>ROLE</code> column prints the raw enum.	Render from <code>ROLE_LABEL</code> and <code>ROLE_OPTIONS</code> (same list as the profile).
F-7	Profile → Back to list / ← Employees	After changing tabs, Back returns to the previous tab instead of the list.	Both buttons call <code>router.history.back()</code> ; tab changes push history.	Navigate explicitly to <code>/dashboard/hub/employees</code> (keep <code>history.back()</code> only when the referrer is the roster).
F-8	Profile → Activity → All	Every EVV row with a status appears twice (Shift + Timesheet).	<code>ActivityFeed</code> pushes one item of each kind per <code>evv_timesheets</code> row.	Show Timesheet items only when the row is in a payroll status (e.g. approved/submitted), or merge into one line.

#	Where	What happens now	Root cause	Smallest fix
F-9	Profile → Save profile	Four writers run sequentially; if the 3rd fails the first two are already committed and the toast reads as a failure.	<code>saveMut</code> is not transactional.	Acceptable for now; document. Long-term: one server fn.
F-10	Employee Loans	Program Manager sees the tab but RLS blocks every read/write (<code>is_org_admin_or_manager</code> = admin, manager only).	Helper predates <code>program_manager</code> (added 2026-08-25).	SQL handoff: extend <code>is_org_admin_or_manager</code> to include <code>program_manager</code> (affects every table using it — review first), or gate the tab on role rank ≥ manager.
F-11	Loan editor header	"DRAFT — pending legal review" prints on signed/active loans.	Static string.	Render <code>values.status</code> instead.
F-12	Send for e-signature	Only one signer per send; added Signature parties are PDF text only.	Token model is one signer per token; dialog collects one name/email.	Product decision: multi-party = one token per party + "all signed" state. Tester's request noted.
F-13	e2e harness (not product)	<code>e2e/clients-staff-roster.spec.ts</code> failed 5/8 on <code>main</code> before this work because <code>mock-hive.ts</code> did not mock <code>getAgencySetupStatus</code> / <code>loadEmployeeScope</code> (both added after the harness) and the wizard step-2 copy had changed.	Harness drift.	Fixed in this PR (mocks + copy). Two remaining failures are in the Clients chart (Files tab, empty state) — outside this tab.

Also observed, not defects: the invite-step "Set up Evidence pack" button navigates by full page load to `/dashboard/evidence?tab=staff&wizard=1&person=<id>` (**YET TO BREAK DOWN**); Deactivate/Delete/Uninvite use native `confirm()` in two places and a typed-name dialog in one.

8. Self-test log (what was actually run)

Environment: fresh `npm ci`, Node 22, Chromium (Playwright). No live Supabase credentials are available to the agent, so all browser tests use the mocked Supabase harness (`e2e/helpers/mock-hive.ts`).

Check	Command	Result
Unit — roster filtering, roster upload parsing/classification, staff file status labels, profile identity lock, permission <code>can()</code> , permission toggle planner, permission groups (52/20/11=83), scope, compliance nav, invite result parsing, custom-field delete	<code>node --test --experimental-strip-types src/lib/{employee-roster,employee-roster-upload,staff-obligation-files,staff-profile-identity,permissions-can,staff-permission-toggles,profile-permission-groups,obligations/scope,compliance-nav,invite-send-result,custom-field-delete}.test.ts</code>	106 / 106 pass
Build (regenerates <code>routeTree.gen.ts</code>)	<code>npm run build</code>	exit 0 ; <code>src/routeTree.gen.ts</code> unchanged
Mocked e2e — Employees list, Active/Inactive, columns, row → profile bound to route id	<code>playwright test --config=e2e/configs/playwright.roster.config.ts -g "Employees list"</code>	pass (after harness fix F-13)
Mocked e2e — Add employee wizard step 1 → step 2 → Send 1 invite → invitations page	same config, <code>-g "Add employee"</code>	pass (after harness fix)
Mocked e2e — DSP persona cannot open the roster	same config, test 6	pass
Mocked render probe — hub tabs roster / hosts / hr-admin / loans, HR Settings, Staff file, Reports	temporary probe (removed)	all render with no console errors ; Internal Audit crashes in the harness only because its server fn is unmocked

Remaining e2e failures in that spec (Clients chart "Files" tab; empty-clients copy) are outside the Employees tab and were left untouched.

9. SQL handoff — confirm the live shape (run in Lovable SQL editor; Clear before each paste)

Each query is truncation-proof (aggregated to one row). Paste results back into the tracker.

```

-- Q1. Roster health: members vs profiles for the active org (replace :org)
select count(*) filter (where m.active) as active_members,
       count(*) filter (where not m.active) as inactive_members,
       count(*) filter (where p.id is null) as members_without_profile,
       count(*) filter (where p.account_status = 'archived' and m.active) as archived_but_member_active,
       count(*) filter (where p.must_change_password) as must_change_pw
from organization_members m
left join profiles p on p.id = m.user_id
where m.organization_id = ':org';

-- Q2. Staff-fields settings actually persisted? (F-1)
select id, feature_config->'staff_intake_fields' as staff_intake_fields
from organizations where id = ':org';

-- Q3. Who can write organizations (F-1): list UPDATE policies
select string_agg(policyname || ' :: ' || coalesce(qual,'') , ' | ')
from pg_policies where schemaname='public' and tablename='organizations' and cmd in ('UPDATE','ALL');

-- Q4. Scope columns live? (2.1.4.4.2)
select string_agg(table_name || '.' || column_name, ', ')
from information_schema.columns
where table_schema='public'
   and ((table_name='profiles' and column_name in ('scope_group_id','lead_group_id'))
        or table_name in ('staff_groups','staff_group_members'));

-- Q5. Permission overrides present for the org (2.1.4.4.3)
select count(*) as overrides, string_agg(distinct permission, ', ') as perms
from user_permission_overrides where organization_id = ':org';

-- Q6. Live role matrix differs from DEFAULT_MATRIX? (Appendix A)
select role, count(*) as granted, string_agg(permission, ', ' order by permission)
from role_permissions where organization_id = ':org' and granted group by role;

-- Q7. Loans RLS helper includes program_manager? (F-10)
select pg_get_functiondef('public.is_org_admin_or_manager(uuid,uuid)::regprocedure');

-- Q8. Employee loans + signature tokens for the org (2.4)
select l.status, count(*) as loans,
       count(*) filter (where exists (select 1 from employee_loan_signatures s where s.loan_id = l.id)) as signed,
       count(*) filter (where exists (select 1 from employee_loan_signature_tokens t where t.loan_id = l.id and t.used_at is null and t.expires_at > now())) as
       awaiting
from employee_loans l where l.organization_id = ':org' group by l.status;

-- Q9. Host cue cards by status + linked-staff + latest cert (2.2)
select c.status, count(*) as cards,
       count(*) filter (where c.linked_staff_user_id is not null) as also_dsp,
       count(*) filter (where not exists (select 1 from host_home_certifications h where h.hhp_cue_card_id = c.id)) as no_cert
from hhp_cue_cards c where c.organization_id = ':org' group by c.status;

-- Q10. Staff-file counts for one staffer should equal the matrix row (2.3.1.1.7 vs 2.1.4.5)
select i.status, count(*)
from company_obligation_instances i

```

```
join company_obligation_instance_assignees a on a.instance_id = i.id  
where i.organization_id = ':org' and a.staff_id = ':staff' group by i.status;
```

Appendix A — Permission catalogue as rendered on the profile (83)

Default grants from `DEFAULT_MATRIX` (`src/lib/rbac.ts`). Live values come from `role_permissions` (Q6) and per-user `user_permission_overrides` (Q5).

People & Files (52) — tree 2.1.4.4.3.1.152

Permission	Key	Owner	Program Manager	Supervisor	Staff	Committee
Invite staff	<code>invite_staff</code>	yes	yes	yes	—	—
View staff records	<code>view_staff_records</code>	yes	yes	yes	—	—
Edit staff records	<code>edit_staff_records</code>	yes	yes	—	—	—
Manage staff roles	<code>manage_staff_roles</code>	yes	—	—	—	—
Deactivate staff	<code>deactivate_staff</code>	yes	—	—	—	—
View staff documents	<code>view_staff_documents</code>	yes	yes	yes	—	—
Upload staff documents	<code>upload_staff_documents</code>	yes	yes	yes	—	—
Approve staff documents	<code>approve_staff_documents</code>	yes	yes	—	—	—
View clients	<code>view_clients</code>	yes	yes	yes	—	—
Edit client records	<code>edit_client_records</code>	yes	yes	yes	—	—
Manage client intake	<code>manage_client_intake</code>	yes	yes	—	—	—
View client medical info	<code>view_client_medical</code>	yes	yes	yes	—	—
Edit client medical info	<code>edit_client_medical</code>	yes	—	—	—	—
View client documents	<code>view_client_documents</code>	yes	yes	yes	—	—
Manage client documents	<code>manage_client_documents</code>	yes	yes	yes	—	—
Manage client goals	<code>manage_client_goals</code>	yes	yes	yes	—	—
Edit shift notes	<code>edit_shift_notes</code>	yes	yes	yes	—	—
Approve shift notes	<code>approve_shift_notes</code>	yes	yes	—	—	—
View daily logs	<code>view_daily_logs</code>	yes	yes	yes	—	—
Approve daily logs	<code>approve_daily_logs</code>	yes	yes	—	—	—
Manage forms	<code>manage_forms</code>	yes	—	—	—	—

Permission	Key	Owner	Program Manager	Supervisor	Staff	Committee
View form submissions	view_form_submissions	yes	yes	yes	—	—
Approve form submissions	approve_form_submissions	yes	yes	—	—	—
View compliance dashboard	view_compliance_dashboard	yes	yes	yes	—	—
File staff documents	file_staff_documents	yes	yes	yes	—	—
Manage obligations	manage_obligations	yes	yes	—	—	—
View audit trail	view_audit_trail	yes	—	—	—	—
View incidents	view_incidents	yes	yes	yes	—	—
Manage incidents	manage_incidents	yes	yes	yes	—	—
Export incident reports	export_incident_reports	yes	—	—	—	—
Manage medications	manage_medications	yes	—	—	—	—
View HRC	view_hrc	yes	yes	yes	—	yes
Manage HRC	manage_hrc	yes	yes	—	—	yes
Manage organization settings	manage_organization_settings	yes	—	—	—	—
Manage service codes	manage_service_codes	yes	—	—	—	—
View analytics	view_analytics	yes	yes	yes	—	—
Export reports	export_reports	yes	yes	—	—	—
Manage permissions	manage_permissions	yes	—	—	—	—
Manage roles & permissions (legacy)	manage_roles	yes	—	—	—	—
Assign training	assign_training	yes	—	yes	—	—
Create courses	create_courses	yes	—	—	—	—
Edit courses	edit_courses	yes	—	—	—	—
Manage certifications	manage_certifications	yes	—	—	—	—
Manage training programs	manage_programs	yes	—	—	—	—
Approve external certifications	approve_external_certs	yes	—	yes	—	—
View team reports	view_team_reports	yes	—	yes	—	—
Manage organization (legacy)	manage_organization	yes	—	—	—	—
View platform metrics	view_platform_metrics	yes	—	—	—	—

Permission	Key	Owner	Program Manager	Supervisor	Staff	Committee
Manage all organizations	manage_all_orgs	yes	—	—	—	—
View referrals (CRM)	view_referrals	yes	—	—	—	—
Manage referrals (CRM)	manage_referrals	yes	—	—	—	—
Send emails (Resend rail)	send_emails	yes	—	—	—	—

Schedule & Money (20) — tree 2.1.4.4.3.2.120

Permission	Key	Owner	Program Manager	Supervisor	Staff	Committee
View schedule	view_schedule	yes	yes	yes	—	—
Create shifts	create_shifts	yes	yes	yes	—	—
Edit shifts	edit_shifts	yes	yes	yes	—	—
Delete shifts	delete_shifts	yes	yes	—	—	—
Approve shift swaps	approve_shift_swaps	yes	yes	yes	—	—
Manage recurring shifts	manage_recurring_shifts	yes	yes	—	—	—
View team timesheets	view_team_timesheets	yes	yes	yes	—	—
View all timesheets	view_all_timesheets	yes	yes	—	—	—
Approve timesheets	approve_timesheets	yes	yes	yes	—	—
Edit timesheets	edit_timesheets	yes	yes	—	—	—
Export EVV data	export_evv	yes	yes	—	—	—
View billing	view_billing	yes	yes	—	—	—
Manage billing	manage_billing	yes	—	—	—	—
View payroll	view_payroll	yes	yes	—	—	—
Manage payroll	manage_payroll	yes	—	—	—	—
View financial reports	view_financial_reports	yes	—	—	—	—
Export financial reports	export_financial_reports	yes	—	—	—	—
View Financial — Gross	view_financial_tns_gross	yes	—	—	—	—
View Financial — RHS	view_financial_rhs	yes	—	—	—	—
View Financial — Employees	view_financial_employees	yes	—	—	—	—

Staff Phone Permissions (11) — tree 2.1.4.4.3.3.111

Permission	Key	Owner	Program Manager	Supervisor	Staff	Committee
View own timesheets	view_own_timesheets	yes	yes	yes	yes	—
Submit shift notes	submit_shift_notes	yes	yes	yes	yes	—
Submit daily logs	submit_daily_logs	yes	yes	yes	yes	—
Submit forms	submit_forms	yes	yes	yes	yes	—
Complete obligations	complete_obligations	yes	yes	yes	yes	—
Report incidents	report_incidents	yes	yes	yes	yes	—
View eMAR	view_emar	yes	yes	yes	yes	—
Submit eMAR	submit_emar	yes	yes	yes	yes	—
Upload external certifications	upload_external_certs	yes	—	yes	yes	—
View own training	view_own_training	yes	—	yes	yes	—
View certifications	view_certifications	yes	—	yes	yes	—

(The tree's "View one timesheets" is "View own timesheets".)

Appendix B — Tables and server functions touched by this tab

Table	Created in migration	Used by
organization_members, profiles, invitations, organizations.feature_config	20260521183750, 20260531203157	roster, wizards, settings, profile
staff_assignments	20260523235712	caseload sheet, staff-file matrix codes
role_permissions, user_permission_overrides, permission_audit_log, scope_assignments	20260817140000_permission_system_rebuild	profile permissions
role_change_audit_log	20260817130000	hire, role changes
company_obligations, company_obligation_instances, _assignees, _completions, staff_groups, staff_group_members	20260813233000	Staff file tab, matrix, scope
employee_documents + storage	face sheet ship	
evv_timesheets, form_submissions, incident_reports	activity tab (read-only)	
hhp_cue_cards	20260612135044	Hosts
host_home_certifications, host_home_cert_concerns	20260614013028	host cert badge/panel
employee_loans, employee_loan_entries, employee_loan_signatures, employee_loan_signature_tokens	20260702041149	Employee Loans
staff_other_assignments	training	HR Admin rollup

Server function	File	Called from
createEmployeeManually, applyEmployeeRosterRow, adminResetEmployeePassword, hireEmployeeInternal	src/lib/employees.functions.ts	wizards, roster ...
archiveEntity, restoreEntity, deleteEntity	src/lib/lifecycle.functions.ts	roster ...
createInvitation, resendInvitation, revokeInvitation	src/lib/invitations.functions.ts	wizards, pending invitations
onStaffHiredInternal, onStaffAssignmentCreated, onStaffAssignmentRemoved	src/lib/staff-assignment-hooks.functions.ts	hire, caseload
setMemberGrants	src/lib/team-access.functions.ts	profile role
saveStaffPermissionToggles	src/lib/permissions.functions.ts	profile permissions
loadEmployeeScope, setEmployeeScope	src/lib/obligations/scope.functions.ts	profile scope

Server function	File	Called from
generateEmployeeFaceSheetFn	src/lib/employee-face-sheet.functions.ts	face sheet
listStaffObligationInstances, recordCompletion, listPendingCertReviews	src/lib/company-obligations.functions.ts	Staff file tab, Staff file panel
listOrgPersonnelFileMatrix, listOrgPersonnelFilePack	src/lib/personnel-file-matrix.functions.ts	Staff file matrix
listHhpCueCards, createHhpCueCard, updateHhpCueCard	src/lib/hhp-cue-cards.functions.ts	Hosts
listOrgOtherAssignments	training functions	HR Admin rollup
listStaffTypeProposal, proposeStaffTypesAndMapping, upsertStaffType, deleteStaffType, updateRequirementApplicability, confirmAllApplicability	src/lib/staff-types.functions.ts	HR Settings
listEmployeeLoans, getEmployeeLoan, upsertEmployeeLoan, deleteEmployeeLoan, addEmployeeLoanEntry, deleteEmployeeLoanEntry, sendEmployeeLoanForSignature, voidEmployeeLoanSignatureToken	src/lib/employee-loans.functions.ts	Employee Loans
getAgencySetupStatus	src/lib/agency-setup-gate.functions.ts	hub gate