

MAJOR PRODUCT CHANGES

OVERVIEW

The 2010 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users

MODEL/SERIES/AVAILABILITY CHANGES

PACKAGES/OPTIONS CHANGES

FUNCTIONAL/POWERTRAIN

- 5-Speed automatic transmission is now standard when ordering the following engine configurations:
 - 5.4L 3-Valve SOHC EFI Triton® V8 on F-350 SRW or F-350 DRW w/4x2 and Super or Crew Cab
 - 6.8L 3-Valve SOHC EFI Triton® V10 on F-350 SRW; F-350 DRW, F-450, F-550 w/4x2 and Super or Crew Cab
 - 6.4L OHV Power Stroke® Diesel V8 on F-350 SRW; F-350/450/550 DRW w/4x2 and Super or Crew Cab

INTERIOR

- Available SYNC® Voice-activated Communications and Entertainment System (911 assist, Vehicle Health Reports, traffic reports, GPS based turn by turn driving directions and information services)

Note: Traffic, Directions, Information Services receive a complimentary three year pre-paid subscription (one phone/primary account)

Note: When paired with Voice-activated Navigation System, SYNC® Traffic, Directions and Information services are replaced by the vehicle's Navigation System and SIRIUS® Travel Link functionality

EXTERIOR

- **New Exterior Paint Colors:**
 - Ingot Silver
 - White Platinum Tri-Coat

LATEST ORDER GUIDE UPDATES

- Premium Electronic AM/FM Stereo/Single CD/MP3 Player/Clock with 4 Speakers (585) has been added back into the ordering guide
- Crew Chief™ (Telematics) by Microlise™ (87T) has been added back into the ordering guide
- In-Dash Computer (87N) is not available with Dual Diesel (65C)
- Removed invalid exterior paint Dark Stone Metallic (T7). This item was deleted for 2010MY
- Due to new regulatory requirements that apply to 10,000 lb and under GVWR's all F-350 SRW's (body codes F3E, F3F, X3E, X3F, W3E & W3F) now require the Payload Upgrade Package (68U)
- Added clarification notes to Mid-Ship Fuel Tank (65M) & Payload Upgrade Package (68U)

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

MAJOR PRODUCT SUMMARY

The all new 2010 SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers. The 2010 model year includes all the amenities you were used to in 2009 plus.

The following equipment is standard as indicated. Each series incl. the standard equipment of the previous series, except where additions/exceptions are noted:

XL	XLT	LARIAT
<u>Powertrain/Functional</u> - Brakes – 4-wheel Anti-lock Braking System (ABS) - Engine 5.4L 3-Valve SOHC EFI Triton® modular V8 gas (SRW) 6.8L 3-Valve SOHC EFI Triton® modular V10 gas (DRW) - Fuel tank – 40 gallon aft-axle - Stabilizer bars – front & rear - Stationary Elevated Idle Control (SEIC) - Steering – power - Trailer wiring – 7-wire harness w/relays, blunt cut & labeled - Transmission – 6-speed manual O/D <u>Exterior</u> - Bumper – front, black painted - Fender vents – front - Front License Plate Bracket - Glass – solar tinted - Grille – black painted - Headlamps – sealed beam halogen - Lights – roof/marker clearance lights - Mirrors – manually telescoping trailer tow mirrors w/manual glass & 2-way fold - Tow hooks – (2) front - Wheels - DRW – 17" argent painted steel - SRW – 18" argent painted wheels w/painted hub covers/center ornaments - F-450/F-550 – 19.5" argent painted steel - Window – rear, fixed - Cargo light <u>Interior</u> - Air conditioning – manual - Audio – AM/FM stereo w/digital clock & 2-speakers - Door trim – armrest/grab handle and reflector - Floor covering – black vinyl full - Instrumentation – tachometer, speedometer, turbo boost (diesel only) voltmeter (manual only), oil pressure, coolant temperature, fuel gauge, transmission temperature gauge (automatic only), indicator lights and Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter and warning messages - Mirror – rearview 11.5" day/night - Power point, auxiliary - Scuff plates – color coordinated - Seat – HD vinyl front full bench w/recline - Steering wheel – black vinyl - Sunvisors – color coordinated cloth, single driver w/pocket, single passenger w/mirror insert - Upfitter switches (4) on the instrument panel - Windshield Wipers – interval control <u>Safety/Security</u> - Air bag - Driver & front passenger - Passenger side air bag deactivation switch (not incl. w/Crew Cab) - Belt-Minder® – chime & flashing warning light on I/P if belts not buckled - Safety Belts – color coordinated w/height adjustment (front outboard seating positions only) - SOS Post Crash Alert System	<i>All XL content, plus</i> <u>Exterior</u> - Bumper – front, chrome - Grille – chrome surround w/medium platinum insert - Headlamps – dual beam jewel effect - Light – underhood service light - Mirrors – manually telescoping trailer tow w/power heated glass, integrated clearance lights & 2-way fold - Wheels, SRW – 18" cast aluminum w/bright hub covers/center ornaments - Windows – Rear Privacy Glass <u>Interior</u> - Air conditioning vents – black w/chrome ring - Audio - Auxiliary audio input jack - Audio – premium electronic AM/FM stereo w/digital clock/single CD/MP3 player & 4-speakers - Cruise control (steering wheel mounted) - Door trim – soft armrest/grab handle, molded upper appliqué, upper and lower map pockets and reflector - Floor covering – color coordinated full carpet - Floor mats – color coordinated carpet - Power equipment – driver window, door locks & windows w/backlit switches & accessory delay - Seat – front, high series cloth 40/20/40 split bench w/center armrest, cupholder & storage - Steering wheel – black vinyl w/tilt - Trailer Brake Controller <u>Safety/Security</u> - Remote keyless entry & perimeter anti-theft alarm	<i>All XLT content, plus</i> <u>Exterior</u> - Fog lamps - Handles – door, body color - Mirrors – PowerScope™ power telescoping, power fold trailer tow mirrors w/power heated glass & integrated clearance lights/turn signals - Transmission – 5 speed automatic - Wheels - DRW – 17" forged polished aluminum w/bright hub covers/center ornaments - SRW – 18" premium forged aluminum w/bright hub covers/center ornaments - F-450/F-550 - 19.5" forged aluminum w/bright hub covers/center ornaments - Window – rear, power sliding <u>Interior</u> - Air conditioning – Dual Zone Electronic Automatic Temperature Control (DEATC) - Air conditioning vents – silver metallic with chrome ring - Door trim – soft armrest/grab handle, "deep chestnut" woodgrain upper appliqué, upper and lower map pockets and reflector - Instrument panel – simulated "deep chestnut" woodgrain insert - Instrumentation – metallic-faced instrument cluster w/enhanced Message Center and trip computer w/distance-to-empty, average fuel economy, autolamp configuration and status, system check and language selection - Mirror – rearview, electrochromic self-dimming with built-in microphone for SYNC® - Power driver & passenger SIRIUS® Satellite Radio - Seat – Front, premium leather, heated seating surfaces, captain's chairs with center console - Steering wheel – color coordinated leather-wrapped w/redundant audio & SYNC® controls - Sunvisors – color coordinated cloth, single driver w/map strap & covered lighted mirror, single passenger w/covered lighted mirror - SYNC® <u>Safety/Security</u> - Autolock, auto unlock, autolamp/rainlamp & wired keypad - SecuriLock® Anti-Theft Ignition

Please see Standard Equipment pages for more details.

Product Features Availability

Features, options and package content subject to change.

★ = New for this model year.

STANDARD EQUIPMENT

The following items are standard on every 2010 SUPER DUTY® Chassis Cab vehicle:

POWERTRAIN/FUNCTIONAL

- Brakes – 4-wheel Anti-lock Braking System (ABS), front/rear disc
- Engine
 - 5.4L 3-Valve SOHC EFI Triton® modular V8 gas (SRW)
 - 6.8L 3-Valve SOHC EFI Triton® modular V10 gas (DRW)
- Fuel tank – 40-Gallon aft-axle
- Shock absorbers – heavy duty gas
- Springs, rear auxiliary
- Stabilizer bar – front and rear
- Stationary Elevated Idle Control (SEIC)
- Steering – power
- Steering damper
- Trailer wiring – 7-wire harness w/relays, blunt cut & labeled
- Transmission – 6-speed manual O/D

EXTERIOR

- Door handles – Black (Lariat – body color)
- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Glass – solar tinted
- Lights – roof clearance
- Trailer tow hooks – front (2)

INTERIOR

- Convenience
 - Auxiliary power point
 - Coat hooks, RH/LH color coordinated
 - Dash-top tray
 - Dome lamp w/dual map lights (front & rear w/Crew Cab), RH/LH door activated & I/P switch operated w/delay
 - Grab handles, driver & front passenger
 - Roof ride handles, front passenger (also over rear doors on Crew Cab)

INTERIOR (Continued)

- Door trim – color coordinated molded w/grab handle & reflector
- Headliner – color coordinated molded cloth
- Hood release
- Horn – dual electric
- Instrument panel – color coordinated w/glove box, (4) air registers w/positive shutoff, power point and upfitter switches (4)
- Instrumentation – tachometer, speedometer, turbo boost (diesel only), air filter minder (diesel only), voltmeter (manual only), oil pressure, coolant temperature, fuel gauge, transmission temperature gauge (automatic only), indicator lights and Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter and warning messages
- Scuff plates – color coordinated
- Windshield Wipers – interval control

SAFETY/SECURITY

- Air Bags
 - Driver & front passenger air bag
 - Passenger side air bag deactivation switch (Regular Cab/SuperCab)
- Belt-Minder®, chime & flashing warning lights on I/P if belts not buckled
- Child tethers (Regular Cab front passenger and all rear seating positions)
- Safety Belts – Color coordinated safety belts w/height adjustment (front outboard seating positions only)
- SOS Post Crash Alert System

The following features are standard on selected 2010MY SUPER DUTY® Chassis Cab vehicles:

KEY FUNCTIONAL FEATURES	XL	XLT	LARIAT
<u>Alternator</u>			
157-amp heavy duty (Gas engines only)	•	•	•
200-amp extra heavy duty (Diesel engine only)	•	•	•
<u>Axle</u>			
Mono-beam front axle w/coil spring suspension – 4x4 (F-350)	•	•	•
Twin I-beam front axle w/coil spring suspension – 4x2 (F-350)	•	•	•
Mono-beam front axle w/coil spring suspension – (F-450/F-550)	•	•	•
<u>Battery</u>			
Diesel engine – 750 CCA, 78-AH, dual	•	•	•
Gas engine – 650 CCA, 72-AH	•	•	•
<u>Brakes</u>			
Power 4-wheel disc/4-wheel anti-lock (vacuum boost) – (SRW gas only; NA w/dual alternators)	•	•	•
Power 4-wheel disc/4-wheel anti-lock (hydro-boost) – (SRW Diesel and all DRW)	•	•	•
Trailer Brake Controller		•	•
Transfer case – manual w/manual locking hubs – 4x4 only	•	•	•
KEY EXTERIOR FEATURES			
<u>Bumper</u>			
Front – black painted steel w/grained MIC top cover	•		
Front – chrome steel w/grained MIC top cover		•	•
Fog lamps			•
<u>Grille</u>			
Black painted	•		
Chrome surround w/medium platinum insert		•	•

★ = New for this model year.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

• = Available

Ford Division

STANDARD EQUIPMENT

KEY EXTERIOR FEATURES (Continued)	XL	XLT	LARIAT
Headlamps			
Sealed beam halogen	•		
Dual beam jewel effect		•	•
Light – underhood service		•	•
Mirrors			
Manually telescoping trailer tow w/manual glass & two-way fold	•		
Manually telescoping trailer tow w/power/heated glass, heated convex spotter mirror, integrated clearance lights & turn signals & two-way fold (standard on XL only w/90L Power Equipment Group)	•	•	
Power telescoping, power fold trailer tow mirrors w/power heated glass, heated convex spotter mirror & integrated clearance lights/turn signals			•
Wheel Trim			
18" Argent painted steel w/painted hub covers/center ornaments (SRW)	•		
18" Cast Aluminum w/bright hub covers/center ornaments (SRW)		•	
18" Premium forged aluminum w/bright hub covers/center ornaments (SRW)			•
17" Argent painted steel (hub covers/center ornaments not included) (F-350 DRW)	•	•	
17" Forged polished aluminum w/bright hub covers/center ornaments (F-350 DRW)			•
19.5" Argent painted steel (hub covers/center ornaments not included) (F-450/F-550)	•	•	
19.5" Forged polished aluminum w/bright hub covers/center ornaments (F-450/F-550)			•
Windows			
Fixed rear	•	•	
Privacy glass, rear		•	•
Rear quarter glass, flip out	• (2)	• (2)	• (2)
Sliding rear – power			•
KEY INTERIOR FEATURES			
Air Conditioning			
Manual	•	•	
Dual Zone Electronic Automatic Temperature Control (DEATC)			•
Audio			
AM/FM stereo w/digital clock & 2-speakers	•		
Auxiliary audio input jack		•	•
Premium electronic AM/FM stereo w/digital clock, single CD/MP3 player & 4-speakers		•	•
SYNC®			•
Cupholders			
Dual, instrument panel mounted (auto transmission only; 4x4 requires ESOF)		•	•
Integrated w/armrest on Crew Cab rear seat		• (3)	• (3)
Map pockets w/integrated "closed containers only" cupholders (SuperCab) only		• (2)	• (2)
Door Trim			
Armrest/grab handle and reflector	•		
Soft armrest/grab handle, molded upper appliqué, upper & lower map pockets and reflector (appliqué, armrest and power switch bezel are dark accent color)		•	
Soft armrest/grab handle, "deep chestnut" woodgrain upper appliqué, upper & lower map pockets and reflector			•
Floor Covering			
Black vinyl	•		
Color coordinated carpet & carpeted floor mats (incl. rear mats on SuperCab & Crew Cab: deleted when all-weather floor mats are ordered)		•	•
Instrument Center			
Black cluster w/black gauges w/white graphics and one button Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter and warning messages	•	•	
Metallic-faced cluster w/cream gauges w/black metallic graphics and enhanced three button Message Center w/odometer, trip odometer, engine hour meter and warning messages and trip computer w/compass, distance-to-empty, average fuel economy, autolamp configuration and status, system check and language selection			•
Manual door locks & windows	•		
Overhead console – garage door opener & sunglass bin			•
Power Equipment			
Accessory delay		•	•
Door locks w/backlit switches		•	•
One-touch down power window		•	•
Power windows w/backlit switches		•	•

★ = New for this model year.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

• = Available

Ford Division

STANDARD EQUIPMENT

KEY INTERIOR FEATURES (Continued)	XL	XLT	LARIAT
Rearview Mirror			
11.5" day/night	•	•	
Electrochromic self-dimming w/compass			•
Seats (Front)			
HD vinyl full bench w/recline	•		
High series cloth 40/20/40 split bench w/armrest, cupholders & storage		•	
Manual lumbar support, driver side only		•	
Manual lumbar support, driver & passenger			•
Premium heated leather captain's chairs with center console			•
Power seats (power passenger incl. w/SuperCab and Crew Cab only)			•
Seats (Rear) SuperCab			
Fold-up vinyl bench	•		
Fold-up cloth bench		•	
Fold-up premium vinyl seating surfaces bench			•
Seats (Rear) Crew Cab			
Bench w/forward-fold	•		
FlexFold™ 60/40 bench w/fold-flat feature, steel load floor, grocery hooks, dual integrated cupholders & tray, (2) outboard head restraints		•	•
Steering Wheel			
Black vinyl	•	•	
Cruise control		•	•
Tilt steering wheel		•	•
Leather-wrapped – color coordinated, w/redundant audio & SYNC® controls			•
Storage – Secondary glove box (automatic transmission only, 4x4 req. Electronic-Shift-On-the-Fly)	•	•	•
Sunvisors			
Color coordinated cloth, single driver w/pocket, single passenger w/insert	•	•	
Color coordinated cloth, single driver w/map strap & covered lighted mirror, single passenger w/covered lighted mirror			•
SAFETY/SECURITY			
Auto lock, auto unlock, autolamp/rainlamp & SecuriCode™ keyless entry keypad			•
Perimeter anti-theft alarm and remote keyless entry		•	•
Air Bags			
Driver & passenger side	•	•	•
Passenger side deactivation switch	• (1,2)	• (1,2)	• (2)
SecuriLock® Anti-Theft Ignition			•

★ = New for this model year.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

• = Available

Ford Division

FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Cab 4x2/4x4	Engine	Drivetrain	Non-Limited Slip				Limited Slip				
			3.73	4.30	4.88	5.38	3.73	4.10	4.30	4.88	5.38
			X37	X43	X48	X53	X3L	X4N	X4L	X8L	X5L
F-350 (SRW)	5.4L 3-Valve EFI Triton® V8	TorqShift® 5-Spd Auto	S	—	—	—	—	O	—	—	—
F-350 (SRW)	6.8L 3-Valve EFI Triton® V10	TorqShift® 5-Spd Auto	—	—	—	—	—	S	—	—	—
F-350 (SRW)	6.4L OHV Power Stroke® V8	TorqShift® 5-Spd Auto	—	—	—	—	S	—	—	—	—
F-350 (DRW)	5.4L 3-Valve EFI Triton® V8	6-Spd Man. O/D / TorqShift® 5-Spd Auto	S	—	—	—	—	O	—	—	—
F-350 (DRW)	6.8L 3-Valve EFI Triton® V10	6-Spd Man. O/D / TorqShift® 5-Spd Auto	—	—	—	—	—	S	O	—	—
F-350 (DRW)	6.4L OHV Power Stroke® V8	6-Spd Man. O/D / TorqShift® 5-Spd Auto	S	—	—	—	—	O	—	—	—
F-450	6.8L EFI Triton® V10	6-Spd Man. O/D / TorqShift® 5-Spd Auto	—	—	S	—	—	—	—	O	O
F-450	6.4L OHV Power Stroke® V8	6-Spd Man. O/D / TorqShift® 5-Spd Auto	—	S	—	—	—	—	O	—	—
F-550	6.8L EFI Triton® V10	6-Spd Man. O/D / TorqShift® 5-Spd Auto	—	—	S	—	—	—	—	O	O
F-550	6.4L OHV Power Stroke® V8	6-Spd Man. O/D	—	—	S	—	—	—	—	O	—
F-550	6.4L OHV Power Stroke® V8	TorqShift® 5-Spd Auto	—	S	—	—	—	—	O	P ¹	—

WHEEL AVAILABILITY



18" Argent Painted Steel (XL, SRW) (Standard) (64F)



18" Premium Forged Aluminum (Lariat, SRW) (Standard) (644)



18" Cast Aluminum (XLT, SRW) (Standard) (648)



17" Argent Painted Steel (hub covers/center ornaments not included) (XL & XLT, DRW) (Standard) (64K)



17" Forged Polished Aluminum (Standard Lariat, DRW) (Optional XLT, DRW) (64J)

¹ Only available with 535 Trailer Tow Pkg. (High Capacity) or 68M Payload Plus Upgrade Pkg.

OPTIONAL EQUIPMENT

	Order	XL				XLT				LARIAT			
		F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
BODYSTYLE & WHEELBASE													
Regular Cab 4X2 – Cab to Axle 60"	141"	F3E	F3G	F4G	F5G	F3E	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 84"	165"	—	F3G	F4G	F5G	—	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 108"	189"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 120"	201"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X4 – Cab to Axle 60"	141"	F3F	F3H	F4H	F5H	F3F	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 84"	165"	—	F3H	F4H	F5H	—	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 108"	189"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 120"	201"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
SuperCab 4X2 – Cab to Axle 60"	162"	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G
SuperCab 4X2 – Cab to Axle 84"	186"	—	—	X4G	X5G	—	—	X4G	X5G	—	—	X4G	X5G
SuperCab 4X4 – Cab to Axle 60"	162"	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	186"	—	—	X4H	X5H	—	—	X4H	X5H	—	—	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	176"	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G
Crew Cab 4X2 – Cab to Axle 84"	200"	—	—	W4G	W5G	—	—	W4G	W5G	—	—	W4G	W5G
Crew Cab 4X4 – Cab to Axle 60"	176"	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	200"	—	—	W4H	W5H	—	—	W4H	W5H	—	—	W4H	W5H
POWERTRAIN													
5.4L 3-Valve SOHC EFI Triton® V8/6-Spd Man. O/D (NA with Super Cab or Crew Cab 4X2)	995/445	—	O	—	—	—	O	—	—	—	O	—	—
5.4L 3-Valve SOHC EFI Triton® V8/TorqShift® 5-Spd Auto. O/D w/Tow/Haul Mode	995/44T	S	O	—	—	S	O	—	—	S	O	—	—
6.8L 3-Valve SOHC EFI Triton® V10/6-Spd Man. O/D (NA with Super Cab or Crew Cab 4X2)	99Y/445	—	S	S	O	—	S	S	O	—	S	S	O
6.8L 3-Valve SOHC EFI Triton® V10/TorqShift® 5-Spd Auto. O/D w/Tow/Haul Mode	99Y/44T	O	O	O	S	O	O	O	S	O	O	O	S
6.4L OHV Power Stroke® Diesel V8/6-Spd Man. O/D (NA with Super Cab or Crew Cab 4X2)	99R/447	—	O	O	O	—	O	O	O	—	O	O	O
6.4L OHV Power Stroke® Diesel V8/TorqShift® 5-Spd Auto. O/D w/Tow/Haul Mode	99R/44B	O	O	O	O	O	O	O	O	O	O	O	O
WHEELS													
17" Argent Painted Steel (Hub Covers/Center Ornaments not incuded)(6)	64K	—	S	—	—	—	S	—	—	—	—	—	—
17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4)	64J	—	—	—	—	—	O	—	—	—	S	—	—
18" Argent Painted Steel w Painted hub Cover/Center Ornaments (4)	64F	S	—	—	—	—	—	—	—	—	—	—	—
18" Premium Forged Aluminum w/Bright hub Covers/Center Ornaments (4)	644	—	—	—	—	—	—	—	—	S	—	—	—
18" Cast Aluminum w/Bright Hub Covers/Center Ornaments (4)	648	—	—	—	—	S	—	—	—	—	—	—	—
19.5" Argent Painted Steel (6)	64Z	—	—	S	S	—	—	S	S	—	—	—	—
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4)	64D	—	—	—	—	—	—	O	O	—	—	S	S
TIRES													
LT245/75Rx17E BSW All-Season (6)	TBK	—	S	—	—	—	S	—	—	—	S	—	—
LT275/65Rx18E BSW All-Season (4) 4x2 only	TCH	S	—	—	—	S	—	—	—	S	—	—	—
LT275/70Rx18E BSW All-Season (4) 4x4 only	TJB	S	—	—	—	S	—	—	—	S	—	—	—
LT245/75Rx17E BSW All-Terrain (6)	TBM	—	O	—	—	—	O	—	—	—	O	—	—
LT245/75Rx17E OWL All-Terrain (4) (inner & spare are BSW A/T)	TBL	—	—	—	—	—	O	—	—	—	O	—	—
LT275/70Rx18E BSW All-Terrain (4), 4X4 only	TLB	O	—	—	—	O	—	—	—	O	—	—	—
LT275/70Rx18E OWL All-Terrain (4), 4X4 only (opt. spare is LT275/70Rx18E BSW A/T)	TMB	—	—	—	—	O	—	—	—	O	—	—	—
225/70Rx19.5G BSW A/S	TFB	—	—	S	S	—	—	S	S	—	—	S	S
225/70Rx19.5G BSW Traction (incl. 4 traction tires on the rear & 2 A/S tires on the front. Opt. spare is BSW A/S)	THB	—	—	O	O	—	—	O	O	—	—	O	O
225/70Rx19.5G BSW Max Traction (4X4) (incl. 4 traction tires on the rear & 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Opt. spare is traction)	TGB	—	—	O	O	—	—	O	O	—	—	O	O
Hydraulic Jack (2-ton – F-350 SRW / 4-Ton – F-350 DRW / 6-ton F-450 & F550)	61J	O	O	O	O	O	O	O	O	O	O	O	O
Spare Tire & Wheels (Excl. carrier; Incl. 6-ton Hydraulic Jack, Required in RI)	512	O	O	O	O	O	O	O	O	O	O	O	O
GROUPS/PACKAGES (see Packaged Options/Emissions Page for Content and Restrictions)													
Trailer Tow Package (NA w/52B Trailer Brake Controller)	531	O				—				—			
XL Décor Package	17F	O				—				—			
XL Plus Package	96X	O				—				—			
Power Equipment Group	90L	O				S				S			
XLT Convenience Package	96C	—				O				—			
Driver's Group	62D	—				O				—			
Lariat Plus Package	96P	—				—				O			
15,000 GVWR Package (avail. on F-450 only)	68D	O				O				O			
16,000 GVWR Package (avail. on F-450 only)	68L	O				O				O			
Heavy Service Suspension Package	67H	O				O				O			
Extra Heavy Suspension Package	67X	O				O				O			

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

F = Fleet Only Option

Ford Division

OPTIONAL EQUIPMENT

	Order	XL				XLT				LARIAT			
		F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550
	Code	SRW	DRW			SRW	DRW			SRW	DRW		
BODYSTYLE & WHEELBASE		630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
Regular Cab 4X2 – Cab to Axle 60"	141"	F3E	F3G	F4G	F5G	F3E	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 84"	165"	—	F3G	F4G	F5G	—	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 108"	189"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 120"	201"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X4 – Cab to Axle 60"	141"	F3F	F3H	F4H	F5H	F3F	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 84"	165"	—	F3H	F4H	F5H	—	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 108"	189"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 120"	201"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
SuperCab 4X2 – Cab to Axle 60"	162"	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G
SuperCab 4X2 – Cab to Axle 84"	186"	—	—	X4G	X5G	—	—	X4G	X5G	—	—	X4G	X5G
SuperCab 4X4 – Cab to Axle 60"	162"	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	186"	—	—	X4H	X5H	—	—	X4H	X5H	—	—	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	176"	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G
Crew Cab 4X2 – Cab to Axle 84"	200"	—	—	W4G	W5G	—	—	W4G	W5G	—	—	W4G	W5G
Crew Cab 4X4 – Cab to Axle 60"	176"	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	200"	—	—	W4H	W5H	—	—	W4H	W5H	—	—	W4H	W5H
GROUPS/PACKAGES (see Packaged Options/Emissions Page for Content and Restrictions) (Continued)													
Low Deflection Package (avail. on F-450 & F-550 only)	86S		O				O				O		
Payload Upgrade Package (required on F-350 SRW; optional on F-550 gas only)	68U		O				O				O		
Payload Plus Upgrade Package (avail. On F-550 only)	68M		O				O				O		
Snow Plow Prep Package	473		O				O				O		
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only)	535		O				O				O		
Radio Prep Package (req. In-Dash Computer P-87N)	58P		O				O				—		
FUNCTIONAL													
Electronic Shift-on-the-Fly – 4X4 (auto-manual locking hubs & rotary control on I/P)	213		O				O				O		
Engine Block Heater (std. in AK, CO, IA, ID, ME, MI, MN, MT, ND, NH, NY, SD, VT, WI, WY)	41H		O				O				O		
Traction Control	60T		O				O				O		
Transfer Case Skid Plates – 4X4	41P		O (2,3)				O (2,3)				O		
Transmission Power Take-Off Provision (Std. on manual transmission; Opt. on automatic transmission; NA w/5.4L Engine; 6.8L engine w/manual transmission may req. exhaust pipe rerouting to fit aftermarket (PTO))	62R		O				O				O		
Engine Idle Shutdown (avail. w/6.4L diesel with automatic trans; NA w/manual trans; deletes)	63T		O				O				O		
SecuriLock® Anti-Theft Ignition	52P		O				O				S		
Alternators													
Dual Alternators	67A		O				O				O		
Fuel Tanks (Not Applicable on F-350 SRW)													
19 Gallon Mid-Ship (NA w/189" WB Regular Cabs, 200" WB Crew Cabs equipped w/gas engines and SRW; deletes aft axle tank on F-450 with gas engine)	65M		O				O				O		
Dual Diesel – combines 40-gal aft-of-axle & 19 gal mid-ship tank (NA w/SYNC®; deletes SYNC® on Lariat)	65C		O				O				O		
Trailer Towing Equipment													
Manual Telescoping Trailer Tow Mirrors w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals (incl. w/90L Power Equipment Group on XL)	54K		P-90L				S				—		
PowerScope™ Trailer Tow Mirrors (Power Telescoping, Power Folding w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals) (Requires XLT Convenience Group (96C))	54F		—				O				S		
Trailer Brake Controller (TBC verified to be compatible w/electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.)	52B		O				S				S		
Steps													
6" angular molded in color black step bars	18B		O				O				O		
KEY EXTERIOR OPTIONS													
Rear Windows													
Manual Sliding with Privacy Glass	433		F				O				—		
KEY INTERIOR OPTIONS													
Rapid-Heat Supplemental Cab Heater (req. 6.4L diesel engine (99R) and air conditioning)	41A		O				O				O		
Audio													
Satellite Radio (NAw/587 Electronic AM/FM Stereo/Clock or 58Y Radio Delete)	39S		O (2,3)				O (2,3)				S		

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

★ = New for this model year

S = Standard, O = Optional, P = Packaged Option

F = Fleet Only Option

Ford Division

OPTIONAL EQUIPMENT

	Order	XL				XLT				LARIAT			
		F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550	F-350CC		F-450CC	F-550
		Code	SRW	DRW		SRW	DRW			SRW	DRW		
	630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A	
BODYSTYLE & WHEELBASE													
Regular Cab 4X2 – Cab to Axle 60"	141"	F3E	F3G	F4G	F5G	F3E	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 84"	165"	—	F3G	F4G	F5G	—	F3G	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 108"	189"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X2 – Cab to Axle 120"	201"	—	—	F4G	F5G	—	—	F4G	F5G	—	—	—	—
Regular Cab 4X4 – Cab to Axle 60"	141"	F3F	F3H	F4H	F5H	F3F	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 84"	165"	—	F3H	F4H	F5H	—	F3H	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 108"	189"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
Regular Cab 4X4 – Cab to Axle 120"	201"	—	—	F4H	F5H	—	—	F4H	F5H	—	—	—	—
SuperCab 4X2 – Cab to Axle 60"	162"	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G
SuperCab 4X2 – Cab to Axle 84"	186"	—	—	X4G	X5G	—	—	X4G	X5G	—	—	X4G	X5G
SuperCab 4X4 – Cab to Axle 60"	162"	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H	X3F	X3H	X4H	X5H
SuperCab 4X4 – Cab to Axle 84"	186"	—	—	X4H	X5H	—	—	X4H	X5H	—	—	X4H	X5H
Crew Cab 4X2 – Cab to Axle 60"	176"	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G	W3E	W3G	W4G	W5G
Crew Cab 4X2 – Cab to Axle 84"	200"	—	—	W4G	W5G	—	—	W4G	W5G	—	—	W4G	W5G
Crew Cab 4X4 – Cab to Axle 60"	176"	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H
Crew Cab 4X4 – Cab to Axle 84"	200"	—	—	W4H	W5H	—	—	W4H	W5H	—	—	W4H	W5H
KEY INTERIOR OPTIONS (Continued)													
Premium Electronic AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/4 Speakers (incl. leather steering wheel w/audio controls w/XLT)	581	—				O				O			
Audiophile AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/8 Speakers and Subwoofer (incl. leather steering wheel w/audio controls w/XLT)	58C	—				—				O			
SYNC® (includes USB port; requires 62D Driver's Group and 96C XLT Convenience Pkg. on XLT)	91M	—				O				S			
Floor Covering													
Floor Mats, All-Weather (NA w/166 Carpet Delete)	16S	—				O				O			
LPO/FLEET OPTIONS													
Adjustable Gas & Brake Pedals (req. automatic transmission)	62M	—				P-96C F				P-96P			
Air Conditioning Delete (fleet only; must put in delete column in CONCEPS)	572	F				—				—			
Ambulance Prep Package	47A	F				F				F			
Battery Upgrade – 750 CCA/78-AH (reqs. 5.4L or 6.8L gas engine)	86H	F				F				—			
Carpet Delete (fleet only on XLT; replaced w/black floor mat, NA w/16S All-Weather Floor Mats or 58C Audiophile Radio)	166	S				F				—			
Cruise Control (Fleet only on XL; req. 524 Tilt Steering Wheel)	525	F				S				S			
Daytime Running Lamps (Fleet only)	942	F				F				—			
Dual Beam Jewel Effect Headlamps (Incl. underhood service lamp; fleet only)	59R	F				—				—			
Passenger Airbag Delete (fleet only; NA w/91M SYNC®)	557	F				F				—			
Premium Electronic AM/FM Stereo/Single CD/MP3 Player/Clock with 4 Speakers (Fleet only option on F-350 XL)	585	F P-96X				—				—			
Radio Delete	58Y	F				F				—			
Tilt Steering Wheel (Fleet only on XL)	524	F				S				S			
FORD WORK SOLUTIONS (see Packaged Options pages for content and restrictions)													
In-Dash Computer by Magneti Marelli™ (Requires 58P Radio Prep Pkg; NA with 91M SYNC® , 65C Dual Diesel or 39S Satellite Radio)	87N	O				O				—			
Crew Chief™ (Telematics) by Microlise™ (NA with 91M SYNC® or 87N In-Dash Computer)	87T	O				O				—			
CUSTOM ACCESSORIES, PRE-INSTALLED – Limited Production Offerings													
Bug Shield (Matched to Grille; Chrome with Chrome Grilles and Smoked with MIC Black and/or Color-Keyed Grilles)	61B	O				O				O			
PowerCode™ Remote Start System (req. automatic transmission and Power Equipment Group)	76S	O				O				O			

COLOR & TRIM AVAILABILITY

		Interior and Seat Color		
		Camel	Medium Stone	Ebony
XL	HD Vinyl Full Bench w/Recline (cupholders located in I/P; std. w/auto trans 4x2 and auto trans 4x4 w/ESOF)	VC	VS	
	HD Vinyl Full Bench w/Recline and Integrated Armrest (cupholders located in armrest; std. w/manual trans and auto trans 4x4 w/manual transfer case)	AC	AS	
	HD Cloth Full Bench w/Recline ¹ (cupholders located in I/P; opt w/auto trans 4x2 and auto trans 4x4 w/ESOF)	CC	CS	
	HD Cloth Full Bench w/Recline and Integrated Armrest ¹ (cupholders located in armrest; opt w/manual trans and auto trans 4x4 w/manual transfer case)	1C	1S	
	HD Vinyl Bucket (incl. floor console w/cupholders and storage bins)	JC	JS	
	HD Cloth Bucket ¹ (incl. floor console w/cupholders and storage bins)	GC	GS	
	Vinyl 40/20/40 Split Bench	TC	TS	
	Cloth 40/20/40 Split Bench (Regular/SuperCab/Crew Cab; Crew Cab includes FlexFold™ 60/40 rear bench; incl. manual lumbar)	3C	3S	
XLT	Cloth Luxury Captain's Chairs w/Console (NA w/manual transmission)	2C	2S	
	Cloth 40/20/40 Split Bench	3C	3S	
LARIAT	Luxury Leather Seating Surfaces Captain's Chairs w/ Heat and Center Console ² (NA w/manual transmission)	4C	4S	4B
	Leather Seating Surfaces 40/20/40 Split Bench ²	8C	8S	8B
EXTERIOR COLOR		CODE	Availability	
XL/XLT				
Dark Blue Pearl Metallic	DX	•	•	
Vermillion Red	F1	•	•	
Pueblo Gold Metallic (XLT Only)	G3	•	•	
Forest Green Metallic	GG	•	•	
Black	UD	•	•	
Sterling Grey Metallic	UJ		•	
Royal Red Metallic (XLT Only)	UK	•	•	
★ Ingot Silver Metallic	UX		•	
Oxford White	Z1	•	•	
LARIAT				
Dark Blue Metallic	DX	•	•	•
Pueblo Gold Metallic	G3	•	•	•
Forest Green Metallic	GG	•	•	•
Black	UD	•	•	•
★ White Platinum Tri-Coat Metallic	UG	•	•	•
Sterling Grey Metallic	UJ		•	•
Royal Red Metallic	UK		•	•
★ Ingot Silver Metallic	UX		•	•
Oxford White	Z1	•	•	•

¹ Vinyl Rear Bench on XL SuperCab² Premium vinyl rear bench on SuperCab

PACKAGED OPTIONS/EMISSIONS

TRAILER TOW PACKAGE (531)

Availability:

- Optional on XL

Not available with:

- Ambulance Prep Package (47A) or Trailer Brake Controller (52B).

Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not incl.

NOTE: Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding req. equipment, axle ratios and model availability.

XL DÉCOR GROUP (17F)

Availability:

- Optional on XL

Includes:

- Chrome front bumper
- Dual beam jewel effect headlamps
- Underhood engine compartment light
- Bright chrome hub covers and center ornaments (SRW only)

XL PLUS PACKAGE (96X)

Availability:

- Optional on XL

Not available with:

- In-dash computer (87N)

Includes:

- Premium Electronic AM/FM Stereo/Single CD/MP3 Player/Clock with 4 Speakers
- Cruise Control
- Tilt – Steering Wheel

POWER EQUIPMENT GROUP (90L)

Availability:

- Optional on XL
- Standard on XLT and Lariat

Requires:

- Air Conditioning

Includes:

- Accessory Delay
- Power locks
- Remote keyless entry (key fobs)
- Perimeter Anti-theft alarm
- Power front side windows
- Power rear side windows (Crew Cab)
- One-touch down window (driver side)
- Manually telescoping trailer tow mirrors w/power/heated glass, Heated Convex Spotter Mirror & integrated clearance lights/turn signals (XL only)

Options Available:

- PowerScope™ trailer tow mirrors (Power telescoping, power folding w/power/heated glass, Heated Convex Spotter Mirror & integrated clearance lights/turn signals (54F) (XLT only)

XLT CONVENIENCE PACKAGE (96C)

Availability:

- Optional on XLT

Requires:

- Automatic Transmission

Includes:

- Power Driver Seat
- Adjustable Pedals (Power)
- Autolamp/Rainlamp
- Autolock
- Auto unlock
- Illuminated entry
- Panic feature
- Wired keypad (driver side)

DRIVER'S GROUP (62D)

Availability:

- Required on XLT with SYNC® (91M)
- Only available with SYNC® (91M)

Includes:

- Leather-wrapped steering wheel
- Steering wheel controls
- Electrochromic self-dimming rearview mirror

LARIAT PLUS PACKAGE (96P)

Availability:

- Optional on Lariat

Requires:

- Automatic Transmission

Includes:

- Premium Electronic AM/FM Stereo w/In-Dash 6-Disc CD/MP3 Player/Clock and 4 Speakers
- Memory Power Driver Seat
- Memory PowerScope™ Trailer Tow Mirrors
- Memory Power Adjustable Pedals
- Universal Garage Door Opener

Options Available:

- Audiophile – AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/8 Speakers and Subwoofer (58C)

SNOW PLOW PREP PACKAGE (473)

Availability:

- Optional on all Chassis Cabs

Not available with:

- Heavy Service Suspension Package (67H), Extra Heavy Service Suspension Package (67X) or Ambulance Prep Package (47A)

Requires:

- 4x4 (F-350 Only)

Includes:

- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)
- Extra Heavy Duty Alternator (67D) w/Power Stroke® diesel engine (Heavy Duty Alternator with gas engine)

Options Available:

- Dual Alternators (67A)(diesel only)

NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.

NOTE 2: Also allows for the attachment of a winch

PACKAGED OPTIONS/EMISSIONS

HEAVY SERVICE SUSPENSION PACKAGE (67H)

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Availability:

- Optional on all Chassis Cabs

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473), or Extra Heavy Service Suspension Package (67X)

Includes:

- Heavy service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY SERVICE SUSPENSION PACKAGE (67X)

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Availability:

- Optional on all Chassis Cabs

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473) or Heavy Service Suspension Package (67H)

Includes:

- Extra heavy service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)
- Steering damper

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Required on F-350 SRW Chassis Cabs
- Optional on F-550 Chassis Cabs

Requires:

- 4.88 LS axle, 141" Wheelbase & gas engine (F-550 Only)

Includes:

- Increased GVWR for increased payload range (a variable GVWR greater than 10k for F350 SRW Chassis Cabs)
- Upgraded frame
- Upgraded rear axle

NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

16,000 GVWR PACKAGE (68L)

Availability:

- Optional on all F-450 Chassis Cabs

Includes:

- 16,000 lb. Gross Vehicle Weight Rating

15,000 GVWR PACKAGE (68D)

Availability:

- Optional on all F-450 Chassis Cabs

Includes:

- 15,000 lb. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)

Usage:

- Recommended for rear-biased loading, such as wrecker/retriever applications

Availability:

- Optional on all F-450/F-550 Chassis Cabs

Not available with:

- 141" wheelbase

Includes:

- 2-inch spacer blocks

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

- Optional on all F-550 Chassis Cabs

Requires:

- 4.88 LS axle

Not Available with:

- 4.30 and 4.30LS axles
- 141" WB with gas engine

Includes:

- Increases GVWR from 17,950 lbs. to 19,500 lbs.
- Upgraded frame
- Upgraded rear axle
- Upgraded springs
- Low deflection/high capacity > 141" wheelbase
- Increases max RGAWR to 14,706

Options Available:

- Low Deflection Spacer (86S)

NOTE 1: See Order Guide Supplemental Reference for further details on GVWR.

PACKAGED OPTIONS/EMISSIONS

TRAILER TOW PACKAGE, HIGH CAPACITY – (535)

Availability:

- Optional on all F-450 and F-550

Not available with:

- 47A Ambulance Prep Package

Requires:

- 6.4L Power Stroke® diesel engine
- 4.30 Limited Slip rear axle (X4L) (F-450 with Automatic Transmission)
- 4.88 Limited Slip rear axle (X8L) (F-450 with Manual Transmission and all F-550)

Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increases GCW on diesel engine w/manual transmission from 26,000 lbs. to 28,000 lbs. (F-450 and F-550)
- Increase GCW on diesel engine w/auto transmission from 26,000 lbs. to 30,000 lbs. (F-450)
- Increase GCW on diesel engine w/auto transmission from 26,000 lbs. to 33,000 lbs. (F-550)
- Upgraded rear axle
- Trailer brake controller not included

NOTE 1: *Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.*

AMBULANCE PREP PACKAGE (47A)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle w/o the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Availability:

- Optional on all Chassis Cabs

Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Heavy Service Suspension Package (67H), or Passenger Air Bag Delete

Requires:

- 6.4L Power Stroke® diesel engine (99R)

Includes:

- Dual Heavy Duty Alternators (67A)
- Air conditioning
- "Standard" width axle incl. w/SRW
- "Wide track" axle incl. w/DRW (X4W)

Options Available:

- Limited Slip axle optional w/SRW
- "Standard" width 4.10 Limited Slip rear axle w/DRW (X4N)

Deletes:

- Standard Trailer Tow Package when ordered on Lariat trim level

NOTE: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

FORD WORK SOLUTIONS – IN-DASH COMPUTER (87N)

Availability:

- Optional on XL and XLT

Not Available with:

- Satellite Radio
- SYNC®
- XL Plus Package
- Dual Diesel

Requires:

- Radio Prep Package (58P)

Includes:

- In-dash computer with Microsoft Auto Operating System
- Touch Screen
- Radio and internet functionality (requires Sprint Broadband service – available at Ford corporate rate)
- Wireless keyboard
- Wireless mouse
- Garmin® navigation system
- Audio Input Jack on XL

FORD WORK SOLUTIONS – CREW CHIEF™ (87T)

Availability:

- Optional on XL and XLT

Not Available with:

- SYNC®
- In-Dash Computer (87N)

Includes:

- Onboard device that tracks vehicle location, speed and idle time with optional vehicle diagnostics and maintenance reports
- Requires additional subscription service

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

MISCELLANEOUS OPTIONS

COV required	79V
Priced DORA.....	C09

PACKAGED OPTIONS/EMISSIONS

F-350 VEHICLES ONLY

CALIFORNIA EMISSIONS STATES/CROSS-BORDER STATES***

CALIFORNIA EMISSIONS SYSTEM 422

Required on units with GVWR of 14,000# or less, for California, Connecticut, Massachusetts, Maine, New York, Oregon, Rhode Island, Vermont and Washington, registration. Optional for Cross-Border States. Not available on Power Stroke® diesel.

CALIFORNIA EMISSIONS SYSTEM NOT

REQUIRED 423

Control code for units either shipped to California Emissions States dealers or ordered by California Emissions States dealers for registration in non-California States locations. Not available on Power Stroke® diesel engines. Note: In Maine and Vermont, dealers cannot order vehicles for customers in non-California Emission State locations (except Public Service/Emergency Vehicles – 936)

50 STATE EMISSIONS 425

Forced on 5.4L with manual transmission and Power Stroke® diesel engines. Available as a Fleet only option on all vehicles with gas engines.

CALIFORNIA EMISSION EXEMPTION FOR PUBLIC SERVICE/EMERGENCY VEHICLES 936

This exemption may only apply in certain states. Ordering dealer is responsible to contact the proper state authorities for clarification on qualifying exempted vehicles for registration. Only available on units sold for authorized public service or emergency service use. Must also use Code 423 when ordering.

NON-CALIFORNIA EMISSIONS/NON-CROSS-BORDER STATES DEALER ORDER FOR

CALIFORNIA STATES REGISTRATION 93N

Required on all units ordered by dealers for California Emissions States registrations when the vehicles are being delivered to non-California Emissions, non-Cross-Border States locations. Also required 422 California Emissions System.

ENGINE IDLE SHUTDOWN 63T

Optional on 6.4L Diesel with Automatic Transmission. Not available with Manual Transmission. After a predetermined period, the engine PCM automatically shuts down the engine and triggers the accessory module to shutdown power to the accessories to minimize battery drain.

F-450 & F-550 VEHICLES ONLY

FEDERAL EMISSIONS SYSTEM (F-450)

Forced on 6.4L diesel without 63T Engine Idle Shutdown or 63E Engine Idle Shutdown Exemption

50 STATE EMISSIONS SYSTEM 425

Standard on all gas engine units. Forced on 6.4L diesel with 63T Engine Idle Shutdown or 63E Engine Idle Shutdown Exemption.

ENGINE IDLE SHUTDOWN 63T

Required on 6.4L Diesel with Automatic Transmission in the following states: CA, CT, DE, GA, ME, NJ, NY, NC, PA. Optional on 6.4L Diesel with Automatic Transmission in all other states. Not available with Manual Transmission. Can be deleted for vehicles ordered by dealers in CA, CT, DE, GA, ME, NJ, NY, NC and PA for delivery outside of those states. California and affected green states require non-exempted vehicles with diesel engines rated over 14K GVW to incorporate an idle shutdown system to prevent extended engine idle periods. After a predetermined period, the engine PCM automatically shuts down the engine and triggers the accessory module to shutdown power to the accessories to minimize battery drain.

ENGINE IDLE SHUTDOWN EXEMPTION 63E

Optional on 6.4L Diesel. Vehicles exempt nationwide from requiring the Idle Engine Shutdown System include buses, recreational vehicles, emergency vehicles and military tactical vehicles. Requires certification that the state exemption requirements are met.

IDLE ENGINE SHUTDOWN NOT REQUIRED 633

Optional on 6.4L Diesel. Vehicles that do not qualify for 63E exemption and are not intended for registration in CA, CT, DE, GA, ME, NJ, NY, NC or PA are not required to be equipped with idle engine shutdown. Dealers in affected states can select this code if the vehicle is not intended for registration in CA, CT, DE, GA, ME, NJ, NY, NC or PA or if the vehicles qualifies for any state-specific exemptions from California Emissions requirements in CT, DE, GA, ME, NJ, NY, NC or PA.

***CROSS BORDER STATES (14,000# or under GVWR)

Cross Border States are Arizona, Idaho, Nevada, New Hampshire, New Jersey and Pennsylvania.

WINTER FRONT GRILLE COVER

Standard and only available with the 6.4L diesel engine in the following states: AK, CO, ID, IA, ME, MI, MT, NH, NY, ND, SD, VT, WI, WY.

PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.

POWERTRAIN/DIMENSIONS**ENGINE HORSEPOWER AND TORQUE RATINGS***

		NOMINAL COMPRESSION RATIO	50 STATES	
			HORSEPOWER	TORQUE
ENGINE DISPL.	TRANSMISSION		H.P. @ RPM	FT. LB. @ RPM
ALL				
5.4L EFI V8	6-Spd Manual O/D – HD	9.8:1	300 @ 5000	365 @ 3750
	Electronic TorqShift® 5-Spd Auto	9.8:1	300 @ 5000	365 @ 3750
6.8L EFI V10	6-Spd Manual O/D – HD	9.2:1	362 @ 4750	457 @ 3250
	Electronic TorqShift® 5-Spd Auto	9.2:1	362 @ 4750	457 @ 3250
6.4L OVH Power Stroke® V8	6-Spd Manual O/D – HD	16.7:1	350** @ 3000	650** @ 2000
	Electronic TorqShift® 5-Spd Auto	16.7:1	350** @ 3000	650** @ 2000

*NOTE: Horsepower and Torque numbers are preliminary

**F-450/F-550 Only: 325 @ 3000 HP & 600 @ 2000 Torque

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

DIMENSIONS*

	Overall Length			Overall Width			Overall Height (4x2/4x4)		
				(Without Mirrors)			(Without Options)		
	F-350	F-450	F-550	F-350	F-450	F-550	F-350	F-450	F-550
REGULAR CAB									
141" WB SRW (in)	226.0	-	-	79.6	-	-	76.5/80.0	-	-
141" WB DRW (in)	226.0	226.0	226.0	92.2	93.9	93.9	76.7/80.2	79.4/79.4	79.6/79.6
165" WB DRW (in)	250.0	250.0	250.0	92.2	93.9	93.9	76.4/80.0	79.4/79.4	79.5/79.5
189" WB DRW (in)	-	274.0	274.0	-	93.9	93.9	-	79.3/79.3	79.4/79.5
200" WB DRW (in)	-	286.0	286.0	-	93.9	93.9	-	79.2/79.2	79.3/79.4
SUPERCAB									
162" WB SRW (in)	247.0	-	-	79.6	93.9	93.9	76.8/80.2	-	-
162" WB DRW (in)	247.0	247.0	247.0	92.2	93.9	93.9	77.1/80.4	79.7/79.7	79.9/79.9
CREW CAB									
176" WB SRW (in)	261.4	-	-	79.6	93.9	93.9	77.4/80.7	-	-
176" WB DRW (in)	261.4	261.4	261.4	92.2	93.9	93.9	77.6/80.9	80.2/80.2	80.4/80.3
200" WB DRW (in)	-	285.4	285.4	-	93.9	93.9	-	80.1/80.1	80.2/80.2

*All dimensions are preliminary figures