

2008 SUPER DUTY® F-550 MAJOR PRODUCT CHANGES

OVERVIEW

The 2008 Super Duty® Chassis Cab continues to meet the needs of an array of commercial vocations, as well as personal use towing customers.

MODEL/SERIES/AVAILABILITY CHANGES

- Some Optional Equipment order codes have changed:
 - Snow Plow Package is now 473
 - Heavy Service Suspension Package is now 67H
 - Extra Heavy Service Suspension Package is now 67X
 - Power Equipment Group is now 90L
 - Dual Alternators is now 67A
 - Extra Heavy Duty Alternator is now 67D
 - Black Molded Cab Steps are now 18B
 - Power Seats are now 90D
 - All Wheel codes have changed
- Trim Level order codes (PEP codes) have changed:
 - XL remains 660A
 - XLT is changed to 663A
 - Lariat remains 668A
 - A new 84" CA SuperCab 186" Wheelbase has been added and is available with XL, XLT and Lariat.

EXTERIOR CHANGES

- Colors Added:**
 - Dark Blue Pearl Clearcoat Metallic (DX)
 - Forest Green Clearcoat Metallic (GG)
 - Pueblo Gold Clearcoat Metallic (G3)
- Colors Deleted:**
 - Arizona Beige Clearcoat Metallic
 - Dark Green Satin Clearcoat Metallic
 - Medium Wedgewood Blue Clearcoat Metallic
 - True Blue Clearcoat

INTERIOR CHANGES

- All new modular instrument panel design featuring a two-tone appearance, distinctive gauges and round air registers
- All CD players are MP3 compatible
- An auxiliary audio input jack is standard on XLT and Lariat, and incl. w/the optional single CD radio on XL (jack not incl. when ordered w/65C Dual Diesel)
- Auxiliary power points have been added to the front floor console, avail. w/Captain's Chairs (1 on Regular Cab, 2 on SuperCab and Crew Cab)
- Captain's Chairs are avail. w/automatic transmission only
- The Regular Cab front center seating position and SuperCab and Crew Cab rear center seating position now incl. 3-point lap and chest safety belts.
- Dual-zone Electronic Automatic Temperature Control (DEATC) is standard on Lariat
- HD Vinyl seats are standard on XL Crew Cabs
- SuperCab and Crew Cab w/automatic transmission and air conditioning now incl. rear seat air ducts for improved rear seat climate control (NA w/XL bucket seats)
- XL Bucket Seats now incl. a floor console w/cupholders and storage bin
- The self-dimming rear-view mirror standard on Lariat now incl. an integrated compass.

FUNCTIONAL CHANGES

- New 6.4L Power Stroke® diesel engine (99R) incl. a 135 amp heavy duty alternator
- New PowerScope™ Power Telescoping, Power Fold Trailer Tow Mirrors w/Power Heated Glass & Integrated Clearance Lights/Turn Signals (54F) are standard on Lariat

OPTION PROGRAM CHANGES

- Options Deleted:**
 - Premium Electronic AM/FM Stereo/Cassette/Single CD/Clock (58K)
 - Rear Seat Delete (87D)
- Options Added:**
 - Audiophile 6-Disc CD/MP3 Player (58C) avail. on XLT and Lariat and incl. leather steering wheel w/audio controls on XLT
 - Driver's Memory Package (60M), avail. on Lariat, incl. memory trailer tow mirrors, memory driver's seat and memory adjustable pedals
 - Electronic-Shift-On-the-Fly (213) avail. w/4x4
 - Navigation Radio w/in-dash screen and DVD ROM and Audiophile 6-Disc CD/MP3 Player (58F/87A) avail. on Lariat
 - Rapid-Heat Supplemental Cab Heater (41A) avail. w/the 6.4L diesel engine (99R)
 - SecuriLock® Anti-Theft Ignition (52P) is standard on Lariat and optional on XL and XLT.
 - Satellite Radio (39S) avail. on SuperCab and Crew Cab w/the Single CD, 6-Disc In-Dash, Audiophile or Navigation Radios
 - Traction Control (60T) avail. w/all engines
 - Universal Garage Door Opener (85D) is optional on Lariat
 - Dual Beam Jewel Effect Headlamps (59R) are optional on XL for Fleet only
- Options Revised:**
 - Passenger Airbag Delete now has a unique order code (55X) and is avail. on XL and XLT only
 - The Extra Heavy Duty Alternator (67D) rating has been increased from 140-amps to 200-amps.
 - The Dual Alternators (67A) rating has increased from 260-amps to 320-amps.
 - The Payload Upgrade Package (68U) is now available on all F-550 wheelbases.
 - The PowerScope™ Trailer Tow Mirrors (54F) are optional on XLT and require the Advanced Security Group.
 - The Fleet Only Dual Beam Jewel Effect Headlamp option (59R) incl. the underhood service lamp.
 - The Advanced Security Group (60F) now incl. an auto unlock feature.

JOB 3 ORDER GUIDE UPDATES – Effective on all vehicles built on or after Job 3 (01/02/08 – Subject to change)

- The Front License Plate Bracket is no longer standard. The Front License (153) is available as an option on all trims and is forced in states where required.
- Engine Idle Shutdown (63T) is required on 6.4L Diesel with Automatic Transmission in the following states: CA, CT, DE, GA, ME, NJ, NY, NC, PA. Optional on 6.4L Diesel with Automatic Transmission in all other states. Can be deleted for vehicles ordered by dealers in CA, CT, DE, GA, ME, NJ, NY, NC, and PA for delivery outside of those states. California and affected green states require non-exempted vehicles with diesel engines rated over 14K GVW to incorporate an idle shutdown system to prevent extended engine idle periods. After a predetermined period, the engine PCM automatically shuts down the engine and triggers the accessory module to shutdown power to the accessories to minimize battery drain.
- Engine Idle Shutdown Exemption (63E) is optional on 6.4L Diesel in all states for delivery and certification in the following states: CA, CT, DE, GA, ME, NJ, NY, NC, PA. Requires certification that the state exemption requirements are met
- Engine Block Heater is now standard in the following cold weather states: Michigan, Vermont, Idaho, New York and New Hampshire.
- A Winter Front Grille Cover is now standard and only available with the 6.4L diesel engine in the following states: AK, CO, ID, IA, ME, MI, MN, MT, NH, NY, ND, SD, VT, WI, WY.

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

12/01/07

2008 SUPER DUTY® F-550 MAJOR PRODUCT SUMMARY

The 2008 F-Super Duty® reinforces the tough image of the F-Series & continues to meet the needs of both commercial & personal use towing customers. The 2008MY incl. all the amenities you were used to in 2007 plus:

The following equipment is standard as indicated. Each series incl. the standard equipment of the previous series, except where additions/exceptions are noted:

XL	XLT	Lariat
Powertrain/Functional • Brakes – 4-wheel Anti-lock Braking System (ABS) • Engine – 6.8L 3-Valve SOHC EFI Triton® modular V10 gas • Fuel tank – 40 gallon aft-axle • Stabilizer bar – front & rear • Stationary Elevated Idle Control (SEIC) • Steering – power • Trailer wiring – 7-wire harness w/relays, blunt cut & labeled • Transmission – TorqShift® 5-speed automatic Exterior • Bumper – front, black painted • Fender moldings – front, black • Fender vents – front • Glass – solar tinted • Grille – black painted • Headlamps – sealed beam halogens • Lights – roof marker/clearance lamps • Mirrors – manually telescopic trailer tow w/manual glass & 2-way fold • Tow hooks – (2) front • Wheels – 19.5" argent painted steel • Window – rear, fixed Interior • Audio – AM/FM stereo w/digital clock & 2-speakers • Door trim – armrest/grab handle & reflector • Floor covering – black vinyl full • Instrumentation – tachometer, speedometer, turbo boost (diesel only), voltmeter (manual only), oil pressure, coolant temperature, fuel gauge, transmission temperature gauge (automatic only), indicator lights & Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter & warning messages • Mirror – rearview 11.5" day/night • Power point – auxiliary • Scuff plates – color coordinated • Seat – front HD vinyl full bench w/recline • Steering wheel – black vinyl • Sunvisors – color coordinated cloth, single driver w/pocket, single passenger w/mirror insert • Upfitter switches (4) on the instrument panel • Windshield Wipers – interval control Safety/Security • Air bag – Driver & front passenger – Passenger side air bag deactivation switch (Regular Cab & SuperCab) • Belt-Minder® – chime & flashing warning light if belt not buckled • Safety belts – color coordinated w/height adjustment (front outboard seating positions only)	All XL content, plus: Exterior • Bumper – front, chrome • Fender moldings – front, body color • Grille – chrome surround w/medium platinum insert • Headlamps – dual beam jewel effect • Light – underhood service light • Mirrors – manually telescoping trailer tow w/power/heated glass, integrated clearance lights, turn signals & 2-way fold Interior • Air conditioning – manual • Air conditioning vents – black w/chrome ring • Audio – Auxiliary audio input jack – Premium AM/FM stereo w/digital clock/single CD MP3 player & 4-speakers • Cruise control (steering wheel mounted) • Door trim – Soft armrest/grab handle, molded upper appliqué, upper & lower map pockets & reflector • Floor covering – color coordinated full carpet & floor mats • Power equipment – driver window, door locks & windows w/backlit switches & accessory delay • Seat – front, high series cloth 40/20/40 split bench w/center armrest, cupholder & storage • Steering wheel – black vinyl w/tilt	All XLT content, plus: Exterior • Cab steps – molded black • Fog lamps • Glass – privacy tinted • Mirrors – power telescoping, power fold trailer tow mirrors w/power heated glass & integrated clearance lights/turn signals • Wheels – 19.5" forged polished aluminum w/bright hub covers/center ornaments • Window – rear sliding, manual Interior • Air conditioning – Dual-zone Electronic Automatic Temperature Control (DEATC)★ • Air conditioning vents – silver metallic w/chrome ring • Door trim – soft armrest/grab handle "deep chestnut" woodgrain upper appliqué, upper & lower map pockets & reflector • Instrument panel – simulated "deep chestnut" woodgrain insert • Instrumentation – metallic-faced instrument cluster w/enhanced Message Center & trip computer w/compass, distance-to-empty, average fuel economy, autolamp configuration & status, system check, & language selection • Mirror – rearview, electrochromic, self-dimming w/compass • Seat – Front, premium leather seating surfaces 40/20/40 split bench w/center armrest, cupholder & storage – Power driver & passenger • Steering wheel – color coordinated leather-wrapped, black, w/redundant audio & climate controls • Sunvisors – color coordinated cloth, single driver w/map strap, single passenger w/covered lighted mirror Safety/Security • Advanced Security group (autolock, auto unlock, autolamp, remote keyless entry, & wired keypad) • SecuriLock® Anti-Theft Ignition★

Please see Standard Equipment pages for more details.

Product Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

12/01/07

2008 SUPER DUTY® F-550 STANDARD EQUIPMENT

The following items are standard on every all-new 2008 MY Super Duty® vehicles:

POWERTRAIN/FUNCTIONAL

- Axle – front, wide track mono-beam axle w/coil spring suspension
- Brakes – Power 4-wheel disc/4-wheel anti-lock (hydro-boost), front/rear disc
- Engine – 6.8L 3-Valve SOHC EFI Triton® modular V10 gas
- Fuel tank – 40 gallon aft-axle
- Shock absorbers – Heavy duty gas
- Springs, rear auxiliary
- Stabilizer bars – front and rear
- Stationary Elevated Idle Control (SEIC)
- Steering damper
- Steering – power
- Trailer wiring – 7-wire harness w/relays, blunt cut & labeled
- Transmission – TorqShift® 5-speed automatic

EXTERIOR

- Door handles – black
- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Glass – solar tinted
- Lights – roof marker/clearance lights
- Mirrors – manually telescoping trailer tow mirrors
- Trailer tow hooks – front (2)

INTERIOR

- Convenience
 - Coat hooks – RH/LH color coordinated
 - Dash-top tray★
 - Dome lamp w/dual map lights (front & rear w/Crew Cab); RH/LH door activated I/P switch operated w/delay
 - Grab handles – driver & front passenger
 - Power point – auxiliary
 - Roof ride handles – front passenger (also over rear doors on Crew Cab)

INTERIOR (Continued)

- Door Trim – color coordinated molded w/grab handle & reflector
- Headliner – color coordinated molded cloth
- Hood release – inside
- Horn – dual electric
- Instrument panel – color coordinated w/glove box, (4) air registers w/positive shutoff, ashtray & cigar light and upfitter switches (4)
- Instrumentation – tachometer, speedometer, turbo boost (diesel only), air filter minder (diesel only), voltmeter (manual only), oil pressure, coolant temperature, fuel gauge, transmission temperature gauge (automatic only), indicator lights and Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter and warning messages
- Scuff plates – color coordinated
- Windshield wipers – interval control

SAFETY/SECURITY

- Air bag
 - Driver & front passenger
 - Passenger side air bag deactivation switch (Regular Cab/ SuperCab)
- Belt-Minder® – chime & flashing warning lights on I/P if belts not buckled
- Child Tethers – Regular Cab front passenger and all rear seating positions
- Safety Belts – color coordinated w/height adjustment (front outboard seating positions only)

The following features are standard on select 2008MY Super Duty® vehicles:

POWERTRAIN/FUNCTIONAL	XL	XLT	LARIAT
Alternator			
115-amp heavy (gas engine only)	•	•	•
135-amp heavy duty (diesel engine only)	•	•	•
Battery			
Gas engine – 750 CCA, 78-AH	•	•	•
Diesel engine – 750 CCA, 78-AH, dual	•	•	•
Trailer Tow Package – trailer brake wiring kit (no controller), may be deleted w/credit to Fleet only (531)			•
Transfer case – manual w/manual locking hubs – 4x4	•	•	•
KEY EXTERIOR FEATURES			
Bumper			
Front – black painted steel w/grained MIC top cover (incl. bumper extenders and black front fender moldings)	•		
Front – Chrome steel w/grained MIC top cover (incl. bumper extenders & body color front fender moldings)		•	•
Cab steps – molded black (May be deleted w/code 18B in deletions section of order)			•
Fog lamps			•
Glass – privacy tinted (rear door and rear window glass)			•
Grille			
Black painted	•		
Chrome surround w/medium platinum insert		•	•
Headlamps			
Sealed beam halogen	•		
Dual beam jewel effect		•	•
Lights – underhood service		•	•
Mirrors			
Manually telescoping trailer tow w/manual glass & two-way fold	•		
Manually telescoping trailer tow w/power/heated glass, integrated clearance lights & turn signals & two-way fold (std. on XL only w/90L Power Equipment Group)	•	•	
Power telescoping, power fold trailer tow mirrors w/power heated glass & integrated clearance lights/turn signals			•
Wheel Trim			
19.5" Argent painted steel	•	•	
19.5" Forged polished aluminum w/bright hub covers/center ornaments			•
Windows			
Fixed rear	•	•	
Rear quarter, flip out	• (2)	• (2)	• (2)
Sliding rear – manual			•

★ = New for this model year
• = Available

1-Regular Cab only, 2-SuperCab only, 3-Crew Cab only

2008 SUPER DUTY® F-550 STANDARD EQUIPMENT

KEY INTERIOR FEATURES	XL	XLT	LARIAT
Air Conditioning			
Manual		•	
Dual-zone Electronic Automatic Temperature Control (DEATC)★			•
Audio			
AM/FM stereo w/digital clock and 2-speakers	•		
Auxiliary audio input jack		•	•
Premium electronic AM/FM stereo w/digital clock, single CD/MP3 Player & 4-speakers		•	•
Cupholders			
Dual, instrument panel mounted (auto transmission only; 4x4 requires ESOF)		•	•
Integrated w/armrest on Crew Cab rear seat		• (3)	• (3)
Map pockets w/integrated "closed containers only" cupholders on SuperCab only		• (2)	• (2)
Door Trim			
Armrest/grab handle & reflector	•		
Soft armrest/grab handle, molded upper appliqué, upper & lower map pockets and reflector (appliqué, armrest & power switch bezel are dark accent color)		•	
Soft armrest/grab handle, "deep chestnut" woodgrain upper appliqué, upper & lower map pockets & reflector			•
Floor Covering			
Black vinyl	•		
Color coordinated carpet & carpeted floor mats (incl. rear mats on SuperCab and Crew Cab)		•	•
Instrument Cluster			
Black cluster w/black gauges w/white graphics and one button Message Center w/odometer, trip odometer, distance-to-empty, average fuel economy, engine hour meter and warning messages	•	•	
Bronze-faced cluster w/cream gauges w/black metallic graphics and enhanced three button Message Center w/odometer, trip odometer, engine hour meter and warning messages and trip computer w/compass, distance-to-empty, average fuel economy, autolamp configuration and status, system check, and language selection			•
Manual door locks & windows	•		
Overhead Console – garage door opener & sunglass bin			•
Power Equipment			
Door locks w/backlit switches		•	•
Accessory delay		•	•
One-touch down power driver window		•	•
Windows w/backlit switches		•	•
Rearview Mirror			
11.5" day/night	•	•	
Electrochromic self-dimming with compass			•
Seats (Front)			
HD vinyl full bench w/recline and integrated armrest	•		
High series cloth 40/20/40 split bench w/center armrest, cupholder & storage		•	
Manual lumbar support – driver side only		•	
Manual lumbar support – driver & front passenger			•
Premium leather seating surfaces split bench w/center armrest, cupholder & storage			•
Power seats (power passenger incl. w/SuperCab and Crew Cab only)			•
Seats (Rear) SuperCab			
Vinyl fold-up bench	•		
Cloth fold-up bench		•	
Premium vinyl seating surfaces fold-up bench			•
Seats (Rear) Crew Cab			
Vinyl fold-forward bench	•		
FlexFold™ 60/40 bench w/fold-flat feature, steel load floor, grocery hooks, dual integrated cupholders and tray, (2) outboard head restraints		•	•
Steering Wheel			
Black vinyl	•	•	
Cruise control		•	•
Tilt steering wheel		•	•
Leather-wrapped, color coordinated, w/redundant audio and climate controls			•
Storage – secondary glove box (automatic transmission only; 4x4 req. ESOF - 213)	•	•	•
Sunvisors			
Color coordinated cloth – single driver w/pocket, single passenger w/mirror insert	•	•	
Color coordinated cloth – single driver w/map strap & covered lighted mirror, single passenger w/covered lighted mirror			•
SAFETY/SECURITY			
Advanced Security Group (autolock, auto unlock, autolamp, remote keyless entry & wired keypad) (autolock/auto unlock NA w/manual transmission)			•
Air Bags			
Driver & passenger side	•	•	•
Passenger side deactivation switch	• (1, 2)	• (1, 2)	• (2)
SecuriLock® Anti-Theft Ignition★			•

2008 SUPER DUTY® F-550 FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Cab 4x2/4x4	Engine	Trim/Pk g.	Drive-train	Non-Limited Slip			Limited Slip		
				4.88	4.30	5.38	4.88	4.30	5.38
				X48	X43	X53	X8L	X4L	X5L
Any	6.8L EFI Triton® V10	All	6-Spd Man. O/D	S	—	O	O	—	O
Any	6.8L EFI Triton® V10	All	TorqShift® 5-Spd Auto.	S	—	O	O	—	O
Any	6.4L OHV Power Stroke® V8	All	6-Spd Man. O/D	S	—	—	O	—	—
Any	6.4L OHV Power Stroke® V8	All	TorqShift® 5-Spd Auto.	S	O ¹	—	O	O ¹	—

WHEEL AVAILABILITY

Wheel Image Coming Soon

Wheel Image Coming Soon

19.5" Steel (Std. XL/XLT) (64Z)

19.5" Forged Aluminum Wheel
(Std. Lariat, Opt. XLT) (64D)

¹ NA w/68U Payload Upgrade Package or 68? Payload Plus Upgrade Package.

1-Regular Cab only, 2-SuperCab only, 3-Crew Cab only
★ = New for this model year.

S = Standard, O = Optional, P = Packaged Option

12/01/07

2008 SUPER DUTY® F-550 OPTIONAL EQUIPMENT

	Order Code	XL 660A	XL 663A	Lariat 668A
BODY STYLE				
Regular Chassis DRW 4x2		F56	F56	—
Regular Chassis DRW 4x4		F57	F57	—
SuperCab Chassis DRW 4x2		X56	X56	X56
SuperCab Chassis DRW 4x4		X57	X57	X57
Crew Cab Chassis DRW 4x2		W56	W56	W56
Crew Cab Chassis DRW 4x4		W57	W57	W57
WHEELBASE				
Cab to Axle 60" – Regular Cab	141"	O (1)	O (1)	—
Cab to Axle 60" – SuperCab	162"	O (2)	O (2)	O (2)
Cab to Axle 84" – Regular Cab	165"	O (1)	O (1)	—
Cab to Axle 60" – Crew Cab	176"	O (3)	O (3)	O (3)
Cab to Axle 84" – SuperCab	186"	O (2)	O (2)	O (2)
Cab to Axle 108" – Regular Cab	189"	O (1)	O (1)	—
Cab to Axle 84" – Crew Cab	200"	O (3)	O (3)	O (3)
Cab to Axle 120" – Regular Cab	201"	O (1)	O (1)	—
POWERTRAIN				
6.8L 3-Valve SOHC EFI Triton® V10/6-Spd Man. O/D	99Y/445	O	O	O
6.8L 3-Valve SOHC EFI Triton® V10/TorqShift® 5-Spd O/D w/Tow/Haul Mode	99Y/44T	S	S	S
6.4L OHV Power Stroke® Diesel V8★/6-Spd Man. O/D	99R/447	O	O	O
6.4L OHV Power Stroke® Diesel V8★/TorqShift® 5-Spd Auto O/D w/Tow/Haul Mode	99R/44B	O	O	O
WHEELS				
19.5" Argent Painted Steel (6)	64Z	S	S	—
19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4)	64D	—	O	S
TIRES (spare tire is same as road tire, except where noted otherwise)				
225/70Rx19.5G BSW A/S – (Opt. spare is BSW A/S)	TFB	S	S	S
225/70Rx19.5G BSW Traction – (incl. 4 traction tires on the rear & 2 A/S tires on the front. Opt. spare is BSW A/S)	THB	O	O	O
225/70Rx19.5G BSW Max Traction (4x4) – (incl. 4 traction tires on the rear & 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Opt. spare is traction)	TGB	O	O	O
6-Ton Hydraulic Jack	61J	O	O	O
Spare Tire & Wheels (Excl. carrier. incl. 6-ton Hydraulic Jack, Required in RI)	512	O	O	O
KEY FUNCTIONAL OPTIONS				
Alternators				
Dual Alternators (req. Power Stroke® diesel engine; total of 320-amps.)	67A	O	O	O
Extra Heavy Duty Alternator (200-amps; req. Power Stroke® diesel engine; req. w/41A Rapid-Heat Supplemental Heater; NA w/67A Dual Alternators; incl. w/473 Snow Plow Pkg.)	67D	O	O	O
Electronic-Shift-On-the-Fly – 4x4 (auto-manual locking hubs & rotary control on IP)	213	O	O	O
Engine Block Heater (std. in AK, CO, IA, ID, ME, MI, MN, MT, ND, NH, NY, SD, VT, WI, WY)	41H	O	O	O
Fuel Tanks				
19 Gallon Mid-Ship (NA w/189" WB Regular Cab & 200" WB Crew Cab equipped w/gas engines)	65M	O	O	O
Dual Diesel	65C	O	O	O
Manual Telescoping Trailer Tow Mirrors w/Power Heated Glass & Integrated Clearance Lights/Turn Signals (incl. w/90L Power Equipment Group on XL)	54K	P – 90L	S	—
PowerScope™ Trailer Tow Mirrors (Power Telescoping, Power Folding w/Power Heated Glass & Integrated Clearance Lights/Turn Signals) ★ (Requires Advanced Security Group (60F))	54F	—	O	S
SecuriLock® Anti-Theft Ignition ★	52P	O	O	S
TowCommand Integrated Trailer Brake Controller (Works w/electric brakes only. NA w/531 Trailer Tow Pkg.; deletes standard Trailer Tow Pkg. on Lariat)	52B	O	O	O
Traction Control ★	60T	O	O	O
Transfer Case Skid Plates – 4x4	41P	O (2, 3)	O (2, 3)	O
Transmission Power Take-Off Provision (Avail. w/auto. transmission; std. w/man. transmission; 6.8L engine w/manual transmission may req. exhaust pipe re-routing to fit aftermarket PTO)	62R	O	O	O
KEY EXTERIOR OPTIONS				
Cab Steps – Black, molded	18B	O	O	S
Front License Plate Bracket ★ (standard in states where required)	153	O	O	O
Glass				
Sliding Rear Window – Manual	433	O	O	S
Privacy Glass (req. 433 Rear Sliding Window)	924	—	O	S
KEY INTERIOR OPTIONS				
Adjustable Gas/Brake Pedals (req. auto. Transmission)	62M	—	O	O
Air Conditioning – Manual	572	O	S	—

1-Regular Cab only, 2-SuperCab only, 3-Crew Cab only
★ = New for this model year.

S = Standard, O = Optional, P = Packaged Option

12/01/07

2008 SUPER DUTY® F-550 OPTIONAL EQUIPMENT

	Order Code	XL 660A	XLT 663A	Lariat 668A
BODY STYLE				
Regular Chassis DRW 4x2		F56	F56	—
Regular Chassis DRW 4x4		F57	F57	—
SuperCab Chassis DRW 4x2		X56	X56	X56
SuperCab Chassis DRW 4x4		X57	X57	X57
Crew Cab Chassis DRW 4x2		W56	W56	W56
Crew Cab Chassis DRW 4x4		W57	W57	W57
WHEELBASE				
Cab to Axle 60" – Regular Cab	141"	O (1)	O (1)	—
Cab to Axle 60" – SuperCab	162"	O (2)	O (2)	O (2)
Cab to Axle 84" – Regular Cab	165"	O (1)	O (1)	—
Cab to Axle 60" – Crew Cab	176"	O (3)	O (3)	O (3)
Cab to Axle 84" – SuperCab	186"	O (2)	O (2)	O (2)
Cab to Axle 108" – Regular Cab	189"	O (1)	O (1)	—
Cab to Axle 84" – Crew Cab	200"	O (3)	O (3)	O (3)
Cab to Axle 120" – Regular Cab	201"	O (1)	O (1)	—
KEY INTERIOR OPTIONS (Continued)				
Audio				
Premium Electronic AM/FM Stereo/Single CD/MP3 Player/ /Clock w/4 Speakers (incl. aux audio input jack; jack not incl. when ordered w/65C Dual Diesel)	585	O	S	S
Satellite Radio ★ (NA w/587 Electronic AM/FM Stereo/Clock or 58Y Radio Delete)	39S	O (2, 3)	O (2, 3)	O
Premium Electronic AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/4 Speakers (incl. leather steering wheel w/audio controls with XLT)	581	—	O	O
Audiophile AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/8 Speakers and Subwoofer (incl. leather steering wheel w/audio controls with XLT; NA w/ 58F Navigation Radio, see Navigation Radio) ★	58C	—	O	O
Navigation Radio w/In-Dash Screen and DVD ROM and Audiophile AM/FM Stereo/In-Dash 6-Disc CD/MP3 Player/Clock w/8 Speakers & Subwoofer (req. both 58F and 87A order codes) ★	58F/87A	—	—	O
Cruise Control (req. 524 Tilt Steering Wheel)	525	O	S	S
Floor Mats – All-Weather (NA w/166 Carpet Delete)	16S	—	O	O
Rapid-Heat Supplemental Cab Heater ★ (req. 6.4L diesel engine (99R) and air conditioning)	41A	O	O	O
Seats				
Power Seats (incl. driver & passenger lumbar; power passenger seat incl. w/SuperCab and Crew Cab only)	90D	—	O	S
Heated Seats	90H	—	—	O
Tilt Steering Wheel (req. 525 Cruise Control (XL Fleet orders do not req. 525 Cruise Control); incl. audio/climate controls on Lariat only)	524	O	S	S
Universal Garage Door Opener	85D	—	—	O
GROUPS/PACKAGES (see Packaged Options/Emissions Page for Content and Restrictions)				
Advanced Security Group	60F	—	O	S
Convenience Package	90G	O	—	—
Driver's Memory Package ★	60M	—	—	O
Extra Heavy Service Suspension Package	67X	O	O	O
Heavy Service Suspension Package	67H	O	O	O
Low Deflection Package	86S	O	O	O
Payload Upgrade Package	68U	O	O	O
Payload Plus Upgrade Package ★	68M	O	O	O
Power Equipment Group	90L	O	S	S
Snow Plow Prep Package	473	O	O	O
TowCommand Package	91T	O	O	O
Trailer Tow Package (NA w/52B Trailer Brake Controller)	531	O	O	S
Trailer Tow Package – high capacity	535	O	O	O
XL Décor Group	17F	O	—	—
OTHER OPTIONS				
Ambulance Prep Package	47A	O	O	O
Ambulance Prep Package Not Included	47Z	O	O	O
Carpet Delete (NA w/16S All-Weather Floor Mats or 58C Audiophile Radio)	166	S	O	—
Passenger Airbag Delete	55X	O	O	—
Radio Delete	58Y	O	—	—
LPO/FLEET OPTIONS				
Daytime Running Lamps (req. Fleet w/valid FIN)	942	F	F	F
Dual Beam Jewel Effect Headlamps ★ (Incl. underhood service lamp)	59R	F	—	—

1-Regular Cab only, 2-SuperCab only, 3-Crew Cab only
★ = New for this model year.

S = Standard, O = Optional, P = Packaged Option

12/01/07

2008 SUPER DUTY® F-550 COLOR & TRIM AVAILABILITY

		Interior and Seat Color	
		Camel	Med. Stone
XL	HD Vinyl Full Bench w/Recline (cupholders located in I/P; std. w/auto trans 4x2 and auto trans 4x4 w/ESOF)	VC	VS
	HD Vinyl Full bench w/Recline and Integrated Armrest (cupholders located in armrest; std. w/manual transmission and automatic transmission 4x4 w/manual transfer case)★	AC	AS
	HD Cloth Full Bench w/Recline ¹ (cupholders located in I/P; opt. w/automatic transmission 4x2 and automatic transmission 4x4 w/ESOF)	CC	CS
	HD Cloth Full Bench w/Recline and Integrated Armrest ¹ (cupholders located in armrest; opt. w/manual transmission and automatic transmission 4x4 w/manual transfer case)★	1C	1S
	HD Vinyl Bucket (incl. floor console w/cupholders and storage bins)	JC	JS
	HD Cloth Bucket ¹ (incl. floor console w/cupholders and storage bins)	GC	GS
	Vinyl 40/20/40 Split Bench	TC	TS
	Cloth 40/20/40 Split Bench (Crew Cab incl. FlexFold™ 60/40 rear bench; incl. manual lumbar)	3C	3S
XLT	Cloth Luxury Captain's Chairs w/Console (NA w/manual transmission)	2C	2S
	Cloth 40/20/40 Split Bench	3C	3S
LARIAT	Leather Seating Surfaces Luxury Captain's Chairs w/Console ² (NA w/manual transmission)	4C	4S
	Leather Seating Surfaces 40/20/40 Split Bench ²	8C	8S
EXTERIOR COLOR		Availability	
XL/XLT/LARIAT			
Dark Shadow Grey Clearcoat Metallic	CX	•	•
★ Dark Blue Pearl Clearcoat Metallic	DX	•	•
Red Clearcoat	F1	•	•
★ Pueblo Gold Clearcoat Metallic	G3	•	•
★ Forest Green Clearcoat Metallic	GG	•	•
Dark Toreador Red Clearcoat	JM	•	•
Dark Stone Clearcoat Metallic	T7	•	•
Black Clearcoat	UD	•	•
Oxford White Clearcoat	Z1	•	•
Silver Clearcoat Metallic	Z3	•	•

¹ Vinyl rear bench on XL SuperCab² Premium vinyl rear bench on SuperCab

★ = New for this model year

02/01/08

2008 SUPER DUTY® F-550 PACKAGED OPTIONS/EMISSIONS

ADVANCED SECURITY GROUP (60F)

Availability:

- Optional on XLT
- Standard on Lariat

Includes:

- Autolock (NA w/manual transmission)
- Auto unlock (NA w/manual transmission)
- Autolamp
- Illuminated entry
- Panic feature
- Remote keyless entry
- Two key fobs
- Wired keypad (driver side)

AMBULANCE PREP PACKAGE (47A)

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer.
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle w/o the Ford Ambulance Prep Package to produce an ambulance voids the Ford warranty.

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), High Capacity Trailer Tow Package (535), Heavy Service Suspension Package (67H) or (55X) Passenger Air Bag Delete.

Requires:

- 6.4L Power Stroke® diesel engine (99R)

Includes:

- Dual Heavy Duty Alternators (67A)
- Air conditioning

Deletes:

- Standard Trailer Tow Package when ordered on Lariat trim level.

NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

CONVENIENCE PACKAGE (90G)

Availability:

- Optional on XL

Includes:

- Air conditioning (572)
- Cruise control (525)
- Tilt Steering wheel (524)
- Premium Electronic AM/FM Stereo/Single CD/MP3 Player Clock w/4 speakers (585)

DRIVER'S MEMORY PACKAGE (60M)★

Availability:

- Optional on Lariat

Requires:

- Automatic transmission, Power Adjustable Gas/Brake Pedals (62M), leather seats and Power Seats (90D).

Includes:

- Memory Trailer Tow Mirrors
- Memory Power Driver Seat
- Memory Power Adjustable Pedals

Options Available:

- Heated seats (90H)

EXTRA HEAVY SERVICE SUSPENSION PACKAGE (67X)

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473), or Heavy Service Suspension Package (67H)

Includes:

- Extra heavy service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

HEAVY SERVICE SUSPENSION PACKAGE (67H)

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473) or Extra Heavy Service Suspension Package (67X)

Includes:

- Extra heavy service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

LOW DEFLECTION PACKAGE (86S)

Usage:

- Recommended for rear-biased loading, such as wrecker/retriever applications

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- 141" wheelbase

Includes:

- 2-inch spacer blocks

PAYLOAD PLUS UPGRADE PACKAGE★ (68M)

Availability:

- Optional on all F-550 Chassis Cabs

Requires:

- 6.4L diesel engine

Not Available with:

- 4.30 and 4.30LS axles

Includes:

- Increases GVWR from 17,950 lbs. to 19,500 lbs.
- Upgraded frame

NOTE 1: See Order Guide Supplemental Reference for further details on GVWR.

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on all F-550 Chassis Cabs

Requires:

- 6.8L gas engine

Includes:

- Increases GVWR from 17,950 lbs. to 19,000 lbs.
- Upgraded frame

NOTE 1: See Order Guide Supplemental Reference for further details on GVWR.

POWER EQUIPMENT GROUP (90L)

Availability:

- Optional on XL
- Standard on XLT and Lariat

Requires:

- Air Conditioning

Includes:

- Accessory delay
- One-touch window (driver side)
- Manually telescoping trailer tow mirrors w/power/heated glass, integrated clearance lights and turn signals (XL only)
- Power locks
- Power front side windows
- Power rear side windows (Crew Cab)

Options Available:

- PowerScope™ trailer tow mirrors (Power telescoping, power folding w/power/heated glass, integrated clearance lights & turn signals (54F) (XLT only)

★ = New for this model year

02/01/08

2008 SUPER DUTY® F-550 PACKAGED OPTIONS/EMISSIONS

SNOW PLOW PREP PACKAGE (473)

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Heavy Service Suspension Package (67H), Extra Heavy Service Suspension (67X) or Ambulance Prep Package (47A)

Includes:

- Extra Heavy Duty Alternator (67D) w/Power Stroke® diesel engine
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)
- Unique fan clutch w/Power Stroke® diesel engine

Options Available:

- Dual Alternators (67A) (diesel only)

NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.

NOTE 2: Also allows for the attachment of a winch

TOWCOMMAND SYSTEM (91T)

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Trailer Tow Package (531)

Requires:

- TorqShift® automatic transmission

Includes:

- TowCommand Integrated Trailer Brake Controller (52B) (TBC verified to be compatible w/electric-actuated drum brakes only)
- Trailer Tow Mirrors (standard)
- Trailer Wiring – 7-wire harness w/relays, blunt cut and labeled (standard)

Options Available:

- PowerScope™ trailer tow mirrors (Power telescoping, power folding w/power/heated glass, integrated clearance lights & turn signals (54F) (XLT only)

Deletes:

- Standard Trailer Tow Package on Lariat

NOTE: Integrated Trailer Brake Controller (52B) has only been verified to be compatible w/trailers having electric-actuated drum brakes (one to four axles) and not hydraulic surge or electric-over-hydraulic types.

TRAILER TOW PACKAGE (531)

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- Ambulance Prep Package (47A) or TowCommand Integrated Trailer Brake Controller (52B). Standard Trailer Tow Package is deleted from Lariat when ordered w/Ambulance Prep Package (47A) or TowCommand Integrated Trailer Brake Controller (52B)

- Optional on XL and XLT
- Standard on Lariat

Includes:

- Aftermarket trailer brake wiring kit
- Trailer brake controller not incl.

NOTE: Salesperson's Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding req. equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

TRAILER TOW PACKAGE, HIGH CAPACITY (535)

Availability:

- Optional on all F-550 Chassis Cabs

Not available with:

- NA w/Ambulance Prep Package (47A)

Requires:

- 6.4L Power Stroke® diesel engine (99R) and 4.88 Limited Slip rear axle (X8L)

Includes:

- Aftermarket trailer brake wiring kit (not ordered if ordered w/52B TowCommand Integrated Trailer Brake Controller)
- Increases GCWR on diesel engine w/manual transmission from 26,000 lbs. to 28,000 lbs.
- Increases GCWR on diesel engine w/auto transmission from 26,000 lbs to 33,000 lbs.
- Upgraded rear axle
- Trailer Brake Controller not incl.

NOTE: Salesperson's Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding req. equipment, axle ratios and model availability.

XL DÉCOR GROUP (17F)

Availability:

- Optional on XL

Includes:

- Chrome front bumper
- Dual beam jewel effect headlamp
- Underhood engine compartment light

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

MISCELLANEOUS OPTIONS

COV req.....	79V
Priced DORA	C09

50 STATE EMISSIONS SYSTEM

Standard on all units. **425**

ENGINE IDLE SHUTDOWN **63T**

Required on 6.4L Diesel >14K GVW intended for registration in the following states: CA, CT, DE, GA, ME, NJ, NY, NC, PA. Optional on 6.4L Diesel with Automatic Transmission in all other states. California and affected states require non-exempted vehicles with diesel engines rated over 14K GVW to incorporate an idle shutdown system to prevent extended engine idle periods. After a predetermined period, the engine PCM automatically shuts down the engine and triggers the accessory module to shutdown power to the accessories to minimize battery drain.

ENGINE IDLE SHUTDOWN **63E**

Buses, recreational vehicles, and emergency vehicles are exempt from the Idle Engine Shutdown requirement nationwide. Other state-specific exemptions may apply. Selecting this code confirms that the customer intends the final configuration to be exempt.

IDLE ENGINE SHUTDOWN NOT REQUIRED **633**

Vehicles that do not qualify for 63E exemption and are not intended for registration in CA, CT, DE, GA, ME, NJ, NY, NC, or PA are not required to be equipped with idle engine shutdown. Dealers in affected states can select this code if the vehicle is not intended for registration in CA, CT, DE, GA, ME, NJ, NY, NC, or PA.

WINTER FRONT GRILLE COVER

Standard and only available with the 6.4L diesel engine in the following states: AK, CO, ID, IA, ME, MI, MN, MT, NH, NY, ND, SD, VT, WI, WY.

PAYLOAD PACKAGE SELECTOR CHART - Refer to Supplemental Reference Section for Payload Information.

2008 SUPER DUTY® F-550 POWERTRAIN/DIMENSIONS

ENGINE HORSEPOWER AND TORQUE RATINGS*

		NOMINAL COMPRESSION RATIO	50 STATES	
			HORSEPOWER	TORQUE
ENGINE DISPL.	TRANSMISSION		H.P. @ RPM	FT. LB. @ RPM
ALL				
6.8L EFI V10	6-Spd Man. O/D HD	9.2:1	362 @ 4750	457 @ 3250
	TorqShift® 5-Spd Auto.	9.2:1	362 @ 4750	457 @ 3250
	6.4L OHV Power	6-Spd Man. O/D HD	16.7:1	325 @ 3000
	Stroke® V8	TorqShift® 5-Spd Auto.	16.7:1	325 @ 3000

* NOTE: Horsepower and Torque numbers are preliminary

DIMENSIONS*

	Overall Length	Overall Width	Overall Height
		(Without Mirrors)	4x2/4x4 (Without Options)
REGULAR CAB			
141" (inches)	226.0	93.9	79.6/79.6
165" (inches)	250.0	93.9	79.5/79.5
189" (inches)	274.0	93.9	79.4/79.5
200" (inches)	286.0	93.9	79.3/79.4
SUPERCAB			
162" (inches)	247.0	93.9	79.9/79.9
CREW CAB			
176" (inches)	261.4	93.9	80.4/80.3
200" (inches)	285.4	93.9	80.2/80.2

* NOTE: Dimensions are preliminary