

Test Suite 02 - Create a new recurring transaction

Execution Environment

Host name	ROG - ROG
Local OS	Windows 11 64bit
Katalon version	9.0.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/Create new recurring transaction/Test Suite 02 - Create a new recurring transaction		
Description			
Total	40		
Passed	40	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2024-01-09 18:03:25	End	2024-01-09 18:10:07
Elapsed	6m - 42.598s		

#	ID	Description	Status
1	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		PASSED
2	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		PASSED
3	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		PASSED
4	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		PASSED
5	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		PASSED
6	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		PASSED
7	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		PASSED
8	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		PASSED
9	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		PASSED
10	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		PASSED
11	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		PASSED
12	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		PASSED
13	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		PASSED
14	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		PASSED
15	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		PASSED

Test Suite 02 - Create a new recurring transaction

#	ID	Description	Status
16	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		PASSED
17	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		PASSED
18	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		PASSED
19	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		PASSED
20	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		PASSED
21	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		PASSED
22	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		PASSED
23	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		PASSED
24	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		PASSED
25	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		PASSED
26	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		PASSED
27	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		PASSED
28	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		PASSED
29	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		PASSED
30	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		PASSED
31	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		PASSED
32	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		PASSED
33	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		PASSED
34	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		PASSED
35	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		PASSED
36	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		PASSED
37	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		PASSED
38	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		PASSED

Test Suite 02 - Create a new recurring transaction

#	ID	Description	Status
39	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		PASSED
40	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		PASSED

Test case 01 - Create transaction successfully

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		
Description			
Tag			
Start	2024-01-09 18:03:25	End	2024-01-09 18:03:37
Elapsed	11.666s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.931s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.322s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.854s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.657s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.772s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.169s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.798s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.978s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Monthly Rent' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.912s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Payment for the residential property rent for the current month.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.804s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.636s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.540s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success' is present	0.614s	PASSED
14	closeBrowser() Browser is closed	0.154s	PASSED

Test case 01 - Create transaction successfully

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		
Description			
Tag			
Start	2024-01-09 18:03:37	End	2024-01-09 18:03:47
Elapsed	9.991s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.839s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.263s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.905s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.679s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.588s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.087s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.804s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	1.053s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Grocery Shopping' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.904s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Purchase of weekly groceries and household supplies from the local supermarket.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.855s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.622s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.603s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success' is present	0.619s	PASSED
14	closeBrowser() Browser is closed	0.143s	PASSED

Test case 01 - Create transaction successfully

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		
Description			
Tag			
Start	2024-01-09 18:03:47	End	2024-01-09 18:03:56
Elapsed	9.604s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.743s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.232s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.831s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.667s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.602s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.079s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.826s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.901s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Salary Deposit' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.882s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Monthly salary deposit from the employer for work performed during the month.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.827s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.624s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.573s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success' is present	0.622s	PASSED
14	closeBrowser() Browser is closed	0.164s	PASSED

Test case 01 - Create transaction successfully

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		
Description			
Tag			
Start	2024-01-09 18:03:56	End	2024-01-09 18:04:06
Elapsed	9.451s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.641s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.225s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.829s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.671s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.620s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.096s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.823s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.922s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Internet Bill' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.861s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Payment for monthly internet services to ensure continued access.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.790s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.600s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.588s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success' is present	0.619s	PASSED
14	closeBrowser() Browser is closed	0.139s	PASSED

Test case 01 - Create transaction successfully

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test case 01 - Create transaction successfully		
Description			
Tag			
Start	2024-01-09 18:04:06	End	2024-01-09 18:04:16
Elapsed	9.688s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.641s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.218s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.834s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.680s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.584s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.233s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.862s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.929s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Credit Card Payment' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.871s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Settling the credit card charges incurred during the month for various purchases.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.818s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.602s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.599s	PASSED

Test case 01 - Create transaction successfully

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/strong_Success' is present	0.624s	PASSED
14	closeBrowser() Browser is closed	0.154s	PASSED

Test Case 02 - Title is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		
Description			
Tag			
Start	2024-01-09 18:04:16	End	2024-01-09 18:04:25
Elapsed	9.700s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.726s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.216s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.836s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.659s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.588s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.216s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.764s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.906s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text " " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.857s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Payment for the residential property rent for the current month.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.813s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.627s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.706s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required' is present</div>	0.510s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.153s	PASSED

Test Case 02 - Title is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		
Description			
Tag			
Start	2024-01-09 18:04:25	End	2024-01-09 18:04:35
Elapsed	9.516s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.654s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.228s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.905s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.671s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.582s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.071s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.845s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.901s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text " " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.834s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Purchase of weekly groceries and household supplies from the local supermarket.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.803s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.617s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.695s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
13	verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required"), 0) Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required' is present	0.523s	PASSED
14	closeBrowser() Browser is closed	0.141s	PASSED

Test Case 02 - Title is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		
Description			
Tag			
Start	2024-01-09 18:04:35	End	2024-01-09 18:04:45
Elapsed	9.711s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.701s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.241s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.861s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.720s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.699s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.173s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.785s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.912s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.831s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Monthly salary deposit from the employer for work performed during the month.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.807s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.601s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.701s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required' is present</div>	0.519s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.126s	PASSED

Test Case 02 - Title is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		
Description			
Tag			
Start	2024-01-09 18:04:45	End	2024-01-09 18:04:55
Elapsed	9.959s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.789s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.259s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.927s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.665s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.603s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.099s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.868s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.956s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.824s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Payment for monthly internet services to ensure continued access.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.776s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.602s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.816s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required' is present</div>	0.542s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.157s	PASSED

Test Case 02 - Title is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 02 - Title is empty		
Description			
Tag			
Start	2024-01-09 18:04:55	End	2024-01-09 18:05:04
Elapsed	9.571s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.727s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.236s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.836s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.660s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.611s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.088s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.859s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.922s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.808s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Settling the credit card charges incurred during the month for various purchases.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.823s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.606s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.690s	PASSED

Test Case 02 - Title is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title field is required' is present</div>	0.517s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.156s	PASSED

Test Case 03 - Title is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		
Description			
Tag			
Start	2024-01-09 18:05:04	End	2024-01-09 18:05:16
Elapsed	11.664s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.689s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.246s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.871s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.643s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.062s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.087s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.793s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.926s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Achieving Financial Mastery: Navigating with Precision in Budgeting and Transactions. Immerse yourself in the intricacies of effective money management, delving into strategic approaches for optimal results in both budgeting and financial transactions. This comprehensive guide serves as a beacon for those seeking financial excellence, offering insights into the dynamic interplay between budgets and transactions. Explore proven strategies that empower you to navigate the financial landscape with finesse, ensuring each monetary decision contributes to your overarching financial goals.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	2.214s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text '"Master financial intricacies with 'Achieving Financial Mastery,' a guide exploring precise budgeting and strategic transactions for optimal results.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.985s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '6586.22' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.617s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
12	<p>click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE)</p> <p>Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on</p>	0.701s	PASSED
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters' is present</p>	0.517s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.168s	PASSED

Test Case 03 - Title is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		
Description			
Tag			
Start	2024-01-09 18:05:16	End	2024-01-09 18:05:27
Elapsed	10.829s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.717s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.210s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.831s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.666s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.612s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.138s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.831s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.983s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Embark on a journey through 'Strategic Money Moves: A Comprehensive Guide to Optimal Financial Decisions.' Gain a deep understanding of the ever-evolving financial dynamics and empower your decision-making with this in-depth guide to strategic money management. Unlock the secrets to making informed financial decisions that align with your objectives, providing a solid foundation for long-term financial success.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	1.853s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text '"Navigate financial dynamics with 'Strategic Money Moves,' a comprehensive guide empowering decision-making through strategic money management.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.965s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '8656.71' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.625s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.705s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters' is present</p>	0.520s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.159s	PASSED

Test Case 03 - Title is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		
Description			
Tag			
Start	2024-01-09 18:05:27	End	2024-01-09 18:05:38
Elapsed	10.746s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.711s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.217s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.944s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.680s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.600s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.135s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.784s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.940s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Discover the 'Mastering Finances: The Art of Strategic Budgeting and Transactions Mastery,' an enriching guide that unveils the artistry behind financial success. Delve into the nuances of strategic budgeting and mastering transactions for a comprehensive approach to financial empowerment. Learn how to navigate the financial intricacies with precision, ensuring your financial decisions are aligned with your goals.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	1.807s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Discover 'Mastering Finances,' an artful guide to strategic budgeting and transaction mastery for comprehensive financial empowerment.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.926s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '7790.40' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.631s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.702s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters' is present</p>	0.516s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.128s	PASSED

Test Case 03 - Title is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		
Description			
Tag			
Start	2024-01-09 18:05:38	End	2024-01-09 18:05:48
Elapsed	10.781s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.722s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.226s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.812s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.690s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.607s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.984s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	1.075s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.930s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Unlocking Financial Success: Your Roadmap to Effective Budget Management' charts a course to financial success. This detailed roadmap offers valuable insights and proven strategies for effective budgeting and long-term financial management. Navigate through the complexities of financial planning with confidence, utilizing this guide to create a roadmap tailored to your unique financial journey.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	1.783s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text '"Unlock financial success with 'Your Roadmap to Effective Budget Management,' offering insights and strategies for long-term financial stability.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.963s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '1964.33' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.607s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.693s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters' is present</p>	0.523s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.140s	PASSED

Test Case 03 - Title is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 03 - Title is not Valid		
Description			
Tag			
Start	2024-01-09 18:05:48	End	2024-01-09 18:05:59
Elapsed	10.822s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.757s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.233s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.857s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.661s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.576s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.019s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.776s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.903s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text 'Smart Money Choices: Navigating Transactions for Long-Term Prosperity' guides you through making intelligent financial decisions. This comprehensive guide provides the tools to navigate transactions strategically for sustained prosperity and a secure financial future. Explore the principles of smart financial choices, ensuring your decisions contribute to long-term wealth and financial well-being.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	2.021s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text '"Make smart financial choices with 'Smart Money Choices,' a guide to navigating transactions strategically for sustained prosperity and security.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.956s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '5632.71' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.602s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.774s	PASSED

Test Case 03 - Title is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The title must be between 1 and 255 characters' is present</p>	0.523s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.143s	PASSED

Test Case 04 - Description is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		
Description			
Tag			
Start	2024-01-09 18:05:59	End	2024-01-09 18:06:09
Elapsed	9.728s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.720s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.218s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.854s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.685s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.592s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.116s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.831s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.908s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "Financial Agility: Precision in Budgeting & Transactions" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.990s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.597s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '3532.83' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.631s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.696s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required' is present</div>	0.537s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.210s	PASSED

Test Case 04 - Description is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		
Description			
Tag			
Start	2024-01-09 18:06:09	End	2024-01-09 18:06:19
Elapsed	9.910s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.843s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.284s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.980s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.654s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.623s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.065s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.862s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.974s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "Strategic Finance: A Guide to Optimal Money Moves" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.942s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.622s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '3152.20' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.647s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.685s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required' is present</div>	0.528s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.141s	PASSED

Test Case 04 - Description is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		
Description			
Tag			
Start	2024-01-09 18:06:19	End	2024-01-09 18:06:29
Elapsed	9.586s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.710s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.252s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.912s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.653s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.605s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.148s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.829s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.912s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Mastery in Money: Strategic Budgeting & Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.936s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text " " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.598s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '3767.23' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.637s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.686s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required' is present</div>	0.530s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.134s	PASSED

Test Case 04 - Description is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		
Description			
Tag			
Start	2024-01-09 18:06:29	End	2024-01-09 18:06:38
Elapsed	9.586s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.714s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.240s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.909s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.683s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.609s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.079s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.864s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.900s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Road to Prosperity: Effective Budgeting Strategies'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.961s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text " " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.602s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '5928.59' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.614s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.677s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required' is present</div>	0.535s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.163s	PASSED

Test Case 04 - Description is empty

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 04 - Description is empty		
Description			
Tag			
Start	2024-01-09 18:06:38	End	2024-01-09 18:06:48
Elapsed	9.573s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.737s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.240s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.820s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.661s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.874s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.887s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.838s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.920s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Wise Wallet: Navigating Transactions for Security'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.947s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text " " is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.604s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '6766.22' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.619s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.734s	PASSED

Test Case 04 - Description is empty

#	Description	Elapsed	Status
13	<div>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required"), 0)</div> <div>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description field is required' is present</div>	0.534s	PASSED
14	<div>closeBrowser()</div> <div>Browser is closed</div>	0.125s	PASSED

Test Case 05 - Description is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		
Description			
Tag			
Start	2024-01-09 18:06:48	End	2024-01-09 18:06:59
Elapsed	11.085s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.791s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.219s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.819s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.751s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.967s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.876s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.863s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.925s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Transactional Triumphs: A Financial Management Odyssey'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.965s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text 'Embark on an extraordinary odyssey of financial mastery with "Embarking on the Odyssey of Transactional Triumphs: A Comprehensive Guide to Financial Management Mastery." Immerse yourself in this transformative journey that transcends traditional financial guidance, offering a nuanced exploration of transactional triumphs. Uncover strategic approaches that redefine the very essence of financial mastery, empowering you to navigate complexities with confidence and precision.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	1.746s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '21.13' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.640s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.752s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters' is present</p>	0.531s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.127s	PASSED

Test Case 05 - Description is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		
Description			
Tag			
Start	2024-01-09 18:06:59	End	2024-01-09 18:07:10
Elapsed	10.594s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.756s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.239s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.810s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.659s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.851s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.858s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.825s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.929s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Precision in Finance: The Transactional Symphony'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.939s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Harmonizing Wealth: Precision in Finance, Crafting the Symphony of Strategic Transactions'" is more than a guide; it's an immersive experience where financial precision converges with strategic transactions, creating a symphony of wealth. Dive deep into this orchestra of financial wisdom, learning to orchestrate each financial move with finesse. This guide illuminates the path to financial harmony, where precision and strategy harmonize to compose a masterpiece of lasting financial success.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	1.765s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '91.74' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.609s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.680s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters' is present</p>	0.526s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.125s	PASSED

Test Case 05 - Description is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		
Description			
Tag			
Start	2024-01-09 18:07:10	End	2024-01-09 18:07:20
Elapsed	10.259s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.657s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.211s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.915s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.657s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.564s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.978s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.834s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.898s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Unlocking Financial Excellence: Transactional Mastery'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.965s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Unlocking Financial Excellence: Transactional Mastery Unveiled" is a beacon illuminating the path to financial excellence. This comprehensive guide unveils the keys to unlocking mastery in financial transactions, providing valuable insights into optimizing every financial decision. Equip yourself with the knowledge to navigate the financial landscape, unlocking the full potential of your financial endeavors.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	1.613s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '27.18' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.601s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.707s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters' is present</p>	0.518s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.122s	PASSED

Test Case 05 - Description is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		
Description			
Tag			
Start	2024-01-09 18:07:20	End	2024-01-09 18:07:31
Elapsed	10.618s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.719s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.222s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.905s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.674s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.571s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.132s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.832s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.889s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Efficient Finances: Navigating Transactions with Finesse'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.964s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Efficiency Unleashed: Navigating the Intricacies of Finances with Finesse in Every Transaction'" is your ticket to unleashing unparalleled financial efficiency. Immerse yourself in the intricacies of financial management, where finesse accompanies every transaction. This guide offers a roadmap for optimizing efficiency, ensuring each financial move contributes to your overarching success. Dive into a world where financial intricacies become opportunities for efficiency and success.' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	1.736s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '41.95' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.615s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.689s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters' is present</p>	0.514s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.137s	PASSED

Test Case 05 - Description is not Valid

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 05 - Description is not Valid		
Description			
Tag			
Start	2024-01-09 18:07:31	End	2024-01-09 18:07:41
Elapsed	10.372s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.655s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.226s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.897s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.666s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.566s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.080s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.823s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.929s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Strategic Financial Transactions: A Roadmap to Success' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'"	0.936s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Charting Success: A Comprehensive Roadmap to Strategic Financial Transactions" transcends the ordinary to offer a comprehensive roadmap to success. This illuminating journey guides you through the intricacies of strategic financial transactions, providing a detailed map for your financial prosperity. Chart your course with precision, utilizing proven strategies and insights to navigate the complex terrain of financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'"	1.651s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '83.34' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.602s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.669s	PASSED

Test Case 05 - Description is not Valid

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The transaction description must be between 1 and 255 characters' is present</p>	0.518s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.140s	PASSED

Test Case 06 - Amount must greater than Zero

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		
Description			
Tag			
Start	2024-01-09 18:07:41	End	2024-01-09 18:07:51
Elapsed	9.666s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.695s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.213s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.846s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.661s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.581s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.094s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.794s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.918s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Financial Precision: Navigating Transactions with Expertise'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.949s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Navigate transactions with 'Financial Precision,' mastering each move for optimal outcomes.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.862s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.591s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.694s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.517s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.126s	PASSED

Test Case 06 - Amount must greater than Zero

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		
Description			
Tag			
Start	2024-01-09 18:07:51	End	2024-01-09 18:08:00
Elapsed	9.555s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.689s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.230s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.891s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.693s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.587s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.995s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.766s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.949s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'The Transactional Navigator: A Guide to Financial Agility'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.954s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Become a 'Transactional Navigator,' exploring agile strategies for financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.844s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.583s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.699s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.533s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.119s	PASSED

Test Case 06 - Amount must greater than Zero

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		
Description			
Tag			
Start	2024-01-09 18:08:00	End	2024-01-09 18:08:10
Elapsed	9.639s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.704s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.234s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.818s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.668s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.569s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.108s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.853s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.897s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Mastery in Motion: Strategic Financial Transaction Tactics'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.987s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Mastery in Motion': Uncover tactics for strategic financial transactions and mastery.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.852s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.588s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.677s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.518s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.149s	PASSED

Test Case 06 - Amount must greater than Zero

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		
Description			
Tag			
Start	2024-01-09 18:08:10	End	2024-01-09 18:08:19
Elapsed	9.486s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.690s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.221s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.832s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.680s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.552s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.969s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.838s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.905s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Efficient Exchange: Fine-tuning Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.958s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Achieve 'Efficient Exchange'—fine-tune transactions for streamlined financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.841s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.618s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.707s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.512s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.139s	PASSED

Test Case 06 - Amount must greater than Zero

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 06 - Amount must greater than Zero		
Description			
Tag			
Start	2024-01-09 18:08:20	End	2024-01-09 18:08:29
Elapsed	9.953s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.686s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.219s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.913s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.682s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.634s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.229s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.826s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.925s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Navigating Wealth: The Art of Strategic Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.982s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Navigating Wealth': Master the art of strategic financial transactions for prosperity." is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.865s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '0' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.621s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.668s	PASSED

Test Case 06 - Amount must greater than Zero

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.518s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.159s	PASSED

Test Case 07 - Amount is Negative

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		
Description			
Tag			
Start	2024-01-09 18:08:30	End	2024-01-09 18:08:39
Elapsed	9.579s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.650s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.232s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.906s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.660s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.567s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.005s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.852s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.933s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Financial Precision: Navigating Transactions with Expertise'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.973s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Navigate transactions with 'Financial Precision,' mastering each move for optimal outcomes.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.840s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '-0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.619s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.671s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.528s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.126s	PASSED

Test Case 07 - Amount is Negative

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		
Description			
Tag			
Start	2024-01-09 18:08:39	End	2024-01-09 18:08:49
Elapsed	9.622s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.696s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.204s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.904s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.659s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.552s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.101s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.820s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.923s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'The Transactional Navigator: A Guide to Financial Agility'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.969s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Become a 'Transactional Navigator,' exploring agile strategies for financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.832s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '-0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.600s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.689s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.530s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.128s	PASSED

Test Case 07 - Amount is Negative

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		
Description			
Tag			
Start	2024-01-09 18:08:49	End	2024-01-09 18:08:58
Elapsed	9.393s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.627s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.220s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.830s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.659s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.570s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.990s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.829s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.921s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Mastery in Motion: Strategic Financial Transaction Tactics'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.957s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Mastery in Motion': Uncover tactics for strategic financial transactions and mastery.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.820s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '-0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.621s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.670s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.524s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.138s	PASSED

Test Case 07 - Amount is Negative

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		
Description			
Tag			
Start	2024-01-09 18:08:58	End	2024-01-09 18:09:08
Elapsed	9.702s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.699s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.239s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.908s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.658s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.813s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.886s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.844s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.904s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Efficient Exchange: Fine-tuning Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.957s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Achieve 'Efficient Exchange'—fine-tune transactions for streamlined financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.830s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '-0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.606s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.687s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.515s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.140s	PASSED

Test Case 07 - Amount is Negative

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 07 - Amount is Negative		
Description			
Tag			
Start	2024-01-09 18:09:08	End	2024-01-09 18:09:18
Elapsed	9.772s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.721s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.223s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.897s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.679s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.814s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.866s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.862s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.923s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Navigating Wealth: The Art of Strategic Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.981s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Navigating Wealth': Master the art of strategic financial transactions for prosperity.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.842s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '-0.01' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.622s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.658s	PASSED

Test Case 07 - Amount is Negative

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.517s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.144s	PASSED

Test Case 08 - Amount greater than 100001709

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		
Description			
Tag			
Start	2024-01-09 18:09:18	End	2024-01-09 18:09:27
Elapsed	9.548s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.641s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.222s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.815s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.664s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.576s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.087s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.826s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.932s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "Financial Precision: Navigating Transactions with Expertise" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.969s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "Navigate transactions with 'Financial Precision,' mastering each move for optimal outcomes." is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.850s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '1000171230' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.620s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.673s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.530s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.125s	PASSED

Test Case 08 - Amount greater than 100001709

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		
Description			
Tag			
Start	2024-01-09 18:09:27	End	2024-01-09 18:09:37
Elapsed	9.457s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.635s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.219s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.909s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.647s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.570s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	0.965s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.841s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.909s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'The Transactional Navigator: A Guide to Financial Agility'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.973s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Become a 'Transactional Navigator,' exploring agile strategies for financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.823s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '3220180320' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.613s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.700s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.509s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.127s	PASSED

Test Case 08 - Amount greater than 100001709

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		
Description			
Tag			
Start	2024-01-09 18:09:37	End	2024-01-09 18:09:47
Elapsed	9.696s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.723s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.207s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.901s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.663s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.573s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.070s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.843s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.898s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Mastery in Motion: Strategic Financial Transaction Tactics'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.977s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Mastery in Motion': Uncover tactics for strategic financial transactions and mastery.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.848s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '2002033200' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.629s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.701s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.512s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.138s	PASSED

Test Case 08 - Amount greater than 100001709

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		
Description			
Tag			
Start	2024-01-09 18:09:47	End	2024-01-09 18:09:56
Elapsed	9.689s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.649s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.216s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.893s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.674s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.569s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.068s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.860s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.937s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Efficient Exchange: Fine-tuning Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.955s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Achieve 'Efficient Exchange'—fine-tune transactions for streamlined financial success.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.862s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '3212313123' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.613s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.703s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.513s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.156s	PASSED

Test Case 08 - Amount greater than 100001709

Information

ID	Test Cases/Folder 2 - Create a new recurring transaction/Test Case 08 - Amount greater than 100001709		
Description			
Tag			
Start	2024-01-09 18:09:56	End	2024-01-09 18:10:06
Elapsed	9.709s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.659s	PASSED
2	navigateToUrl("http://localhost:8080/login") Navigate to 'http://localhost:8080/login' successfully	0.210s	PASSED
3	setText(findTestObject("Page_Login to Firefly III/input_Remember me_email"), "hosiduc2002.chem@gmail.com") Text 'hosiduc2002.chem@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_email'	0.821s	PASSED
4	setText(findTestObject("Page_Login to Firefly III/input_Remember me_password"), "REVB2z8vWZS395tmKNuH") Text 'REVB2z8vWZS395tmKNuH' is set on object 'Object Repository/Page_Login to Firefly III/input_Remember me_password'	0.672s	PASSED
5	click(findTestObject("Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.563s	PASSED
6	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/span_Automation' is clicked on	1.090s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
7	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Recurring transactions' is clicked on	0.930s	PASSED
8	click(findTestObject("Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction")) Object: 'Object Repository/Create a new recurring transaction/Page_Recurring transactions Firefly III/a_Create a recurring transaction' is clicked on	0.926s	PASSED
9	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title"), Title) Text "'Navigating Wealth: The Art of Strategic Financial Transactions'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Title_title'	0.988s	PASSED
10	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description"), Description) Text "'Navigating Wealth': Master the art of strategic financial transactions for prosperity.'" is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Transaction description_transaction_description'	0.866s	PASSED
11	setText(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount"), Amount) Text '1002321310' is set on object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/input_Amount_amount'	0.642s	PASSED
12	click(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction"), STOP_ON_FAILURE) Object: 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/button_Store recurring transaction' is clicked on	0.676s	PASSED

Test Case 08 - Amount greater than 100001709

#	Description	Elapsed	Status
13	<p>verifyElementPresent(findTestObject("Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero"), 0)</p> <p>Object 'Object Repository/Create a new recurring transaction/Page_Create new recurring transaction Recurring transactions Firefly III/p_The value must be more than zero' is present</p>	0.520s	PASSED
14	<p>closeBrowser()</p> <p>Browser is closed</p>	0.128s	PASSED