

# Expense Account

## Execution Environment

Host name	Admin - LAPTOP-ASIKDQEV
Local OS	Windows 11 64bit
Katalon version	9.0.0.212
Browser	Chrome 120.0.0.0

## Summary

ID	Test Suites/Expense Account		
Description			
Total	25		
Passed	23	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2024-01-05 23:08:14	End	2024-01-05 23:17:42
Elapsed	9m - 27.995s		

#	ID	Description	Status
1	Test Cases/Account/CreateExpenseAccount		PASSED
2	Test Cases/Account/CreateExpenseAccount		PASSED
3	Test Cases/Account/CreateExpenseAccount		PASSED
4	Test Cases/Account/CreateExpenseAccount		PASSED
5	Test Cases/Account/CreateExpenseAccount		FAILED
6	Test Cases/Account/CreateExpenseAccount		FAILED
7	Test Cases/Account/CreateExpenseAccount		PASSED
8	Test Cases/Account/CreateExpenseAccount		PASSED
9	Test Cases/Account/CreateExpenseAccount		PASSED
10	Test Cases/Account/CreateExpenseAccount		PASSED
11	Test Cases/Account/CreateExpenseAccount		PASSED
12	Test Cases/Account/CreateExpenseAccount		PASSED
13	Test Cases/Account/CreateExpenseAccount		PASSED
14	Test Cases/Account/CreateExpenseAccount		PASSED
15	Test Cases/Account/CreateExpenseAccount		PASSED

# Expense Account

#	ID	Description	Status
16	Test Cases/Account/CreateExpenseAccount		PASSED
17	Test Cases/Account/CreateExpenseAccount		PASSED
18	Test Cases/Account/CreateExpenseAccount		PASSED
19	Test Cases/Account/CreateExpenseAccount		PASSED
20	Test Cases/Account/CreateExpenseAccount		PASSED
21	Test Cases/Account/CreateExpenseAccount		PASSED
22	Test Cases/Account/CreateExpenseAccount		PASSED
23	Test Cases/Account/CreateExpenseAccount		PASSED
24	Test Cases/Account/CreateExpenseAccount		PASSED
25	Test Cases/Account/CreateExpenseAccount		PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:08:14	End	2024-01-05 23:08:26
Elapsed	11.721s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.797s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.297s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.846s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.439s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.669s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.042s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.770s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.708s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann Buddleigh' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.758s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'IE15 EOSR 0273 9183 0021 67' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.661s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'GLALCMQBUHU' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.674s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '94309186202' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.677s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.665s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.580s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.648s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:08:26	End	2024-01-05 23:08:36
Elapsed	10.320s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<div>openBrowser("")  Browser is opened with url: "</div>	0.859s	PASSED
2	<div>navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully</div>	0.221s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.797s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.397s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	0.666s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on</div>	1.078s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.838s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.752s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann #' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.764s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR22 7491 7853 13NY S8GX 04LT M97' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.677s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'CGTASUWER39' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.677s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '68366954006237' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.660s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.648s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.626s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.630s	PASSED



# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:08:36	End	2024-01-05 23:08:47
Elapsed	10.325s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.877s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.194s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.806s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.397s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.640s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.136s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.778s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.755s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'J' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.748s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'SI93 7926 8559 3523 095' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.659s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'JJOGYV92M05' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.681s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '488323023456727' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.665s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.649s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.807s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.506s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:08:47	End	2024-01-05 23:08:57
Elapsed	10.259s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.863s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.211s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.814s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.385s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.696s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.089s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.784s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.753s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann Buddleigh Joyann Buddleigh' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.752s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'GL09 7896 6350 9653 32' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.651s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'HXVWWX34SS7' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.642s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '942526830035062' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.651s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.640s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.859s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.420s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:11:00	End	2024-01-05 23:11:40
Elapsed	40.513s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.822s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.214s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.788s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.382s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.591s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.062s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.705s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.723s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Reagan Fance' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.735s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text '12' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.602s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'UXRHAM29B3X' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.637s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '317677679881094' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.625s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.607s	PASSED



## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.587s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Unable to verify object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1464) at CreateExpenseAccount.run(CreateExpenseAccount:49) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1704470884747.run(TempTestSuite1704470884747.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success	31.403s	FAILED

# CreateExpenseAccount

#	Description	Elapsed	Status
	<div><div>_d10285' located by '//div[@id='app']/div/section[2]/div' not found</div><div>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</div><div>(WebUIKeywordMain.groovy:64)</div><div>at com.kms.katalon.core.webui.keyword.builtin.</div><div>VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall</div><div>(VerifyElementPresentKeyword.groovy:85)</div><div>at com.kms.katalon.core.webui.keyword.builtin.</div><div>VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call</div><div>(VerifyElementPresentKeyword.groovy)</div><div>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</div><div>(WebUIKeywordMain.groovy:20)</div><div>... 23 more</div></div>		

FireflyIII

January 1st, 2024 - January 31st, 2024

phuochainguyen2012@gmail.com

Search...

Accounts

Create a new expense account

Home > Expense accounts > New expense account

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Mandatory fields

Name

Reagan Fance

Options

Optional fields

IBAN

12

This is not a valid IBAN.

BIC

UXRHAM29B3X

Account number

317677679881094

Notes

Travel Expenses

This field supports Markdown.

Attachments

Choose Files

No file chosen

Maximum file size: 64 MB

FireflyIII

January 1st, 2024 - January 31st, 2024

phuochainguyen2012@gmail.com

Search...

Accounts

Create a new expense account

Home > Expense accounts > New expense account

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Mandatory fields

Name

Reagan Fance

Options

Optional fields

IBAN

12

This is not a valid IBAN.

BIC

UXRHAM29B3X

Account number

317677679881094

Notes

Travel Expenses

This field supports Markdown.

Attachments

Choose Files

No file chosen

Maximum file size: 64 MB

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:13:42	End	2024-01-05 23:14:23
Elapsed	40.493s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.777s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.197s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.784s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.374s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.568s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.896s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.837s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.757s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Kirstyn Gudgen' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.818s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR49 5552 9349 25WY 9JRV XCDC W63' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.631s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text '12' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.640s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '626296433123188' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.638s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.650s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.590s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Unable to verify object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1464) at CreateExpenseAccount.run(CreateExpenseAccount:49) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1704470884747.run(TempTestSuite1704470884747.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success	31.319s	FAILED

# CreateExpenseAccount

#	Description	Elapsed	Status
	<div><div>_d10285' located by '//div[@id='app']/div/section[2]/div' not found</div><div>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</div><div>(WebUIKeywordMain.groovy:64)</div><div>at com.kms.katalon.core.webui.keyword.builtin.</div><div>VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall</div><div>(VerifyElementPresentKeyword.groovy:85)</div><div>at com.kms.katalon.core.webui.keyword.builtin.</div><div>VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call</div><div>(VerifyElementPresentKeyword.groovy)</div><div>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</div><div>(WebUIKeywordMain.groovy:20)</div><div>... 23 more</div></div>		

FireflyIII

January 1st, 2024 - January 31st, 2024

phuochainguyen2012@gmail.com

Search...

Accounts

Create a new expense account

Home > Expense accounts > New expense account

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Mandatory fields

Name

Kirstyn Gudgen

Optional fields

IBAN

FR49 5552 9349 25WY 9JRV XCDC

BIC

12

This is not a valid BIC.

Account number

626296433123188

Notes

Travel Expenses

This field supports Markdown.

Attachments

Choose Files

No file chosen

Maximum file size: 64 MB

Options

FireflyIII

January 1st, 2024 - January 31st, 2024

phuochainguyen2012@gmail.com

Search...

Accounts

Create a new expense account

Home > Expense accounts > New expense account

Dashboard

FINANCIAL CONTROL

Budgets

Bills

Piggy banks

ACCOUNTING

Transactions

Automation

OTHERS

Accounts

Asset accounts

Expense accounts

Revenue accounts

Liabilities

Mandatory fields

Name

Kirstyn Gudgen

Optional fields

IBAN

FR49 5552 9349 25WY 9JRV XCDC

BIC

12

This is not a valid BIC.

Account number

626296433123188

Notes

Travel Expenses

This field supports Markdown.

Attachments

Choose Files

No file chosen

Maximum file size: 64 MB

Options



# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:14:23	End	2024-01-05 23:14:33
Elapsed	9.994s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.773s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.198s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.772s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.361s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.562s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.198s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.760s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.715s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Wernher Blitzler' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.837s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR40 7514 4599 81WF QJR6 XYH2 O73' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.646s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'ORHVMXV9S3T' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.640s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text 'justtheaccountnumber' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.633s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.629s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.621s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.625s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:14:33	End	2024-01-05 23:14:43
Elapsed	9.894s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<div>openBrowser("")  Browser is opened with url: "</div>	0.806s	PASSED
2	<div>navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully</div>	0.205s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.774s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxs2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.365s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	0.615s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on</div>	1.000s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.786s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.729s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Cindee Nunan' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.815s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'GR03 1666 274Q MPNA 0LXN 04QR 2NK' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.636s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'FZGCIOR71WL' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.643s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '9' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.611s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.624s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.657s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.610s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:14:43	End	2024-01-05 23:14:53
Elapsed	9.956s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.826s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.214s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.791s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.375s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.585s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.972s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.864s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.720s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Ranee Domanek' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.738s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'MD86 5XWB GYF2 NA4Q AVD5 GWU2' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.620s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'LKZXP8OBS1' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.641s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '308622085313352' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.641s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.632s	PASSED



## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.693s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.625s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:14:53	End	2024-01-05 23:15:02
Elapsed	9.817s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.833s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.222s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.774s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.365s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.597s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.923s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.783s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.730s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Tudor Estevez' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.735s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'CY41 3625 0881 GVUQ NO8O E7DR HSCY' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.645s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'EZQQJS72CNQ' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.640s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '624476482379852' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.628s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel %4#%^' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.628s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.692s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.603s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:03	End	2024-01-05 23:15:14
Elapsed	11.689s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.787s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.191s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.861s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.375s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.583s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.992s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.855s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.717s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Caro Coughlan' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.722s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'LU14 727X U4EN W4MT FGDZ' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.637s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'QBZPUO76ZP6' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.654s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '220444685785248' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.634s	PASSED

## CreateExpenseAccount

[illegible]

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:14	End	2024-01-05 23:15:24
Elapsed	10.112s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.825s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.195s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.784s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.398s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.611s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.011s	PASSED



# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.844s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.771s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joy' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.740s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR56 7912 2128 75D7 NU4Q GACU 035' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.645s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'JWMIYL6O592' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.642s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '829792194858879' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.630s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.646s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.738s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.619s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:24	End	2024-01-05 23:15:35
Elapsed	10.163s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.865s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.233s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.864s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.367s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.570s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.945s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.819s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.747s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joya' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.824s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'LV57 PLTP L2YA PTXJ UUHR N' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.629s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'IBAPUS40BDA' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.643s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '460343308187618' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.622s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.622s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.758s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.634s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:35	End	2024-01-05 23:15:45
Elapsed	10.109s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.852s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.187s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.768s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.360s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.616s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.977s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.863s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.712s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann Buddleigh David Beckha' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.752s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'GL66 3257 5648 9151 09' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.622s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'ITPOYZ578H9' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.660s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '928663174268231' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.670s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.629s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.907s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.513s	PASSED



# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:45	End	2024-01-05 23:15:55
Elapsed	10.393s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.862s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.198s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.804s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxs2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.373s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.605s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.070s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.816s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.748s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann Buddleigh David Beckham' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.743s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'DO36 FHUX 7236 3272 1580 8498 0233' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.639s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'ZAICYZS59R3' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.642s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '509657475855988' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.682s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.646s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.024s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.504s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:15:55	End	2024-01-05 23:16:06
Elapsed	10.239s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	0.886s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	0.279s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")</div> <div>Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.806s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.397s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	0.581s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on</div>	0.965s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.891s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.721s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Jo' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.726s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'MD13 A0PE CGWR BBBE R2VD GSIP' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.638s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'NLDQXI4CW8E' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.640s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '21560267312777' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.611s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.637s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.835s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.615s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:06	End	2024-01-05 23:16:16
Elapsed	10.275s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.834s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.187s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.787s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.370s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.613s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	0.970s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.915s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.724s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Joyann Buddleigh David Beckhamt' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.834s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR40 2981 7925 56LG ALHL T73M P51' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.652s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'NPWJNG0QI9A' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.643s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '285515606211701' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.624s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.625s	PASSED



## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	0.819s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.662s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:16	End	2024-01-05 23:16:26
Elapsed	10.454s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.852s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.208s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.789s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.363s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.594s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.041s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.923s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.744s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Christin Baudasso' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.821s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'KW98 TPPU OFJP 6U5I FMV5 VM3S J4H5 YN' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.657s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'YIQYGW0EYV' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.628s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '943' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.637s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.629s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.048s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.504s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:26	End	2024-01-05 23:16:37
Elapsed	10.562s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.875s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.206s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.806s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.366s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.645s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.098s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.923s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.727s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Clemmie Sailor' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.748s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'AZ27 DEFZ ITKC IU1Y PPQJ KLNU QFCS' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.631s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'TCDJNS99366' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.657s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '6202' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.618s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.637s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.105s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.501s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:37	End	2024-01-05 23:16:47
Elapsed	10.405s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.839s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.209s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.800s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.363s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.596s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.098s	PASSED



# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.946s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.719s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Lezley Wylie' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.733s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'AT47 0158 8574 9089 5057' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.628s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'IPTWNFCZJ78' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.613s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '94309186202123' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.634s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.639s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.048s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.523s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:47	End	2024-01-05 23:16:58
Elapsed	10.410s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.839s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.213s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.789s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxs2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.366s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.600s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.005s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.985s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.710s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Claudia Emor' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.826s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'KZ63 843Y G5Y0 7NEO 1YM7' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.622s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'QXGLLZ90T16' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.618s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '943091862102123' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.647s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.603s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.070s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.505s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:16:58	End	2024-01-05 23:17:08
Elapsed	10.397s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.866s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.192s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.787s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.370s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.582s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.034s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	1.013s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.733s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Niccolo Ingerson' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.731s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR26 5900 3847 25KH EDGZ PO2D A06' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.628s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'ENJODLTRZ71' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.643s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '12' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.618s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.623s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.061s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.502s	PASSED



# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:17:08	End	2024-01-05 23:17:19
Elapsed	10.580s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.857s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.205s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.783s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.364s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.589s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.092s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	1.014s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.723s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Basilius Redman' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.736s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'RS07 7707 1314 1299 8080 89' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.629s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'WMQFJKW5PXE' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.636s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '9430918621102120' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.647s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Travel Expenses' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.629s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.145s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.506s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:17:19	End	2024-01-05 23:17:30
Elapsed	10.859s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.857s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.197s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.887s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.375s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.604s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.084s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	0.985s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.718s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Ilysa Burness' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.731s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'FR91 5279 0310 20A1 RGHF CUY0 U75' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.639s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'QRNZDXX1DR2' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.631s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '452674204332224' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.625s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Testing the system with a sample note to ensure proper functionality. The quick brown fox jumps over the lazy dog. This is just a placeholder text for testing purposes. Please ignore this note in a real-world scenario. Thank you' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.836s	PASSED

## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.172s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.507s	PASSED

# CreateExpenseAccount

## Information

ID	Test Cases/Account/CreateExpenseAccount		
Description			
Tag			
Start	2024-01-05 23:17:30	End	2024-01-05 23:17:41
Elapsed	10.718s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.854s	PASSED
2	navigateToUrl("http://localhost/login")  Navigate to 'http://localhost/login' successfully	0.229s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phuochainguyen2012@gmail.com")  Text 'phuochainguyen2012@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.824s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "0v9x3TPc8khEWMvZDxEsfvxsw2rBbLFj")  Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.374s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))  Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	0.605s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Accounts' is clicked on	1.121s	PASSED

# CreateExpenseAccount

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Expense accounts"))  Object: 'Object Repository/Page_Whats playing Firefly III/span_Expense accounts' is clicked on	1.050s	PASSED
8	click(findTestObject("Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account"))  Object: 'Object Repository/Page_Expense accounts Accounts Firefly III/a_Create a new expense account' is clicked on	0.630s	PASSED
9	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_name"), name)  Text 'Juliette Yakebowitch' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_name'	0.725s	PASSED
10	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban"), iban)  Text 'SI07 7540 2541 3987 918' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_iban'	0.619s	PASSED
11	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC"), bic)  Text 'BSWMNF0C0PD' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_BIC'	0.624s	PASSED
12	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number"), accountNumber)  Text '652062706808259' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/input_account_number'	0.643s	PASSED
13	setText(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes"), note)  Text 'Testing the system with a sample note to ensure proper functionality. The quick brown fox jumps over the lazy dog. This is just a placeholder text for testing purposes. Please ignore this note in a real-world scenario. Thank youu' is set on object 'Object Repository/Page_Create a new expense account Accounts_5f31da/textarea_notes'	0.844s	PASSED



## CreateExpenseAccount

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account"))  Object: 'Object Repository/Page_Create a new expense account Accounts_5f31da/button_Store new expense account' is clicked on	1.156s	PASSED
15	verifyElementPresent(findTestObject("Page_Expense accounts Accounts Firefly III/div_Close Success _d10285"), 0)  Object 'Object Repository/Page_Expense accounts Accounts Firefly III/div_Close Success _d10285' is present	0.408s	PASSED