

Test suite 02

Execution Environment

Host name	DANG - 192.168.84.1
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 111.0.0.0

Summary

ID	Test Suites/Test suite 02		
Description			
Total	13		
Passed	13	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	08-01-2024 22:41:59	End	08-01-2024 22:45:29
Elapsed	3m - 30.152s		

#	ID	Description	Status
1	Test Cases/Test Folder 02/Test 01		PASSED
2	Test Cases/Test Folder 02/Test 01		PASSED
3	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
4	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
5	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
6	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
7	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
8	Test Cases/Test Folder 02/Test 03_Same Pre		PASSED
9	Test Cases/Test Folder 02/Test 03_Same Pre		PASSED
10	Test Cases/Test Folder 02/Test 04_Bank name 256		PASSED
11	Test Cases/Test Folder 02/Test 05_Amount 1B		PASSED
12	Test Cases/Test Folder 02/Test 05_Amount 1B		PASSED
13	Test Cases/Test Folder 02/Test 06_Group 256		PASSED

Test 01

Information

ID	Test Cases/Test Folder 02/Test 01		
Description			
Tag			
Start	08-01-2024 22:42:00	End	08-01-2024 22:42:19
Elapsed	19.325s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	3.504s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	0.430s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com")</div> <div>Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.982s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.558s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.566s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	1.850s	PASSED

Test 01

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.836s	PASSED
8	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank)</code> Text 'Switchable' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.800s	PASSED
9	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.097s	PASSED
10	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '20/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.722s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '1000000000' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.751s	PASSED
12	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.702s	PASSED
13	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.383s	PASSED

Test 01

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.801s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.944s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	1.054s	PASSED
17	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success' is present	0.500s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.732s	PASSED
19	closeBrowser() Browser is closed	0.370s	PASSED

Test 01

Information

ID	Test Cases/Test Folder 02/Test 01		
Description			
Tag			
Start	08-01-2024 22:42:19	End	08-01-2024 22:42:36
Elapsed	16.803s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	0.948s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	0.661s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com")</div> <div>Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	1.159s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.644s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	2.139s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	2.167s	PASSED

Test 01

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.759s	PASSED
8	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'service-desk' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.789s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.022s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '24/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.690s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '222.75' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.726s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'sapien placerat ante' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.710s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.374s	PASSED

Test 01

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'duis' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.766s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.918s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.800s	PASSED
17	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success' is present	0.446s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.703s	PASSED
19	closeBrowser() Browser is closed	0.333s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	08-01-2024 22:42:36	End	08-01-2024 22:42:51
Elapsed	14.716s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.001s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.367s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.884s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.465s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.316s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.854s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.798s	PASSED
8	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '6' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.147s	PASSED
9	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '18/10/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.668s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '-4.52' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.699s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'vestibulum proin eu' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.807s	PASSED
12	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.412s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'ultrices' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.826s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.927s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.856s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.452s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.722s	PASSED
18	closeBrowser() Browser is closed	0.285s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	08-01-2024 22:42:51	End	08-01-2024 22:43:05
Elapsed	14.455s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.980s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.339s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.965s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.480s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.333s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.753s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.837s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '2' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.055s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '26/10/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.665s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '140.39' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.697s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'natoque penatibus et' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.774s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.395s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'enim' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.799s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.912s	PASSED
15	<code>click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.810s	PASSED
16	<code>verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0)</code> Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.537s	PASSED
17	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.691s	PASSED
18	<code>closeBrowser()</code> Browser is closed	0.348s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	08-01-2024 22:43:05	End	08-01-2024 22:43:19
Elapsed	14.140s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("") Browser is opened with url: "</div>	0.990s	PASSED
2	<div>navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully</div>	0.395s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.939s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.448s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.387s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	1.572s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.807s	PASSED
8	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '5' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.247s	PASSED
9	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '08/06/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.639s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text " " is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.656s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'eu nibh' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.695s	PASSED
12	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.379s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'mi' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.779s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.907s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.804s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.525s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.636s	PASSED
18	closeBrowser() Browser is closed	0.259s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	08-01-2024 22:43:20	End	08-01-2024 22:43:33
Elapsed	13.548s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.825s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.286s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.930s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.470s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.255s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.446s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.784s	PASSED
8	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '5' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.182s	PASSED
9	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '12/01/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.647s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '146.43' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.688s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text " is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.656s	PASSED
12	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.372s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'vel' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.858s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.928s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.746s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.506s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.652s	PASSED
18	closeBrowser() Browser is closed	0.263s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	08-01-2024 22:43:33	End	08-01-2024 22:43:47
Elapsed	13.599s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.821s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.286s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.920s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.476s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.123s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.467s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.833s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.271s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '01/03/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.673s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '-19.6' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.695s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'sem praesent' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.685s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.374s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'nunc' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.789s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.901s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.932s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.448s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.588s	PASSED
18	closeBrowser() Browser is closed	0.259s	PASSED

Test 03_Same Pre

Information

ID	Test Cases/Test Folder 02/Test 03_Same Pre		
Description			
Tag			
Start	08-01-2024 22:43:47	End	08-01-2024 22:44:02
Elapsed	14.786s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.874s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.342s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.905s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.471s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.195s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.652s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.949s	PASSED
8	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'Switchable' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.817s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	0.986s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '20/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.699s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '1000000000' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.735s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.693s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.357s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.807s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.962s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.783s	PASSED
17	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique' is present	0.417s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.708s	PASSED
19	closeBrowser() Browser is closed	0.275s	PASSED

Test 03_Same Pre

Information

ID	Test Cases/Test Folder 02/Test 03_Same Pre		
Description			
Tag			
Start	08-01-2024 22:44:02	End	08-01-2024 22:44:18
Elapsed	15.789s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.863s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.379s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.890s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.451s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.426s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	2.042s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.972s	PASSED
8	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'service-desk' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.841s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.119s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '24/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.679s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '222.75' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.749s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'sapien placerat ante' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.792s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.373s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'duis' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.781s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.918s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.922s	PASSED
17	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique' is present	0.529s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.716s	PASSED
19	closeBrowser() Browser is closed	0.311s	PASSED

Test 04_Bank name 256

Information

ID	Test Cases/Test Folder 02/Test 04_Bank name 256		
Description			
Tag			
Start	08-01-2024 22:44:18	End	08-01-2024 22:44:37
Elapsed	18.733s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.898s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.352s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.933s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.482s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.365s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.712s	PASSED

Test 04_Bank name 256

[illegible]

Test 04_Bank name 256

#	Description	Elapsed	Status
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.719s	PASSED
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.351s	PASSED
15	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.828s	PASSED
16	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.943s	PASSED
17	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.878s	PASSED
18	delay(2) Delayed 2 second(s)	2.058s	PASSED
19	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name must be between 1 and 255 characters"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name must be between 1 and 255 characters' is present	0.302s	PASSED

Test 04_Bank name 256

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.680s	PASSED
21	closeBrowser() Browser is closed	0.236s	PASSED

Test 05_Amount 1B

Information

ID	Test Cases/Test Folder 02/Test 05_Amount 1B		
Description			
Tag			
Start	08-01-2024 22:44:37	End	08-01-2024 22:44:54
Elapsed	17.573s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.889s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.355s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	1.032s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.469s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.403s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.637s	PASSED

Test 05_Amount 1B

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.819s	PASSED
8	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'SwitchableRAR' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.901s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	0.988s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), name_bank) Text 'SwitchableRAR' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.669s	PASSED
11	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '20/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.600s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '1000000000.01' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.724s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.679s	PASSED

Test 05_Amount 1B

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.351s	PASSED
15	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.891s	PASSED
16	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.946s	PASSED
17	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.846s	PASSED
18	delay(2) Delayed 2 second(s)	2.006s	PASSED
19	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than 1000000000"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than 1000000000' is present	0.290s	PASSED
20	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.642s	PASSED
21	closeBrowser() Browser is closed	0.241s	PASSED

Test 05_Amount 1B

Information

ID	Test Cases/Test Folder 02/Test 05_Amount 1B		
Description			
Tag			
Start	08-01-2024 22:44:54	End	08-01-2024 22:45:11
Elapsed	16.705s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.803s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.401s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.862s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.429s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.281s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.572s	PASSED

Test 05_Amount 1B

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.885s	PASSED
8	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'SwitchableRARAB' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.895s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	0.962s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), name_bank) Text 'SwitchableRARAB' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.629s	PASSED
11	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '22/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.605s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '1200000025' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.683s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.678s	PASSED

Test 05_Amount 1B

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.353s	PASSED
15	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.876s	PASSED
16	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.912s	PASSED
17	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.711s	PASSED
18	delay(2) Delayed 2 second(s)	2.014s	PASSED
19	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than 1000000000"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than 1000000000' is present	0.300s	PASSED
20	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.606s	PASSED
21	closeBrowser() Browser is closed	0.220s	PASSED

Test 06_Group 256

Information

ID	Test Cases/Test Folder 02/Test 06_Group 256		
Description			
Tag			
Start	08-01-2024 22:45:11	End	08-01-2024 22:45:29
Elapsed	17.408s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.809s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.256s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.905s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.445s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.122s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.371s	PASSED

Test 06_Group 256

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.714s	PASSED
8	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank) Text 'GMMTV' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.847s	PASSED
9	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	0.954s	PASSED
10	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), name_bank) Text 'GMMTV' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.643s	PASSED
11	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '27/02/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.598s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '83.86' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.650s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.688s	PASSED

Test 06_Group 256

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.347s	PASSED
15	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'ABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGHABCDEFGHIJKLMNOPQRSTUVWXYZFGH' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	1.954s	PASSED
16	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.904s	PASSED
17	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.740s	PASSED
18	delay(2) Delayed 2 second(s)	2.011s	PASSED
19	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The object group may not be greater than 255 characters"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The object group may not be greater than 255 characters' is present	0.310s	PASSED
20	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.756s	PASSED

Test 06_Group 256

#	Description	Elapsed	Status
21	closeBrowser() Browser is closed	0.235s	PASSED