

Test suite 02

Execution Environment

Host name	DANG - 192.168.84.1
Local OS	Windows 11 64bit
Katalon version	9.2.0.212
Browser	Chrome 111.0.0.0

Summary

ID	Test Suites/Test suite 02		
Description			
Total	9		
Passed	9	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	05-01-2024 01:02:45	End	05-01-2024 01:05:08
Elapsed	2m - 22.936s		

#	ID	Description	Status
1	Test Cases/Test Folder 02/Test 01		PASSED
2	Test Cases/Test Folder 02/Test 01		PASSED
3	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
4	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
5	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
6	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
7	Test Cases/Test Folder 02/Test 02_Empty Bank		PASSED
8	Test Cases/Test Folder 02/Test 03_Same Pre		PASSED
9	Test Cases/Test Folder 02/Test 03_Same Pre		PASSED

Test 01

Information

ID	Test Cases/Test Folder 02/Test 01		
Description			
Tag			
Start	05-01-2024 01:02:45	End	05-01-2024 01:03:02
Elapsed	16.560s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	2.488s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	0.356s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com")</div> <div>Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.974s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.529s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.172s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	1.344s	PASSED

Test 01

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.753s	PASSED
8	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank)</code> Text 'Switchable' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.850s	PASSED
9	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.049s	PASSED
10	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '20/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.686s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '83.86' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.740s	PASSED
12	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.705s	PASSED
13	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.387s	PASSED

Test 01

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.808s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.918s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.799s	PASSED
17	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success' is present	0.454s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.677s	PASSED
19	closeBrowser() Browser is closed	0.323s	PASSED

Test 01

Information

ID	Test Cases/Test Folder 02/Test 01		
Description			
Tag			
Start	05-01-2024 01:03:02	End	05-01-2024 01:03:17
Elapsed	14.553s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	1.023s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	0.332s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com")</div> <div>Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.971s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.496s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.135s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	1.634s	PASSED

Test 01

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.775s	PASSED
8	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name"), name_bank)</code> Text 'service-desk' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Name_name'	0.858s	PASSED
9	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.033s	PASSED
10	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '24/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.668s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '222.75' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.702s	PASSED
12	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'sapien placerat ante' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.728s	PASSED
13	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.361s	PASSED

Test 01

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'duis' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.767s	PASSED
15	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.902s	PASSED
16	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.797s	PASSED
17	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/strong_Success' is present	0.427s	PASSED
18	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.643s	PASSED
19	closeBrowser() Browser is closed	0.255s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	05-01-2024 01:03:17	End	05-01-2024 01:03:31
Elapsed	14.048s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.978s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.325s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.986s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.474s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.213s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.633s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.879s	PASSED
8	selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true) All options with value '6' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.178s	PASSED
9	setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date) Text '18/10/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.716s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount) Text '-4.52' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.655s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note) Text 'vestibulum proin eu' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.690s	PASSED
12	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.364s	PASSED
13	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group) Text 'ultrices' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.768s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.900s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.773s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.418s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.635s	PASSED
18	closeBrowser() Browser is closed	0.238s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	05-01-2024 01:03:31	End	05-01-2024 01:03:45
Elapsed	13.695s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.083s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.318s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.926s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.447s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.130s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.470s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.761s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '2' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.161s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '26/10/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.672s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '140.39' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.707s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'natoque penatibus et' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.687s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.381s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'enim' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.863s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.905s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.752s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.503s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.613s	PASSED
18	closeBrowser() Browser is closed	0.229s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	05-01-2024 01:03:45	End	05-01-2024 01:03:58
Elapsed	13.303s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.945s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.382s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.936s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.434s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.122s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.342s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.837s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '5' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.181s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '08/06/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.651s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text " is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.661s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'eu nibh' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.689s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.384s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'mi' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.748s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.890s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.740s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.408s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.610s	PASSED
18	closeBrowser() Browser is closed	0.275s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	05-01-2024 01:03:58	End	05-01-2024 01:04:11
Elapsed	13.435s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("") Browser is opened with url: "</div>	0.893s	PASSED
2	<div>navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully</div>	0.326s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	0.892s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.415s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	1.168s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	1.520s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.772s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '5' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.149s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '12/01/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.680s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '146.43' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.697s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text " is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.620s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.369s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'vel' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.848s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.900s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.744s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.525s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.616s	PASSED
18	closeBrowser() Browser is closed	0.228s	PASSED

Test 02_Empty Bank

Information

ID	Test Cases/Test Folder 02/Test 02_Empty Bank		
Description			
Tag			
Start	05-01-2024 01:04:12	End	05-01-2024 01:04:27
Elapsed	15.753s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.914s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.330s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	0.934s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.463s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	1.118s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.390s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.775s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.719s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '01/03/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	1.085s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '-19.6' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	1.092s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'sem praesent' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	1.329s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.362s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'nunc' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.842s	PASSED

Test 02_Empty Bank

#	Description	Elapsed	Status
14	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.960s	PASSED
15	<code>click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.837s	PASSED
16	<code>verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)"), 0)</code> Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required (1)' is present	0.555s	PASSED
17	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.692s	PASSED
18	<code>closeBrowser()</code> Browser is closed	0.297s	PASSED

Test 03_Same Pre

Information

ID	Test Cases/Test Folder 02/Test 03_Same Pre		
Description			
Tag			
Start	05-01-2024 01:04:27	End	05-01-2024 01:04:47
Elapsed	19.298s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.340s	PASSED
2	navigateToUrl("http://localhost/login") Navigate to 'http://localhost/login' successfully	0.694s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com") Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	1.309s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.891s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	2.987s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.947s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	0.910s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '11' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.250s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '20/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.787s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '83.86' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.768s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'pulvinar' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.764s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.398s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'et commodo' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.864s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
14	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	1.013s	PASSED
15	<code>click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	1.155s	PASSED
16	<code>verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique"), 0)</code> Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique' is present	0.502s	PASSED
17	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	1.058s	PASSED
18	<code>closeBrowser()</code> Browser is closed	0.509s	PASSED

Test 03_Same Pre

Information

ID	Test Cases/Test Folder 02/Test 03_Same Pre		
Description			
Tag			
Start	05-01-2024 01:04:47	End	05-01-2024 01:05:07
Elapsed	20.244s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	1.778s	PASSED
2	<div>navigateToUrl("http://localhost/login")</div> <div>Navigate to 'http://localhost/login' successfully</div>	1.074s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "nguyenthiminhkhai63@gmail.com")</div> <div>Text 'nguyenthiminhkhai63@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	1.611s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "jAliK7bUrn6ECOXfsBMdlzuu61UDN6ru")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	1.194s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	3.068s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	2.791s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.066s	PASSED
8	<code>selectOptionByValue(findTestObject("Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc"), select_option, true)</code> All options with value '8' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ABCBr AccABC savings accountCash walletS Acc' using regular expression	1.282s	PASSED
9	<code>setText(findTestObject("Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate"), date)</code> Text '24/05/2023' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target date_targetdate'	0.710s	PASSED
10	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount"), amount)</code> Text '222.75' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Target amount_targetamount'	0.678s	PASSED
11	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes"), note)</code> Text 'sapien placerat ante' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_Notes_notes'	0.676s	PASSED
12	<code>click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group"))</code> Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_Group' is clicked on	0.348s	PASSED
13	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group"), group)</code> Text 'duis' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_Group_object_group'	0.873s	PASSED

Test 03_Same Pre

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/label_After storing, return here to create _29457e' is clicked on	0.896s	PASSED
15	click(findTestObject("Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank (1)' is clicked on	0.722s	PASSED
16	verifyElementPresent(findTestObject("Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name of the piggy bank must be unique' is present	0.525s	PASSED
17	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/span_Logout' is clicked on	0.669s	PASSED
18	closeBrowser() Browser is closed	0.234s	PASSED