

**Tinder Mini
Use-Case Specification**

Version 1.1

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

Revision History

Date	Version	Description	Author
13/11/2022	1.0	Basic description of the two use-cases of the project	Nguyen Khac Tan Ho Si Duc Nguyen Van Hieu Nguyen Hai Dang Nguyen Quang Hien
16/11/2022	1.1	Final version of the document	Nguyen Khac Tan Ho Si Duc Nguyen Van Hieu Nguyen Hai Dang Nguyen Quang Hien


Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

Table of Contents

1.	Use-case Model	4
2.	Use-case Specifications	4
2.1	Use-case: Log in	4
2.2	Use-case: Register	5
2.3	Use-case: Logout	5
2.4	Use-case: Texting	6
2.5	Use-case: Edit account info	6
2.6	Use-case: Match	7
2.7	Use-case: Tarot	7
2.8	Use-case: Create a profile	8
2.9	Use-case: View list of accounts	9
2.10	Use-case: Delete account	9

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

1. Use-case Model



2. Use-case Specifications

2.1 Use-case: Log in

Use case Name	Log in
Brief description	User enters account, password
Actors	User
Basic Flow	<ol style="list-style-type: none"> 1. If the user logs in with an account 2. User enters account, password 3. User clicks login button 4. User account checking system 5. If true, the system allows the user to enter the main screen
Alternative Flows	Alternative flow 1: User logged in using another method <ol style="list-style-type: none"> 1. From #1 of the basic flow, user chooses to login with google or facebook 2. Continue step #4 in the basic flow

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

	Alternative flow 2: Account does not exist <ol style="list-style-type: none"> From #4 of the basic flow, the account does not exist, please notify, switch to registration Continue step #1
Pre-conditions	Start app
Post-conditions	User log in successful

2.2 Use-case: Register

Use case Name	Register
Brief description	If you do not have an account, please register for a new account
Actors	User
Basic Flow	<ol style="list-style-type: none"> User clicks on the button to register for an account. if user registers with email and password. user enters email, password and confirm password. The user clicks on the register button. Account checking system. If true, success message and back to the login step.
Alternative Flows	Alternative flow 1: User register using another method <ol style="list-style-type: none"> From #1 of the basic flow, user chooses to register with google or Facebook. Continue step #4 in the basic flow. Alternative flow 2: Email exists <ol style="list-style-type: none"> From #5 of the basic flow, if check email already exists. Invalid email notification system. Continue step #3 the basic flow. Alternative flow 3: Password and Confirm password do not correct <ol style="list-style-type: none"> From #5 of the basic flow, if check Password and Confirm password do not correct. Invalid password notification system. Continue step #3 in the basic flow.
Pre-conditions	<ol style="list-style-type: none"> Start app. There is an internet connection.
Post-conditions	Back to login activity.

2.3 Use-case: Logout

Use case Name	Logout
Brief description	Log out of your account to your account to terminate access to the app, ensuring the safety of your account.
Actors	User
Basic Flow	<ol style="list-style-type: none"> User is done using the app.

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

	<ol style="list-style-type: none"> The user clicks on the logout button The system logs the user out and invalidates the cookie/session
Alternative Flows	N/A
Pre-conditions	<ol style="list-style-type: none"> The user is logged into the app. The user no longer wants to use the app. There is an internet connection.
Post-conditions	The user is logged out.

2.4 Use-case: Texting

Use case Name	Register
Brief description	If you do not have an account, please register for a new account
Actors	User
Basic Flow	<ol style="list-style-type: none"> The user chooses the person he has matched to chat. The two sides will text each other back and forth to find out. The two sides can chat with each other whenever there is an internet connection. The system will send real-time messages to the opponent. If the message failed to send, the system will notify you that the message could not be sent.
Alternative Flows	N/A
Exception Flows	<p>Exception flow 1: The internet has a problem.</p> <ol style="list-style-type: none"> From #1 of the basic flow, the system moves to #5 when the user is trying to send a message to the other party. Continue step #5 in the basic flow. <p>Exception flow 2: The two are not matched yet.</p> <ol style="list-style-type: none"> The two of them won't see each other.
Pre-conditions	<ol style="list-style-type: none"> Both are matched with each other. Both have internet.
Post-conditions	Both of them chat with each other

2.5 Use-case: Edit account info

Use case Name	Edit account info
Brief description	Users can edit their profile to match their personal preferences.
Actors	User
Basic Flow	<ol style="list-style-type: none"> User selects "Edit Profile" The system displays the items in the profile (such as name, year of birth, sexual orientation, ...) User selects the item to edit (can select or autofill depending on the item) User update details, press "OK". The system validates data on demand, updates user records. Exit the profile editing screen

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

Alternative Flows	<p>Alternative flow 1: The internet has a problem.</p> <ol style="list-style-type: none"> 1. From #1 of the basic flow, the system moves to #6 because data must be updated on system database, without internet will not be able to update. 2. Continue step #6 in the basic flow. <p>Alternative flow 2: The user has no profile yet.</p> <ol style="list-style-type: none"> 1. From #1 of the basic flow, the profile contains required items, if the user leaves any blank, the user will not be able to click OK to complete the profile update. 2. Go back to #2 until user completes all required items then user can go to #5. <p>Alternative flow 3: The user has no profile yet.</p> <ol style="list-style-type: none"> 1. The user must return to step 2 until all required fields are duly filled in.
Pre-conditions	<ol style="list-style-type: none"> 1. User has registered an account. 2. There is an internet connection.
Post-conditions	User updated information successfully.

2.6 Use-case: Match

Use case Name	Match
Brief description	Two compatible users can match each other to get to know each other better.
Actors	User
Basic Flow	<ol style="list-style-type: none"> 1. The system will select suitable objects for users based on common points such as interests, cases, age, ... 2. Swipe right to match the person you like 3. Swipe left to skip.
Alternative Flows	N/A
Exception Flows	<p>Exception flow 1: The internet has a problem.</p> <ol style="list-style-type: none"> 1. From #1 of the basic flow, the user will see a message that is not connected to the internet and the user profile will not be displayed. <p>Exception flow 2: The user has not created a profile.</p> <ol style="list-style-type: none"> 1. The user will be asked to create a profile before matching.
Pre-conditions	<ol style="list-style-type: none"> 1. There is an internet connection. 2. Already have a profile.
Post-conditions	<ol style="list-style-type: none"> 1. Users can match with others. 2. Users can ignore the object they do not like.

2.7 Use-case: Tarot

Use case Name	Tarot
---------------	-------

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

Brief description	Users can use tarot fortune telling to ask for the love path of the day, who is suitable.
Actors	User
Basic Flow	<ol style="list-style-type: none"> 1. Users enable tarot fortune telling in settings. 2. The user taps the tarot button on the main screen. 3. Users choose a card to see today's love line, suggesting objects. 4. Users have the right to believe it or not.
Alternative Flows	N/A
Exception Flows	<p>Exception flow 1: The internet has a problem.</p> <ol style="list-style-type: none"> 1. From #1 of the basic flow, the user will see a message that is not connected to the internet and the tarot screen will not be displayed. <p>Exception flow 2: The user has not created a profile.</p> <ol style="list-style-type: none"> 1. The user will be asked to create a profile before matching.
Pre-conditions	<ol style="list-style-type: none"> 1. There is an internet connection. 2. Already have a profile. 3. Enable tarot viewing.
Post-conditions	<ol style="list-style-type: none"> 1. User can view tarot for the day.

2.8 Use-case: Create a profile

Use case Name	Create a profile
Brief description	Immediately after registration (or after) users will create profiles to match people who have something in common.
Actors	User
Basic Flow	<ol style="list-style-type: none"> 1. Immediately after registration (or the user can create later), the user will create a profile. 2. Fill in the required information such as: Name, age, gender, interests, sexual orientation, ... 3. Upload a few pictures. 4. Click OK to save the profile.
Alternative Flows	<p>Alternative flow 1: The user wants to authenticate the account.</p> <ol style="list-style-type: none"> 1. In order for the user account to be more trusted and liked by more people, users can request account authentication before pressing the OK button to complete the profile creation. 2. There are several ways to authenticate an account such as: uploading identification documents (ID card, driver's license, ...), phone authentication, ... 3. The user will then proceed to #4. <p>Alternative flow 2: Users do not want to create a profile right away.</p> <ol style="list-style-type: none"> 1. Users may not create a profile immediately if they do not want to use the app.

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022

	2. Click the skip button on the profile registration section.
Exception Flows	Exception flow 1: The internet has a problem. <ol style="list-style-type: none"> From #1 of the basic flow, the user will see a message that is not connected to the internet and the user profile will not be displayed.
Pre-conditions	User has registered an account. There is an internet connection.
Post-conditions	User created profile successfully. Users create profiles later, do not create immediately.

2.9 Use-case: View list of accounts

Use case Name	Create a profile
Brief description	Administrators can view the list of accounts.
Actors	Admin on Firebase.
Basic Flow	<ol style="list-style-type: none"> Admin go to the project's firebase page to see the list of created accounts. Administrators can affect accounts such as adding, deleting, editing, ...
Alternative Flows	N/A
Exception Flows	Exception flow 1: The internet has a problem. <ol style="list-style-type: none"> From #1 of the basic flow, the user will see a message that is not connected to the internet and the list of accounts will not be displayed.
Pre-conditions	The administrator has access to the database. There is an internet connection.
Post-conditions	Administrators can view the database.

2.10 Use-case: Delete account

Use case Name	Delete account
Brief description	Administrators can delete an account if it violates user terms.
Actors	Admin on Firebase.
Basic Flow	<ol style="list-style-type: none"> Admin go to the project's firebase page to see the list of created accounts. The administrator selects an account and deletes the account.
Alternative Flows	N/A
Exception Flows	Exception flow 1: The internet has a problem. <ol style="list-style-type: none"> From #1 of the basic flow, the user will see a message that is not connected to the internet and the list of accounts will not be displayed, so admin can't delete accounts.
Pre-conditions	The administrator has access to the database. There is an internet connection.
Post-conditions	Administrators can view the database and delete the account.

Tinder Mini	Version: 1.1
Use-Case Specification	Date: 16/11/2022