



CareerLaunch

END-TO-END TEST DOCUMENT

CareerLaunch

End-to-end acceptance testing —
every user story, proven against its acceptance criteria.

The formal test document for the CareerLaunch platform: environment and data preparation, forty-six scripted end-to-end test cases across twelve suites (core enrolment engine, automation, console, invoicing, payments, certificates, currency & language, error logging, the student portal, and release quality), a full traceability matrix mapping every acceptance criterion to the cases that prove it, and the sign-off record.

• Core engine & automation

• Payments · certificates · portal

• Traceability & sign-off

CareerLaunch Platform

Enrolments · Invoicing · Certificates · Payments · Portal

E2E Test Document · Rev. August 2026

QA & UAT reference · Oxfordable Careers

What's in this document

- 1 Introduction & test approach**
Purpose · scope · references · entry & exit criteria · defect recording · how to run a case
- 2 Environment, roles & test data preparation**
Org prerequisites · the three test users · the seed data script (TD-01...TD-08)
- 3 Suite A — Catalogue & data model**
US-01 · US-03 · validation rules (E2E-01...04)
- 4 Suite B — Enrolment business rules**
US-02 · US-04 · US-05 · NFR-01 (E2E-05...09)
- 5 Suite C — Automation**
US-06 · US-07 · US-08 · US-09 · US-13 (E2E-10...15)
- 6 Suite D — Enrolment Console**
US-10 · NFR-04 (E2E-16...18)
- 7 Suite E — Agentforce agent (conditional)**
US-11 · US-12 (E2E-19...21)
- 8 Suite F — Invoicing**
Auto-creation · idempotency · free courses · paid-requires-reference · re-issue (E2E-22...26)
- 9 Suite G — Payments**
Success · declined · double-pay · roll-up (E2E-27...30)
- 10 Suite H — Certificates**
Issue on completion · once-only · content (E2E-31...33)
- 11 Suite I — Currency & language**
Conversion · frozen rate · French UI & certificate (E2E-34...36)
- 12 Suite J — Error logging**
Apex · flow faults · rollback survival (E2E-37...39)
- 13 Suite K — Student portal, end to end**
Login · privacy · pay · certificate · access control (E2E-40...44)
- 14 Suite L — Release quality**
Unit tests ≥75% · deployment validation (E2E-45...46)
- 15 Traceability matrix & sign-off**
Every acceptance criterion → its proving cases · execution summary · signatures

1 Introduction & test approach

What this document is for, what it covers, and the rules for executing it.

1.1 Purpose

This document proves, end to end and against written acceptance criteria, that the CareerLaunch platform behaves as specified — the core enrolment engine (user stories US-01...US-14) and the Extension Pack features (invoicing, payments, certificates, currency & language, error logging, and the Experience Cloud student portal). It is written so that a tester who has never seen the org can execute every case unaided.

1.2 References

DOCUMENT	USED FOR
Week 2 Participant Workbook v2.0 — Section 1	User stories US-01...US-13 and their acceptance criteria; NFR-01...06
Week 3 Participant Workbook — “The three stories we deliver today”	US-10...US-12, US-14 acceptance criteria
CareerLaunch Complete Build Guide	Extension feature behaviour (Chapters 7–12) and release procedure (Chapter 14)
User Guide / Technical Guide	Expected day-to-day behaviour and architecture reference

1.3 Scope

IN SCOPE	OUT OF SCOPE
All functional acceptance criteria of the core system and Extension Pack, tested through the real UI, real flows, real Apex and the real (stubbed) gateway in a Developer/QA org	Performance/load testing beyond the 200-record bulk case · penetration testing · real payment-provider integration (the gateway runs the deterministic stub) · email deliverability beyond the org's own send

1.4 Entry criteria

- The full application is deployed to the test org and **all unit tests pass** (verified formally again in E2E-45).
- Both permission sets exist and are assigned per Section 2.2.
- Email deliverability is *All Email*; all flows are **Active**; the Experience Cloud site is **published**.
- The seed data of Section 2.3 has been created exactly as written.

1.5 Exit criteria

- 100% of applicable cases executed; **every Must-priority case passed**; no open Critical or High defect.
- Suite E (agent) may be marked N/A if Agentforce is unavailable in the org — record N/A, not Fail.
- The traceability matrix (Section 15) shows every acceptance criterion covered by at least one passed case.

1.6 Defect recording

Raise every failure with: the test case ID, the step number that failed, expected vs actual, a screenshot, and — where the failure produced one — the **Error Log number** (ERR-xxxxx from the Error Logs tab), which carries the stack trace the developer needs. Severity scale: **Critical** (money wrong, data loss, security breach) · **High** (acceptance criterion fails) · **Medium** (workaround exists) · **Low** (cosmetic).

1.7 How to execute a case

- Run cases **in order within a suite** — later cases reuse earlier state (e.g. G-suite pays the invoice F-suite created).
- Perform every step exactly; do not substitute data. Where a step says “as *Staff Tester*”, log in as that user (Section 2.2).
- Tick each expected result individually. A case passes only when **all** its expected results hold.
- Record Pass / Fail / N/A, tester initials and date in the result strip of each case.

RESET RULE

If you must re-run a suite, create fresh records rather than editing used ones — auto-numbers and error logs are audit evidence. Never delete Error Log records during the test cycle.

2 Environment, roles & test data preparation

Complete this chapter once, before Suite A. Every case assumes this exact starting state.

2.1 Environment record

ITEM	VALUE (FILL IN)
Org URL / alias	_____
Org type	Developer Edition ☐ Sandbox ☐ Other: _____
Deployment commit / tag under test	_____
Test cycle start date	_____
Agentforce available in this org?	Yes ☐ No ☐ (if No, Suite E = N/A)

2.2 Test users (three roles)

ALIAS IN THIS DOCUMENT	USER	ACCESS
Admin Tester	System Administrator profile	Both permission sets assigned (<code>Enrolment_Console_User</code> + <code>Student_Portal_User</code>) — required for field-level security after a fresh deploy
Staff Tester	A standard internal user (or the admin acting as staff)	<code>Enrolment_Console_User</code> permission set
Student A / Student B	Two Experience Cloud users (Customer Community User profile), created via Enable Customer User on their Contacts	<code>Student_Portal_User</code> permission set each · known passwords · site membership per Build Guide §12.4

2.3 Seed data script (TD-01 ... TD-08)

ID	CREATE (AS ADMIN TESTER)	VALUES
TD-01	Course	<code>E2E_Developer_Course</code> · Level Introductory · 5 weeks · Fee 500 · Active
TD-02	Course	<code>E2E_Free_Taster</code> · Level Introductory · 1 week · Fee 0 · Active
TD-03	Cohort	On TD-01 · starts today + 14 · ends today + 49 · Online · Capacity 3 · Status Open (“the small cohort”)
TD-04	Cohort	On TD-01 · starts today + 30 · Online · Capacity 200 · Status Open (“the big cohort”)
TD-05	Cohort	On TD-02 · starts today + 14 · Online · Capacity 10 · Status Open (“the free cohort”)
TD-06	Account + Contacts	Account <code>E2E_Students</code> ; under it Contacts Student A (<code>e2e.student.a@oxfordable.test</code>), Student B (<code>e2e.student.b@oxfordable.test</code>), Student C (<code>e2e.declined@oxfordable.test</code> — the word “declined” in the email is deliberate: it drives the gateway stub's failure path), plus Students D and E (any test emails)

TD-07	Portal users	Enable Customer User for Student A and Student B (Build Guide §12.5): Customer Community User profile, unique usernames, your inbox as Email, passwords set, permission set assigned
TD-08	Nothing else	Do not pre-create Enrolments or Invoices — the suites create them so the automation is what gets tested

PREPARATION CHECKPOINT

Tabs visible: Courses, Cohorts, Enrolments, Invoices, Error Logs. TD-03 shows Seats Remaining = 3. Both portal users can reach the site login page. Error Logs tab is empty (or note existing count: _____ — later suites assert on *new* records).

3 Suite A — Catalogue & data model

Proves US-01 (catalogue in one place), US-03 (seat visibility with no manual entry) and the data-quality validation rules. Run as **Staff Tester** unless stated.

E2E-01 Course and cohort creation

US-01 · Must

PRECONDITIONS Seed data TD-01...TD-05 exists.

STEPS

1. Open the **Courses** tab and open *E2E Developer Course*.
2. Check its **Cohorts** related list.
3. Open the small cohort (TD-03).

EXPECTED

- ✓ The course record shows level, duration, fee and active flag.
- ✓ The related list shows both cohorts of TD-01 — the catalogue lives in one place.
- ✓ The cohort shows its Course, start date, delivery mode, capacity and status, and an auto-number like `C0-0001`.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-02 Cohort date validation

US-01 · VR End_Date_After_Start_Date · Must

STEPS

1. Edit the small cohort: set End Date to a date **before** its Start Date → Save.
2. Restore the correct End Date → Save.

EXPECTED

- ✓ Step 1 is blocked with “End Date cannot be earlier than Start Date.”
- ✓ Step 2 saves normally.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-03 Seat counters compute themselves

US-03 AC: “both without manual entry” · Must

STEPS

1. On the small cohort note Enrolled Count and Seats Remaining (expect 0 / 3).
2. Create an Enrolment: Cohort = small cohort, Student = **Student D**, leave Status blank → Save.
3. Refresh the cohort.

EXPECTED

- ✓ Enrolled Count = 1, Seats Remaining = 2 — no field was typed by hand.
- ✓ The Cohort Label formula reads “E2E Developer Course - <start date>”.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-04 Cancelled enrolments release their seat

US-03 AC: "excluding cancelled" · Must

STEPS

1. Edit Student D's enrolment from E2E-03: Status = **Cancelled** → Save.
2. Refresh the small cohort.
3. Set the enrolment back to **Applied** → Save (it is reused later).

EXPECTED

- ✓ After step 1: Enrolled Count = 0, Seats Remaining = 3 (roll-up filter excludes Cancelled).
- ✓ After step 3: counts return to 1 / 2.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

4 Suite B — Enrolment business rules

Proves US-02 (defaults), US-04 (capacity, including the 200-record bulk criterion NFR-01), US-05 (duplicates) and the payment validation rule. Run as **Staff Tester**; E2E-07 needs Admin Tester.

E2E-05 Defaults applied on create

US-02 AC: date defaults today · status defaults Applied · Must

STEPS

1. Create an Enrolment: Cohort = small cohort, Student = **Student E**; leave Status and Enrolment Date **blank** → Save.
2. Open the saved record.

EXPECTED

- ✓ Status = **Applied** · Enrolment Date = **today** · Amount Paid = **0**.
- ✓ Enrolment Key is populated in the form *CohortId-StudentId*.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-06 Capacity enforced — single record

US-04 AC: “fails with a clear error” · Must

PRECONDITIONS

Small cohort (capacity 3) holds 2 live enrolments (Students D and E). Add a third — **Student A**, Status Applied — so the cohort is full.

STEPS

1. Attempt a fourth Enrolment on the small cohort with **Student B** → Save.

EXPECTED

- ✓ The save is blocked with the message “*This cohort is full. Please choose another cohort or add the student to the waiting list.*” — a sentence, not a stack trace (NFR-04).
- ✓ The cohort still shows exactly 3 enrolments.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-07 Capacity holds under a 200-record bulk load

US-04 AC: “the rule holds when 200 records are loaded at once” · NFR-01 · Must

PRECONDITIONS

As **Admin Tester**. The big cohort (TD-04, capacity 200) has 0 enrolments. This case runs the platform's own bulk path via Execute Anonymous — equivalent to a Data Loader insert.

STEPS

1. Developer Console → Debug → Execute Anonymous. Run a script that: creates 205 test Contacts, builds 205 Enrolments against the big cohort (Status Confirmed), and inserts them with `Database.insert(list, false)`, then debugs the success count. (Your instructor's seed script `scripts/apex/e2e_bulk.apex` contains this verbatim.)
2. Open the big cohort.

EXPECTED

- ✓ Exactly **200** inserts succeed; **5** fail with the capacity message.
- ✓ Cohort: Enrolled Count = 200, Seats Remaining = 0 — and no `Too many SOQL queries` error occurred (bulk-safe).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-08 Duplicate enrolment rejected

US-05 AC: “a second enrolment for the same Contact and Cohort is rejected” · Must

STEPS

1. Attempt a second Enrolment for **Student E** on the small cohort → Save.

EXPECTED

✓ The save is rejected (duplicate/unique-key error referencing the Enrolment Key).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-09 Payment cannot exceed the fee

VR Payment_Not_Above_Fee (cross-object) · Must

STEPS

1. Edit Student E's enrolment: Amount Paid = **600** (fee is 500) → Save.
2. Set Amount Paid back to 0 → Save.

EXPECTED

- ✓ Step 1 blocked: “Amount Paid cannot exceed the course fee.”
- ✓ Step 2 saves.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

5 Suite C — Automation

Proves US-06, US-07, US-08, US-09 and US-13. Run as **Staff Tester**. Note: confirming an enrolment also raises an invoice (Suite F asserts on those — do not delete them).

E2E-10 Confirmation sends the welcome email and creates the task

US-06 both ACs · Must

STEPS

1. Edit **Student D's** enrolment on the small cohort: Status = **Confirmed** → Save.
2. Check the enrolment's Activity/Tasks area, and the inbox of Student D's email (your test inbox).

EXPECTED

- ✓ A Task exists: subject “Send welcome pack to Student D”, due today, priority High, owned by the record owner.
- ✓ The welcome email arrived with the cohort label in the subject.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-11 Cohort flips itself to Full on the last seat

US-07 AC: “without manual intervention” · Must

STEPS

1. Confirm the remaining two enrolments on the small cohort (Students E and A), one at a time.
2. Refresh the cohort after the last confirmation.

EXPECTED

- ✓ When Seats Remaining reaches 0, Cohort Status = **Full** — nobody edited the cohort.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-12 Quick Enrol wizard — happy path

US-08 AC part 1 · Should

STEPS

1. Launch **Quick Enrol Student** (App Launcher or the Quick Enrol button).
2. Course = E2E Developer Course → cohort = **the big cohort** → student = **Student B** → continue to the end.

EXPECTED

- ✓ The confirmation screen shows the new enrolment number.
- ✓ The enrolment exists with Status Confirmed.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-13 Quick Enrol wizard — full cohort path

US-08 AC part 2: “showing an error if the cohort is full” · Should

STEPS

1. Run the wizard again and choose the (now Full) **small cohort**, any remaining student.

EXPECTED

- ✓ Either the full cohort is not offered (Status ≠ Open) or the “that cohort just filled up” screen appears — no enrolment is created either way, and no raw fault text is shown.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-14 Pre-start reminder targets the right records **US-09 AC: “three days before Start Date, for confirmed enrolments only” · Should**

PRECONDITIONS As Admin Tester. Create a throwaway cohort on TD-01 starting **today + 3**, capacity 5, Open; add one **Confirmed** and one **Applied** enrolment (any spare test contacts).

STEPS

1. Setup → Flows → `Cohort_Start_Reminder` → open the latest version → **Debug** → Run (or wait for the 07:00 scheduled run).
2. Check Tasks/emails for both enrolments.

EXPECTED ✓ The **Confirmed** enrolment received the reminder; the **Applied** one did not.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-15 Contact shows its live enrolment count **US-13 AC: “updated automatically after enrolment changes” · Could**

STEPS

1. Open **Student B's** Contact record (they hold one enrolment from E2E-12) and note **Total Enrolments**.
2. Cancel that enrolment (Status = Cancelled), wait a few seconds, refresh the Contact.
3. Restore it to Confirmed, refresh again.

EXPECTED ✓ Count reads 1 → drops to 0 after cancellation → returns to 1 after restore (asynchronous — allow a few seconds each time).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

6 Suite D — Enrolment Console

Proves US-10 and NFR-04 through the staff UI. Run as **Staff Tester**.

E2E-16 Console lists and filters open cohorts

US-10 AC part 1 · Must

STEPS

1. App Launcher → **Enrolment Console**.
2. Observe the Open Cohorts table, then filter by course = E2E Developer Course, then back to All courses.

EXPECTED

- ✓ Only **Open**, future-dated cohorts appear, each showing **seats remaining**; the Full small cohort is absent.
- ✓ Filtering narrows and restores the list reactively, with no page reload.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-17 Enrol from the console — toast, refresh, navigation

US-10 AC part 2 · Must

STEPS

1. Select the **big cohort** row; in the Enrol panel pick **Student D** → **Enrol student**.

EXPECTED

- ✓ A success toast shows the new enrolment number.
- ✓ The table's seat count for that cohort **drops by one** without a manual refresh.
- ✓ The browser navigates to the new enrolment record.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-18 Console errors are sentences, not stack traces

NFR-04 · US-04/05 through the UI · Must

STEPS

1. In the console, attempt to enrol **Student D** onto the big cohort **again** (duplicate).

EXPECTED

- ✓ An error toast reads *"That student is already enrolled on this cohort."* — no ids, no exception class names, no stack trace.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

7 Suite E — Agentforce agent (conditional)

Proves US-11 and US-12. If Agentforce is unavailable in this org, mark all three cases N/A (§2.1) — the invocable Apex they exercise is already covered by unit tests in Suite L.

E2E-19 Availability question answered from live data

US-11 AC · Must*

STEPS

1. Open the agent's conversation preview and ask: *"Do you have any Developer cohorts with space?"*

EXPECTED

- ✓ The reply lists real open cohorts with start dates and seats remaining that match the Cohorts tab — nothing invented.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-20 Enrolment status by email

US-12 AC · Must*

STEPS

1. Ask: *"What is the status of my enrolment?"* — the agent should ask for the booking email.
2. Reply with `e2e.student.a@oxfordable.test`.

EXPECTED

- ✓ The reply names Student A's cohort, start date and status, matching the org.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-21 Out-of-scope question declined gracefully

Agent topic scope · Should

STEPS

1. Ask: *"How much does parking cost at your office?"*

EXPECTED

- ✓ A polite out-of-scope answer offering to pass it to the team; nothing invented.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

8 Suite F — Invoicing

Acceptance criteria: one Sent invoice per confirmed enrolment at the course fee, due in 14 days; re-saves never duplicate; free courses produce nothing; Paid requires a gateway reference; cancelling allows a re-issue. Run as **Staff Tester**.

E2E-22 Invoice raises itself on confirmation

EXT-INV-1 · Must

PRECONDITIONS Student D's big-cohort enrolment from E2E-17 exists at Status Confirmed (if E2E-17 created it as Confirmed, its invoice already exists — use it).

STEPS 1. Open that enrolment's **Invoices** related list and open the invoice.

EXPECTED ✓ Exactly one invoice: auto-number INV-xxxxx · Status **Sent** · Amount (GBP) = **500** (the fee) · Currency GBP · Exchange Rate 1.000000 · Amount (Invoice Currency) 500.00 · Due Date = **creation date + 14**.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-23 Re-saving a confirmed enrolment never duplicates the invoice

EXT-INV-2 (idempotency) · Must

STEPS 1. Edit the same enrolment: set Attendance % = 10 → Save. Repeat with 20 → Save.
2. Re-open the Invoices related list.

EXPECTED ✓ Still exactly **one** invoice.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-24 Free courses are never invoiced

EXT-INV-3 · Must

STEPS 1. Create an Enrolment on the **free cohort** (TD-05, fee 0): Student = any spare contact, Status = **Confirmed** → Save.
2. Check its Invoices related list.

EXPECTED ✓ No invoice exists.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-25 Paid requires a gateway reference

VR Paid_Requires_Reference · Must

STEPS 1. Edit Student D's invoice: Status = **Paid**, leave Payment Reference blank → Save.

EXPECTED ✓ Blocked: “An invoice cannot be marked Paid without the gateway payment reference.” The invoice remains Sent.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-26 Cancelling an invoice allows a fresh one

EXT-INV-4 · Should

STEPS

1. Edit Student D's invoice: Status = **Cancelled** → Save.
2. Edit the enrolment (any field, e.g. Attendance % = 30) → Save.
3. Check the Invoices related list.

EXPECTED

✓ A **new** Sent invoice exists alongside the Cancelled one (cancelled invoices don't count as live).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

9 Suite G — Payments

Acceptance criteria: a successful charge marks the invoice Paid with the gateway reference and date, and rolls the amount onto the enrolment; a declined card changes nothing; a paid invoice can never be paid again. The org runs the deterministic stub — an email containing “declined” simulates a failed card. Run as **Admin Tester** (Execute Anonymous); the portal path is re-proven in Suite K.

E2E-27 Successful payment settles the invoice

EXT-PAY-1 · Must

STEPS

1. Copy the Id of Student D's **new Sent invoice** (from E2E-26) out of its URL.
2. Execute Anonymous:

```
System.debug(JSON.serialize(PaymentService.payInvoice('<invoiceId>')));
```
3. Refresh the invoice and its enrolment.

EXPECTED

- ✓ Debug shows `"success":true` and a transaction id of the form **STUB-INV-xxxxx-GBP**.
- ✓ Invoice: Status **Paid** · Paid Date = today · Payment Reference = that STUB id.
- ✓ Enrolment: **Amount Paid = 500** (and the Suite B fee-cap rule accepted it).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-28 Declined card leaves everything untouched

EXT-PAY-2 · Must

PRECONDITIONS Enrol **Student C** (`e2e.declined@...`) on the big cohort, Status Confirmed → their invoice auto-raises.

STEPS

1. Pay Student C's invoice via Execute Anonymous as in E2E-27.
2. Refresh the invoice and enrolment.

EXPECTED

- ✓ Debug shows `"success":false` with a simulated-decline message.
- ✓ Invoice remains **Sent**, no reference, no paid date; enrolment Amount Paid remains 0.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-29 A paid invoice cannot be paid twice

EXT-PAY-3 (idempotent settlement) · Must

STEPS

1. Re-run the E2E-27 payment against the **same, now Paid** invoice id.

EXPECTED

- ✓ A handled exception stating the invoice is **already paid**; Amount Paid on the enrolment is unchanged (still 500, not 1000).

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

STEPS

- 1. On Student D's paid invoice, verify every audit field in one pass.
- 2. Open the **Error Logs** tab.

EXPECTED

- ✔ Status Paid + Paid Date + Payment Reference are all populated and mutually consistent.
- ✔ No new Error Log rows were produced by the successful payment path.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

10 Suite H — Certificates

Acceptance criteria: completing an enrolment produces a PDF certificate filed on the record with the flag ticked — exactly once — and the PDF carries the student's real details. Run as **Staff Tester**.

E2E-31 Certificate issues on completion

EXT-CERT-1 · Must

STEPS

1. Edit **Student D's** big-cohort enrolment: Status = **Completed** → Save.
2. Wait ~10 seconds (the render is asynchronous), refresh the record.

EXPECTED

- ✓ **Certificate Issued** is ticked.
- ✓ The Files related list holds `Certificate ENR-xxxxx`.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-32 A certificate is only ever issued once

EXT-CERT-2 · Must

STEPS

1. Set the same enrolment's Status to Confirmed → Save, then back to **Completed** → Save.
2. Wait, refresh, count the files.

EXPECTED

- ✓ Still exactly **one** certificate file.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-33 The PDF content is correct

EXT-CERT-3 · Must

STEPS

1. Open the certificate file and inspect it.

EXPECTED

- ✓ A real PDF (A4 landscape, designed layout), showing: the student's **name**, the **course name and level**, the cohort label, the issue date, and the enrolment number — all matching the records.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

11 Suite I — Currency & language

Acceptance criteria: conversions follow the configured rates; the rate is frozen on each invoice at issue time; the UI and certificate follow the user's language. E2E-34/35 as **Admin Tester**; E2E-36 uses Student A.

E2E-34 Conversion follows the configured rate

EXT-CCY-1 · Must

STEPS

1. Setup → Custom Metadata Types → Exchange Rate → Manage Records → note the USD rate (default 1.27).
2. Execute Anonymous: `System.debug(CurrencyService.convertFromGBP(100, 'USD'));` and `System.debug(CurrencyService.format(1250, 'GBP'));`

EXPECTED

- ✓ First debug = $100 \times$ the USD rate, to 2 dp (127.00 at default) · second = **£1,250** formatted with symbol and separator.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-35 Rates are frozen on existing invoices

EXT-CCY-2 · Must

STEPS

1. Note Amount (Invoice Currency) on Student D's **Paid** invoice.
2. Edit the **GBP** Exchange Rate record: Rate From GBP = 2.0 → Save.
3. Refresh the invoice, then create a brand-new Confirmed enrolment (any spare student, big cohort) and open its fresh invoice.
4. **Restore the GBP rate to 1.0** and cancel/clean the throwaway enrolment.

EXPECTED

- ✓ The existing invoice is **unchanged** (its stored rate stays 1.000000).
- ✓ The new invoice was stamped with the **new** rate (2.000000 · Amount In Currency = 1000.00) — future invoices only.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-36 French user sees a French application

EXT-I18N-1 · Must

STEPS

1. Setup → Users → **Student A's portal user** → Edit → Language = `Français` → Save.
2. Log in to the portal as Student A (private window) and read the two cards.
3. Restore the language to English afterwards.

EXPECTED

- ✓ Cards read **Mes inscriptions / Mes factures**; a payable invoice's button reads **Payer maintenant**.
- ✓ (If a certificate is issued while French is active, its headings render in French too.)

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

12 Suite J — Error logging

Acceptance criteria: every failure — Apex, flow fault, integration — becomes a permanent Error Log record with source, message, stack trace and severity, even when the failing transaction rolls back. Run as **Admin Tester**.

E2E-37 Apex exceptions are logged

EXT-ERR-1 · Must

STEPS

1. Execute Anonymous:

```
try { Integer boom = 1/0; } catch (Exception e) { ErrorLogger.log(e, 'E2E-37'); }
```

2. Open the Error Logs tab.

EXPECTED

✓ A new **ERR-** record: Source Type **Apex**, Source Name **E2E-37**, message containing “Divide by 0”, a populated stack trace, Severity Error.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-38 Flow faults are logged

EXT-ERR-2 · Must

STEPS

1. Force a fault in **Quick_Enrol_Student** — e.g. run it against the Full small cohort so the Create element fails (or temporarily deactivate a referenced field per your instructor).
2. Check the Error Logs tab.

EXPECTED

✓ A new record: Source Type **Flow**, Source Name = the flow's name, message = the platform fault text.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-39 Logs survive a transaction rollback

EXT-ERR-3 (the whole point of the design) · Must

STEPS

1. Execute Anonymous — note this logs, **then deliberately crashes the same transaction**:

```
ErrorLogger.log('Apex','E2E-39','before the crash',null,null,'Critical');  
insert new Course__c(); // missing required Name → the whole transaction rolls  
back
```

2. Confirm the Execute Anonymous run **failed** (that is the test).
3. Open the Error Logs tab.

EXPECTED

✓ The **E2E-39** record exists with Severity **Critical** — the platform event escaped the rollback that destroyed everything else in that transaction.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

13 Suite K — Student portal, end to end

The customer journey plus its security boundaries. Uses **Student A** and **Student B** in private/incognito windows. Preconditions: Student A holds a Confirmed enrolment with a Sent invoice; Student B holds at least one enrolment (from earlier suites — create any missing state as Staff Tester first).

E2E-40 Portal login and dashboard

EXT-POR-1 · Must

STEPS

1. Private window → site URL + `/login` → sign in as **Student A**.

EXPECTED

- ✓ Login succeeds; **My Enrolments** shows their course, cohort, start date and status badge; **My Invoices** shows their invoice with amount, currency, due date and status.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-41 A student sees only their own records

EXT-POR-2 (privacy) · Must

STEPS

1. Still as Student A: count the rows in both cards.
2. In a second private window, log in as **Student B** and compare.

EXPECTED

- ✓ Student A sees only A's records; Student B sees only B's. Neither sees the other's enrolments or invoices anywhere.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-42 Pay now, end to end

EXT-POR-3 + EXT-PAY-1 through the UI · Must

STEPS

1. As Student A, press **Pay now** on the Sent invoice.
2. As Admin Tester, verify the invoice and enrolment records.

EXPECTED

- ✓ Toast *"Payment received - thank you!"* with a STUB reference; the badge flips to **Paid**; the button disappears; the list refreshes without a manual reload.
- ✓ Back end: Status Paid, reference + date stored, enrolment Amount Paid = fee, no new Error Logs.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-43 Certificate download from the portal

EXT-POR-4 · Must

STEPS

1. As Staff Tester, set Student A's enrolment to **Completed**; wait for the certificate (Suite H behaviour).
2. As Student A, refresh the portal.

EXPECTED

- ✓ A **Download certificate** link appears under the completed course and downloads the correct PDF.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

STEPS

1. In a fresh private window, open a portal page URL **without logging in**.
2. Cross-student server check: this is proven by the automated test `StudentPortalControllerTest.payInvoiceRejectsSomeoneElsesInvoice` — confirm it passed in the E2E-45 run and record its name here.

EXPECTED

- ✓ The guest is redirected to login (or shown no data) — never records.
- ✓ The named unit test is green: the server rejects paying another student's invoice even with a valid record id.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

14 Suite L — Release quality

US-14: covered by automated tests and deployable to another org. Run as **Admin Tester**.

E2E-45 Full unit-test run at ≥75% coverage

US-14 AC part 1 · NFR-03 · Must

STEPS

- Terminal: `sf apex run test --code-coverage --result-format human --wait 10 -o <org>`

EXPECTED

✓ **All tests pass** (reference build: 37/37) and overall coverage ≥ **75%**. Record: passed ____/____ · coverage ____%.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

E2E-46 Deployment validates against a clean org

US-14 AC part 2 · NFR-06 · Must

STEPS

- Terminal: `sf project deploy start --source-dir force-app -o <secondOrg> -l RunLocalTests --dry-run`

EXPECTED

✓ The validate-only run **succeeds** with all tests passing — the release is deployable on demand.

Result: Pass ☐ Fail ☐ N/A ☐ · Tester: _____ · Date: _____ · Defect #: _____

15 Traceability matrix & sign-off

Every acceptance criterion, mapped to the case(s) that prove it. Exit criteria (§1.5) require a Pass in every row.

15.1 Traceability — core user stories

STORY	ACCEPTANCE CRITERION (ABRIDGED)	PROVEN BY	PASS?
US-01	Catalogue objects, cohort belongs to course, cohort attributes	E2E-01, E2E-02	☐
US-02	Enrolment links Contact+Cohort; date/status defaults	E2E-05	☐
US-03	Enrolled Count (excl. cancelled) & Seats Remaining, no manual entry	E2E-03, E2E-04	☐
US-04	Overbooking blocked with clear error; holds at 200 records	E2E-06, E2E-07, E2E-18	☐
US-05	Duplicate enrolment rejected	E2E-08, E2E-18	☐
US-06	Confirmation email + follow-up task	E2E-10	☐
US-07	Cohort auto-Full at zero seats	E2E-11	☐
US-08	Guided wizard; error if full	E2E-12, E2E-13	☐
US-09	Reminder T-3 days, confirmed only	E2E-14	☐
US-10	Console: list, filter, seats, enrol, toast	E2E-16, E2E-17	☐
US-11 / US-12	Agent answers availability / status from live data	E2E-19, E2E-20 (else N/A + Suite L)	☐
US-13	Contact Total Enrolments auto-updated	E2E-15	☐
US-14	75%+ tested; deployable to another org	E2E-45, E2E-46	☐
NFR-01/02	Bulk-safe, no SOQL/DML in loops	E2E-07 (behavioural) + code review	☐
NFR-04	Human-readable errors	E2E-06, E2E-13, E2E-18	☐

15.2 Traceability — extension features

CRITERION	PROVEN BY	PASS?
EXT-INV-1...4 — auto-invoice at fee/+14d · idempotent · free courses excluded · re-issue after cancel · Paid needs reference	E2E-22...26	☐
EXT-PAY-1...4 — settle with reference & roll-up · declined unchanged · no double pay · audit complete	E2E-27...30, E2E-42	☐
EXT-CERT-1...3 — issue on completion · once only · correct PDF content	E2E-31...33, E2E-43	☐
EXT-CCY / I18N — configured rates · frozen at issue · French UI & certificate	E2E-34...36	☐
EXT-ERR-1...3 — Apex, flow, and rollback-surviving logs	E2E-37...39	☐
EXT-POR-1...5 — login · privacy · pay · certificate · access control	E2E-40...44	☐

15.3 Execution summary

METRIC	COUNT
--------	-------

Cases executed / total	_____ / 46
Passed · Failed · N/A	_____ · _____ · _____
Defects raised (Critical / High / Medium / Low)	____ / ____ / ____ / ____
Unit test result & coverage (from E2E-45)	_____ passed · _____ %

15.4 Sign-off

Test outcome: Accepted ☐ Accepted with conditions ☐ Rejected ☐

Conditions / notes: _____

Lead tester: _____ **Signature:** _____ **Date:** _____

Product owner / client: _____ **Signature:** _____ **Date:** _____