

- 1. Trong thư mục lưu website:
- Tải Bootstrap tải địa chỉ: <a href="https://getbootstrap.com/docs/4.0/getting-started/download/">https://getbootstrap.com/docs/4.0/getting-started/download/</a>



2. Download jquery: https://jquery.com/download/



### Downloading jQuery

Compressed and uncompressed copies of jQuery files are available. The uncompressed file is best used during development compressed file saves bandwidth and improves performance in production. You can also download a <u>sourcemap file</u> for use to a compressed file. The map file is *not* required for users to run jQuery, it just improves the developer's debugger experience. In 1.11.0/2.1.0 the //# sourceMappingURL comment is not included in the compressed file.


To locally download these files, right-click the link and select "Save as..." from the menu.

#### jQuery

For help when upgrading jQuery, please see the upgrade guide most relevant to your version. We also recommend using the

Download the compressed, production jQuery 3.6.1

1.



### 1. Trong the head:

```
<meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" type="text/css" href="../CSS/bootstrap.min.css">
    <script src=".../JS/jquery.min.js"></script>
    <script src="../JS/bootstrap.min.js"></script>
    <script src=".../JS/BaiCK.js"></script>
    <style>
            padding: 0px;
            margin: Opx auto;
        li {
            width: 150px;
    </style>
```

	Extra small <576px	Small ≥576px	Medium ≥768px	<b>Large</b> ≥992px	Extra large ≥1200px
Grid behavior	Horizontal at all times	Collapsed to start, horizontal above breakpoints			
Max container width	None (auto)	540px	720px	960px	1140px
Class prefix	.col-	.col-sm-	.col-md-	.col-lg-	.col-xl-
# of columns	12				
Gutter width	30px (15px on each side of a column)				
Nestable	Yes				
Offsets	Yes				
Column ordering	Yes				

# Tạo Layout cho trang

# Tạo header cho trang

```
2. Tạo header:
<div class="container-fluid">
           <div class="row">
     <div class="col-md-12">// anh chèn chiếm trọng màn hình
        <header>
                 <img src="../Images/Banner.png" width="100%">
        </header>
      </div>
</div>
</div>
```

## 3. Tạo menu:

```
<div class="col-md-12 col-sm-12">
       <nav class="navbar-collapse">
          <a href="#">HOME</a>
             <a href="#">SHOP</a>
             <a href="#">BLOG</a>
             <a href="#">ARTICLE</a>
             <a class="dropdown-toggle" data-toggle="dropdown"</pre>
href="#">SERVICES<span class="caret"></span></a>
               <a href="#" id="myBtn">Online</a>
               </nav>
     </div>
```

### 4. Tạo table

```
<div class="row">
     <div class="col-md-12">
        <section class="col-md-5">
          <img src="../Images/left.png" width="100%">
        </section>
        <aside class="col-md-7" class="table-responsive">
          <h2 class="text-danger">Customer Ordered List</h2>
          #
                Name
                Address
                Delivery 
                Email
                </aside>
     </div>
  </div>
```

# 5. Tạo Modal

```
<div class="modal fade" role="dialog" id="myModal">
    <div class="modal-dialog">
         <div class="modal-content">
              <div class="modal-header">
                  <button type="button" class="close" data-dismiss="modal">&times;</button>
                       <h2 class="text-danger">Customer infomation</h2>
               </div>
              <div class="modal-body">
                   <form role="form-control" class="form-horizontal">
                           <div id="thongbao" class="text-danger"></div>
                    </form>
                     NỘI DUNG BODY MODAL
               </div>
         </div>
    </div>
```

# 5. Tao Modal

```
NÔI DUNG BODY MODAL:
   <form class="form-group">
          <label for="txtTen" class="control-label col-md-3">Customer Name</label>
          <div class="col-md-12">
               <input type="text" class="form-control" id="txtTen">
               <span id="tbTen" class="text-danger">*</span>
          </div>
   </form>
   <form class="form-group">
        <label for="txtDC" class="control-label col-xs-3">Address</label>
            <div class="col-md-12">
                 <input type="text" class="form-control" id="txtDC">
                 <span id="tbDC" class="text-danger">*</span>
            </div>
   </form>
```