




$$V = 0.6 * (1 + 680/150)$$



$$V = 0.6 * (1 + 470/150)$$








$$V = 0.6 * (1 + 100/120)$$






$$V = 0.4 * (1 + 200/30)$$

A AP2127, with 160k/59k 2.95V

Title		
Size A3	Number	Revision
Date: 5/13/2022	Sheet of	
File: C:\Users\...\Power.SchDoc	Drawn By:	




Title		
Size	Number	Revision
A3		
Date:	5/13/2022	Sheet of
File:	C:\Users\...\CPU.SchDoc	Drawn By:




6	LCD-D2
7	LCD-D3
8	LCD-D4
9	LCD-D5
10	LCD-D6
11	LCD-D7
12	LCD-D10
13	LCD-D11
14	LCD-D12
15	LCD-D13
16	LCD-D14
17	LCD-D15
18	LCD-D18
19	LCD-D19
20	LCD-D20
21	LCD-D21
22	LCD-D22
23	LCD-D23
24	LCD-D24
25	LCD-D25
26	LCD-D26
27	LCD-D27
28	LCD-D28
29	LCD-D29
30	LCD-D30
31	LCD-D31
32	LCD-D32
33	LCD-D33
34	LCD-D34
35	LCD-D35
36	LCD-D36
37	LCD-D37
38	LCD-D38
39	LCD-D39
40	LCD-D40

L_{led} = 0.22 /Rs
R = 5.6 -> I = 39mA
R = 6.8 -> I = 32mA
R = 7.5 -> I = 29mA

0x48







Touch = LOW





RGB 666 interface







Title		
Size	Number	Revision
A3		
Date:	5/13/2022	Sheet of
File:	C:\Users\LCD\SchDoc	Drawn By:



Title		
Size	Number	Revision
A3		
Date:	5/13/2022	Sheet of
File:	C:\Users\...\Memory.SchDoc	Drawn By:



Title		
Size	Number	Revision
A3		
Date:	5/13/2022	Sheet of
File:	C:\Users\...\Audio.SchDoc	Drawn By:



Title		
Size	Number	Revision
A3		
Date:	5/13/2022	Sheet of
File:	C:\Users\...\Misc\SchDoc	Drawn By: