

Index

A

A Type K Channel	<i>p.30</i>
Absolute Refractory Period	<i>pp.29 – 30</i>
Acetylcholine	<i>p.31</i>
Activation Gate	<i>p.29</i>
After Potential	<i>p.29</i>
Anodal Surround	<i>p.15</i>
Anode	<i>pp.13, 15</i>
Axial Diameter Or Radius	<i>p.42</i>
Axial Resistance	<i>pp.26 – 28, 39</i>

B

Beta Cell	<i>p.38</i>
Biomimetic	<i>p.2</i>
Bionics	<i>p.2</i>

C

Calcium Activated K Channel	<i>p.30</i>
Capacitance (Neuron)	<i>pp.25 – 27, 36 – 37, 40</i>
Capacitive Coupling	<i>p.2</i>
Carrier Frequency	<i>pp.46 – 47</i>
Cathode	<i>pp.12 – 13, 15, 17</i>
Channels	<i>p.35</i>
Chronaxie	<i>pp.13, 16</i>
Cochlear Implants	<i>p.4</i>
Concentration Gradient	<i>pp.21, 35 – 36</i>
Conductance	<i>pp.22, 25, 38</i>
Conduction Velocity	<i>pp.15, 19, 43</i>
Cotransporter	<i>p.23</i>
Current (Neuron)	<i>pp.20, 46</i>
Cyborgs	<i>p.2</i>

D

Deep Brain Stimulation	<i>p.9</i>
Delayed Rectifier	<i>p.30</i>
Dendrocyte	<i>p.43</i>
Depolarization	<i>p.20</i>
Dielectric	<i>p.41</i>
Drop Foot	<i>p.6</i>

E

Electrochemical Gradient	<i>pp.23, 25 – 26</i>
Electrogenic	<i>p.23</i>
Electrotonic Potential	<i>p.20</i>
Epilepsy	<i>p.8</i>
Equilibrium Potential	<i>p.22</i>
Equivalent Circuits	<i>pp.24, 26</i>

F

Functional Electrical Stimulation	<i>pp.1, 6</i>
-----------------------------------	----------------

<i>G</i>	
Gap Junction	<i>p.38</i>
Goldman Equation	<i>pp.24, 36</i>
<i>H</i>	
Hodgkin Huxley Action Potential Model	<i>p.29</i>
Hyperpolarization	<i>pp.20, 37</i>
Hyperpolarization Activated Cation (H.c.n.) Channels	<i>pp.30, 32</i>
<i>I</i>	
Inactivation	<i>p.29</i>
Inactivation Gate	<i>p.29</i>
Internode	<i>pp.14, 19 – 43</i>
<i>M</i>	
M Type K Channel	<i>p.31</i>
Membrane Conductance	<i>pp.26 – 27, 36, 38</i>
Membrane Resistance	<i>pp.26 – 28, 39, 41</i>
Multiple Sclerosis	<i>pp.43 – 44</i>
Multiplexing	<i>p.48</i>
Myelin	<i>pp.28, 32 – 45</i>
Myelinated Fiber	<i>pp.13, 28 – 45</i>
<i>N</i>	
Na K Pumps	<i>p.23</i>
Nernst Equation	<i>pp.22, 35</i>
Neural Control	<i>p.1</i>
Neural Prosthetic	<i>p.1</i>
Neuromodulation	<i>pp.1, 8</i>
Neuromuscular Electrical Stimulation	<i>p.1</i>
Node of Ranvier	<i>pp.14, 16</i>
Nyquist Criterion	<i>p.48</i>
<i>P</i>	
Parkinson's Disease	<i>p.8</i>
Passive Response (Neuron)	<i>p.20</i>
Permeability	<i>p.36</i>
Pia Mater	<i>p.14</i>
Plasticity	<i>pp.1, 9</i>
Presynaptic Terminal	<i>p.33</i>
Pyramidal Cell	<i>p.17</i>
<i>R</i>	
Rectification	<i>p.47</i>
Relative Refractory Period	<i>p.30</i>
Resting Membrane Potential	<i>p.20</i>
Rheobase	<i>p.16</i>
<i>S</i>	
Sampling Frequency	<i>p.48</i>
Schwann Cells	<i>pp.43 – 44</i>
Space Constant (Neuron)	<i>pp.27 – 28, 39 – 40, 45</i>
Spike Train	<i>p.33</i>
Strength Distance Relation	<i>pp.12 – 15</i>

Strength Duration Relationship	<i>pp.</i> 16 – 17, 19
<i>T</i>	
Targeted Muscle Reinnervation	<i>p.</i> 7
Time Constant (Neuron)	<i>pp.</i> 17, 26 – 27
Transcutaneous Electrical Nerve Stimulation	<i>p.</i> 5
Trigger Zone (Neuron)	<i>p.</i> 32
Trophism	<i>pp.</i> 1, 9
<i>V</i>	
Voltage Gated Ca Channel	<i>pp.</i> 30 – 33
Voltage Gated Channels	<i>pp.</i> 30 – 33
Voltage Gated Cl Channel	<i>p.</i> 30
Voltage Gated K Channel	<i>pp.</i> 30 – 33
Voltage Gated Na Channel	<i>pp.</i> 30 – 32