



## Basic Style Properties

When styling fonts with CSS they are broken into two types. **Font** properties and **Text** properties. The two are very similar, the **Font** deals more with the character set and the **Text** is more about changing the way the font looks.

### Font Properties

Property	Values
font: required	style variant weight size //line-height family example: <i>font:bold 10px/12px verdana, "Lithos Regular", sans-serif; font-style:normal, italic font-variant:normal, small-caps font-weight:normal, bold font-size:  length, percent line-height:normal, <b>number</b>, <b>length</b>, <b>percent</b> font-family:  family-name, serif (Times), sans-serif (Helvetica), cursive (Zapf-Chancery), fantasy (Western), monospace (Courier)</i>

When styling fonts with CSS they are broken into two types. **Font** properties and **Text** properties. The two are very similar, the **Font** deals more with the character set and the **Text** is more about changing the way the font looks.

font - is a shorthand way to express any font properties on one line. When using the shorthand the order matters. There are two required properties, font-size and font-family.

```
font: italic small-caps bold 12px arial, verdana;
```

If you do not define a property within the shorthand it will be set to the default state often normal. It could be the case that in the case of h1 where the default is for the text to be bold that when using the shorthand and not setting the font-weight it will be sent to normal and the h1 will no longer be bold even though we did not set it.

font-style will define if something will be italic. If something is italic by default like the em you can also set the font-style to be normal and it will remove the italics.

```
font-style: italic;
```

font-variant will set the text to be small-caps where the "lowercase" letters will be displayed as small uppercase letters.

```
font-variant: small-caps;
```

font-weight will define text that is bold. If something is bold by default like h2 you can remove the bold by setting the value to normal.



```
font-weight: bold;
```

font-size - set the size of the font.

While there are a number of options to define what the size can be we use only three options. We will use **percent**, **em**, or **pixel**.

Both percent and em calculate the size of the font off of another font size. For example if a font size set to 10px and wanted to have the text be **twice as large** you could set the size to be 2em or 200%, This will calculate size to be 20px but if the font size where to change to 12px it would then calculate the size to 24px. The advantage of this is you only need to **change the one font** and all the other fonts will change in relation to that size.

Since we **can't** measure what an inch is on a computer screen we can't use it. That also means that we **can't** use point because 1 points is defined as 1/72 inch. The fact that we do not know what an inch is it we can not calculate what a point is. Instead you should always define **font sizes in pixels, percent or em**.

```
font-size: 12px;
```

```
font-size: 2em;
```

```
font-size: 200%;
```

## CSS Units

Unit	Description
%	a percentage of something
in	inch
cm	centimeter
mm	millimeter
em	one em is equal to the font size of the current element
ex	one ex is the x-height of a font, the x-height is usually about half the font-size
pt	point (1 pt is the same as 1/72 inch)
pc	pica (1 pc is the same as 12 points)
px	pixels (a dot on the computer screen)



font-family - defines what font is displayed when the page is rendered. The font-family can only load a font that is installed on the **local computer** viewing the page. This means we are limited in the fonts that installed on both the Mac and Windows computers by default.

```
font-family: helvetica, arial, "time new roman"
```

**Note:** any font name that has a space in needs to be quoted("").

If you want to use a font that may not be fully supported but have a fall back you can put them in a comma separated list. If the first item in the list is not available it will try the next font in the list. If no font is available it will display the browser default.

Type	Name
Serif Fonts	Georgia, serif "Palatino Linotype", "Book Antiqua", Palatino, serif "Times New Roman", Times, serif
Sans-Serif Fonts	Arial, Helvetica, sans-serif "Arial Black", Gadget, sans-serif "Comic Sans MS", cursive, sans-serif Impact, Charcoal, sans-serif "Lucida Sans Unicode", "Lucida Grande", sans-serif Tahoma, Geneva, sans-serif "Trebuchet MS", Helvetica, sans-serif Verdana, Geneva, sans-serif
Monospace Fonts	"Courier New", Courier, monospace "Lucida Console", Monaco, monospace