

TRUSS SCHEDULE





BEARING WALL - HEIGHT = 10'-0"

CONNECTOR SCHEDULE

Maxwell Elite	
NAME	QUANTIT
TBP8	297
LUS26	18
MUS26	7
HUS26	18
LUC26Z	2
LUS26-2	4
HGUS210-2	3
HUS28-2	1
LUS210-2	3
HGUS210-3	2
HHUS210-3	1
LUS28-2	1

<u>NOTE</u>: UNDER NO CIRCUMSTANCES SHOULD TRUSSES BE CUT OR DRILLED!!!

NOTE: OTHER THAN TRUSS TO TRUSS CONNECTION AND TRUSS FIELD ASSEMBLY REQUIREMENTS, THE BUILDING DESIGNER, PER ANSI/TPI 1, MUST VERIFY ALL ANCHORAGE DESIGNS REQUIRED TO RESIST UPLIFT, GRAVITY, AND LATERAL LOADS, INCLUDING TRUSS-TO-STRUCTURAL ELEMENT CONNECTIONS.

NOTE: This Truss Placement Diagram was not created by an engineer but rather by the Clearspan Components, Inc. staff and is purely to be used as an installation guide and does not require a seal. Complete truss engineering and analysis can be found on the Truss Design Drawings which shall be sealed by the Truss Design Engineer.

NOTE: SCHEDULE APPLIES TO COMPLETE ROOF SYSTEM. LEFT/RIGHT END REFERS TO LEFT/RIGHT END OF TRUSS AS ORIENTED ON INDIVIDUAL TRUSS DESIGN DRAWINGS, ALL HANGERS LISTED ARE SIMPSON STRONG-TIE®, HANGERS RECOMMENDED ARE MINIMUM REQUIRED AND MAY BE SUBSTITUTED WITH HANGERS OF EQUAL OR GREATER VALUE. ALL NAIL HOLES IN HANGER MUST BE FILLED WITH THE NAIL TYPE & SIZE SPECIFIED TO ACHIEVE FULL DESIGN VALUE, HANGERS ARE PROVIDED ONLY IF INDICATED IN CONTRACT.

REVISIONS	BY	DATE

PROJECT: MAXWELL ELITE ANTILLES CONTRACTOR: TOLL BROTHERS

ARCHITECT: TOLL ARCHITECTURE - BETTER PROS CLEARSPAN COMPONENTS INC.

MERIDIAN, MS 39304

PROJECT#:

6110 OLD HWY. 80 WEST PHONE: 601.483.3941 ~ FAX: 601.693.7493

DRAWN BY: DNH DATE: 2-8-2022 PAGE: 2

PRELIMINARY PENDING APPROVAL

FOR APPROVAL

THE CONTRACTOR MUST VERIFY AND BE RESPONSIBLE FOR

TO ARCHITECTURAL AND STRUCTURAL PLANS AND

OPENINGS AND BUILDING MATERIALS.

SPECIFICATIONS INCLUDING DOOR AND WINDOW ROUGH

ALL DIMENSION AND CONDITIONS ON THE JOB. ALSO, THE CONTRACTOR MUST VERIFY COMPLIANCE OF SHOP DRAWINGS