











- NOTES:
1. MATERIAL : STAINLESS STEEL 316 (POLISHED)
  2. PLATE THK = 3.0 mm
  3. 12 - OFF  $\varnothing 8.0$  mm LED INDICATOR LIGHTS:  
6 - OFF GREEN  
4 - OFF AMBER  
2 - OFF RED
  4. 3 - OFF  $\varnothing 10.0$  mm LED INDICATOR LIGHTS  
1 - OFF RED  
2 - OFF AMBER
  5. LEDS TO BE CAPABLE OF FLASHING AS WELL AS PROVIDE SOLID LIGHT.
  6. TEXT TO BE FILLED IN BLACK
  7. BARTON FIRTOP LOGO AND TEXT TO BE FILLED IN BLUE (RAL 5005).
  8. TYPICAL BORDER THICKNESS 0.3 mm UNLESS OTHERWISE STATED.
  9. SUPPLIER TO CONFIRM DIMENSIONS OF CONTROLS / LEDS. ANY CHANGES REQUIRED TO BE CONFIRMED WITH BARTON FIRTOP ENGINEERING.
  10. LIGHTING SEQUENCE IN ACCORDANCE WITH 'CONTROL PANEL & LOGIC SEQUENCE\_APRIL 2025'.



SHEET 01 OF 02

REV	DRAWN	CHECK	APPD	DATE	REASON FOR ISSUE	UNSTATED TOLERANCES	TOLERANCE SYMBOLS			TITLE MANUFACTURING DETAIL DRAWING OF CONTROL PANEL FOR EXHIBITION ROTAGATE STRAINER			<div> <b>BARTON FIRTOP</b> Silverwoods Way, Kidderminster, Worcestershire, DY11 7DT, United Kingdom  <a href="http://www.bartonfirtop.co.uk">www.bartonfirtop.co.uk</a></div> <div> +44(0)1527 831644  <a href="mailto:technical@bartonfirtop.co.uk">technical@bartonfirtop.co.uk</a></div>			
00	MSJ	UT	MSJ	14/05/25	ISSUED FOR MANUFACTURE	SURFACE TEXTURE TO BS1134	PARALLELISM SYMMETRY	 	SQUARENESS STRAIGHTNESS							 
						MACHINING ± 0.25mm	GENERAL NOTES			THIS DRAWING IS PRIVATE AND CONFIDENTIAL. IT MUST NOT BE LOANED, COPIED OR OTHERWISE COMMUNICATED TO A THIRD PARTY WITHOUT WRITTEN PERMISSION						
						ANGLES & IMPLIED RIGHT ANGLES ± 0.5°	ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE			SCALE 1:1			ORIGINAL SHT SIZE A3			
						WELD SYMBOLS TO BS499	WHERE APPROPRIATE HEAT NO'S TO BE RE-STAMPED AFTER MACHINING			 THIRD ANGLE PROJECTION			DRAWING NUMBER RD/077/03			
						UNLESS OTHERWISE STATED REMOVE ALL BURRS AND SHARP EDGES	DEVIATIONS FROM THIS DRAWING MUST BE APPROVED IN WRITING BY BFE						REV. 00			

