Примерни интеракции с програмата върху предварително заредени таблици (в червено е оцветен текстът, изведен от програмата, в черно – този, въведен от потребителя, а в зелено – коментари относно съдържанието на файловете):

```
Върху файл със съдържание
> open text2.txt
                                                                              1, =R1C2, =2*R2C1
Error: row 2, col 2, 3 =R1C3 + R3C5 is unknown data type!
                                                                              1, 3 =R1C3 + R3C5
Maybe you forgot a comma after 3 and before =R1C3 + R3C5
                                                                              ,,,,6
Exiting program...
Empty command!
> opn text1.txt
Invalid command! Type Help to get a list of the correct commands
> Help
                                                                Върху файл със съдържание
The following commands are supported:
                                                                =R1C2*2, =2*R1C3,=2*R1C4,=2*R1C5,=2*R2C1
open <file>
                     opens <file>
                                                                =R2C2*2, =2*R2C3,=2*R2C4,=2*R2C5,=2*R3C1
close
                  closes currently opened file
                                                                =R1C1
                  saves the currently open file
save
saveas <file>
                     saves the currently open file in <file>
                  prints this information
help
                 exists the program
exit
                  prints the table to the screen
print
edit R<N>C<M> <value>
                            changes the value at row <N> and column <M> to <value>
> OPen text1.txt
Successfully opened text1.txt
> print
| ERROR | ERROR | ERROR | ERROR |
| ERROR | ERROR | ERROR | ERROR |
| ERROR |
> edit R3C1 =2^(-3) qwerty
1 redundant arguments omitted!
Successfully changed the value of cell R3C1 to =2^{(-3)}
> print
| 128.0000 | 64.0000 | 32.0000 | 16.0000 | 8.0000 |
| 4.0000 | 2.0000 | 1.0000 | 0.5000 | 0.2500 |
0.1250
                   > exit
You have an open file with unsaved changes, please select close or save first.
Want to save your changes to text1.txt? [Y / N]: N
Successfully closed text1.txt
> exit
Exiting program...
> print
No file is currently opened!
> edit R5C7 1
No file is currently opened!
> save
                                                            Съдържанието на text.txt преди изпълнението
No file is currently opened!
                                                            -123, -42.20, "String"
> saveas print.txt
                                                            20 , "\"Quoted\"", =R1C2+R2C4, =R23C3
No file is currently opened!
                                                            ,0,,5
> open text.txt
                                                            "This is a \"quote\" with a / slash and a backslash \\"
Successfully opened text.txt
> print
                                          -123 | -42.2000 | String | |
```

20 | "Quoted" | -42.2000 | 0.0000 |

0 |

5 |

```
> edit R5C7 1
Successfully changed the value of cell R5C7 to 1
> print
                                      -123 | -42.2000 | String | | | |
                                        20 | "Quoted" | -42.2000 | 0.0000 | | | |
                                                   0 |
                                                             5 | | |
| This is a "quote" with a / slash and a backslash \ |
                                                   | | | 1 |
> edit R2C4 = 5/R7C7
Successfully changed the value of cell R2C4 to =5/R7C7
> print
                                      -123 | -42.2000 | String | | | | |
                                        20 | "Quoted" | ERROR | ERROR | | | |
                                           Т
                                                   0 |
                                                            5 | | |
| This is a "quote" with a / slash and a backslash \ |
                                                   | | | 1 |
> save
Successfully saved text.txt
> Edit R7C7 125
Successfully changed the value of cell R7C7 to 125
> print
                                      -123 | -42.2000 | String | | | |
                                         20 | "Quoted" | -42.1600 | 0.0400 | | |
                                                   0 |
                                                              5 | | |
| This is a "quote" with a / slash and a backslash \ |
                                                                      ı
                                                     1
                                                                      | | | 1 |
                                           1
                                                                       | | | 125 |
                                                        Съдържанието на print.txt след запазването
> saveas print.txt 12345
                                                        -123, -42.2000, "String"
1 redundant arguments omitted!
                                                        20, "\"Quoted\"", =R1C2+R2C4, =5/R7C7
Successfully saved print.txt
                                                        , 0, , 5
> Edit R4C1 abc
                                                        "This is a \"quote\" with a / slash and a backslash \\"
Invalid value entered!
                                                        ,,,,,,1
> Edit R4C1 "abc"
Successfully changed the value of cell R4C1 to "abc"
                                                        , , , , , , 125
> print
                                                       Съдържанието на text.txt след изпълнението
| -123 | -42.2000 | String |
                                -123, -42.2000, "String"
| 20 | "Quoted" | -42.1600 | 0.0400 | | |
                                                       20, "\"Quoted\"", =R1C2+R2C4, =5/R7C7
0 |
                        5 | | |
                                                       , 0, , 5
| abc |
              "This is a \"quote\" with a / slash and a backslash \\"
                                | | | 1 |
                                                       ,,,,,1
                                | | | 125 |
> exit
You have an open file with unsaved changes, please select close or save first.
> save
Successfully saved print.txt
> edit R600000C3 =123/R1C530
The coordinates entered are out of bounds!
> edit R6C3 =123/R1C530
Successfully changed the value of cell R6C3 to =123/R1C530
> print
| -123 | -42.2000 | String |
                               | 20 | "Quoted" | -42.1600 | 0.0400 | | |
| 0 |
                        5 | | |
| abc | |
```

| ERROR |

| | | 1 |

+++

| This is a "quote" with a / slash and a backslash \ |

| | | | 125 | Съдържанието на print.txt след изпълнението -123, -42.2000, "String" > close 20, "\"Quoted\"", =R1C2+R2C4, =5/R7C7 Want to save your changes to print.txt? [Y / N]: Y Successfully saved print.txt , 0, , 5 Successfully closed print.txt "abc" > open text.txt ,,,,,1 Successfully opened text.txt ,,=123/R1C530 > saveas print2.txt ,,,,,,125 The file print2.txt already exists. Do you want to replace it? [Y/N]: Y Successfully saved print2.txt Съдържанието на print2.txt след изпълнението > exit -123, -42.2000, "String" Exiting program... 20, "\"Quoted\"", =R1C2+R2C4, =5/R7C7 , 0, , 5 "This is a \"quote\" with a / slash and a backslash \\"

,,,,,1