FieldShift 2026 — Visual Test & Cross-Field Comparison Report

NASA International Space Apps Challenge 2026 (Bangladesh Event) • Team Azoic
Automated Audit: 4 Agro-Ecological Test Fields × 43 Platform Destinations (172 Screen Verifications)

Date: 2026-11-01
Target: http://localhost:5173/
Viewport: 1440 × 900 (Headless Chromium)

1. Executive Summary & Cross-Field Differentiation Matrix

Every page and sub-tab was audited across four geographically and climatically distinct Bangladesh field parcels. Metrics and screenshots were captured under identical evaluation conditions to evaluate algorithmic responsiveness to localized agro-ecological conditions.

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
1	**Farmer Home Dashboard**	DIFFERS	DIFFERS	120 mm, DOY 158, +4 দিন	90 mm, DOY 155, +1.5 দিন	80 mm, DOY 157, -3.5 দিন	150 mm, DOY 153, +1 দিন	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
2	**My Farm - Overview**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
3	**My Farm - Parcel List**	DIFFERS	DIFFERS	120 mm, 1.5%, 120 mm	90 mm, 2.5%, 90 mm	80 mm, 1.2%, 80 mm	150 mm, 2.8%, 150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								mm, and seasonal margin yield).
4	**My Farm - Satellite Map**	DIFFERS	DIFFERS	120 mm, Jump left by 75%, Jump right by 75%	90 mm, Jump left by 75%, Jump right by 75%	80 mm, Jump left by 75%, Jump right by 75%	150 mm, Jump left by 75%, Jump right by 75%	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
5	**My Farm - Soil Info**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
6	**My Farm - Crop History**	DIFFERS	DIFFERS	120 mm, 2025 Rabi, 24.5 t/ha (61 maund/bigha)	90 mm, 2025 Rabi, 24.5 t/ha (61 maund/bigha)	80 mm, 2025 Rabi, 24.5 t/ha (61 maund/bigha)	150 mm, 2025 Rabi, 24.5 t/ha (61 maund/bigha)	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
7	**Crop Advisory - Aman Monsoon**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture,

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								planting onset, irrigation mm, and seasonal margin yield).
8	**Crop Advisory - Aus Pre-Monsoon**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
9	**NASA Weather 3D - Globe**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
10	**NASA Weather 3D - Column**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
11	**NASA Weather 3D -**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
	Constellation							ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
12	**Farm Planning - 6-Season MILP Rotation**	DIFFERS	**DIFFERS**	1.00 / 6.0, 150 দিন/বছর, 3226.2 mm	1.00 / 6.0, 150 দিন/বছর, 3200.7 mm	1.00 / 6.0, 150 দিন/বছর, 2909.3 mm	1.00 / 6.0, 150 দিন/বছর, 2192 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
13	**Farm Planning - Adaptive Replan**	DIFFERS	**DIFFERS**	22 t/ha (টন), Year 1 (Rabi / Dry), 22000 kg/ha • 480 mm	22 t/ha (টন), Year 1 (Rabi / Dry), 22000 kg/ha • 480 mm	22 t/ha (টন), Year 1 (Rabi / Dry), 22000 kg/ha • 480 mm	22 t/ha (টন), Year 1 (Rabi / Dry), 22000 kg/ha • 480 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
14	**Farm Planning - 3-Way Comparison Lab**	DIFFERS	DIFFERS	3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based), 1800 mm, 3097 mm	3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based), 2280 mm, 2905 mm	3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based), 1320 mm, 2801 mm	3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based), 3900 mm, 2280 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
15	**Farm Planning - 3D Experiment Workbench**	DIFFERS	DIFFERS	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
16	**Water & Irrigation - Water Balance**	DIFFERS	DIFFERS	120 mm, +18 mm, +35 mm	90 mm, +18 mm, +35 mm	80 mm, +18 mm, +35 mm	150 mm, +18 mm, +35 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
17	**Water & Irrigation - Schedule Optimization**	DIFFERS	DIFFERS	120 mm, Y1_S1 (Rabi (Nov-Apr, dry)), 350 mm	90 mm, Y1_S1 (Rabi (Nov-Apr, dry)), 350 mm	80 mm, Y1_S1 (Rabi (Nov-Apr, dry)), 350 mm	150 mm, Y1_S1 (Rabi (Nov-Apr, dry)), 350 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								seasonal margin yield).
18	**Water & Irrigation - Soil Moisture Profile**	DIFFERS	DIFFERS	120 mm, 32%, 18%	90 mm, 28.000000000000004%, 14.000000000000002%	80 mm, 28.000000000000004%, 14.000000000000002%	150 mm, 36%, 22%	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
19	**Water & Irrigation - Drought Stress Index**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
20	**Research Lab - Onset Science (39 Unique Cells)**	SAME	SAME	1, meherpur power_rain_cell_12c16bebda23, -21.5 d(p=0.009)	1, meherpur power_rain_cell_12c16bebda23, -21.5 d(p=0.009)	1, meherpur power_rain_cell_12c16bebda23, -21.5 d(p=0.009)	1, meherpur power_rain_cell_12c16bebda23, -21.5 d(p=0.009)	Platform-wide scientific methodology / uniform registry (expected uniform reference across all districts).
21	**Research Lab - 6-Season MILP Lab**	DIFFERS	DIFFERS	1.00 / 6.0, 150 দিন/বছর, 3226.2 mm	1.00 / 6.0, 150 দিন/বছর, 3200.7 mm	1.00 / 6.0, 150 দিন/বছর, 2909.3 mm	1.00 / 6.0, 150 দিন/বছর, 2192 mm	Diverges across agro-ecological zones (soil texture, planting onset,

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								irrigation mm, and seasonal margin yield).
22	**Research Lab - Weather Uncertainty**	DIFFERS	DIFFERS	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	28.5°C, 4.5 mm/দিন, 12 দিন	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
23	**Research Lab - Soil & Water Hydrology FAO-56**	DIFFERS	DIFFERS	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Three.js v186 WebGL PCFSoft, 140 mm, 6.8	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
24	**Research Lab - Data Provenance 4-Tier**	SAME	SAME	surface_temperature_t2m, 25.4 °C, NASA POWER Agroclimatology Daily Point API v2.0 ↗	surface_temperature_t2m, 25.4 °C, NASA POWER Agroclimatology Daily Point API v2.0 ↗	surface_temperature_t2m, 25.4 °C, NASA POWER Agroclimatology Daily Point API v2.0 ↗	surface_temperature_t2m, 25.4 °C, NASA POWER Agroclimatology Daily Point API v2.0 ↗	Platform-wide scientific methodology / uniform registry (expected uniform reference across all districts).
25	**Research Lab Archive - Multi-Field Lab**	DIFFERS	SAME	10 ha, 350 mm, 5.08 t/ha (50.8 t total)	10 ha, 350 mm, 5.08 t/ha (50.8 t total)	10 ha, 350 mm, 5.08 t/ha (50.8 t total)	10 ha, 350 mm, 5.08 t/ha (50.8 t total)	Identical output across distinct parcels;

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								potential regional sensitivity calibration gap.
26	**Research Lab Archive - Sensitivity Analysis**	DIFFERS	DIFFERS	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	28.5°C, 4.5 mm/দিন, 12 দিন	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
27	**Research Lab Archive - Crop Failure Recovery**	DIFFERS	DIFFERS	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	Year 1 (Rabi / Dry), Wheat BDT -54324 • 441 mm, Year 1 (Kharif / Wet)	উন্নত কৃষি বিজ্ঞান, অ্যালগরিদমিক অপ্টিমাইজেশন ও ৩ডি ল্যাব	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
28	**Research Lab Archive - Synthetic Data Lab**	SAME	SAME	SYN-0042-001, 3.07 ha, clay loam (pH 7.34, 2.35%)	SYN-0042-001, 3.07 ha, clay loam (pH 7.34, 2.35%)	SYN-0042-001, 3.07 ha, clay loam (pH 7.34, 2.35%)	SYN-0042-001, 3.07 ha, clay loam (pH 7.34, 2.35%)	Platform-wide scientific methodology / uniform registry (expected uniform reference across all districts).

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
29	**Research Lab Archive - Bangladesh Crop Database**	SAME	SAME	Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition, 2023, Bangladesh AEZ 1-30 nationwide field evaluations	Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition, 2023, Bangladesh AEZ 1-30 nationwide field evaluations	Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition, 2023, Bangladesh AEZ 1-30 nationwide field evaluations	Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition, 2023, Bangladesh AEZ 1-30 nationwide field evaluations	Platform-wide scientific methodology / uniform registry (expected uniform reference across all districts).
30	**Research Lab Archive - Satellite Sensor Readiness**	SAME	SAME	Sentinel-2 MSI	Sentinel-2 MSI	Sentinel-2 MSI	Sentinel-2 MSI	Platform-wide scientific methodology / uniform registry (expected uniform reference across all districts).
31	**Research Lab Archive - Soil Health & Carbon**	DIFFERS	DIFFERS	195 kg/ha, 60 kg/ha, 60 kg/ha	195 kg/ha, 60 kg/ha, 60 kg/ha	210 kg/ha, 60 kg/ha, 60 kg/ha	135 kg/ha, 60 kg/ha, 60 kg/ha	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
32	**Digital Twin 3D - Farm Plan Diorama**	DIFFERS	DIFFERS	120 mm, S1, S2	90 mm, S1, S2	80 mm, S1, S2	150 mm, S1, S2	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								margin yield).
33	**Digital Twin 3D - Crop Growth Phenology**	DIFFERS	DIFFERS	120 mm, 6.5 t/ha, 5.2 t/ha	90 mm, 6.5 t/ha, 5.2 t/ha	80 mm, 6.5 t/ha, 5.2 t/ha	150 mm, 6.5 t/ha, 5.2 t/ha	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
34	**Digital Twin 3D - Climate Stress Visualization**	DIFFERS	DIFFERS	120 mm, 30°C, 4.8 mm/দিন	90 mm, 30°C, 4.8 mm/দিন	80 mm, 30°C, 4.8 mm/দিন	150 mm, 30°C, 4.8 mm/দিন	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
35	**Digital Twin 3D - Scenario A/B Comparison**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
36	**Market Intelligence & Profitability**	DIFFERS	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset,

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								irrigation mm, and seasonal margin yield).
37	**Agronomic AI Assistant**	DIFFERS	DIFFERS	120 mm, 5.8, 1.5%	90 mm, 6.5, 2.5%	80 mm, 7.4, 1.2%	150 mm, 6.2, 2.8%	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
38	**Data Evidence - NASA Satellite Feeds**	SAME	DIFFERS	120 mm, NASA GEOS-5.12.4 / MERRA-2, Tier 1 (Observed / Assimilated)	90 mm, NASA GEOS-5.12.4 / MERRA-2, Tier 1 (Observed / Assimilated)	80 mm, NASA GEOS-5.12.4 / MERRA-2, Tier 1 (Observed / Assimilated)	150 mm, NASA GEOS-5.12.4 / MERRA-2, Tier 1 (Observed / Assimilated)	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
39	**Data Evidence - 4-Tier Provenance Registry**	SAME	DIFFERS	120 mm, surface_temperature_t2m, 25.4 °C	90 mm, surface_temperature_t2m, 25.4 °C	80 mm, surface_temperature_t2m, 25.4 °C	150 mm, surface_temperature_t2m, 25.4 °C	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
40	**Data Evidence - IMERG & Climatology Reports**	SAME	DIFFERS	120 mm, Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	90 mm, Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	80 mm, Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	150 mm, Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
41	**Data Evidence - Scientific Methodology**	SAME	DIFFERS	120 mm, 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition):, 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule):	90 mm, 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition):, 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule):	80 mm, 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition):, 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule):	150 mm, 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition):, 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule):	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
42	**Data Evidence - Boundaries & Disclaimers**	SAME	DIFFERS	120 mm	90 mm	80 mm	150 mm	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and seasonal margin yield).
43	**Operator Cockpit & Account Settings**	SAME	DIFFERS	120 mm, 25.6279°, 88.6332°, 2.0 ha	90 mm, 24.8500°, 89.3700°, 10.0 ha	80 mm, 22.7185°, 89.0705°, 1.5 ha	150 mm, 25.0658°, 91.3950°, 1.0 ha	Diverges across agro-ecological zones (soil texture, planting onset, irrigation mm, and

#	Sidebar View / Sub-Tab	Expected	Verdict	Dinajpur Sadar (Grain)	Bogura Demo (Floodplain)	Satkhira (Saline Coast)	Sunamganj (Haor Wetland)	Evaluation Notes
								seasonal margin yield).

2. Problems & Anomaly Audit


- UNEXPECTED SAME: Research Lab Archive - Multi-Field Lab was expected to differ across regional fields, but rendered identical metrics.
- UNEXPECTED DIFFERS: Data Evidence - NASA Satellite Feeds is a uniform platform methodology/provenance page, but content varied across fields.
- UNEXPECTED DIFFERS: Data Evidence - 4-Tier Provenance Registry is a uniform platform methodology/provenance page, but content varied across fields.
- UNEXPECTED DIFFERS: Data Evidence - IMERG & Climatology Reports is a uniform platform methodology/provenance page, but content varied across fields.
- UNEXPECTED DIFFERS: Data Evidence - Scientific Methodology is a uniform platform methodology/provenance page, but content varied across fields.
- UNEXPECTED DIFFERS: Data Evidence - Boundaries & Disclaimers is a uniform platform methodology/provenance page, but content varied across fields.
- UNEXPECTED DIFFERS: Operator Cockpit & Account Settings is a uniform platform methodology/provenance page, but content varied across fields.

3. Detailed Page-by-Page 2x2 Field Comparisons


1. Farmer Home Dashboard

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)





Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | DOY 158 | +4 দিন | p = 0.180	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | DOY 155 | +1.5 দিন | p = 0.490	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | DOY 157 | -3.5 দিন | p = 0.367	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | DOY 153 | +1 দিন | p = 0.317


Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


2. My Farm - Overview

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)

2. Bogura Demo (Floodplain | 10.0 ha)






3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


3. My Farm - Parcel List

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 1.5% | 120 mm | Jump left by 75% | Jump right by 75%	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 2.5% | 90 mm | Jump left by 75% | Jump right by 75%	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 1.2% | 80 mm | Jump left by 75% | Jump right by 75%	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 2.8% | 150 mm | Jump left by 75% | Jump right by 75%

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


4. My Farm - Satellite Map

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | Jump left by 75% | Jump right by 75% | Jump up by 75% | Jump down by 75%	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | Jump left by 75% | Jump right by 75% | Jump up by 75% | Jump down by 75%	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | Jump left by 75% | Jump right by 75% | Jump up by 75% | Jump down by 75%	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | Jump left by 75% | Jump right by 75% | Jump up by 75% | Jump down by 75%

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.

5. My Farm - Soil Info

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)



2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


6. My Farm - Crop History

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 2025 Rabi | 24.5 t/ha (61 maund/bigha) | 480 mm | 2025 Kharif-1	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 2025 Rabi | 24.5 t/ha (61 maund/bigha) | 480 mm | 2025 Kharif-1	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 2025 Rabi | 24.5 t/ha (61 maund/bigha) | 480 mm | 2025 Kharif-1	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 2025 Rabi | 24.5 t/ha (61 maund/bigha) | 480 mm | 2025 Kharif-1

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


7. Crop Advisory - Aman Monsoon

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


8. Crop Advisory - Aus Pre-Monsoon

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


9. NASA Weather 3D - Globe

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


10. NASA Weather 3D - Column

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


11. NASA Weather 3D - Constellation

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


12. Farm Planning - 6-Season MILP Rotation

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 3226.2 mm | +70 kg N/ha BNF | 0%	**Coord:** 24.85°N, 89.37°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 3200.7 mm | +70 kg N/ha BNF | 0%	**Coord:** 22.72°N, 89.07°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 2909.3 mm | +70 kg N/ha BNF | 0%	**Coord:** 25.07°N, 91.40°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 2192 mm | +35 kg N/ha BNF | 0%

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


13. Farm Planning - Adaptive Replan

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 22 t/ha (টন) | Year 1 (Rabi / Dry) | 22000 kg/ha • 480 mm | Year 1 (Kharif / Wet) | BDT 110000 • 350 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 22 t/ha (টন) | Year 1 (Rabi / Dry) | 22000 kg/ha • 480 mm | Year 1 (Kharif / Wet) | BDT 1310000 • 450 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 22 t/ha (টন) | Year 1 (Rabi / Dry) | 22000 kg/ha • 480 mm | Year 1 (Kharif / Wet) | BDT 82500 • 350 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 22 t/ha (টন) | Year 1 (Rabi / Dry) | 22000 kg/ha • 480 mm | Year 1 (Kharif / Wet) | BDT 55000 • 350 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


14. Farm Planning - 3-Way Comparison Lab

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based) | 1800 mm | 3097 mm | 1660 mm | 4650 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based) | 2280 mm | 2905 mm | 1660 mm | 4650 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based) | 1320 mm | 2801 mm | 1400 mm | 4650 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 3D Algorithmic Parcel Comparison (MILP vs RL vs Rule-Based) | 3900 mm | 2280 mm | 4650 mm | ❄ RabiYear 1 (Rabi / Dry)

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


15. Farm Planning - 3D Experiment Workbench

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 4.88 t/ha | 561.3 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


16. Water & Irrigation - Water Balance

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | +18 mm | +35 mm | -4.5 mm | -6.2 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | +18 mm | +35 mm | -4.5 mm | -6.2 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | +18 mm | +35 mm | -4.5 mm | -6.2 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | +18 mm | +35 mm | -4.5 mm | -6.2 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


17. Water & Irrigation - Schedule Optimization

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | Y1_S1 (Rabi (Nov-Apr, dry)) | 350 mm | 25 mm | 325 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | Y1_S1 (Rabi (Nov-Apr, dry)) | 350 mm | 25 mm | 325 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | Y1_S1 (Rabi (Nov-Apr, dry)) | 350 mm | 25 mm | 325 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | Y1_S1 (Rabi (Nov-Apr, dry)) | 350 mm | 25 mm | 325 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


18. Water & Irrigation - Soil Moisture Profile

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 32% | 18% | 112 mm | 228 mm (100%)	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 28.0000000000000004% | 14.0000000000000002% | 112 mm | 228 mm (100%)	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 28.0000000000000004% | 14.0000000000000002% | 112 mm | 228 mm (100%)	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 36% | 22% | 112 mm | 228 mm (100%)

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


19. Water & Irrigation - Drought Stress Index

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


20. Research Lab - Onset Science (39 Unique Cells)

SAME

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 1 | meherpur power_rain_cell_12c16bebda23 | -21.5 d(p=0.009) | -13.5 d(p=0.069) | +133.7 mm 202 → 336 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 1 | meherpur power_rain_cell_12c16bebda23 | -21.5 d(p=0.009) | -13.5 d(p=0.069) | +133.7 mm 202 → 336 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 1 | meherpur power_rain_cell_12c16bebda23 | -21.5 d(p=0.009) | -13.5 d(p=0.069) | +133.7 mm 202 → 336 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 1 | meherpur power_rain_cell_12c16bebda23 | -21.5 d(p=0.009) | -13.5 d(p=0.069) | +133.7 mm 202 → 336 mm

Divergence Analysis: Platform-wide shared dataset / scientific methodology reference. Uniformity is scientifically intended.


21. Research Lab - 6-Season MILP Lab

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 3226.2 mm | +70 kg N/ha BNF | 0%	**Coord:** 24.85°N, 89.37°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 3200.7 mm | +70 kg N/ha BNF | 0%	**Coord:** 22.72°N, 89.07°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 2909.3 mm | +70 kg N/ha BNF | 0%	**Coord:** 25.07°N, 91.40°E **Metrics:** 1.00 / 6.0 | 150 দিন/বছর | 2192 mm | +35 kg N/ha BNF | 0%

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


22. Research Lab - Weather Uncertainty

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** N/A	**Coord:** 24.85°N, 89.37°E **Metrics:** N/A	**Coord:** 22.72°N, 89.07°E **Metrics:** 28.5°C | 4.5 mm/দিন | 12 দিন | 2.1 t/ha	**Coord:** 25.07°N, 91.40°E **Metrics:** N/A

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


23. Research Lab - Soil & Water Hydrology FAO-56

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 4.88 t/ha | 561.3 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** Three.js v186 WebGL PCFSoft | 140 mm | 6.8 | 5.01 t/ha | 561.3 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


24. Research Lab - Data Provenance 4-Tier

SAME

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations. | 12.8 mm/day	**Coord:** 24.85°N, 89.37°E **Metrics:** surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations. | 12.8 mm/day	**Coord:** 22.72°N, 89.07°E **Metrics:** surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations. | 12.8 mm/day	**Coord:** 25.07°N, 91.40°E **Metrics:** surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations. | 12.8 mm/day

Divergence Analysis: Platform-wide shared dataset / scientific methodology reference. Uniformity is scientifically intended.


25. Research Lab Archive - Multi-Field Lab

SAME


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 10 ha | 350 mm | 5.08 t/ha (50.8 t total) | 7.7% | 1,587,500 BDT	**Coord:** 24.85°N, 89.37°E **Metrics:** 10 ha | 350 mm | 5.08 t/ha (50.8 t total) | 7.7% | 1,587,500 BDT	**Coord:** 22.72°N, 89.07°E **Metrics:** 10 ha | 350 mm | 5.08 t/ha (50.8 t total) | 7.7% | 1,587,500 BDT	**Coord:** 25.07°N, 91.40°E **Metrics:** 10 ha | 350 mm | 5.08 t/ha (50.8 t total) | 7.7% | 1,587,500 BDT

Divergence Analysis: Uniform values detected across distinct agro-climatic zones; parameter sweep sensitivity may require local ground truth calibration.


26. Research Lab Archive - Sensitivity Analysis

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** N/A	**Coord:** 24.85°N, 89.37°E **Metrics:** N/A	**Coord:** 22.72°N, 89.07°E **Metrics:** 28.5°C | 4.5 mm/দিন | 12 দিন | 2.1 t/ha	**Coord:** 25.07°N, 91.40°E **Metrics:** N/A

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


27. Research Lab Archive - Crop Failure Recovery

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** N/A	**Coord:** 24.85°N, 89.37°E **Metrics:** N/A	**Coord:** 22.72°N, 89.07°E **Metrics:** Year 1 (Rabi / Dry) | Wheat BDT -54324 • 441 mm | Year 1 (Kharif / Wet) | Sesame BDT 44235 • 293 mm | ⚠ Shock Incurred (-50%)	**Coord:** 25.07°N, 91.40°E **Metrics:** N/A

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


28. Research Lab Archive - Synthetic Data Lab

SAME

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** SYN-0042-001 | 3.07 ha | clay loam (pH 7.34, 2.35%) | 160.9 | 632.1	**Coord:** 24.85°N, 89.37°E **Metrics:** SYN-0042-001 | 3.07 ha | clay loam (pH 7.34, 2.35%) | 160.9 | 632.1	**Coord:** 22.72°N, 89.07°E **Metrics:** SYN-0042-001 | 3.07 ha | clay loam (pH 7.34, 2.35%) | 160.9 | 632.1	**Coord:** 25.07°N, 91.40°E **Metrics:** SYN-0042-001 | 3.07 ha | clay loam (pH 7.34, 2.35%) | 160.9 | 632.1

Divergence Analysis: Platform-wide shared dataset / scientific methodology reference. Uniformity is scientifically intended.


29. Research Lab Archive - Bangladesh Crop Database

SAME


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition | 2023 | Bangladesh AEZ 1-30 nationwide field evaluations | Adhunik Dhaner Chash (Modern Rice Cultivation Guidelines), 23rd Edition | 2024	**Coord:** 24.85°N, 89.37°E **Metrics:** Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition | 2023 | Bangladesh AEZ 1-30 nationwide field evaluations | Adhunik Dhaner Chash (Modern Rice Cultivation Guidelines), 23rd Edition | 2024	**Coord:** 22.72°N, 89.07°E **Metrics:** Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition | 2023 | Bangladesh AEZ 1-30 nationwide field evaluations | Adhunik Dhaner Chash (Modern Rice Cultivation Guidelines), 23rd Edition | 2024	**Coord:** 25.07°N, 91.40°E **Metrics:** Krishi Projukti Hatboi (Handbook on Agro-Technology), 9th Edition | 2023 | Bangladesh AEZ 1-30 nationwide field evaluations | Adhunik Dhaner Chash (Modern Rice Cultivation Guidelines), 23rd Edition | 2024

Divergence Analysis: Platform-wide shared dataset / scientific methodology reference. Uniformity is scientifically intended.


30. Research Lab Archive - Satellite Sensor Readiness

SAME

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** Sentinel-2 MSI	**Coord:** 24.85°N, 89.37°E **Metrics:** Sentinel-2 MSI	**Coord:** 22.72°N, 89.07°E **Metrics:** Sentinel-2 MSI	**Coord:** 25.07°N, 91.40°E **Metrics:** Sentinel-2 MSI

Divergence Analysis: Platform-wide shared dataset / scientific methodology reference. Uniformity is scientifically intended.


31. Research Lab Archive - Soil Health & Carbon

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 195 kg/ha | 60 kg/ha | 60 kg/ha | 1.5% | 5.8	**Coord:** 24.85°N, 89.37°E **Metrics:** 195 kg/ha | 60 kg/ha | 60 kg/ha | 2.5% | 6.5	**Coord:** 22.72°N, 89.07°E **Metrics:** 210 kg/ha | 60 kg/ha | 60 kg/ha | 1.2% | 7.4	**Coord:** 25.07°N, 91.40°E **Metrics:** 135 kg/ha | 60 kg/ha | 60 kg/ha | 2.8% | 6.2

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


32. Digital Twin 3D - Farm Plan Diorama

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | S1 | S2 | S3 | S4	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | S1 | S2 | S3 | S4	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | S1 | S2 | S3 | S4	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | S1 | S2 | S3 | S4

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


33. Digital Twin 3D - Crop Growth Phenology

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 6.5 t/ha | 5.2 t/ha | -20% (Ky=1.15)	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 6.5 t/ha | 5.2 t/ha | -20% (Ky=1.15)	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 6.5 t/ha | 5.2 t/ha | -20% (Ky=1.15)	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 6.5 t/ha | 5.2 t/ha | -20% (Ky=1.15)

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


34. Digital Twin 3D - Climate Stress Visualization

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 30°C | 4.8 mm/দিন | 18 দিন | 4.85 t/ha	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 30°C | 4.8 mm/দিন | 18 দিন | 4.85 t/ha	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 30°C | 4.8 mm/দিন | 18 দিন | 4.85 t/ha	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 30°C | 4.8 mm/দিন | 18 দিন | 4.85 t/ha

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


35. Digital Twin 3D - Scenario A/B Comparison

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


36. Market Intelligence & Profitability

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


37. Agronomic AI Assistant

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 5.8 | 1.5% | 120 mm | 26.5°C	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 6.5 | 2.5% | 90 mm | 26.5°C	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 7.4 | 1.2% | 80 mm | 26.5°C	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 6.2 | 2.8% | 150 mm | 26.5°C

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


38. Data Evidence - NASA Satellite Feeds

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | NASA GEOS-5.12.4 / MERRA-2 | Tier 1 (Observed / Assimilated) | -999 marker converted to NaN; omitted without artificial imputation | T2M	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | NASA GEOS-5.12.4 / MERRA-2 | Tier 1 (Observed / Assimilated) | -999 marker converted to NaN; omitted without artificial imputation | T2M	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | NASA GEOS-5.12.4 / MERRA-2 | Tier 1 (Observed / Assimilated) | -999 marker converted to NaN; omitted without artificial imputation | T2M	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | NASA GEOS-5.12.4 / MERRA-2 | Tier 1 (Observed / Assimilated) | -999 marker converted to NaN; omitted without artificial imputation | T2M

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


39. Data Evidence - 4-Tier Provenance Registry

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations.	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations.	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations.	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | surface_temperature_t2m | 25.4 °C | NASA POWER Agroclimatology Daily Point API v2.0 ↗ | ±1.2°C mean bias against Bangladesh Meteorological Department ground stations.

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


40. Data Evidence - IMERG & Climatology Reports

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | Rajshahi Aman Rainfall Onset Distribution Shift (2001–2012 vs 2013–2025)

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


41. Data Evidence - Scientific Methodology

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)




Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition): | 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule): | 3. ডিগ্রি-ডে সঞ্চয়ন (Growing Degree Days - GDD): | 4. রোপণ শিফট ও অনসেট শিফটের পার্থক্য (Recommendation Rule):	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition): | 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule): | 3. ডিগ্রি-ডে সঞ্চয়ন (Growing Degree Days - GDD): | 4. রোপণ শিফট ও অনসেট শিফটের পার্থক্য (Recommendation Rule):	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition): | 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule): | 3. ডিগ্রি-ডে সঞ্চয়ন (Growing Degree Days - GDD): | 4. রোপণ শিফট ও অনসেট শিফটের পার্থক্য (Recommendation Rule):	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 1. বৃষ্টিপাত অনসেট নির্ধারণ নিয়ম (Rainfall Onset Definition): | 2. শুষ্ক স্পেল প্রত্যাখ্যান নিয়ম (Dry-Spell Lookahead Rule): | 3. ডিগ্রি-ডে সঞ্চয়ন (Growing Degree Days - GDD): | 4. রোপণ শিফট ও অনসেট শিফটের পার্থক্য (Recommendation Rule):

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


42. Data Evidence - Boundaries & Disclaimers

DIFFERS

1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)





2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)

4. Sunamganj Haor (Wetland Basin | 1.0 ha)






Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.


43. Operator Cockpit & Account Settings

DIFFERS


1. Dinajpur Sadar (Northwest Grain Belt | 2.0 ha)




2. Bogura Demo (Floodplain | 10.0 ha)



3. Satkhira Coast (Coastal Saline | 1.5 ha)



4. Sunamganj Haor (Wetland Basin | 1.0 ha)



Dinajpur Values	Bogura Values	Satkhira Values	Sunamganj Values
Coord: 25.63°N, 88.63°E **Metrics:** 120 mm | 25.6279°, 88.6332° | 2.0 ha | 1.5% | 120 mm	**Coord:** 24.85°N, 89.37°E **Metrics:** 90 mm | 24.8500°, 89.3700° | 10.0 ha | 2.5% | 90 mm	**Coord:** 22.72°N, 89.07°E **Metrics:** 80 mm | 22.7185°, 89.0705° | 1.5 ha | 1.2% | 80 mm	**Coord:** 25.07°N, 91.40°E **Metrics:** 150 mm | 25.0658°, 91.3950° | 1.0 ha | 2.8% | 150 mm

Divergence Analysis: Regional divergence confirmed. Parameters dynamically respond to distinct local soil hydrology, NASA POWER climate cell metrics, and parcel size.