# Как отправить в SWISS

Скутер ATTO · литиевый аккумулятор 48V / 5.2Ah / 249.6Wh · модель аккумулятора GD009-13S2P · соответствует требованиям IATA

**Что в файле:** эта страница · страница на день перелёта · форма авиакомпании · письмо производителя · документы на аккумулятор (MSDS и UN 38.3)

## 1 Что заполнить в форме

- Фамилия и имя, код брони (6 символов), почта

## 2 Отправьте авиакомпании

- После бронирования загрузите файл на сайте SWISS кнопкой Upload

⏱ **Когда: После бронирования и до рейса**

## 3 В день перелёта

- Храните форму, распечатанную или в телефоне, на протяжении всей поездки
- Возьмите файл распечатанным
- На стойке сложите скутер, выключите его и достаньте аккумулятор
- Аккумулятор летит с вами в ручной клади, контакты закрыты

* Только вспомогательный инструмент. Файл подготовлен автоматически по введённым данным, в нём возможны ошибки и пропуски. Проверка данных, дополнение недостающих документов и отправка файла авиакомпании полностью на ответственности пользователя. MovingLife ни в коем случае не отвечает за ошибки, пропуски, отказ, задержку или требования авиакомпании или аэропорта, и претензий к ней быть не может. Окончательное решение принимает только авиакомпания.
MovingLife · 073 391 3999 · info@movinglife.com

# В день перелёта ✈

1. Приезжайте в аэропорт **за 3 часа до рейса**
2. Возьмите **этот файл** распечатанным
3. На стойке **сложите** скутер и **выключите** его
4. **Достаньте аккумулятор.** Он летит с вами в ручной клади
5. **Зарядное устройство** скутера возьмите в ручную кладь, а не в чемодан
6. Есть комплект для перелёта? **Наденьте** его на скутер перед сдачей
7. Если спросят, покажите **письмо производителя** и **документы на перелёт**




Сложите в режим тележки




Достаньте аккумулятор и возьмите в ручную кладь



**Рекомендуем лететь с комплектом ATTO для перелёта**
Защитный чехол, оберегающий скутер при погрузке в самолёт.
Заказ: **073 391 3999** · Подробнее: movinglife.co.il/products/atto-flight-kit

# Informationen elektrische Mobilitätshilfe
# Electric mobility device information form

**Information für Fluggäste**
**Passenger information**

Name, Vorname:
Last name, first name:

Aktueller Buchungscode (6-stellig):
Current booking code (6 digits):

E-Mail-Adresse:
Email address:

**Art und Spezifikation der Mobilitätshilfe**
**Type and specification of mobility device**

Bitte füllen Sie hier nur den linken **oder** den rechten Teil des Formulars aus.
Please fill in only the left **or** the right part of this section of the form.

☐ Batteriebetriebener Rollstuhl
Battery-powered wheelchair

**oder / or**

☒ Andere batteriebetriebene Mobilitätshilfe (z. B. Scooter)
Other mobility device (e.g. scooter)

Hersteller:
Manufacturer: Movinglife LTD

Modell:
Model: ATTO

Ist die Rückenlehne faltbar? ☒ Ja / Yes ☐ Nein / No
Is the back rest foldable?

Gewicht und Dimensionen ohne abnehmbare Teile:
Weight and dimensions without removable parts:

| | | |
|---|---|---|
| Gewicht / Weight: | 28.2 | kg |
| Länge / Length: | 39 | cm |
| Breite / Width: | 42 | cm |
| Höhe / Height: | 72 | cm |

☐ Manueller Rollstuhl plus batteriebetriebene Antriebshilfe (z. B. Zuggerät)
Manual wheelchair plus battery-powered add-on unit (e.g. power pack)

Hersteller der Antriebshilfe:
Manufacturer of the add-on unit:

Modell Antriebshilfe:
Model of the add-on unit:

Rollstuhl / Wheelchair (WCMP):

Gewicht / Weight: kg

Ist die Rückenlehne faltbar?
Is the back rest foldable?
☐ Ja / Yes ☐ Nein / No

Dimensionen (gefaltet):
Dimensions (folded):
Länge / Length: cm
Breite / Width: cm
Höhe / Height: cm

Antriebshilfe / Add-on unit:

Gewicht / Weight: kg
Länge / Length: cm
Breite / Width: cm
Höhe / Height: cm

Werden für den Transport Teile entfernt? / Are parts removed for transport? ☒ Ja / Yes ☐ Nein / No

Laut Hersteller für den Transport speziell zu beachten:
To be considered for transport specifically according to manufacturer:

Fold into trolley mode (folded 39x42x72 cm; unfolded 120x56x89 cm). Turn power OFF at the tiller, then remove the single Li-ion battery (48V 5.2Ah 249.6Wh, GD009-13S2P) and carry it in the cabin with terminals protected against short circuit. No tools required. Original manufacturer battery.

# Informationen elektrische Mobilitätshilfe
# Electric mobility device information form

**Batterieinformationen**
**Battery information**

**Lithium Batterie / Lithium battery**

☒ **WCLX**

**Entfernbare Batterie**
- Abnehmbare Batterien und Ersatzbatterien müssen in der Passagierkabine transportiert werden. Dafür gelten folgende Limits:
  - Entweder max. 2 Batterien mit jeweils bis zu 300 Wh, inkl. 1 Ersatzbatterie
  - Oder max. 4 Batterien mit jeweils bis zu 160 Wh, inkl. max. 2 Ersatzbatterien

**Removable battery**
- Removable batteries and spare batteries must be carried in the passenger cabin. For those the following limit is applicable:
  - Either max. 2 batteries up to 300 Wh each, incl. 1 spare battery
  - Or max. 4 batteries up to 160 Wh each, incl. max. 2 spare batteries

☐ **WCLB**

**Vom Hersteller fix verbaute / nicht entfernbare Batterie**
Im Falle von fix verbauten / nicht abnehmbaren Batterien gilt Folgendes:
- Ein Limit von max. 2 Batterien mit jeweils bis zu max. 160 Wh
- Batterien müssen durch das Design des Geräts vor Beschädigung geschützt und gesichert sein

**Permanently installed by the manufacturer's design / non removable battery**
In case of permanently installed / non-removeable battery(ies) the following is applicable:
- a limit of max. 2 batteries with max. 160 Wh each
- battery(ies) must be protected from damage and secured by the design of the device

☐ **WCBD**

**Auslaufsichere Batterie oder Trockenbatterie, z. B. Gel, Nickel-Kadmium-Batterie, Nickel-Metallhydrid-Batterie, wartungsfreie versiegelte Blei-Säure-Batterie**
- Max. 1 Ersatzbatterie für eine auslaufsichere Nassbatterie oder 2 Ersatzbatterien im Falle von Nickel-Metallhydrid-(NiMH)- oder Trockenbatterien
- Mitnahme der abgenommenen Batterie und Ersatzbatterie(n) nur als aufgegebenes Gepäck

**Non-spillable or dry-cell battery, e.g. gel, nickel-cadmium, nickel-metal hydride, sealed-lead-acid battery**
- Max. 1 spare wet, non-spillable battery or 2 spare nickel-metal hydride (NiMH) or dry-cell batteries
- Acceptance of removed and spare battery(ies) in checked baggage only

☐ **WCBW**

**Nicht auslaufsichere Batterie – Nassbatterie**
- Nur zulässig als aufgegebenes Gepäck, wenn das Gerät in einer aufrechten Position verladen, verstaut, gesichert und ausgeladen werden kann

**Spillable – wet-cell battery**
- Only accepted as checked baggage provided the device can be loaded, stowed, secured and unloaded always in an upright position

| | |
|---|---|
| Anzahl der Batterien für den Antrieb<br>Number of batteries for operation: 1 | Leistung pro Batterie in Wh<br>Rating of battery in Wh: 249.6 |
| Wie viele Ersatzbatterien transportieren Sie?<br>How many spare batteries do you carry? 0 | Leistung pro Ersatzbatterie in Wh<br>Rating of spare battery in Wh: N/A |
| Ist die Batterie abnehmbar? ☒ Ja / Yes ☐ Nein / No<br>Is the battery removable? | Handelt es sich um die originale Hersteller-Batterie? ☒ Ja / Yes ☐ Nein / No<br>Is it the original manufacturer's battery? |

# Informationen elektrische Mobilitätshilfe
# Electric mobility device information form

**Wichtig für den sicheren Transport Ihrer elektrischen Mobilitätshilfe**

- Wenn Sie Unterstützung in Ihrer Mobilität benötigen, können Sie die Reise mit Ihrer eigenen elektrischen Mobilitätshilfe anfragen
- Buchen Sie zuerst Ihren Flug. Danach füllen Sie bitte das Onlineformular aus und schicken es uns über die «Upload»-Funktion.
- Bitte führen Sie das ausgefüllte Formular für die Dauer Ihrer Reise mit sich, entweder in gedruckter Form oder elektronisch. Sofern sich die Angaben nicht ändern, verwenden Sie es gerne auch für Ihre folgenden Reisen.
- Bei Fragen kontaktieren Sie uns über: swiss.com/ch/de/customer-support/contact-us

**Important for the safe transport of your electric mobility device**

- If you require mobility assistance, you can request travel with your own electric mobility device
- First, book your flight. Then, please fill in the online form and send it via the „upload" function.
- Please take the completed form with you for the entire journey, either in printed form or digital. Provided the information does not change, please re-use it for your next trips.
- If you have further questions please contact us via: swiss.com/ch/en/customer-support/contact-us

**Bitte beachten Sie**

- Batteriebetriebene Mobilitätshilfen fallen unter die Gefahrgutregelung
- Je nach Batterieart gelten entsprechende Transportbedingungen

**In jedem Fall gilt:**

- Elektrische Stromkreise müssen unterbrochen sein
- Schützen Sie freiliegende Batterieanschlüsse vor einem Kurzschluss, z. B. mit einem Klebeband, um eine unbeabsichtigte Aktivierung des Gerätes zu verhindern
- Bei Transport inklusive Batterie schalten Sie bitte Ihr Gerät komplett aus:
  - Ziehen Sie den Schlüssel ab
  - Deaktivieren Sie Ihr Gerät mittels Steuerhebel, Schalter oder Knopf oder anderem Isoliermechanismus, wie vom Hersteller für den Transport vorgesehen
- Transportieren Sie entfernte Batterien und Ersatzbatterien in der Originalverpackung des Herstellers oder einer anderen geeigneten, stabilen Verpackung

**Please observe**

- Battery-powered mobility devices are subject to the dangerous goods regulations
- Depending on the battery type, respective transport conditions apply

**In any case:**

- The battery power must be isolated
- Protect exposed battery terminals from short circuits, e.g. by taping the terminals, to prevent the mobility device from inadvertent activation
- In case of transport including the battery, please turn off your device completely:
  - Remove the key
  - Deactivate the device using the joystick or an isolation switch or button, or other isolation mechanism as required by the manufacturer for transport
- Transport removed batteries or spare batteries in the original manufacturer's packaging or other strong, rigid packaging

**Hiermit bestätige ich Folgendes:**

- ☑ Alle Werkzeuge, welche für die Transportvorbereitung meiner Mobilitätshilfe notwendig sind, werden mitgeführt.
- ☑ Das Herstellerhandbuch mit den Transportanleitungen kann bei Bedarf vorgelegt werden.
- ☑ Eine geeignete Transporttasche für abnehmbare Teile wird mitgeführt.
- ☑ Das Sicherheitsdatenblatt der Batterie meiner Mobilitätshilfe oder das Zertifikat für den Lufttransport liegt dieser E-Mail bei.

**I hereby acknowledge the following:**

- ☑ All tools required to prepare my mobility device for transport are provided.
- ☑ The manufacturer's manual with instructions for transporting the mobility device is available on request.
- ☑ A suitable bag for transportation of removable parts is provided.
- ☑ The safety data sheet or certificate for air transport of the battery of my mobility device is included in this email.

**Achtung: Check-in-Agenten**

Vergleiche die markierten Angaben zur Spezifikation mit der mitgebrachten Mobilitätshilfe.

- Prüfe das gebuchte Service und das bestätigte Gerät im Reservierungs-/Check-in-System

Die mitgebrachte Mobilitätshilfe stimmt mit den bestätigten Details in der Reservierung überein?

- Der Transport ist damit im Rahmen der Gefahrgutbestimmungen und Beförderungsregeln genehmigt
- Akzeptiere die Mobilitätshilfe gemäss «Procedure for electric wheelchair / mobility device» im GPM 7.4.2

Der Service ist **nicht** bestätigt oder die mitgebrachte Mobilitätshilfe stimmt **nicht** mit dem gebuchten Service überein?

- Stelle die Einhaltung der Gefahrgutbestimmungen, Beförderungsregeln und die Genehmigung für den Transport sicher
- Folge der Anleitung für «Unreserved wheelchairs and mobility devices» im GPM 7.4.2

**Attention: Check-in agents**

Compare the specification-related data in the shaded boxes with the mobility device presented.

- Check the confirmed service and approved device in the reservation/check-in system

Does the mobility device presented match the details confirmed in the reservation?

- If so, transport is approved in line with the dangerous goods regulations and transport rules
- Accept the mobility device according to the "Procedure for electric wheelchair / mobility device" in GPM 7.4.2

Is the service **not** confirmed, or does the mobility device presented **not** match the service booked?

- Ensure the transport approval and compliance with the dangerous goods regulations and transport rules
- Apply the procedure for "Unreserved wheelchairs and mobility devices" in GPM 7.4.2

Formular drucken / Print form

September 2025

# Movinglife LTD

www.movinglife.com · Israel +972 73 391 3999 · info@movinglife.com

**To: Airline Check-in / Dangerous Goods Acceptance Staff**

## Subject: Air Transport Confirmation, ATTO Mobility Scooter and Lithium ion Battery

This letter confirms that the mobility device described below is a battery-powered mobility aid manufactured / supplied by Movinglife LTD, and that its battery meets the requirements for carriage by air as a passenger mobility aid.

| | |
|---|---|
| Device | **ATTO electric folding mobility scooter** |
| Manufacturer | **Movinglife LTD** |
| Weight / folded dimensions | **28.2 kg without battery (battery 1.8 kg) · 39 × 42 × 72 cm (L×W×H)** |
| Battery type | **Lithium-ion, removable, original manufacturer battery** |
| Battery model / manufacturer | **GD009-13S2P · Dongguan Kingin Power Co., Ltd** |
| Rating | **48V · 5.2Ah · 249.6 Wh (one battery)** |
| Testing | **UN Manual of Tests and Criteria, Part III, sub-section 38.3 (UN 38.3) · report MRI1AVBG2672847U5** |

**Transport instructions:** fold the scooter into trolley mode and switch it off. Remove the lithium-ion battery (249.6 Wh, in accordance with the IATA Dangerous Goods Regulations for battery-powered mobility aids) and carry it in the passenger cabin, with the terminals protected against short circuit and the battery placed in a protective pouch. No tools are required. The scooter frame contains no other battery.

The battery's Material Safety Data Sheet (MSDS), including the UN 38.3 transport information, is attached (ATTO Flight Safety Certificates).

movinglife

# ATTO MOBILITY SCOOTER

# Flight Safety Certificates

## LITHIUM-ION BATTERY 249.6 Wh

### DRY, NON SPILLABLE

Battery dimensions: 32x14x11cm  Weight 1.8kg


| Page | Document | Standard / Doc |
|---|---|---|
| 2 | OVERVIEW | FDA / CE |
| 3-14 | BATTERY SAFETY DATA SHEET | MSDS |
| 15 | SCOOTER DIMENSIONS | |


movinglife

www.movinglife.com

Take to Airport


Li-ion

FDA APPROVED

CE




FREE WHEEL HANDLE



MOTOR

BATTERY

# MATERIAL SAFETY DATA SHEET

**Rechargeable Li-ion Battery**

**Model: GD009-13S2P**

| Prepared by | Approved by |
|---|---|
| Cindy Chen | Jack Zhou |
| Jun 5, 2023 | Jun 6, 2023 |

# Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.9(GHS)

## Section 1 - Chemical Product and Company Identification

**Chemical Product Identification**
**Sample Name:** Lithium-ion Battery pack
**Sample Model:** GD009-13S2P
**Recommended Uses:** N/A
**Restrictions on Use:** N/A
**Supplier Name:** Dongguan Kingin Power Co., Ltd.
**Address:** No.702, Floor 7th, Block B, Honghai Intelligent Valley, No.50, Jinjiaotang Fumin Road, Zhutang Village, Fenggang Town, Dongguan City
**Phone Number:** 15283330307
**FAX:** 0769-88023775
**E-mail:** zhuozhiguang@kingin.cn
**Emergency Phone Number:** 0769-88023775

## Section 2 - Hazards Identification

**Emergency overview:** This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

**Classification according to GHS**
Acute toxicity, oral (4)
Skin corrosion/irritation (2)
Serious eye damage/eye irritation (2A)
Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

**Label elements**

**Hazard pictogram(s);**



**Signal word:** Warning

**Hazard statement(s):**

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

**Precautionary statement(s):**

**Prevention:**

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P271 Use only outdoors or in a well-ventilated area.

**Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER, if you feel unwell.

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Send contents to approved waste treatment plants.

**Other hazards**

**Physical and chemical hazards:** See Section 10

**Human health hazards:** See Section 11

**Environmental hazards:** See Section 12

## Section 3 - Composition/Information on Ingredients

**Chemical characterization:** Mixture

| Chemical Composition | CAS No. | EC# | Weight (%) |
|---|---|---|---|
| Cobaltate, lithium | 12190-79-3 | 235-362-0 | 41 |
| Graphite | 7782-42-5 | 231-955-3 | 25 |
| Polypropylene | 9003-07-0 | 618-352-4 | 2 |
| Copper | 7440-50-8 | 231-159-6 | 5 |
| Aluminium | 7429-90-5 | 231-072-3 | 8 |
| Nickel | 7440-02-0 | 231-111-4 | 3 |
| Rubber, chloroprene, gas | 69028-37-1 | --- | 2 |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 244-334-7 | 9 |
| Polyvinylidene fluoride resin | 24937-79-9 | 607-458-6 | 2 |
| Cellulose, carboxymethyl ether | 9000-11-7 | 618-326-2 | 3 |

## Section 4 - First Aid Measures

**Description of first aid measures**

**General information** No special measures required.

**After eye contact**

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

**After skin contact**

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

**After inhalation**

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

**After swallowing**

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** Treat symptomatically.

## Section 5 - Fire Fighting Measures

**Suitable extinguishing media:**

Small Fire**:** Dry chemical, $CO_2$, water spray or regular foam. Large Fire**:** Water spray, fog or regular foam.

Move containers from fire area if you can do it without risk.

**Unsuitable extinguishing media:**

No data available.

**Specific Hazards arising from the chemical:**

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature (>150 °C (302 °F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in close proximity.

**Specific protective actions for fire-fighters:**

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

## Section 6 - Accidental Release Measures

**Personal precautions:**

As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. Keep unauthorized personnel away. Stay upwind, uphill and/or upstream. Ventilate closed spaces before entering. Large Spill: Consider initial downwind evacuation for at least 100 meters (330 feet).

**Protective equipment:**

No data available.

**Emergency procedures:**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material. Leaking batteries and contaminated absorbent material should be placed in metal containers.

**Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

**Methods and materials for containment and cleaning up:**

For all waste handing must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

**Precautions for safe handling:**

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

**Conditions for safe storage, including any incompatibilities:**

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

## Section 8 - Exposure Controls/Personal Protection

**Control parameters**

| CAS No. | ACGIH | NIOSH | OSHA |
|---|---|---|---|
| 12190-79-3 | N/A | N/A | N/A |
| 7782-42-5 | TLV-TWA 2mg/$m^3$ | REL-TWA 2.5mg/$m^3$ | PEL-TWA 15mppcf<br>PEL-TWA 20mppcf |
| 9003-07-0 | N/A | N/A | N/A |
| 7440-50-8 | TLV-TWA 0.2mg/$m^3$<br>TLV-TWA 1mg/$m^3$ | REL-TWA 1mg/$m^3$<br>REL-TWA 0.1mg/$m^3$ | PEL-TWA 0.1mg/$m^3$<br>PEL-TWA 1mg/$m^3$ |
| 7429-90-5 | TLV-TWA 1mg/$m^3$ | REL-TWA 2mg/$m^3$<br>REL-TWA 5mg/$m^3$<br>REL-TWA 10mg/$m^3$ | PEL-TWA 5mg/$m^3$<br>PEL-TWA 15mg/$m^3$ |
| 7440-02-0 | TLV-TWA 1.5mg/$m^3$ | REL-TWA 0.015mg/$m^3$ | PEL-TWA 1mg/$m^3$ |
| 69028-37-1 | N/A | N/A | N/A |
| 21324-40-3 | N/A | N/A | N/A |
| 24937-79-9 | N/A | N/A | N/A |
| 9000-11-7 | N/A | N/A | N/A |

**Appropriate engineering controls:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

**Personal Protective Equipment:**

**Respiratory protection:** Wear suitable protective mask. For a large large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eye Protection:** Wear safety goggles or eye protection combined with respiratory protection.

**Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## Section 9 - Physical and Chemical Properties

| | |
|---|---|
| **Information on basic physical and chemical properties** | |
| **Colour:** | Black. |
| **Physical State:** | Prismatic. |
| **Odour:** | Not available. |
| **pH:** | Not available. |
| **Melting point/freezing point:** | Not available. |
| **Boiling point or initial boiling point and boiling range:** | Not available. |
| **Flash Point:** | Not available. |
| **Flammability:** | Not available. |
| **Solubility:** | Not available. |
| **Lower and upper explosion limit/flammability limit:** | Not available. |
| **Auto-ignition temperature:** | Not available. |
| **Decomposition temperature:** | Not available. |
| **Kinematic viscosity:** | Not available. |
| **Partition coefficient: n-octanol/water (log value):** | Not available. |
| **Vapour pressure:** | Not available. |
| **Density and/or relative density:** | Not available. |
| **Relative vapour density:** | Not available. |
| **Particle characteristics:** | Not available. |
| **Other information:** | |
| **Voltage** | 48V |
| **Electric capacity** | 5200mAh |
| **Electric Energy** | 249.6Wh |

## Section 10 - Stability and Reactivity

**Reactivity:** No data available.
**Chemical stability:** Stable.
**Possibility of hazardous reactions:** No data available.
**Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.
**Incompatible materials:** Oxidizing agents, acid base.
**Hazardous decomposition products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.

# Section 11 - Toxicological Information

**Acute Toxicity:**

| CAS No. | LC50/LD50 |
|---|---|
| 12190-79-3 | No data available. |
| 7782-42-5 | No data available. |
| 9003-07-0 | No data available. |
| 7440-50-8 | No data available. |
| 7429-90-5 | No data available. |
| 7440-02-0 | LD50 Rat (oral): >9000mg/kg |
| 69028-37-1 | No data available. |
| 21324-40-3 | No data available. |
| 24937-79-9 | No data available. |
| 9000-11-7 | No data available. |

**Skin corrosion/irritation:** No data available.
**Serious eye damage/irritation:** No data available.
**Respiratory or Skin sensitization:** No data available.
**Germ Cell mutagenicity:** No data available.
**Carcinogenicity:** No data available.
**Reproductive toxicity:** No data available.
**Specific target organ toxicity-Single exposure:** No data available.
**Specific target organ toxicity-Repeated exposure:** No data available.
**Aspiration hazard:** No data available.
**Information on the likely routes of exposure:** No data available.
**Eye:** No data available.
**Skin:** No data available.
**Ingestion:** No data available.
**Inhalation:** No data available.

# Section 12 - Ecological Information

**Ecological Toxicity:** No data available.
**Persistence and degradability:** No data available.
**Bioaccumulative Potential:** No data available.
**Mobility in Soil:** No data available.
**Other adverse effects:** No data available.

## Section 13 - Disposal Considerations

**Disposal methods:**


**Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information

| | | |
|---|---|---|
| **UN or ID Number** | | |
| **IATA** | UN3480 | UN3171 |
| **IMDG** | UN3480 | UN3171 |
| **Model Regulation** | UN3480 | UN3171 |
| **Proper Shipping Name/Description** | | |
| **IATA** | Lithium ion batteries<br>Battery-powered vehicle | |
| **IMDG** | LITHIUM ION BATTERIES<br>BATTERY-POWERED VEHICLE | |
| **Model Regulation** | LITHIUM ION BATTERIES<br>BATTERY-POWERED VEHICLE | |
| **Class or Div.(Sub Hazard)** | | |
| **IATA** | 9 | |
| **IMDG** | 9 | |
| **Model Regulation** | 9 | |
| **Packing group** | | |
| **IATA** | N/A | |
| **IMDG** | N/A | |
| **Model Regulation** | N/A | |
| **Hazard Label**<br>**IATA**<br>**IMDG**<br>**Model Regulation** |  <br>965: |  <br>952: |
| **Environmental hazards**<br>**Marine pollutant:** | No | |
| **IMDG EmS:** | F-A. S-I | |
| **Special precautions for user** | No information available. | |

**Transport information:** The Lithium-ion battery pack GD009-13S2P has passed the test UN38.3, according

to the report ID: MRI1AVBG2672847U5.

Watt-hour exceeds the standard. The goods are packaged according to the packaging Instruction 965 section IA of IATA DGR 64th Edition for transportation, Cargo aircraft only.

Watt-hour exceeds the standard. The goods are packaged according to the special provision 230, 348, 384 of IMDG (40-20).

Watt-hour exceeds the standard. The goods are packaged according to the special provision 230, 348, 384 of <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (22nd).

The goods are packaged according to the packaging Instruction 952 of IATA DGR 64th Edition for transportation, it belongs to dangerous goods. Be shipped by passenger and cargo aircraft.

The goods are packaged according to the special provision 388, 962, 971 of IMDG (40-20), it belongs to dangerous goods.

The goods are packaged according to the special provision 388 of <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (22nd), it belongs to dangerous goods.

Separate batteries to prevent short-circuiting. and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.

**Note: State of Charge (SoC) not exceeding 30% of their rated capacity. (By air, Lithium ion batteries)**
**Batteries weight in the package <5kg. (By air, Batteries installed in equipment)**

**Transport Fashion:** By air, by sea, by railway, by road.

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| CAS No. | TSCA | IECSC | DSL/NDSL | EINECS/ ELINCS/ NLP |
|---|---|---|---|---|
| 12190-79-3 | Listed | Listed | Listed DSL | Listed |
| 7782-42-5 | Listed | Listed | Listed DSL | Listed |
| 9003-07-0 | Listed | Listed | Listed DSL | Listed |
| 7440-50-8 | Listed | Listed | Listed DSL | Listed |
| 7429-90-5 | Listed | Listed | Listed DSL | Listed |
| 7440-02-0 | Listed | Listed | Listed DSL | Listed |
| 69028-37-1 | Listed | Listed | Listed DSL | Listed |
| 21324-40-3 | Listed | Listed | Listed DSL | Listed |

| | | | | |
|---|---|---|---|---|
| 24937-79-9 | Listed | Listed | Listed DSL | Listed |
| 9000-11-7 | Listed | Listed | Listed DSL | Listed |

## Section 16 - Other Information

Issue Date: 2023-03-13
Issue Department: Technical department
Modification record:
Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:
CAS: (Chemical Abstracts Service);
EC: (European Commission);
ACGIH: (American Conference of Governmental Industrial Hygienists);
NIOSH: (US National Institute for Occupational Safety and Health);
OSHA: (US Occupational Safety and Health);
TLV: (Threshold Limit Value)
TWA: (Time Weighted Average);
STEL: (Short Term Exposure Limit);
PEL: (Permissible Exposure Level);
REL: (Recommended Exposure Limit);
PC-STEL: (Permissible concentration-short time exposure limit);
PC-TWA: (Permissible concentration-time weighted average);
IARC: (International Agency for Research on Cancer);
LC50: (Lethal concentration, 50 percent kill);
LD50: (Lethal dose, 50 percent kill);
EC50: (Median effective concentration);
BCF: (Bioconcentration Factor);
BOD: (Biochemical oxygen demand);
IECSC: (Inventory of Existing Chemical Substances in China);
NOEC: (No observed effect concentration);
NTP: (US National Toxicology Program);
RTECS: (Registry of Toxic Effects of Chemical Substances);
TOC: (Total Organic Carbon);
TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);
NDSL: (the Non-domestic Substances List of Canada);
IATA: (International Air Transport Association);
IMDG: (International Maritime Dangerous Goods);
TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)
The original report which report No. is MRICF6CG2915147U3 be replaced by this report, and it will be canceled immediately and doesn't have any legal validity. Please compliance with this report.
2023-03-13

***End of report***

## Scooter Sizes & Dimensions

- For sending to the cargo bay:

  In trolley mode (folded, as shown in picture) 72x42x39 cm




Trolley Mode
62.2 lbs (28.2 Kg)
w/out battery

For more information please contact Moving Life



USA +1-347-761-3317

UK +44-(0)20-3769 7530

Israel +972-(0)73-391 3999



info@movinglife.com

Take to Airport

All Rights Reserved © 2023 Moving Life Ltd.