איך שולחים לאייר אינדיה

קלנועית ATTO · סוללת ליתיום 48V / 5.2Ah / 249.6Wh · דגם סוללה GD009-13S2P · עומדת בדרישות IATA

מה יש בקובץ: הדף הזה · דף ליום הטיסה · טופס חברת התעופה · מכתב יצרן · אישורי הסוללה (MSDS ו UN 38.3)

1 מה ממלאים בטופס

- מספר הזמנה (PNR), מספר טיסה ותאריך טיסה

2 שולחים לחברת התעופה

- מגישים בפורטל שירות הלקוחות של Air India, תחת Airport Services ואז Health and Medical Assistance
- מצרפים את הקובץ

⏱ מתי: לפחות 48 שעות לפני הטיסה

3 ביום הטיסה

- מביאים עותק מודפס של הטופס לבדיקה בשדה
- מביאים את הקובץ מודפס
- בדלפק מקפלים את הקלנועית, מכבים ושולפים את הסוללה
- הסוללה עולה איתכם למטוס בתיק היד, כשהמגעים מכוסים

* כלי עזר והנגשה בלבד. הקובץ הוכן אוטומטית לפי הפרטים שהוזנו, וייתכנו בו טעויות או חוסרים. האחריות לבדוק את הפרטים, להשלים כל מסמך שחסר ולשלוח לחברת התעופה היא של המשתמש בלבד. MovingLife אינה אחראית בשום אופן לטעות, לחוסר, לסירוב, לעיכוב או לדרישה של חברת התעופה או שדה התעופה, ולא תהיה כל טענה כלפיה. ההחלטה הסופית היא של חברת התעופה בלבד.
MovingLife · 073 391 3999 · info@movinglife.com

ביום הטיסה ✈

1. מגיעים לשדה התעופה **3 שעות לפני הטיסה**
2. מביאים את **הקובץ הזה** מודפס
3. בדלפק **מקפלים** את הקלנועית ו**מכבים** אותה
4. **שולפים את הסוללה**. היא עולה איתכם למטוס בתיק היד
5. את **המטען** של הקלנועית לוקחים בתיק היד, לא במזוודה
6. יש לכם ערכת טיסה? **מלבישים** אותה על הקלנועית לפני המסירה
7. אם שואלים, מראים את **מכתב היצרן** ואת **אישורי הטיסה**



מקפלים למצב טרולי



שולפים את הסוללה ולוקחים אותה לתיק היד



ממליצים לטוס עם ערכת הטיסה של ATTO

כיסוי מגן ששומר על הקלנועית בזמן ההעמסה למטוס.

להזמנה: **073 391 3999** · פרטים: movinglife.co.il/products/atto-flight-kit

AIR INDIA BATTERY POWERED WHEELCHAIR / MOBILITY AID INFORMATION FORM

Booking details.

Booking reference or PNR: _____

Flight number: _____

Flight date: _____

Wheelchair/Mobility aid details

Manufacturer: Movinglife LTD

Model: ATTO

Weight (KG): 28.2

Dimensions (cm) Length 39 Width 42 Height 72. (folded; unfolded 120 x 56 x 89)

Type of battery: Select the correct type.

- Wet acid ☐ Note: Not Permitted on Air India
- Non Spillable (Dry/Gel/ Nickel-Metal Hydride Batteries) ☐
- Lithium ☒ Watt Hour Rating 249.6

Please place the picture of wheelchair and batteries. Also, kindly mark the lifting positions.





Does it have lifting handles?

Yes ☒ No ☐

Has it been modified after purchase.

Yes ☐ No ☒

Advise if it has an air safe plug.

Yes ☐ No ☒

How do you turn the mobility aid off?

Power OFF at the tiller, then remove the battery (no power without battery).

Will you be carrying any additional batteries?

Yes ☐ No ☒

Do you have original manufacturer Booklet?

Yes ☒ No ☐ Note: If yes kindly share along with the form.

Any additional information you may like to provide or if you have any question for us.

Folding ATTO scooter. 1 removable Li-ion battery 48V/5.2Ah/249.6Wh, GD009-13S2P,
UN38.3 report MRI1AVBG2672847U5; removed and carried in cabin, terminals protected.

***While handing over the wheelchair, the customer must ensure that all removable parts are secured properly** - this includes the armrests, footrests, batteries and any other accessories that may be attached to the wheelchair.

Movinglife LTD

www.movinglife.com · Israel +972 73 391 3999 · info@movinglife.com

To: Airline Check-in / Dangerous Goods Acceptance Staff

Subject: Air Transport Confirmation, ATTO Mobility Scooter and Lithium ion Battery

This letter confirms that the mobility device described below is a battery-powered mobility aid manufactured / supplied by Movinglife LTD, and that its battery meets the requirements for carriage by air as a passenger mobility aid.

Device	**ATTO electric folding mobility scooter**
Manufacturer	**Movinglife LTD**
Weight / folded dimensions	**28.2 kg without battery (battery 1.8 kg) · 39 × 42 × 72 cm (L×W×H)**
Battery type	**Lithium-ion, removable, original manufacturer battery**
Battery model / manufacturer	**GD009-13S2P · Dongguan Kingin Power Co., Ltd**
Rating	**48V · 5.2Ah · 249.6 Wh (one battery)**
Testing	**UN Manual of Tests and Criteria, Part III, sub-section 38.3 (UN 38.3) · report MRI1AVBG2672847U5**

Transport instructions: fold the scooter into trolley mode and switch it off. Remove the lithium-ion battery (249.6 Wh, in accordance with the IATA Dangerous Goods Regulations for battery-powered mobility aids) and carry it in the passenger cabin, with the terminals protected against short circuit and the battery placed in a protective pouch. No tools are required. The scooter frame contains no other battery.

The battery's Material Safety Data Sheet (MSDS), including the UN 38.3 transport information, is attached (ATTO Flight Safety Certificates).