איך שולחים לפליידובאי

קלנועית ATTO · סוללת ליתיום 48V / 5.2Ah / 249.6Wh · דגם סוללה GD009-13S2P · עומדת בדרישות IATA

מה יש בקובץ: הדף הזה · דף ליום הטיסה · טופס חברת התעופה · מכתב יצרן · אישורי הסוללה (MSDS ו UN 38.3)

1 מה ממלאים בטופס

- שם, מספר הזמנה, טלפון נייד, מסלול, מספר טיסה ותאריך

2 שולחים לחברת התעופה

- שולחים את הקובץ במייל לכתובת **letstalk@flydubai.com**

⏱ **מתי: לפחות 48 שעות לפני הטיסה**

⚠ פליידובאי השעתה בעבר טיסות לישראל. כדאי לוודא שהטיסה מתקיימת

3 ביום הטיסה

- מביאים את הקובץ מודפס
- בדלפק מקפלים את הקלנועית, מכבים ושולפים את הסוללה
- הסוללה עולה איתכם למטוס בתיק היד, כשהמגעים מכוסים

* כלי עזר והנגשה בלבד. הקובץ הוכן אוטומטית לפי הפרטים שהוזנו, וייתכנו בו טעויות או חוסרים. האחריות לבדוק את הפרטים, להשלים כל מסמך שחסר ולשלוח לחברת התעופה היא של המשתמש בלבד. MovingLife אינה אחראית בשום אופן לטעות, לחוסר, לסירוב, לעיכוב או לדרישה של חברת התעופה או שדה התעופה, ולא תהיה כל טענה כלפיה. ההחלטה הסופית היא של חברת התעופה בלבד.
MovingLife · 073 391 3999 · info@movinglife.com

ביום הטיסה ✈

1. מגיעים לשדה התעופה **3 שעות לפני הטיסה**
2. מביאים את **הקובץ הזה** מודפס
3. בדלפק **מקפלים** את הקלנועית ו**מכבים** אותה
4. **שולפים את הסוללה**. היא עולה איתכם למטוס בתיק היד
5. את **המטען** של הקלנועית לוקחים בתיק היד, לא במזוודה
6. יש לכם ערכת טיסה? **מלבישים** אותה על הקלנועית לפני המסירה
7. אם שואלים, מראים את **מכתב היצרן** ואת **אישורי הטיסה**



מקפלים למצב טרולי



שולפים את הסוללה ולוקחים אותה לתיק היד



ממליצים לטוס עם ערכת הטיסה של ATTO

כיסוי מגן ששומר על הקלנועית בזמן ההעמסה למטוס.

להזמנה: **073 391 3999** · פרטים: movinglife.co.il/products/atto-flight-kit

Wheelchair and mobility aid information

Please download, fill out, and email this form to **letstalk@flydubai.com** 48 hours before departure.

PASSENGER INFORMATION	
Passenger name:	Booking reference: (e.g., 4XCKT2)
Mobile no.:	Route: (e.g., DXB-DOH-DXB)
Alternate mobile no.:	Flight no. & Date:

WHEELCHAIR/MOBILITY AID INFORMATION		
Manufacturer: Movinglife LTD	Model no.: ATTO	Weight (kg): 28.2
Dimensions (cm): Length: 39 (folded)	Width: 42 (folded)	Height: 72 (folded)

☑ Foldable ☐ Non-foldable

- Wheelchairs that exceed maximum dimensions or weight might not be accepted for carriage.
- All removable parts must be properly secured during transport.

BATTERY



WHEELCHAIR/MOBILITY AID



Number of batteries required to operate the wheelchair / mobility aid: 1

Battery Type:

☐ Lithium-ion (will remain installed)[1]
☑ Lithium-ion (will be removed)[2]
☐ Wet-cell non-spillable (will remain installed)[1]
☐ Dry-cell non-spillable (will remain installed)[1]
☐ Dry-cell non-spillable (will be removed)[3]

[1]If the battery remains installed, the power source must be disconnected and insulated. (e.g., the key turned off and removed, securing the power switch to the "Off" position, or a quick disconnection of controls).
[2]If the lithium-ion battery is removed, it must be packed in a protective pouch/container and carried only in the cabin.
[3]If the dry-cell non-spillable battery is removed, it must be packed in a strong rigid packaging and carried only in the cargo hold.

Battery power:

Watt-hour rating for lithium-ion (Li-ion) batteries: 249.6 Wh

Spare battery (if applicable):

Total number of spare batteries carried: 0

Watt-hour rating for lithium-ion (Li-ion) batteries: N/A (no spare battery)

Other instructions: Fold into trolley mode. Power OFF at tiller, remove battery, carry it in cabin with terminals protected. Unfolded 120x56x89 cm. No tools required.

Batteries: Li-ion 48V/5.2Ah/249.6Wh, GD009-13S2P (Dongguan Kingin Power Co., Ltd), UN38.3 report MRI1AVBG2672847U5

If your itinerary involves travel on another airline, you should check the specific wheelchair conditions of carriage for that carrier before making your booking.

Click for more information https://www.flydubai.com/en/flying-with-us/accessibility-and-assistance-services/wheelchair-and-mobility-assistance

flydubai

Movinglife LTD

www.movinglife.com · Israel +972 73 391 3999 · info@movinglife.com

To: Airline Check-in / Dangerous Goods Acceptance Staff

Subject: Air Transport Confirmation, ATTO Mobility Scooter and Lithium ion Battery

This letter confirms that the mobility device described below is a battery-powered mobility aid manufactured / supplied by Movinglife LTD, and that its battery meets the requirements for carriage by air as a passenger mobility aid.

Device	**ATTO electric folding mobility scooter**
Manufacturer	**Movinglife LTD**
Weight / folded dimensions	**28.2 kg without battery (battery 1.8 kg) · 39 × 42 × 72 cm (L×W×H)**
Battery type	**Lithium-ion, removable, original manufacturer battery**
Battery model / manufacturer	**GD009-13S2P · Dongguan Kingin Power Co., Ltd**
Rating	**48V · 5.2Ah · 249.6 Wh (one battery)**
Testing	**UN Manual of Tests and Criteria, Part III, sub-section 38.3 (UN 38.3) · report MRI1AVBG2672847U5**

Transport instructions: fold the scooter into trolley mode and switch it off. Remove the lithium-ion battery (249.6 Wh, in accordance with the IATA Dangerous Goods Regulations for battery-powered mobility aids) and carry it in the passenger cabin, with the terminals protected against short circuit and the battery placed in a protective pouch. No tools are required. The scooter frame contains no other battery.

The battery's Material Safety Data Sheet (MSDS), including the UN 38.3 transport information, is attached (ATTO Flight Safety Certificates).