

# User manual for the Kluwer L<sup>A</sup>T<sub>E</sub>X class file crckbked.cls

## *Additional information for editors of books*

Prepress Department (texhelp@wkap.nl)\*

*Kluwer Academic Publishers, Achterom 119, 3311 KB Dordrecht, The Netherlands*

November 19, 1998

**Abstract.** This is an addendum to the user manual for authors using Kluwer Academic Publishers's L<sup>A</sup>T<sub>E</sub>X class file `kluwer.cls`.

This document gives information about the various commands that are either needed or helpful in the creation of full Camera-Ready books using the book-specific class file `crckbked.cls`.

## Introduction

The `crckbked.cls` class file is meant for the submission of camera-ready copies of books which are edited volumes rather than monographs.

## The main input file

The overall structure of the main input file is the same as for the `kluwer.cls` file, and is demonstrated in Figure 1 of the User Manual.

There is a "frontmatter" environment available, and this can be used to typeset the frontmatter of the issue.

## EXTRA COMMANDS

### *Dates*

Other than some class files, the commands `\date`, `\received`, `\accepted` and `\revised` do not generate output.

### *Running headlines*

`crckapb.cls` with the `nato` option does not generate running heads either. For the other document style options (`\editedvolume` and `\proceedings`) please make sure that they are available, correct, and fit into the horizontal space.

---

\* This e-mail address is available for all problems and questions.



## Commands for adjustments

### PAGE NUMBERS

The two ‘opening’ commands `\firstpage` and `\lastpage` can be used to adjust the page numbering if needed.

### BIBLIOGRAPHIC LISTS

If two articles use conflicting options for the references (e.g. All articles use ‘namedreferences’ except one), the commands `\numreferences` and `\namedreferences` can be used to switch styles ‘on the fly’.

## Fonts for camera ready production

Check with your editor which font should be used: for using Times rather than the default (Computer Modern), add a line `\usepackage{klups}` to the preamble. This also adds support for the appropriate math fonts.

The klups package tries to guess what font support is available on your system and make the best possible use of it. However, it does not always get it right. In that case you can try, going from best to worst:

```
\usepackage[mtbold]{mathtime}  
\usepackage{mathtime}  
\usepackage{mathptm}  
\usepackage{times}  
\renewcommand{\rmdefault}{ptm}
```

KLUWER ACADEMIC PUBLISHERS PrePress Department,  
P.O. Box 17, 3300 AA Dordrecht, The Netherlands  
e-mail: [TEXHELP@WKAP.NL](mailto:TEXHELP@WKAP.NL)  
Fax: +31 78 6392500