

rentchchvsnzregressionBen

Ben

2026-09-24

```
##
## Attaching package: 'data.table'


## The following object is masked from 'package:base':
##
##      %notin%



##
## Call:
## lm(formula = Canterbury_Rent ~ Year, data = rent_data)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -39.323 -16.906   5.526  10.778  44.504
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -2.751e+04  1.164e+03  -23.63  <2e-16 ***
## Year          1.383e+01  5.784e-01   23.92  <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 23.41 on 25 degrees of freedom
## Multiple R-squared:  0.9581, Adjusted R-squared:  0.9565
## F-statistic: 572.2 on 1 and 25 DF,  p-value: < 2.2e-16



##
## Call:
## lm(formula = Canterbury_Rent ~ NZ_Rent, data = rent_data2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -29.173 -15.858  -2.070   5.746  58.554
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  26.77893   12.93907    2.07   0.049 *
## NZ_Rent       0.85382    0.03378   25.28  <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 22.2 on 25 degrees of freedom
```

```
## Multiple R-squared:  0.9623, Adjusted R-squared:  0.9608  
## F-statistic: 638.9 on 1 and 25 DF,  p-value: < 2.2e-16
```

```
## 'geom_smooth()' using formula = 'y ~ x'
```







```
model3 <- lm(Canterbury_Rent ~ NZ_Rent + Year, data = rent_data2)
summary(model3)
```

```
##
## Call:
## lm(formula = Canterbury_Rent ~ NZ_Rent + Year, data = rent_data2)
```

```
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -33.646  -8.128  -0.656   10.078   44.710
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.242e+04  4.935e+03  -2.517  0.01891 *
## NZ_Rent      4.767e-01  1.526e-01   3.123  0.00462 **
## Year         6.252e+00  2.478e+00   2.523  0.01869 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 20.14 on 24 degrees of freedom
## Multiple R-squared:  0.9702, Adjusted R-squared:  0.9678
## F-statistic: 391.2 on 2 and 24 DF,  p-value: < 2.2e-16
```

```
cor(rent_data2$NZ_Rent, rent_data2$Year)
```

```
## [1] 0.9796241
```