Numerical reasoning: central 95% IQ ranges

Pooling over assigned strata

Quantitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	55	64-64	64-64	64-64
1	61	70-70	70-70	70-70
2	67	76-76	76-76	76-76
3	73	76-76	76-76	76-76
4	78	74-74	74-74	74-74
5	83	71-98	71-89	71-87
6	87	69-120	69-101	69-97
7	92	68-127	68-115	68-107
8	96	68-127	68-127	68-119
9	101	69-128	69-128	69-128
10	105	69-128	74-128	83-128
11	110	77-128	92-128	96-128
12	115	92-129	103-129	105-129
13	121	106-130	112-130	114-130
14	128	114-134	120-134	120-134
15	137	125-137	129-137	129-137

Qualitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	55	64-64	64-64	64-64
1	61	70-70	70-70	70-70
2	67	76-76	76-76	76-76
3	73	76-76	76-76	76-76
4	78	74-89	74-86	74-84
5	83	71-104	71-97	71-94
6	87	69-118	69-107	69-100
7	92	68-127	68-123	68-111
8	96	68-127	68-127	68-122
9	101	69-128	69-128	74-128
10	105	69-128	69-128	84-128
11	110	70-128	86-128	94-128
12	115	85-129	96-129	101-129
13	121	98-130	104-130	108-130
14	128	108-134	112-134	114-134
15	137	121-137	125-137	127-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Each performance stratum is equally likely; these ranges include variation between strata.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Working memory: central 95% IQ ranges

Pooling over assigned strata

Quantitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	55	63-63	63-63	63-63
1	55	59-59	59-59	59-59
2	62	66-66	66-66	66-66
3	69	69-69	69-69	69-69
4	76	71-90	71-88	71-82
5	82	71-104	71-100	71-90
6	88	69-118	69-112	69-96
7	94	68-127	68-127	68-109
8	100	69-127	69-127	73-127
9	107	71-130	85-130	92-130
10	113	89-130	101-130	105-130
11	119	105-130	111-130	114-130
12	126	121-135	125-135	127-135
13	133	138-138	138-138	138-138
14	141	137-137	137-137	137-137
15	145	137-137	137-137	137-137

Qualitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	55	63-63	63-63	63-63
1	55	59-59	59-59	59-59
2	62	66-66	66-66	66-66
3	69	69-77	69-74	69-74
4	76	71-88	71-85	71-84
5	82	71-102	71-97	71-93
6	88	69-120	69-111	69-102
7	94	68-127	68-127	68-116
8	100	69-127	69-127	73-127
9	107	71-130	79-130	89-130
10	113	85-130	93-130	100-130
11	119	96-130	103-130	107-130
12	126	105-135	110-135	113-135
13	133	117-138	121-138	122-138
14	141	129-137	132-137	132-137
15	145	137-137	137-137	137-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Each performance stratum is equally likely; these ranges include variation between strata.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Abstract reasoning: central 95% IQ ranges

Pooling over assigned strata

Quantitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	64	67-67	67-67	67-67
1	73	70-70	70-70	70-70
2	79	70-95	70-92	70-90
3	85	72-112	72-105	72-102
4	89	71-118	71-113	71-109
5	93	70-129	70-129	70-119
6	97	70-129	70-129	70-124
7	101	69-128	69-128	77-128
8	105	70-129	70-129	84-129
9	109	70-129	85-129	93-129
10	113	84-128	98-128	102-128
11	117	95-130	104-130	108-130
12	121	107-130	113-130	116-130
13	126	129-129	129-129	129-129
14	132	129-129	129-129	129-129
15	141	134-134	134-134	134-134

Qualitative message condition

Correct /15	Full sample IQ	Quintiles	Terciles	Halves
0	64	67-80	67-77	67-77
1	73	70-92	70-89	70-86
2	79	70-102	70-96	70-92
3	85	72-114	72-104	72-99
4	89	71-122	71-110	71-103
5	93	70-129	70-124	70-110
6	97	70-129	70-129	70-118
7	101	69-128	69-128	69-128
8	105	70-129	70-129	81-129
9	109	70-129	82-129	91-129
10	113	79-128	92-128	98-128
11	117	89-130	98-130	102-130
12	121	99-130	105-130	108-130
13	126	108-129	110-129	113-129
14	132	117-129	119-129	119-129
15	141	134-134	134-134	134-134

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Each performance stratum is equally likely; these ranges include variation between strata.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Numerical reasoning: central 95% IQ ranges

Within each quintile

Quantitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	55	64-64	64-64	64-64	64-64	64-64
1	61	70-70	70-70	70-70	70-70	70-70
2	67	76-76	76-76	76-76	76-76	76-76
3	73	76-76	76-76	76-76	76-76	76-76
4	78	74-74	74-74	74-74	74-74	74-74
5	83	92-99	71-71	71-71	71-71	71-71
6	87	110-123	74-88	69-69	69-69	69-69
7	92	127-127	100-108	68-68	68-68	68-68
8	96	127-127	127-127	73-88	68-68	68-68
9	101	128-128	128-128	101-109	69-69	69-69
10	105	128-128	128-128	128-128	83-93	69-69
11	110	128-128	128-128	128-128	105-115	74-89
12	115	129-129	129-129	129-129	129-129	89-104
13	121	130-130	130-130	130-130	130-130	103-118
14	128	134-134	134-134	134-134	134-134	112-134
15	137	137-137	137-137	137-137	137-137	123-137

Qualitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	55	64-64	64-64	64-64	64-64	64-64
1	61	70-70	70-70	70-70	70-70	70-70
2	67	76-76	76-76	76-76	76-76	76-76
3	73	76-76	76-76	76-76	76-76	76-76
4	78	78-92	74-74	74-74	74-74	74-74
5	83	94-105	71-71	71-71	71-71	71-71
6	87	109-123	74-88	69-69	69-69	69-69
7	92	127-127	98-108	68-68	68-68	68-68
8	96	127-127	119-127	79-90	68-68	68-68
9	101	128-128	128-128	102-111	69-81	69-69
10	105	128-128	128-128	128-128	84-97	69-69
11	110	128-128	128-128	128-128	106-116	70-82
12	115	129-129	129-129	129-129	129-129	80-95
13	121	130-130	130-130	130-130	130-130	94-109
14	128	134-134	134-134	134-134	134-134	104-122
15	137	137-137	137-137	137-137	137-137	119-132

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Working memory: central 95% IQ ranges

Within each quintile

Quantitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	55	63-63	63-63	63-63	63-63	63-63
1	55	59-59	59-59	59-59	59-59	59-59
2	62	66-66	66-66	66-66	66-66	66-66
3	69	69-69	69-69	69-69	69-69	69-69
4	76	79-92	71-71	71-71	71-71	71-71
5	82	94-107	71-71	71-71	71-71	71-71
6	88	107-120	83-93	69-69	69-69	69-69
7	94	127-127	103-113	85-93	68-68	68-68
8	100	127-127	127-127	106-117	69-69	69-69
9	107	130-130	130-130	130-130	94-100	71-71
10	113	130-130	130-130	130-130	116-130	87-96
11	119	130-130	130-130	130-130	130-130	102-118
12	126	135-135	135-135	135-135	135-135	118-135
13	133	138-138	138-138	138-138	138-138	138-138
14	141	137-137	137-137	137-137	137-137	137-137
15	145	137-137	137-137	137-137	137-137	137-137

Qualitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	55	63-63	63-63	63-63	63-63	63-63
1	55	59-59	59-59	59-59	59-59	59-59
2	62	66-66	66-66	66-66	66-66	66-66
3	69	69-79	69-69	69-69	69-69	69-69
4	76	71-92	71-71	71-71	71-71	71-71
5	82	94-105	71-71	71-71	71-71	71-71
6	88	110-123	86-95	69-69	69-69	69-69
7	94	127-127	105-116	82-91	68-68	68-68
8	100	127-127	127-127	104-113	69-79	69-69
9	107	130-130	130-130	130-130	93-102	71-71
10	113	130-130	130-130	130-130	113-130	83-93
11	119	130-130	130-130	130-130	130-130	93-109
12	126	135-135	135-135	135-135	135-135	103-119
13	133	138-138	138-138	138-138	138-138	115-130
14	141	137-137	137-137	137-137	137-137	126-137
15	145	137-137	137-137	137-137	137-137	137-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Abstract reasoning: central 95% IQ ranges

Within each quintile

Quantitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	64	67-67	67-67	67-67	67-67	67-67
1	73	70-70	70-70	70-70	70-70	70-70
2	79	87-96	70-70	70-70	70-70	70-70
3	85	98-114	72-72	72-72	72-72	72-72
4	89	109-120	101-101	71-71	71-71	71-71
5	93	129-129	129-129	70-70	70-70	70-70
6	97	129-129	129-129	84-93	70-70	70-70
7	101	128-128	128-128	105-114	69-69	69-69
8	105	129-129	129-129	129-129	70-70	70-70
9	109	129-129	129-129	129-129	99-99	70-70
10	113	128-128	128-128	128-128	128-128	83-93
11	117	130-130	130-130	130-130	130-130	92-108
12	121	130-130	130-130	130-130	130-130	106-116
13	126	129-129	129-129	129-129	129-129	129-129
14	132	129-129	129-129	129-129	129-129	129-129
15	141	134-134	134-134	134-134	134-134	134-134

Qualitative message condition

Correct /15	Full sample IQ	Q1	Q2	Q3	Q4	Q5
0	64	67-82	67-67	67-67	67-67	67-67
1	73	77-95	70-70	70-70	70-70	70-70
2	79	91-105	70-70	70-70	70-70	70-70
3	85	101-119	72-72	72-72	72-72	72-72
4	89	111-125	76-91	71-71	71-71	71-71
5	93	129-129	91-105	70-70	70-70	70-70
6	97	129-129	107-121	82-92	70-70	70-70
7	101	128-128	128-128	101-113	69-69	69-69
8	105	129-129	129-129	117-129	75-90	70-70
9	109	129-129	129-129	129-129	101-109	70-80
10	113	128-128	128-128	128-128	128-128	74-92
11	117	130-130	130-130	130-130	130-130	85-101
12	121	130-130	130-130	130-130	130-130	96-110
13	126	129-129	129-129	129-129	129-129	105-125
14	132	129-129	129-129	129-129	129-129	114-129
15	141	134-134	134-134	134-134	134-134	134-134

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Numerical reasoning: central 95% IQ ranges

Within each tercile

Quantitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	55	64-64	64-64	64-64
1	61	70-70	70-70	70-70
2	67	76-76	76-76	76-76
3	73	76-76	76-76	76-76
4	78	74-74	74-74	74-74
5	83	76-91	71-71	71-71
6	87	89-103	69-69	69-69
7	92	106-117	68-81	68-68
8	96	127-127	76-92	68-68
9	101	128-128	95-107	69-69
10	105	128-128	111-128	69-86
11	110	128-128	128-128	90-103
12	115	129-129	129-129	101-119
13	121	130-130	130-130	110-130
14	128	134-134	134-134	117-134
15	137	137-137	137-137	127-137

Qualitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	55	64-64	64-64	64-64
1	61	70-70	70-70	70-70
2	67	76-76	76-76	76-76
3	73	76-76	76-76	76-76
4	78	74-87	74-74	74-74
5	83	83-99	71-71	71-71
6	87	96-110	69-69	69-69
7	92	111-127	68-84	68-68
8	96	127-127	82-98	68-68
9	101	128-128	100-111	69-69
10	105	128-128	114-128	69-83
11	110	128-128	128-128	84-98
12	115	129-129	129-129	94-109
13	121	130-130	130-130	102-118
14	128	134-134	134-134	110-129
15	137	137-137	137-137	123-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Working memory: central 95% IQ ranges

Within each tercile

Quantitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	55	63-63	63-63	63-63
1	55	59-59	59-59	59-59
2	62	66-66	66-66	66-66
3	69	69-69	69-69	69-69
4	76	76-90	71-71	71-71
5	82	88-102	71-71	71-71
6	88	104-114	69-69	69-69
7	94	127-127	83-93	68-68
8	100	127-127	102-115	69-69
9	107	130-130	119-130	83-93
10	113	130-130	130-130	99-113
11	119	130-130	130-130	110-130
12	126	135-135	135-135	123-135
13	133	138-138	138-138	138-138
14	141	137-137	137-137	137-137
15	145	137-137	137-137	137-137

Qualitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	55	63-63	63-63	63-63
1	55	59-59	59-59	59-59
2	62	66-66	66-66	66-66
3	69	69-77	69-69	69-69
4	76	71-88	71-71	71-71
5	82	83-99	71-71	71-71
6	88	101-112	69-69	69-69
7	94	119-127	82-91	68-68
8	100	127-127	98-112	69-69
9	107	130-130	116-130	75-89
10	113	130-130	130-130	92-105
11	119	130-130	130-130	101-118
12	126	135-135	135-135	108-127
13	133	138-138	138-138	119-138
14	141	137-137	137-137	129-137
15	145	137-137	137-137	137-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Abstract reasoning: central 95% IQ ranges

Within each tercile

Quantitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	64	67-67	67-67	67-67
1	73	70-70	70-70	70-70
2	79	81-93	70-70	70-70
3	85	89-107	72-72	72-72
4	89	105-115	71-71	71-71
5	93	129-129	70-70	70-70
6	97	129-129	84-93	70-70
7	101	128-128	105-114	69-69
8	105	129-129	129-129	70-70
9	109	129-129	129-129	84-93
10	113	128-128	128-128	97-111
11	117	130-130	130-130	102-120
12	121	130-130	130-130	112-125
13	126	129-129	129-129	129-129
14	132	129-129	129-129	129-129
15	141	134-134	134-134	134-134

Qualitative message condition

Correct /15	Full sample IQ	T1	T2	T3
0	64	67-79	67-67	67-67
1	73	70-91	70-70	70-70
2	79	82-98	70-70	70-70
3	85	89-106	72-72	72-72
4	89	98-112	71-71	71-71
5	93	112-129	70-70	70-70
6	97	129-129	82-93	70-70
7	101	128-128	96-110	69-69
8	105	129-129	108-125	70-70
9	109	129-129	121-129	80-92
10	113	128-128	128-128	90-105
11	117	130-130	130-130	96-112
12	121	130-130	130-130	103-119
13	126	129-129	129-129	109-129
14	132	129-129	129-129	117-129
15	141	134-134	134-134	134-134

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Numerical reasoning: central 95% IQ ranges

Within each half

Quantitative message condition

Correct /15	Full sample IQ	H1	H2
0	55	64-64	64-64
1	61	70-70	70-70
2	67	76-76	76-76
3	73	76-76	76-76
4	78	74-74	74-74
5	83	71-88	71-71
6	87	81-97	69-69
7	92	94-108	68-68
8	96	103-122	68-68
9	101	114-128	69-83
10	105	128-128	81-96
11	110	128-128	95-109
12	115	129-129	104-124
13	121	130-130	112-130
14	128	134-134	120-134
15	137	137-137	129-137

Qualitative message condition

Correct /15	Full sample IQ	H1	H2
0	55	64-64	64-64
1	61	70-70	70-70
2	67	76-76	76-76
3	73	76-76	76-76
4	78	74-86	74-74
5	83	76-95	71-71
6	87	87-102	69-69
7	92	97-112	68-68
8	96	108-127	68-68
9	101	120-128	69-87
10	105	128-128	83-99
11	110	128-128	92-108
12	115	129-129	99-117
13	121	130-130	107-126
14	128	134-134	113-134
15	137	137-137	125-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Working memory: central 95% IQ ranges

Within each half

Quantitative message condition

Correct /15	Full sample IQ	H1	H2
0	55	63-63	63-63
1	55	59-59	59-59
2	62	66-66	66-66
3	69	69-69	69-69
4	76	71-84	71-71
5	82	71-91	71-71
6	88	79-97	69-69
7	94	100-110	68-68
8	100	127-127	73-87
9	107	130-130	91-104
10	113	130-130	103-119
11	119	130-130	112-130
12	126	135-135	125-135
13	133	138-138	138-138
14	141	137-137	137-137
15	145	137-137	137-137

Qualitative message condition

Correct /15	Full sample IQ	H1	H2
0	55	63-63	63-63
1	55	59-59	59-59
2	62	66-66	66-66
3	69	69-74	69-69
4	76	71-85	71-71
5	82	76-94	71-71
6	88	89-104	69-69
7	94	105-119	68-68
8	100	127-127	69-87
9	107	130-130	87-102
10	113	130-130	98-114
11	119	130-130	105-126
12	126	135-135	112-135
13	133	138-138	122-138
14	141	137-137	132-137
15	145	137-137	137-137

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.

Abstract reasoning: central 95% IQ ranges

Within each half

Quantitative message condition

Correct /15	Full sample IQ	H1	H2
0	64	67-67	67-67
1	73	70-70	70-70
2	79	78-91	70-70
3	85	86-104	72-72
4	89	97-110	71-71
5	93	104-124	70-70
6	97	112-129	70-70
7	101	128-128	77-90
8	105	129-129	84-102
9	109	129-129	92-106
10	113	128-128	101-118
11	117	130-130	106-130
12	121	130-130	114-130
13	126	129-129	129-129
14	132	129-129	129-129
15	141	134-134	134-134

Qualitative message condition

Correct /15	Full sample IQ	H1	H2
0	64	67-77	67-67
1	73	70-88	70-70
2	79	75-93	70-70
3	85	82-101	72-72
4	89	88-104	71-71
5	93	95-111	70-70
6	97	106-121	70-70
7	101	120-128	69-83
8	105	129-129	78-95
9	109	129-129	90-104
10	113	128-128	96-114
11	117	130-130	101-120
12	121	130-130	107-125
13	126	129-129	111-129
14	132	129-129	119-129
15	141	134-134	134-134

Actual pilot data | 20 draws with replacement | Exact 2.5th-97.5th percentiles of displayed IQ.
Groups are ordered from lowest to highest historical performance.
These are feedback-distribution ranges, not confidence intervals for true IQ. Rerun: 28 October 2026.