Glossary and Basic Terminology

Principles of Computing

Fall 2024

Contents

B	2
C	2
F	2
G	2
I	2
J	2
L	2
M	3
O	3
P	3
R	3
S	3
T	3
U	3
V	3
W	4
Z	4

B

· bash: The Bourne-Again Shell, the default shell on Linux and the most popular shell program in the world. Based on sh and released in 1989.

\boldsymbol{C}

- · closed-source software: Software whose source code is *not* freely available from the developers.
- · CLI: Command-Line Interface. A method of interacting with an application based around executing text-based commands. Implemented using a REPL. Commonly requires only a keyboard.

F

- · fish: A user-friendly shell program.
- FOSS: Free and Open-Source Software.
- · free software: Software that is distributed under a license that permits running the software for any purpose, as well as studying, modifying, and redistributing it.
- · freedom-respecting software: See the entry on free software.

\boldsymbol{G}

- · GUI: Graphical User Interface. A method of interacting with an application by using visual symbols, metaphors, gestures, or pointing. Commonly involves the use of a mouse, touchpad, touch screen, or controller.
- · GNU: GNU's Not UNIX. A massive open-source software project founded by Richard Stallman.
- · GNU GPL: The General Public License, a very popular public software license made by Richard Stallman.

Ι

- · IPython: A command-line interface for Python.
- · IDE: Integrated Development Environment. A text editor with features that facilitate software development.

· Jupyter: An open-source software project that extends IPython to the Julia and R programming languages.

L

- · libre software: See the entry on free software.
- · Linux: A large family of open-source, UNIX-like operating systems based on using GNU.

\boldsymbol{M}

· macOS: A UNIX-like operating system developed by Apple and originally called Mac OS X.

0

- · open-source software: Software that is distributed along with the source code that produced the software.
- · 0S: Operating System
- · OSS: Open-Source Software.

\boldsymbol{P}

- · POSIX: Portable Operating System Interface
- · Python: An interpreted, dynamically typed programming language

\boldsymbol{R}

- · RAM: Random Access Memory. Where all currently-running processes store their data.
- · recursion: See the entry on recursion.
- · REPL: Read-Evaluate-Print Loop.

S

- · sh: The Bourne shell, precursor to bash and released in 1979.
- · shell: A command-line interface for interacting with the OS.

T

• terminal: An application that invokes and manages a shell.

U

· UNIX: The first portable operating system and the foundation for what would eventually become Linux.

\boldsymbol{V}

- · VSCode: An incredibly popular IDE developed by Microsoft.
- · VSCodium: An open-source version of the popular VSCode IDE with telemetry disabled by default.

W

· Windows: An operating system made by Microsoft.

Z

· zsh: Z shell, the default shell on macOS.