Prohibited & Restricted Cargo List based on IMDG Code 42-24

(Dangerous Goods / Hazardous Material)

Valid as from 15th, Oct. 2026

X : Prohibited / R : Restricted

: Revised or added UNNO

VAR		P/R	Comments
All DG	HMM DG Policy – Providing DG Approval Number	-	DG shipments loaded onto HMM operating vessels in all of Asian ports & Australian ports must be provided DG approval number when you submit final DG booking list to our Local offices. All DG shipments without DG Approval number are strictly prohibited to load onto HMM vessels. Please make sure the DG approval No. to be included in your booking forecast / CLL for all DG booking.
-	Prohibit hand writting DG placard on CNTR	X	
-	STABILIZED substances with SP386	R	- Need SAPT under IMDG Code 7.3.7.2.3
-	Prohibit substances of IMDG Code SP900	X	- AMMONIUM HYPOCHLORITE - AMMONIUM NITRATE liable to self-heating sufficient to initiate a decomposition - AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt - CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid - ETHYL NITRITE pure - HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE,AQUEOUS SOLUTION) with more than 20% hydrogen cyanide - HYDROGEN CHLORIDE, REFRIGERATED LIQUID - HYDROGEN CYANIDE SOLUTION, IN ALCOHOL with more than 45% hydrogen cyanide - MERCURY OXYCYANIDE pure - METHYL NITRITE - PERCHLORIC ACID with more than 72% acid, by mass - SILVER PICRATE, dry or wetted with less than 30% water by mass - ZINC AMMONIUM NITRITE
-	DG in Live Refrigerated(Reefer) Containers	R	**1. Prohibited : Class 1 / 2.1 / 3(F/P<+23°c) / 6.2 / 7/ RFDRY(Non-operated Reefer Container)** 2. Restricted : Class 2.2 / 2.3 / 3(F/P ≥ +23°c) / 4.1 / 4.2 / 4.3 / 5.1 / 5.2 / 6.1 / 8 / 9 - Acceptable subject to quality control purpose only - If sub-risk is above prohibited class, it is prohibited to load in live RF CNTR. - All temp. controlled DG in live RF CNTR is prohibited. - The temp. of RF CNTR contained Class 3 or other classes with sub-risk 3 shall be set at least 10ºC below than flashpoint. - Acceptable class 9 except UN3314 & UN2211(Prohibited in reefer).
-	CARBON (Including non-activated / Carbon Black) ACTIVATED CARBON / CHARCOAL	X	- All including Non-DG are prohibited. - Acceptable HMM booking on HMM Vessel only, If carbon black manufacturer is OCI (from KOREA), Orion Engineered Carbons, Phillips Carbon Black (from INDIA)
-	Calcium Hypochlorite	X	- All DGs that Calcium Hypochlorite is described in proper shipping name are prohibited. - All DGs that recognized chemical or biological name is Calcium Hypochlorite are prohibited.
-	Divinyl benzene(Diethenylbenzene, Vinylstyrene)	X	- All DGs that Divinyl benzene is described in technical name are prohibited.
-	Ammonium nitrate	X	- All DGs that Ammonium nitrate is described in technical name are prohibited.
	Cyanamide	X	- All DGs that Cyanamide is described in technical name are prohibited.
	Thiourea	X	- All DGs that Thiourea is described in technical name are prohibited. Synonyms "THIOCARBAMIDE"
-	Tank Container	R	- Tank Container inspection certificate is required - Any Tank Container read or monitoring cannot be accepted.
	Packaing Certificate	R	- If DG Corresponds to P602, Provide packaging Certificate(UN Packaging)
-	DG with SOC Reefer / Heating Tank Container	R	- Required to provide manual book, spare part & technician (if necessary) by shipper
-	Temperature controlled DG (Organic peroxide / Self-reactive)	X	- Prohibit temperature controlled DG.
-	All substances with subsidiary explosive risks and which ignite on exposure to air	X	- Prohibited
-	Bulk Containers	R	1. Bulk containers are prohibited except closed bulk containers(BK2). 2. Acceptable loading in SOC(Shipper Own Container) BK2 container only per IMDG Code 6.9.3
-	Military equipment(use) classified as DG	R	- Acceptable subject to the approval of HMM Legal affairs, insurance dept and ship's owner.
-	Vanning survey	R	Vanning survey mentioned below may be done by competent marine surveyor as the third party in order to certify following points. 1. Below mentioned, vanning survey is required in case SOL requests it. 2. All packages have been properly packed, securely blocked and braced to prevent the packages from changing position, falling to the floor, or sliding into each other under shocks normally incident. 3. The container is clean, dry and apparently fit to receive the goods. 4. No incompatible goods has been packed into the container. 5. All packages have been externally inspected for damage, and only sound packages have been packed. 6. The container and packages therein were properly marked, labeled and placard. 7. The cargo operator should arrange and carry out survey for restricted DGs on its account
-	Haz Waste	R	1. Haz waste shipment is acceptable only for HMM booking on HMM owned or operated vessel. 2. Accept Hazardous Waste In & Out bound of North America on a case by case basis with prior approval from HMM HASA HAZMAT. Further restrictions apply (please see below): a) Acceptable only Port CY to CY. Not permitted for DR. b) Hazardous waste U.S. Rail acceptance is on case by case basis and shippers must obtain and provide proof of approval from all applicable U.S. railroad(s) before proceeding with HMM booking. Most U.S. railroads prohibit hazardous waste, but sometimes make exceptions for certain commodities. c) Canada - Hazardous waste prohibited for import and export 3. Acceptable only when : a) The word "WASTE" should be added to the Proper Shipping Name on all DG documents. b) Export Permission issued by Authority of the export country is provided. c) Import Permission issued by Authority of import and Transshipment country is provided. d) Transit Approval issued by Authority of way-port is provided. e) All document required by Basel Convention, Article 6 is provided. f) Letter of Guarantee shall be provided if Hazardous waste is not covered by Basel Convention. Loading/Discharging/Transit ports/Transshipment port shall agree that it is not under Basel convention. g) All other applicable documentation required by local government pertaining to transportation of haz waste
-	Prohibit on US rail	X	1. All Class 2 in bulk packaging(tank) 2. Class 2.3 3. Class 6.1 with Poison Inhalation Hazard Zone 4. All classes with subrisk of Poison Inhalation Hazard Zone 5. Hazardous waste
-	Flexi Tank / OOG / BB	-	- Please contact HMM Vessel planner of each service.

Valid as from 6th, Oct. 2026

HMM

X : Prohibited / R : Restricted

CLASS	UN No.	Proper Shipping Name	HMM	Partner	Comments
1	ALL	*Explosives*	R	X	- Exception case 1) Permit to manufacturer Poongsan, Hanwha 1.4S, O/B Korea Only 2) Subject to HMM Fleets/HMM Booking
2.1	ALL	*Flammable gases*	X	X	- Prohibit all Gases having flammable nature(Class 2.1 and sub risk 2.1) in Live Reefer Container
	1057	*LIGHTERS containing flammable gas.*	R	R	- Prohibit "Plastic lighters with gas inlet valve" (Refillable gas lighters are prohibited) - Prohibit all Gas lighters originated from P.R.China irrespective of type. (Hong Kong is not included.) - Prohibit the cargo which will be Transit/Transshipment at "Middle East ports" From June to Sept. ("Suez canal" is not include "Middle East")
	1966	*HYDROGEN, REFRIGERATED LIQUID*	X	X	
	3553	*DISILANE*	X	X	- The 42th new DG
2.2	2455	*METHYL NITRITE*	X	X	
2.3	2186	*HYDROGEN CHLORIDE, REFRIGERATED LIQUID*	X	X	
3	ALL	*Flammable liquids*	X	X	- Prohibit all PG Ⅰ, Ⅱ (when Flash point is below 23 degree) in Live Reefer Container
	ALL	*Flammable liquids*	X	X	- If vessel arrives or transits "Singapore" , Subsidiary risk of IMO Class 6.1 carried in isotanks are prohibited
	1131	*CARBON DISULPHIDE*	R	R	- Must be separated longitudinally by an intervening complete compartment or hold from' class 1.
	1194	*ETHYL NITRITE SOLUTION*	R	R	- Will not accept **"ETHYL NITRITE pure"** in accordance with SP900. - Need special authorization granted by the competent authority of the country concerned.
	1204	*NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin*	X	X	
	1280	*PROPYLENE OXIDE*	R	R	- Tank container is prohibited if vessel arrives or transits "Singapore".
	2478	*ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.*			- The maximum weight permitted for UN2478 with a flash point below 23'C is 0.5 ton when calling "SGSIN".
	3064	*NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% troglycerin*	X	X	
	3256	*ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60 ℃, at or above its flashpoint*			
	3343	*NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin,by mass*	R	R	- Need Certificate from Competent Authority and UN Manual test report (SP278, SP288) - Need special authorization granted by the competent authority of the country concerned.(P099)
	3357	*NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S with not more than 30% nitroglycerin, by mass*			
	3379	*DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.*	X	X	
	3555	*TRIFLUOROMETHYL TETRAZOLESODIUM SALT IN ACETONE with not less than 68% acetone, by mass*	X	X	- The 42th new DG
4.1	ALL	*Flammable solids, self-reactive substances, solid desensitized explosives and polymerizing substances*	X	X	- Prohibit all self-reactive substances with subsidiary explosive risks, Check SP181 for UNNO 3221, 3222
	3097	*FLAMMABLE SOLID, OXIDIZING, N.O.S.*	R	R	- 'The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)
	3231	*SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED (All)*	X	X	- Prohibit all temperatrue controlled DG
	3232	*SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED (All)*			
	3233	*SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED (All)*			
	3234	*SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED (All)*			
	3235	*SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED (All)*			
	3236	*SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED (All)*			
	3237	*SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED (All)*			
	3238	*SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED (All)*			
	3239	*SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED (All)*			
	3240	*SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED (All)*			
	3242	*AZODICARBONAMIDE (Self-Reactive Substances/Blowing agent)*	R	X	- Submission of MSDS/ Packing Certification/ Stuffing photo required - Letter of guarantee as follows is required: "During transport, if jettison is necessary due to any incident which may affect the performance and safety of transportation, shipper wholly consent to master's disposition. Shipper also responsible for all cost associated with rescue of, or disposal of cargo and container is such is necessary" - Other warning for transport , if any. - Acceptable HMM Booking on HMM Vessel only
	3251	*ISOSORBIDE-5-MONONITRATE*	X	X	
	3319	*NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S*	R	R	- Need special authorization granted by the competent authority of the country concerned.(P099)
	3380	*DESENSITIZED EXPLOSIVE, SOLID, N.O.S.*	X	X	
	3532	*POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.*	R	R	- Prohibit technical name **"DIVINYLBENZENE"** ONLY
	3533	*POLYMERIZING SUBSTANCE, SOLID, TEMPERATURE CONTROLLED, N.O.S.*	X	X	
	3534	*POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.*			
4.2	1361	*CARBON animal or vegetable origin (Including Charcoal, non-activated / Carbon Black)*	X	X	- Non-DG is also Prohibited, Wooden charcoal, Bamboo charcoal, Coconut sell charcoal, Carbon briquettes, Carbon shell, Magnesia carbon brick, Coal vegetable packages; Synonym of CHARCOAL - Carbon Black is acceptable HMM booking on HMM Vessel only whne manufacturer is OCI (from KOREA), Orion Engineered Carbons , Phillips Carbon Black (from INDIA)
	1362	*CARBON, ACTIVATED (Including Charcoal, Activated)*			
	1364	*COTTON WASTE, OILY*	X	X	
	1365	*COTTON, WET*			
	1369	*p-NITROSODIMETHYLANILINE*			
	1372	*FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp*			
	1374	*FISHMEAL, UNSTABILIZED or FISHSCRAP, UNSTABILIZED*	R	R	- Acceptable subject to proper documents including weather certificate.
	1380	*PENTABORANE*	X	X	
	1381	*PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION*			
	1383	*PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S*			
	1384	*SODIUM DITHIONITE (SODIUM HYDROSULPHITE)*			
	1386	*SEED CAKE*			
	1387	*WOOL WASTE, WET*			
	1854	*BARIUM ALLOYS, PYROPHORIC*			
	1855	*CALCIUM, PYROPHORIC or CALCIUM ALLOYS, PYROPHORIC*			
	1856	*RAGS, OILY*			
	1857	*TEXTILE WASTE, WET*			
	1923	*CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)*			
	1929	*POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)*			
	2004	*MAGNESIUM DIAMIDE*			
	2008	*ZIRCONIUM POWDER, DRY*			
	2009	*ZIRCONIUM, DRY finished sheets, strip or coiled wire*			
	2210	*MANEB or MANEB PREPARATION with not less than 60% maneb*			
	2217	*SEED CAKE with not more than 1.5% oil and not more than 11% moisture*	R	R	- Acceptable subject to proper "Seed cake certificate about packing and stuffing"
	2546	*TITANIUM POWDER, DRY*	X	X	
	2845	*PYROPHORIC LIQUID, ORGANIC, N.O.S.*			

4.2	2846	*PYROPHORIC SOLID, ORGANIC, N.O.S.*	X	X	
	2870	*ALUMINIUM BOROHYDRIDE*			
	2881	*METAL CATALYST, DRY*			
	3088	*SELF-HEATING SOLID, N.O.S*	R	R	*- Prohibit tech name is "**Charcoal**" or synonynms*
	3127	*SELF-HEATING SOLID, OXIDIZING, N.O.S.*	R	R	*- The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)*
	3194	*PYROPHORIC LIQUID, INORGANIC, N.O.S*	X	X	
	3200	*PYROPHORIC SOLID, INORGANIC, N.O.S.*			
	3254	*TRIBUTYLPHOSPHANE*			
	3255	*tert-BUTYL HYPOCHLORITE*	R	R	*- The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)*
	3341	*THIOUREA DIOXIDE (Including Formamidine Sulphinic Acid)*	X	X	
	3342	*XANTHATES*			
	3393	*ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE*	R	R	*- Acceptable if actual shipper is Nouryon(ex AKZO NOBEL) /W.R. Grace (ex Albermarle) / EMD Performance Materials Corp.(ex SAFC HiTech)*
	3394	*ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE*	R	R	*- Acceptable if actual shipper is Nouryon(ex AKZO NOBEL) / W.R. Grace (ex Albermarle) / EMD Performance Materials Corp.(ex SAFC HiTech) / UPChemical / AXENS must be separated longitudinally by an intervening complete compartment or hold from' class 1.*
	3497	*KRILL MEAL*	R	R	*- Acceptable subject to proper documents including test certificate.*
4.3	1397	*ALUMINIUM PHOSPHIDE*	R	R	*- Vanning survey report certified from a recognized authority is required in case of loading at PRC.*
	1398	*ALUMINIUM SILICON POWDER, UNCOATED*	R	R	*- Require a certificate from the maker or shipper in accordance with IMDG code SP932*
	1405	*CALCIUM SILICIDE*			
	1408	*FERROSILICON*			
	1402	*CALCIUM CARBIDE*	R	R	*- Destined in US region(including south america) : Prohibited* *- Destined in ASIA region : acceptable subject to LOI, packing cert and Vanning survey report*
	1415	*LITHIUM*	X	X	
	1418	*MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER*			
	2968	*MANEB, STABILIZED or MANEB PREPARATION, STABILIZED against self-heating*	X	X	
	3133	*WATER-REACTIVE SOLID, OXIDIZING, N.O.S.*	R	R	*- The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)*
	3292	*BATTERIES, CONTAINING SODIUM or CELLS, CONTAINING SODIUM*	R	R	***1. Required conditions*** *- MSDS is required if the origin is P.R.China.* ***2. All Used / Waste / Defective Battery ※ "New battery" is acceptable without followings;*** *- Need packing to prevent leakage caused container corrosion and damage.* *- Need LOI(free format) about M&R cost recovery.* *- SOC container is not required upper regulations. SOC container is acceptable.* *- Please refer to 'Haz Waste' section.*
5.1	ALL	*Oxidizing substances*	R	R	*- Only on deck*
	1479	*OXIDIZING SOLID, N.O.S.*	R	R	*- "Calcium Hypochlorite" is prohibited.*
	1442	*AMMONIUM PERCHLORATE*	X	X	
	1502	*SODIUM PERCHLORATE*	X	X	
	1512	*ZINC AMMONIUM NITRITE*	X	X	
	1748	*CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)*	X	X	
	1873	*PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass*			
	2208	*CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine*			
	2465	*DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID, SALTS*	X	X	*- SDIC; Synonym of "Calcium Hypochlorite"*
	2468	*TRICHLOROISOCYANURIC ACID, DRY*	X	X	*- TCCA; Synonym of "Calcium Hypochlorite", "SYMCLOSENE" (CAS 87-90-1)*
	2880	*CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORIT, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water*	X	X	
	3212	*HYPOCHLORITES, INORGANIC, N.O.S.*	R	R	*- "Calcium Hypochlorite" or similar is prohibited*
	3485	*CALCIUM HYPOCHLORITE, DRY,CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE,DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)*	X	X	
	3486	*CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine*			
	3487	*CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water*			
	3100	*OXIDIZING SOLID, SELF-HEATING, N.O.S*	R	R	*- The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)*
	3121	*OXIDIZING SOLID, WATER-REACTIVE, N.O.S.*			
	3137	*OXIDIZING SOLID, FLAMMABLE, N.O.S.*			
	2015	*HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide*	R	R	*- Prohibit if the vessel arrives or transits "Hong Kong".*
	1942	*AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance*	X	X	
	2067	*AMMONIUM NITRATE BASED FERTILIZER*	X	X	
	2426	*AMMONIUM NITRATE, LIQUID (hot concentrated solution)*			
	3375	*AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives*			
	3377	*SODIUM PERBORATE MONOHYDRATE*	R	R	*- Acceptable only subject to SADT 60 ℃ or above* *- Direct delivery at discharging the Middle-East, India, Bangladesh, Pakistan, Srilanka is required*
	3378	*SODIUM CARBONATE PEROXYHYDRATE*	X	X	
5.2	ALL	*Organic Peroxides*	X	X	*- Prohibit if Organic Peroxide originated from P.R. China including HongKong* *- Prohibit all Organic Peroxide with explosive sub risk*
	ALL	*Organic Peroxides*	R	R	*- Acceptable only subject to SADT 60 ℃ or above except prohibited UN No.* *※ SADT: Self-accelerating Decomposition Temperature*
	3101	*ORGANIC PEROXIDE TYPE B, LIQUID*	X	X	
	3102	*ORGANIC PEROXIDE TYPE B, SOLID*			
	3111	*ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED*	X	X	*- Prohibit all temperatrue controlled DG*
	3112	*ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED*			
	3113	*ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED*			
	3114	*ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED*			
	3115	*ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED*			
	3116	*ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED*			
	3117	*ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED*			
	3118	*ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED*			
	3119	*ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED*			
	3120	*ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED*			

6.1	1259	*NICKEL CARBONYL*	R	R	*- Separate longitudinally by an intervening complete compartment or hold from' class 1.*
	1614	*HYDROGEN CYANIDE, STABILIZED*	R	R	*- Need special authorization granted by the competent authority of the country concerned.(P099)*
	1649	*MOTOR FUEL ANTI-KNOCK MIXTURE (Including Ethyl Fluid/Tetraethyllead)*	X	X	
	2249	*DICHLORODIMETHYL ETHER, SYMMETRICAL*	R	R	*- The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State(SP976)*
	2757	*CARBAMATE PESTICIDE, SOLID, TOXIC*	R	R	*- Prohibit if the origin is P.R.China including Hong Kong*
	2811	*TOXIC SOLID, ORGANIC, N.O.S.*	R	R	*- Prohibit Tech name is* ***"Thiourea"***
	3123	*TOXIC LIQUID, WATER-REACTIVE, N.O.S. (only for PG I)*	R	R	*- The transport of this substance shall be prohibited except with special authorization granted by the competent authority of the country concerned.(P099)*
	3125	*TOXIC SOLID, WATER-REACTIVE, N.O.S.*	R	R	*- Need special authorization granted by the competent authority of the country concerned.(P099)*
	3315	*CHEMICAL SAMPLE, TOXIC*	X	X	
6.2	**ALL**	***Infectious Substances***	X	X	
7	**ALL**	***Radioactive Materials***	R	X	***- HMM Booking & HMM owned or operated vessels only.*** ***- Booking must be reviewed by HQ DG Center. If not, class 7 will not be accepted.***
8	2031	*NITRIC ACID*	R	R	*- Stuffing photo required (Using wooden palletized material is prohibited), except ISO Tank* *- Prohibited to load UN2031 with 3H1 from HUCHEMS*
	2794	*BATTERIES, WET, FILLED WITH ACID electric storage*	R	R	***All Used / Waste / Defective Battery*** ***"New battery" is acceptable without followings;*** *- Required packaging to prevent leakage caused container corrosion and damage.* *- Need LOI(free format) about leakage prevention package and M&R cost recovery. A statement shall be included specifying that the shipper must have packaged the goods to prevent leakage and that they bear full liability for any issues arising during transport.* *- Please refer to 'Haz Waste' section.*
	2795	*BATTERIES, WET, FILLED WITH ALKALI electric storage*			
	2800	*BATTERIES, WET, NON-SPILLABLE electric storage*			
	2803	*GALLIUM*	X	X	
	2922	*CORROSIVE LIQUID, TOXIC, N.O.S.*	R	R	*- Prohibit Tech name is "* ***Cyanamide*** *"*
	3028	*BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID electric storage*	R	R	*- SOC container is not required upper regulations. SOC container is acceptable.* *- Please refer to 'Haz Waste' section.*
	3262	*CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.*	R	R	*-* ***"Calcium hypochlorite"*** *prohibited, Prohibit Tech name is* ***"HYDRATED LIME CHLORIDE"*** *.*
	3507	*URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted*	X	X	
	3554	*GALLIUM CONTAINED IN MANUFACTURED ARTICLES*	X	X	*- The 42th NEW DG*
9	3090	*LITHIUM METAL BATTERIES (Including Lithium Alloy Batteries)*	R	R	***- All batteries made by Aricell (manufacturer) is prohibited*** ***- Acceptable only in Reefer Container*** *with Vent Close / On deck only* *- All used & Waste Battery(Including Defective Battery) Prohibited, only New Battery allowed* *- Required such condition for Non-DG also*
	3091	*LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (Including Lithium Alloy Batteries)*	R	R	***- All batteries made by Aricell (manufacturer) is prohibited*** */ On deck only* *- All used & Waste Battery(Including Defective Battery) Prohibited, only New Battery allowed* *- Required such condition for Non-DG also*
	3480	*LITHIUM ION BATTERIES (Including Lithium Ion Polymer Batteries)*	R	X	***- Prohibit all of Li-ion Batteries (except outbound from KOREA /JAPAN)*** *For KOR/JPN outbound,* *1) All Used / Waste / Defective battery prohibited, only New battery allowed* *2) Specific manufacturer & made in KOR / JPN* *- KOR : LG / SAMSUNG / SK* *- JPN : Panasonic / Blue Energy(GS Yuasa) / Maxell / Fuji Denki Kagaku(FDK) / Toshiba* *3) Acceptable only in Reefer Container with Vent Close* *4) LOI submission required written by manufacturer & F/Forwarder* *5) On-deck Only / HMM Booking on HMM Vessel Only* *※ Non-DG per IMDG code SP188 is allowed without above requirments but must be submitted 'On-Deck Special Stowage Request' case by cases*
					- Special exception cases outbound from CHINA for LG & SK only *1) All Used / Waste / Defective battery prohibited, only New battery allowed* *2) Specific manufacturer in below only* *- LG Energy Solution from Nanjing / SK On (Eve energy joint venture) from HKG&DCB to KOR* *3) Acceptable only in Reefer Container with Vent Close* *4) LOI submission required written by manufacturer & F/Forwarder* *5) On-deck Only / HMM Booking on HMM Vessel Only*
	3481	*LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (Including Lithium Ion Polymer Batteries)*	R	X	***- Prohibit all of Li-ion Batteries (except outbound from KOREA /JAPAN)*** *For KOR/JPN/ outbound,* *1) All Used / Waste / Defective battery prohibited, only New battery allowed* *2) Specific manufacturer & made in KOR / JPN only allowed* *- KOR : LG / SAMSUNG / SK* *- JPN : Panasonic / Blue Energy(GS Yuasa) / Maxell / Fuji Denki Kagaku(FDK) / Toshiba* *3) LOI submission required written by manufacturer & F/Forwarder* *4) On-deck Only / HMM Booking on HMM Vessel Only* *5) Battery in equipments must be isolated with non conductive material to prevent accidental activation and short-circuit* *※ Non-DG per IMDG code SP188 is allowed without above requirments but must be submitted 'On-Deck Special Stowage Request' case by cases*
					- Special exception cases outbound from CHINA for SK only *1) All Used / Waste / Defective battery prohibited, only New battery allowed* *2) Specific manufacturer in below only* *- SK On (Eve energy joint venture) from HKG&DCB to KOR* *3) Acceptable only in Reefer Container with Vent Close* *4) LOI submission required written by manufacturer & F/Forwarder* *5) On-deck Only / HMM Booking on HMM Vessel Only*
	3551	*SODIUM ION BATTERIES with organic electrolyte*	R	R	*- All Used / Waste / Defective battery prohibited, only New battery allowed* *- On-deck only*
	3552	*SODIUM ION BATTERIES CONTAINED IN EQUIPMENT or SODIUM ION BATTERIES PACKED WITH EQUIPMENT with organic electrolyte*	R	R	*- All Used / Waste / Defective battery prohibited, only New battery allowed* *- On-deck only*
	3171	*BATTERY-POWERED VEHICLE or BATTERY-POWERED EQUIPMENT*	R	R	*- All Vehicles with Used / Waste / Defective battery prohibited, only New battery allowed*

9	3556 3557	*VEHICLE, LITHIUM ION BATTERY POWERED* *VEHICLE, LIHTIUM METAL BATTERY POWERED*	R	X	***- Prohibit all kind of Vehicle / Equipment with Li-ion Batteries (except outbound from KOR /JPN)*** *For KOR/JPN/ outbound,* *1) All Vehicles with Used / Waste / Defective battery prohibited, only New battery allowed* *2) Specific battery manufacturer & made in KOR / JPN only allowed* *- KOR : LG / SAMSUNG / SK* *- JPN : Panasonic / Blue Energy(GS Yuasa) / Maxell / Fuji Denki Kagaku(FDK) / Toshiba* *3) LOI submission required written by maker(including SOC* data) & F/Forwarder* *(*) State Of Charge : Recommended charge rate(%) by maker for safe sea transportation* *4) On-deck Only / HMM Booking + HMM Vessel Only (Allowed max 20TEU/Vessel)* *5) Battery in equipments must be isolated with non-conductive material to prevent accidental activation and short-circuit*
	3536	*LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT* *lithium ion batteries or lithium metal batteries*	X	X	*- Including LITHIUM BATTERY ENERGY STORAGE CABINETS*
	3558	*VEHICLE, SODIUM ION BATTERY POWERED*	R	R	*- All Vehicles with Used / Waste / Defective battery prohibited, only New battery allowed* *- On-deck only*
	3166	*VEHICLE, FLAMMABLE GAS POWERED or* *VEHICLE, FLAMMABLE LIQUID POWERED*	R	R	*- Shall meet Special provision 962 of IMDG code* *※ For used vehicle, required photo of stuffing / battery short-circuit / vehicle dashboard to check fuel* *- Prohibit Hybrid Vehicles with lithium ion/polymer batteries* *- Hybrid Vehicles with Ni-MH batteries is acceptable, but used vehicle is prohibited.*
	2071	*AMMONIUM NITRATE BASED FERTILIZER*	X	X	
	2211	*POLYMERIC BEADS, EXPANDABLE evolving flammable vapour* *(Including Polystyrene Beans, Expandable/Polymeric Beads, Expandable)*	R	R	***- Open Top, Vent Container only*** ***- If loaded in DRY CNTR, Letter of guarantee are required.*** *All shipper indicate "All the cargo is hermetically-sealed packing material with inspection company's certificate of 100% no leaking, Shipper also responsible for all cost associated with rescue of, or disposal of cargo and container is such is necessary"" in LOI.* *- Warning sign "CAUTION - MAY CONTAIN FLAMABLE VAPOUR" to be attached on container door and meet SP965* *- Inspection certificate of the package, MSDS required regardless CNTR type* ***- On deck only***
	2212	*BLUE OR BROWN ASBESTOS, AMPHIBOLE* *(amosite, tremolite, actinolite, anthophyllite, Crociolite)*	X	X	
	2216	*FISHMEAL (FISHSCRAP), STABILIZED Anti-oxidant treated.* *Moisture content greater than 5% but not exceeding 12%, by mass.* *Fat content not more than 15%*	R	R	*- Acceptable subject to proper fishmeal certificate which is complied with IMDG code.*
	2315	*POLYCHLORINATED BIPHENYLS, LIQUID*	X	X	
	2590	*ASBESTOS, CHRYSOTILE*	X	X	
	2969	*CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE*	R	R	*- Cannot accept SP141, only declared as DG*
	3077	*ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.*	R	R	*- Required MSDS submission* *- Calcium hypochlorite and Synonym of Calcium Hypochlorite prohibited* *- Prohibit Technical name "**Thiourea**"* *- If below 5kg(net weight), it can be transported as NON-DG(Shipper Options)*
	3082	*ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.*	R	R	*- Prohibit technical name "**DIVINYLBENZENE**" ONLY.* *- Required MSDS submission* *- If below 5L(net weight), it can be transported as NON-DG(Shipper Options)*
	3151	*POLYHALOGENATED BIPHENYLS, LIQUID or HALOGENATED MONOMETHYL-DIPHENYLMETHANES, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID*	X	X	
	3152	*POLYHALOGENATED BIPHENYLS, SOLID or HALOGENATED MONOMETHYL-DIPHENYLMETHANES, SOLID or POLYHALOGENATED TERPHENYLS, SOLID*			
	3257	*ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including molten metals, molten salts, etc.)*			
	3258	*ELEVATED TEMPERATURE SOLID, N.O.S. at or above 240 °C*			
	3314	*PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour*	R	R	*- Open Top, Vent Container only* *- Warning sign "CAUTION - MAY CONTAIN FLAMABLE VAPOUR" to be attached on container door and meet SP965* *- On deck only*
	3359	*FUMIGATED CARGO TRANSPORT UNIT*	R	R	*- Equipment for detecting the fumigant gases other than METHYL BROMIDE and PHOSPHIN should be supplied by the cargo operator with its instruction*
	3432	*POLYCHLORINATED BIPHENYLS, SOLID*	X	X	
	3496	*BATTERIES, NICKEL-METAL HYDRIDE*	R	R	***All Used / Waste / Defective Battery ※"New battery" is acceptable without followings:*** *- Need packing to prevent leakage caused container corrosion and damage.* *- Need LOI about M&R cost recovery.* *- SOC container is not required upper regulations. SOC container is acceptable.* *- Please refer to 'Haz Waste' section.*
	3509	*PACKAGING DISCARDED, EMPTY, UNCLEANED*	X	X	