



Prohibited & Restricted Dangerous Goods List

Effective from 2024.06.28

CLASS	UNNO	PROPER SHIPPING NAME (P.S.N.)	PROHIBITED RESTRICTED	REMARK
1	ALL	EXPLOSIVES	PROHIBITED	
2.1	1057	LIGHTERS or LIGHTER REFILLS containing flammable gas	PROHIBITED	
	1086	VINYL CHLORIDE, STABILIZED	RESTRICTED	Prohibited at Hong Kong (Load/Disch/TS/Transit) Acceptable for other areas
2.2	2455	METHYL NITRITE	PROHIBITED	
2.3	1067	DINITROGEN TETROXIDE (NITROGEN DIOXIDE)	PROHIBITED	
	2186	HYDROGEN CHLORIDE, REFRIGERATED LIQUID	PROHIBITED	
	2188	ARSINE	RESTRICTED	Prohibited at Hong Kong (Load/Disch/TS/Transit) Prohibited at Shanghai (Load/Disch/TS/Transit) Acceptable for other areas
3		Classified as PSA Group 1 (For Singapore Discharge/TS/Transit)	PROHIBITED	
	3064	NITROGLYCERIN SOLUTION IN ALCOHOL with more than .1% but not more than 5% nitroglycerin	PROHIBITED	
4.1	2956	5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE (MUSK XYLENE)	PROHIBITED	
	3221	SELF-REACTIVE LIQUID TYPE B	PROHIBITED	
	3222	SELF-REACTIVE SOLID TYPE B	PROHIBITED	
	3223	SELF-REACTIVE LIQUID TYPE C	PROHIBITED	
	3224	SELF-REACTIVE SOLID TYPE C	PROHIBITED	
	3225	SELF-REACTIVE LIQUID TYPE D	PROHIBITED	
	3226	SELF-REACTIVE SOLID TYPE D	PROHIBITED	
	3227	SELF-REACTIVE LIQUID TYPE E	PROHIBITED	
	3228	SELF-REACTIVE SOLID TYPE E	PROHIBITED	
	3229	SELF-REACTIVE LIQUID TYPE F	PROHIBITED	
	3230	SELF-REACTIVE SOLID TYPE F	PROHIBITED	
	3231	SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED	PROHIBITED	
	3232	SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED	PROHIBITED	
	3233	SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED	PROHIBITED	
	3234	SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED	PROHIBITED	
	3235	SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED	PROHIBITED	
	3236	SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED	PROHIBITED	
	3237	SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED	PROHIBITED	
	3238	SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED	PROHIBITED	
	3239	SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED	PROHIBITED	
	3240	SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED	PROHIBITED	
	1361	CARBON animal or vegetable origin	PROHIBITED	All DG & Non-DG prohibited
	1362	CARBON, ACTIVATED	PROHIBITED	All DG & Non-DG prohibited
	1381	PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION	PROHIBITED	
	2845	PYROPHORIC LIQUID, ORGANIC, N.O.S.	PROHIBITED	
	3194	PYROPHORIC LIQUID, INORGANIC, N.O.S.	PROHIBITED	
	3341	THIOUREA DIOXIDE	PROHIBITED	
	3342	XANTHATES	PROHIBITED	
	3392	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC	PROHIBITED	
4.3	3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	PROHIBITED	
	3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	PROHIBITED	
	1402	CALCIUM CARBIDE	PROHIBITED	
	1408	FERROSILICON with 30% or more but less than 90% silicon	PROHIBITED	
	1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	PROHIBITED	
	2950	MAGNESIUM GRANULES, COATED paticle size not less than 149 microns	PROHIBITED	
	1442	AMMONIUM PERCHLORATE	PROHIBITED	
	1479	OXIDIZING SOLID, N.O.S.	PROHIBITED	
	1512	ZINC AMMONIUM NITRITE	PROHIBITED	
	1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	PROHIBITED	
	1942	AMMONIUM NITRATE with not more than 0.2% total combustible material, including any organic substance, calculated as carbon to the exclusion of any other added substance	PROHIBITED	
	2015	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	RESTRICTED	Prohibited at Hong Kong (Load/Disch/TS/Transit) Acceptable for other areas
	2067	AMMONIUM NITRATE BASED FERTILIZER	PROHIBITED	
	2208	CALCIUM HYPOCHLORITE MIXTURE, DRY	PROHIBITED	
	2426	AMMONIUM NITRATE, LIQUID (hot concentrated solution)	PROHIBITED	
	2880	CALCIUM HYPOCHLORITE, HYDRATED MIXTURE	PROHIBITED	
	3212	HYPOCHLORITES, INORGANIC, N.O.S.	PROHIBITED	
	3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives	PROHIBITED	
	3485	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	PROHIBITED	
	3486	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	PROHIBITED	

	3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	PROHIBITED	
5.2	3101	ORGANIC PEROXIDE TYPE B, LIQUID	PROHIBITED	
	3102	ORGANIC PEROXIDE TYPE B, SOLID	PROHIBITED	
	3103	ORGANIC PEROXIDE TYPE C, LIQUID	PROHIBITED	
	3104	ORGANIC PEROXIDE TYPE C, SOLID	PROHIBITED	
	3105	ORGANIC PEROXIDE TYPE D, LIQUID	PROHIBITED	
	3106	ORGANIC PEROXIDE TYPE D, SOLID	PROHIBITED	
	3107	ORGANIC PEROXIDE TYPE E, LIQUID	PROHIBITED	
	3108	ORGANIC PEROXIDE TYPE E, SOLID	PROHIBITED	
	3109	ORGANIC PEROXIDE TYPE F, LIQUID	PROHIBITED	
	3110	ORGANIC PEROXIDE TYPE F, SOLID	PROHIBITED	
	3111	ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED	PROHIBITED	
	3112	ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED	PROHIBITED	
	3113	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED	PROHIBITED	
	3114	ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED	PROHIBITED	
	3115	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED	PROHIBITED	
	3116	ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED	PROHIBITED	
	3117	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED	PROHIBITED	
	3118	ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED	PROHIBITED	
	3119	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED	PROHIBITED	
	3120	ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED	PROHIBITED	
6.1	1244	METHYLHDRAZINE	PROHIBITED	
	1649	MOTOR FUEL ANTI-KNOCK, ETHYL FLUID	PROHIBITED	
	3507	URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	PROHIBITED	
6.2	ALL	Infectious Substances	PROHIBITED	
7	ALL	Radioactive Material	PROHIBITED	
	2031	NITRIC ACID	RESTRICTED	
		Following documents are mandatory to submit 1) Package Certificate - The permitted use of plastic drums and jerricans as single packagings shall be two years from their date of manufacture. 2) Stuffing Photo - Plastic Pallets are only acceptable between the bottom and each tier. - Packages should be secured in order not to move in the container. - Container No. should be visible in the stuffing photo		
9	2071	AMMONIUM NITRATE BASED FERTILIZER	PROHIBITED	
	2211	POLYMERIC BEADS, EXPANDABLE evolving flammable vapour	RESTRICTED	Acceptable Open Top CNTR only
	2315	POLYCHLORINATED BIPHENYLS, LIQUID	PROHIBITED	
	3090	LITHIUM METAL BATTERIES (including lithium alloy batteries)	PROHIBITED	All DG & Non-DG prohibited
	3091	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	PROHIBITED	All DG & Non-DG prohibited
	3151	POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	PROHIBITED	
	3152	POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID	PROHIBITED	
	3314	PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour	RESTRICTED	Acceptable Open Top CNTR only
	3432	POLYCHLORINATED BIPHENYLS, SOLID	PROHIBITED	
	3480	LITHIUM ION BATTERIES (including lithium ion polymer batteries)	PROHIBITED	All DG & Non-DG prohibited
	3481	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	PROHIBITED	All DG & Non-DG prohibited
ETC	3536	LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries	PROHIBITED	All DG & Non-DG prohibited
	3509	PACKAGING, DISCARDED, EMPTY, UNCLEARED	PROHIBITED	
ETC		Dangerous Goods in Reefer, OpenTop, FlatRack, Flexibag	PROHIBITED	
		Substance, "Temperature Controlled"	PROHIBITED	
		Heated Tank Container	PROHIBITED	
		All kind of substance and synonym " CALCIUM HYPHOCHLORITE "	PROHIBITED	
		All kind of substance and synonym " CYANAMIDE "	PROHIBITED	
		All kind of substance and synonym " DIVINYLBENZENE "	PROHIBITED	
		All kind of substance and synonym " Charcoal, White Charcoal, Wooden charcoal, Bamboo charcoal, Coconut sell charcoal, Carbon briquettes, Carbon shell, Hardwood, Magnesita carbon brick, Carbon of vegetable origin, Coal vegetable packages, Rice Husk Ash, Carbonized Rice Husk, Activated carbon, Non-Activated carbon, Carbon Black "	PROHIBITED	
		All kind of substance "Waste"	PROHIBITED	
		All kind of Used/Waste/Defective Battery	PROHIBITED	
		The transport of the following substances is prohibited: AMMONIUM HYPOCHLORITE AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid ETHYL NITRITE pure HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with more than 20% hydrogen cyanide HYDROGEN CHLORIDE, REFRIGERATED LIQUID		

Special Provision 900	HYDROGEN CYANIDE SOLUTION, IN ALCOHOL with more than 45% hydrogen cyanide MERCURY OXYCYANIDE pure METHYL NITRITE (2.2/2455) PERCHLORIC ACID with more than 72% acid, by mass SILVER PICRATE, dry or wetted with less than 30% water by mass ZINC AMMONIUM NITRITE (5.1/1512) Mixtures of a hypochlorite with an ammonium salt (SP349) Ammonium bromate and its aqueous solutions and mixtures of a bromate with an ammonium salt (SP350) Ammonium chlorate and its aqueous solutions and mixtures of a chlorate with an ammonium salt (SP351) Ammonium chlorite and its aqueous solutions and mixtures of a chlorite with an ammonium salt (SP352) Ammonium permanganate and its aqueous solutions and mixtures of a permanganate with an ammonium salt (SP353)				PROHIBITED																						
Special Provision 386 Polymerizing substances and mixtures (Stabilized)	LOI is mandatory to submit 1) Self-Accelerating Polymerization Temperature (=SAPT, °C), 2) The duration of validity under chemical stabilization, and 3) The effectiveness and other properties of the stabilizer employed. <table><tr><td>SAPT (°C)</td><td>DRY CNTR</td><td>TANK CNTR</td><td>OTHER CNTR</td></tr><tr><td>SAPT ≤ 45</td><td>Prohibited</td><td>Prohibited</td><td>Prohibited</td></tr><tr><td>45 < SAPT ≤ 50</td><td>Prohibited</td><td>LOI required</td><td>Prohibited</td></tr><tr><td>50 < SAPT ≤ 75</td><td>LOI required</td><td>LOI required</td><td>Prohibited</td></tr><tr><td>75 < SAPT</td><td>Acceptable</td><td>Acceptable</td><td>Prohibited</td></tr></table>				SAPT (°C)	DRY CNTR	TANK CNTR	OTHER CNTR	SAPT ≤ 45	Prohibited	Prohibited	Prohibited	45 < SAPT ≤ 50	Prohibited	LOI required	Prohibited	50 < SAPT ≤ 75	LOI required	LOI required	Prohibited	75 < SAPT	Acceptable	Acceptable	Prohibited	RESTRICTED		
SAPT (°C)	DRY CNTR	TANK CNTR	OTHER CNTR																								
SAPT ≤ 45	Prohibited	Prohibited	Prohibited																								
45 < SAPT ≤ 50	Prohibited	LOI required	Prohibited																								
50 < SAPT ≤ 75	LOI required	LOI required	Prohibited																								
75 < SAPT	Acceptable	Acceptable	Prohibited																								