

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
1	ALL		Explosives	
2.1	ALL		Flammable gases	
2.2	1003	5.1	AIR, REFRIGERATED LIQUID	
	1073	5.1	OXYGEN, REFRIGERATED LIQUID	
	2455		METHYL NITRITE	
	3311	5.1	GAS, REFRIGERATED LIQUID, OXIDIZING, N.O.S.	
	3502	6.1	CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	
2.3	ALL		Toxic gases	
3	1089		ACETALDEHYDE	
	1100	6.1	ALLYL CHLORIDE	
	1108		1-PENTENE (n-AMYLENE)	
	1131	6.1	CARBON DISULPHIDE	
	1144		CROTONYLENE	
	1155		DIETHYL ETHER (ETHYL ETHER)	
	1167		DIVINYL ETHER, STABILIZED	
	1194	6.1	ETHYL NITRITE SOLUTION	
	1218		ISOPRENE, STABILIZED	
	1221		ISOPROPYLAMINE	
	1243		METHYL FORMATE	
	1280		PROPYLENE OXIDE	
	1302		VINYL ETHYL ETHER, STABILIZED	
	1303		VINYLDENE CHLORIDE, STABILIZED	
	1308		ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	
	1991	6.1	CHLOROPRENE, STABILIZED	
	2356		2-CHLOROPROPANE	
	2363		ETHYL MERCAPTAN	
	2389		FURAN	
	2371		ISOPENTENES	
	2456		2-CHLOROPROPENE	
	2459		2-METHYL-1-BUTENE	
	2478	6.1	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	
	2561		3-METHYL-1-BUTENE	
	2749		TETRAMETHYLSILANE	
	2983	6.1	ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE with not more than 30% ethylene oxide	
	3064		NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin	
	3256		ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60°C, at or above its flashpoint	
	3269		POLYESTER RESIN KIT, liquid base material	
	3379		DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	
	3343		NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass	
	3555		TRIFLUOROMETHYL-TETRAZOLE-SODIUM SALT IN ACETONE, with not less than 68% acetone, by mass	
	3357		NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than 30% nitroglycerin, by mass	
	1336		NITROGUANIDINE (PICRITE), WETTED with not less than 20% water, by mass	
	1347		SILVER PICRATE, WETTED with not less than 30% water, by mass	
	2956		5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE (MUSK XYLENE)	
	3221		SELF-REACTIVE LIQUID TYPE B	
	3222		SELF-REACTIVE SOLID TYPE B	
	3223		SELF-REACTIVE LIQUID TYPE C	
	3224		SELF-REACTIVE SOLID TYPE C	
	3225		SELF-REACTIVE LIQUID TYPE D	
	3226		SELF-REACTIVE SOLID TYPE D	
	3227		SELF-REACTIVE LIQUID TYPE E	
	3228		SELF-REACTIVE SOLID TYPE E	
	3229		SELF-REACTIVE LIQUID TYPE F	
	3230		SELF-REACTIVE SOLID TYPE F	
	3231		SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED	
	3232		SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED	

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
	3233		SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED	
	3234		SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED	
	3235		SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED	
	3236		SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED	
	3237		SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED	
	3238		SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED	
	3239		SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED	
	3240		SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED	
	3241		2-BROMO-2-NITROPROPANE-1,3-DIOL	
	3319		NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	
	3380		DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	
	3533		POLYMERIZING SUBSTANCE, SOLID, TEMPERATURE CONTROLLED, N.O.S.	
	3534		POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.	
4.2	1361		CARBON animal or vegetable origin	
	1362		CARBON, ACTIVATED	
	1364		COTTON WASTE, OILY	
	1372		FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp	
	1374		FISHMEAL, UNSTABILIZED	
	1376		IRON OXIDE, SPENT	
	1380	6.1	PENTABORANE	
	1381	6.1	PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION	
	1383		PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S.	
	1386		SEED CAKE, containing vegetable oil (a) mechanically expelled seeds, containing more than 10% oil or more than 20% oil and moisture combined	
	1387		WOOL WASTE, WET	
	1857		TEXTILE WASTE, WET	
	2210		MANEB	
	2217		SEED CAKE with not more than 1.5% oil and not more than 11% moisture	
	2447		PHOSPHORUS, WHITE, MOLTEN	
	2845		PYROPHORIC LIQUID, ORGANIC, N.O.S.	
	2846		PYROPHORIC SOLID, ORGANIC, N.O.S.	
	2870		ALUMINIUM BOROHYDRIDE	
	2881		METAL CATALYST, DRY	
	3088		SELF-HEATING SOLID, ORGANIC, N.O.S.	
	3126		SELFHEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	
	3127		SELFHEATING SOLID, OXIDIZING, N.O.S.	
	3128		SELFHEATING SOLID, TOXIC, ORGANIC, N.O.S.	
	3194		PYROPHORIC LIQUID, INORGANIC, N.O.S.	
	3200		PYROPHORIC SOLID, INORGANIC, N.O.S.	
	3255		tertBUTYL HYPOCHLORITE	
	3341		THIOUREA DIOXIDE	
	3342		XANTHATES	
	3391		ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC	
	3392		ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC	
	3393		ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATERREACTIVE	
	3394		ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATERREACTIVE	
4.3	1242	3	METHYLDICHLOROSILANE	Prohibited
	1295		TRICHLOROSILANE	
	1402		CALCIUM CARBIDE	
	1408	6.1	FERROSILICON with 30% or more but less than 90% silicon	
	1415	4.2	LITHIUM	
	1418	4.2	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	
	1436		ZINC DUST, ZINC POWDER	
	1928		METHYLMAGNESIUM BROMIDE IN ETHYL ETHER	
	2950		MAGNESIUM GRANULES, COATED paticle size not less than 149 microns	
	3131		WATERREACTIVE SOLID, CORROSIVE, N.O.S.	

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
	3133	5.1	WATERREACTIVE SOLID, OXIDIZING, N.O.S.	
	3135		WATERREACTIVE SOLID, SELFHEATING, N.O.S.	
	3209		METALLIC SUBSTANCE, WATERREACTIVE, SELFHEATING, N.O.S.	
	3397		ORGANOMETALLIC SUBSTANCE, SOLID, WATERREACTIVE, SELFHEATING	
5.1	1442		AMMONIUM PERCHLORATE	
	1479		OXIDIZING SOLID, N.O.S	
	1491		POTASSIUM PEROXIDE	
	1504		SODIUM PEROXIDE	
	1512		ZINC AMMONIUM NITRITE	
	1745	6.1	BROMINE PENTAFLUORIDE	
	1746		BROMINE TRIFLUORIDE	
	1748		CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	
	1873		PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass	
	1942		AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	
	2015	8	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	
	2067		AMMONIUM NITRATE BASED FERTILIZER	
	2208		CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	
	2426		AMMONIUM NITRATE, LIQUID (hot concentrated solution)	
	2466		POTASSIUM SUPEROXIDE	
	2495	6.1	IODINE PENTAFLUORIDE	
	2547		SODIUM SUPEROXIDE	
	2626		CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	
	2627		NITRITES, INORGANIC, N.O.S.	
	2880		CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	
	3085	8	OXIDIZING SOLID, CORROSIVE, N.O.S.	
	3087	6.1	OXIDIZING SOLID, TOXIC, N.O.S.	
	3100	4.2	OXIDIZING SOLID, SELFHEATING, N.O.S.	
	3121	4.3	OXIDIZING SOLID, WATERREACTIVE, N.O.S.	
	3137	4.1	OXIDIZING SOLID, FLAMMABLE, N.O.S.	
	3149	8	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED	
	3212		HYPOCHLORITES, INORGANIC, N.O.S.	
	3219		NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	
	3375		AMMONIUM NITRATE EMULSION	
	3377		SODIUM PERBORATE MONOHYDRATE	
	3378		SODIUM CARBONATE PEROXYHYDRATE	
	3485	5.1/8	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	
	3486	5.1/8	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	
	3487	5.1/8	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	
5.2	ALL		Organic peroxides	
6.1	1092	3	ACROLEIN, STABILIZED	
	1244	3 / 8	METHYLHDRAZINE	
	1259	3	NICKEL CARBONYL	
	1613		HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	
	1642		MERCURY OXYCYANIDE, DESENSITIZED	
	1649		MOTOR FUEL ANTI-KNOCK MIXTURE	
	1887		BROMOCHLOROMETHANE	
	3048		ALUMINIUM PHOSPHIDE PESTICIDE	
	3294	3	HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45% hydrogen cyanide	
	3507	7	URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	
6.2	ALL		Infectious Substances	
7	ALL		Radioactive Material	
8	3554		GALLIUM CONTAINED IN MANUFACTURED ARTICLES	

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
9	2071		AMMONIUM NITRATE BASED FERTILIZER	
	2212		BLUE ASBESTOS (crocidolite)	
	2315		POLYCHLORINATED BIPHENYLS, LIQUID	
	3090		LITHIUM METAL BATTERIES (including lithium alloy batteries)	
	3091		LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	
	3151		POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	
	3152		POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID	
	3359		FUMIGATED CARGO TRANSPORT UNIT	
	3480		LITHIUM ION BATTERIES (including lithium ion polymer batteries)	
	3481		LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	
	3432		POLYCHLORINATED BIPHENYLS, SOLID	
	3509		PACKAGING DISCARDED, EMPTY, UNCLEANED	
	3536		LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries	
	3557		VEHICLE, LITHIUM METAL BATTERY POWERED	
	Special provision 900		AMMONIUM HYPOCHLORITE AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition AMMONIUM NITRATES and mixtures of an inorganic nitrite with an ammonium salt CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid ETHYL NITRITE pure HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with more than 20% hydrogen cyanide HYDROGEN CHLORIDE, REFRIGERATED LIQUID (2.3(8)/2186) HYDROGEN CYANIDE SOLUTION, IN ALCOHOL with more than 45% hydrogen cyanide MERCURY OXYCYANIDE pure METHYL NITRITE (2.2/2455) PERCHLORIC ACID with more than 72% acid, by mass SILVER PICRATE, dry or wetted with less than 30% water by mass ZINC AMMONIUM NITRITE (5.1/1512) Mixtures of a hypochlorite with an ammonium salt (SP349) Ammonium bromate and its aqueous solutions and mixtures of a bromate with an ammonium salt (SP350) Ammonium chlorate and its aqueous solutions and mixtures of a chlorate with an ammonium salt (SP351) Ammonium chlorite and its aqueous solutions and mixtures of a chlorite with an ammonium salt (SP352) Ammonium permanganate and its aqueous solutions and mixtures of a permanganate with an ammonium salt (SP353)	
Etc	Carbon / Charcoal / Activated Carbon		Substances ignite on exposure to air	
			All including Non-DG are prohibited.	
			Including all forms, grades, trade names, and synonyms of charcoal, carbonized products, Carbon black or Activated carbon, including but not limited to: Synonym of CHARCOAL, Carbonized Sawdust, Carbonized Wood powder, Carbonized Wood shaving, Carbon shell, Wooden charcoal, Bamboo charcoal, Coconut shell charcoal, Carbon briquettes and other similar carbonized or charcoal-based products.	
	Lithium ion batteries		All shipment is prohibited(including non-dg)	
	Batteries		Only new batteries including contained in equipment and packed with equipment are acceptable Disposal, Recycling, Damaged, Defective battery are not acceptable	
	Reclaimed Rubber		Reclaimed(Recycled) Rubber or Synonym from Malaysia is prohibited	
	Waste		Waste except recycling purpose is prohibited	
	All Class		Polymerizing substances and mixtures (stabilized) (SP386) - When temperature control is required, it is prohibited even though it will be packed in reefer container.	
			All other purpose container such as RF, FR, OT etc except for general purpose is prohibited to load of dangerous goods - But VEHICLE is available to load on FR container and UNNO 2211, 3314 are available to load on OT container - LITHIUM ION BATTERIES VEHICLES are prohibited to load on FR/OT container	
			Prohibited TECHNICAL NAME or CHEMICAL NAME - CALCIUM HYPOCHLORITE or Synonym - AMMONIUM NITRATE or Synonym - CYANAMIDE or Synonym - DIVINYLBENZENE or Synonym - 4-SULPHONIC ACID or 4-SULFONIC ACID - SODIUM DICHLOROISOCYANURATE DIHYDRATE	
3	PSA Group 1		Classified as PSA Group 1 (For Singapore Loading / Discharge / Transshipment / In-transit) - Pre-agreement and acceptance between both parties is necessary	
5.1	ALL		Packing Group I (PG I) is prohibited.	
			Class 5.1 from INDIA(IN)/U.A.E.(AE)/SRI LANKA(LK)/PAKISTAN(PK)/BANGLADESH(BD) is prohibited	
			Class 5.1 to U.A.E.(AE) is prohibited	
			Class 5.1 originating or transshipping from South China (PRD Area) and Hong Kong is prohibited	
			POL China/India is prohibited	

Prohibited & Restricted Dangerous Goods List <PARTNER>

Amendment 42-24 / Updated 15th June. 2026

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
8	2031		Three documents are mandatory. 1) Package certificate - The permitted use of plastic drums and jerricans as single packagings shall be two years from their date of manufacture.	Restricted
		5.1	2) Vanning Survey report - Prohibit wood, plywood, or fiber-based packaging(pallet, top board, side board etc). - Packages should be secured not to move in the container. - Container No. should be visible in the stuffing photo. 3) LOI for Leak-Sensitive Liquid Cargo	
Mandatory LOI Requirement for 16 UN Numbers of Leak-Sensitive Liquid Cargo				
8	1052	6.1	HYDROGEN FLUORIDE, ANHYDROUS	
	1744	6.1	BROMINE or BROMINE SOLUTION	
	1786	6.1	HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE	
	1790	6.1	HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride	
	1796	5.1	NITRATING ACID MIXTURE with not more than 50% nitric acid	
	1831			
	2029	3	HYDRAZINE, ANHYDROUS	
	2031	5.1	NITRIC ACID other than red fuming, with at least 65% but with not more than 70% nitric acid	
	2032			
	2604	3	BORON TRIFLUORIDE DIETHYL ETHERATE	
	2789	3	ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass	
	2879	6.1	SELENIUM OXYCHLORIDE	
	2920	3	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	
	2922	6.1	CORROSIVE LIQUID, TOXIC, N.O.S.	
	3094	4.3	CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	
	3301	4.2	CORROSIVE LIQUID, SELF-HEATING, N.O.S.	
9	2211		POLYMERIC BEADS, EXPANDABLE evolving flammable vapour - Open-top Container only (Unnecessary to submit OOG application to KMTC OOG Center) - On Deck Loading Only	
	3077		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. - Delivered after suitability confirmation as MSDS	
	3166		VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED <The following regulations apply only to Hybrid vehicles with lithium-ion batteries> - LITHIUM ION BATTERIES VEHICLES are prohibited to load on FR/OT container - Vehicle with used lithium ion batteries are prohibited - Lithium cell or battery test summary in accordance with sub-section 38.3 of Manual test is mandatory - MSDS for Lithium cell or battery is mandatory - State of Charge (SOC) LOI, SOC is mandatory 30~40% - Hybrid vehicles with lithium-ion batteries - DG Cargo Only / Non-DG Not Accepted	
	3171		BATTERY-POWERED VEHICLE or BATTERY-POWERED EQUIPMENT - VEHICLE, LITHIUM ION BATTERY POWERED is prohibited. Please proceed with the shipment under UN 3556.	
	3314		PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour - Open-top Container only (Unnecessary to submit OOG application to KMTC OOG Center) - On Deck Loading Only	
	3551		SODIUM ION BATTERIES with organic electrolyte - All Used / Waste / Defective battery prohibited, only New battery allowed - On-deck only	
	3552		SODIUM ION BATTERIES CONTAINED IN EQUIPMENT or SODIUM ION BATTERIES PACKED WITH EQUIPMENT with organic electrolyte - All Used / Waste / Defective battery prohibited, only New battery allowed - On-deck only	
	3556		VEHICLE, LITHIUM ION BATTERY POWERED <The following regulations apply only to vehicles with lithium-ion batteries> - LITHIUM ION BATTERIES VEHICLES are prohibited to load on FR/OT container - Vehicle with used lithium ion batteries are prohibited - Lithium cell or battery test summary in accordance with sub-section 38.3 of Manual test is mandatory - MSDS for Lithium cell or battery is mandatory - On Deck Loading Only - State of Charge (SOC) LOI, SOC is mandatory 30~40% - DG Cargo Only / Non-DG Not Accepted	
Etc	All Class	3558	VEHICLE, SODIUM ION BATTERY POWERED - All Vehicles with Used / Waste / Defective battery prohibited, only New battery allowed - On-deck only	
			Polymerizing substances and mixtures (stabilized) (SP386) - Letter of guarantee as follows is required: 1) Self-accelerating polymerization temperature(°C), 2) The duration of validity under chemical stabilization, and 3) The effectiveness and other properties of the stabilizer employed.	

IMO CLASS	UNNO	Sub Risk	Proper Shipping Name / Remark	Prohibited /Restricted
	Carbon-related (Non-flammable)		Subject to DG Center review and confirmation: Graphite, Magnesite Carbon brick, Carbon Block, Carbon Additives, Conductive Powder, Carbon Fiber, etc., Finished goods processed from activated carbon (e.g., filters) Flammable carbon-related cargoes are prohibited.	