

Matrix G2 Performance Report

ALL • Room OR1 • 2026-07-27T15:53:46

STATUS

X FAIL

7 validation failures, 7 errors, 0 SLA violations

WORKFLOW API CALLS

59

Across 47 actions

AVG API TIME

99ms

P50 (median) action API time

P95 API TIME

2108ms

Threshold: 500ms

SLOWEST ACTION

3820ms

Uncheck Quad View for display Display 2 nma-240 (mna-240-9730407262_dpOut0)

ERRORS

7

0 action failures, 7 network HTTP errors

ACTIONS

47/47

Actions completed successfully

AVG UI REFLECTION

291ms

Time for state to reflect after API call

 Network Errors (7)

These are the failing requests behind the error count above. Each row is grouped by endpoint/status/message, with how many times it occurred and its average duration.

METHOD	ENDPOINT	STATUS	ERROR	COUNT	AVG DURATION (MS)
--------	----------	--------	-------	-------	-------------------

GET	localhost:10001/api/app/status	No response	Route.fetch: connect ECONNREFUSED ::1:10001	5	334
GET	localhost:10001/api/system/info	No response	Route.fetch: connect ECONNREFUSED ::1:10001	2	338

Actions (47/47 successful)

Action-level metrics: API time is the request/response duration. UI reflection time is how long it took for the backend state (polled via API) to show the change. Status reflects real API errors only. Performance rates total duration against action-type-aware response-time tiers (hardware actions like camera zoom/preset recall get more lenient tiers than pure software actions). Endpoint(s) shows the exact API call(s) this action made, to speed up root-causing failures.

ACTION	TYPE	ENDPOINT(S)	API (MS)	UI REFLECTION (MS)	TOTAL (MS)	PERFORMANCE	STATUS	D
Route OR1 Source 1 (mna-240-9730326304_dpIn0) to Display 2 nma-240 (mna-240-9730407262_dpOut0)	route	POST /api/room/route	33	38	70	Excellent	OK	s 9 d 9 s
Unroute from Display 2 nma-240 (mna-240-9730407262_dpOut0)	unroute	POST /api/room/unroute	50	28	78	Excellent	OK	d 9 s
Route OR1 Source 1 (mna-240-9730326304_dpIn0) to Display 3 - nma-420 (mna-420-2530840919_hdmiOut1)	route	POST /api/room/route	31	36	67	Excellent	OK	s 9 d 2 s

Unroute from Display 3 - nma-420 (mna-420-2530840919_hdmiOut1)	unroute	POST /api/room/unroute	47	27	75	Excellent	OK	d 2 s
Route OR1 Source 1 (mna-240-9730326304_dpIn0) to Display nma-240 (mna-240-9730064510_dpOut0)	route	POST /api/room/route	31	32	62	Excellent	OK	s 9 d 9 s
Unroute from Display nma-240 (mna-240-9730064510_dpOut0)	unroute	POST /api/room/unroute	51	38	89	Excellent	OK	d 9 s
Route audio delta (mna-440-2530831456_audioIn) to OR1 Speakers (mna-440-2530831429_audioOut)	audio_route	POST /api/room/route	72	57	129	Excellent	OK	s 2 s 2 s
Unroute audio from OR1 Speakers (mna-440-2530831429_audioOut)	audio_unroute	POST /api/room/unroute	29	47	76	Excellent	OK	s 2 s
Call room preset 2	room_preset_call	POST /api/room/presets/call	435	25	460	Excellent	OK	p
Move camera 1 up	camera_move	POST /api/cameras/1/move	502	86	588	Excellent	OK	c d
Move camera 1 down	camera_move	POST /api/cameras/1/move	541	100	640	Excellent	OK	c d
Move camera 1 left	camera_move	POST /api/cameras/1/move	559	88	646	Excellent	OK	c d

Move camera 1 right	camera_move	POST /api/cameras/1/move	590	95	685	Excellent	OK	C
Move camera 1 tele	camera_move	POST /api/cameras/1/move	641	87	728	Excellent	OK	C
Move camera 1 wide	camera_move	POST /api/cameras/1/move	620	94	714	Excellent	OK	C
Recall camera 1 preset Preset 1 (1)	camera_preset_call	POST /api/cameras/1/presets/call	1869	74	1943	Acceptable	OK	C
Recall camera 1 preset Preset 2 (2)	camera_preset_call	POST /api/cameras/1/presets/call	2114	102	2217	Acceptable	OK	C
Recall camera 1 preset Preset 3 (3)	camera_preset_call	POST /api/cameras/1/presets/call	2098	86	2184	Acceptable	OK	C
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to full	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	25	23	48	Excellent	OK	d 9 t
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to pip	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	150	25	174	Excellent	OK	d 9 t
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to pap	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	157	27	183	Excellent	OK	d 9 t
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to quad	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	135	25	160	Excellent	OK	d 9 t

Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to wall	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	154	26	180	Excellent	OK	d 9 ta
Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to full	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	21	23	44	Excellent	OK	d 2 ta
Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to pip	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	85	27	113	Excellent	OK	d 2 ta
Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to pap	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	52	36	88	Excellent	OK	d 2 ta
Change Display nma-240 (mna-240-9730064510_dpOut0) layout to full	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	23	25	48	Excellent	OK	d 9 ta
Change Display nma-240 (mna-240-9730064510_dpOut0) layout to pip	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	169	34	204	Excellent	OK	d 9 ta
Change Display nma-240 (mna-240-9730064510_dpOut0) layout to pap	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	89	27	116	Excellent	OK	d 9 ta
Change Display nma-240 (mna-240-9730064510_dpOut0) layout to quad	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	226	28	255	Excellent	OK	d 9 ta


Change Display nma-240 (mna-240-9730064510_dpOut0) layout to wall	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	125	35	160	Excellent	OK	d 9 ta
Mute speaker OR1 Speakers (mna-440-2530831429_audioOut)	speaker_mute	POST /api/devices/speakers/mna-440-2530831429_audioOut/mute	173	44	218	Excellent	OK	s 2 ta
Set speaker OR1 Speakers (mna-440-2530831429_audioOut) volume to 50%	speaker_volume	POST /api/devices/speakers/mna-440-2530831429_audioOut/changeVolume	99	64	163	Excellent	OK	s 2 ta
Rename display Display 2 nma-240 (mna-240-9730407262_dpOut0) to 'Display 2 nma-240 (test)'	room_settings_rename	POST /api/room/settings	244	295	539	Acceptable	OK	d 9 ta n
Restore name for display Display 2 nma-240 (mna-240-9730407262_dpOut0) to 'Display 2 nma-240'	room_settings_rename	POST /api/room/settings	84	2270	2353	Poor	OK	d 9 ta n
Rename speaker OR1 Speakers (mna-440-2530831429_audioOut) to 'OR1 Speakers (test)'	room_settings_rename_speaker	POST /api/room/settings	11	771	782	Acceptable	OK	ta S e 2
Restore name for speaker OR1 Speakers (mna-440-2530831429_audioOut) to 'OR1 Speakers'	room_settings_rename_speaker	POST /api/room/settings	10	931	942	Acceptable	OK	ta S e 2
Rename audio source OR1 Audio Source 1 (mna-440-	room_settings_rename_audio_source	POST /api/room/settings	15	3046	3061	Poor	OK	ta A

2530831429_audiIn) to 'OR1 Audio Source 1 (test)'										2
Restore name for audio source OR1 Audio Source 1 (mna-440- 2530831429_audiIn) to 'OR1 Audio Source 1'	room_settings_rename_audio_source	POST /api/room/settings	16	748	763	Acceptable	OK			t A e 2
Rename video source OR1 Source 1 (mna- 240- 9730326304_dpIn0) to 'OR1 Source 1 (test)'	room_settings_rename_video_source	POST /api/room/settings	138	904	1042	Borderline	OK			t S e 9
Restore name for video source OR1 Source 1 (mna-240- 9730326304_dpIn0) to 'OR1 Source 1'	room_settings_rename_video_source	POST /api/room/settings	23	2840	2863	Poor	OK			t S e 9
Check PIP/PAP for display Display 2 nma- 240 (mna-240- 9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	228	48	340	Excellent	OK			d 9 fi t T 'v
Check Quad View for display Display 2 nma- 240 (mna-240- 9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	84	42	174	Excellent	OK			d 9 fi t T 'v
Check Wall for display Display 2 nma-240 (mna-240- 9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	95	44	206	Excellent	OK			d 9 fi t

Uncheck Wall for display Display 2 nma-240 (mna-240-9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	78	42	180	Excellent	OK
Uncheck Quad View for display Display 2 nma-240 (mna-240-9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	3820	43	3938	Poor	OK
Uncheck PIP/PAP for display Display 2 nma-240 (mna-240-9730407262_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	150	46	247	Excellent	OK

Action Timeline

Performance breakdown: Each bar shows API request time (blue) + UI reflection time (green). Scale: 0-3000ms.



Unroute from Display 2 nma-240 (mna-240-9730407262_dpOut0)		78ms 50 + 28
Route OR1 Source 1 (mna-240-9730326304_dpIn0) to Display 3 - nma-420 (mna-420-2530840919_hdmiOut1)		67ms 31 + 36
Unroute from Display 3 - nma-420 (mna-420-2530840919_hdmiOut1)		75ms 47 + 27
Route OR1 Source 1 (mna-240-9730326304_dpIn0) to Display nma-240 (mna-240-9730064510_dpOut0)		62ms 31 + 32
Unroute from Display nma-240 (mna-240-9730064510_dpOut0)		89ms 51 + 38
Route audio delta (mna-440-2530831456_audioIn) to OR1 Speakers (mna-440-2530831429_audioOut)		129ms 72 + 57
Unroute audio from OR1 Speakers (mna-440-2530831429_audioOut)		76ms 29 + 47
Call room preset 2		460ms 435 + 25
Move camera 1 up		588ms 502 + 86
Move camera 1 down		640ms 541 + 100
Move camera 1 left		646ms 559 + 88
		

Move camera 1 right		685ms 590 + 95
Move camera 1 tele		728ms 641 + 87
Move camera 1 wide		714ms 620 + 94
Recall camera 1 preset Preset 1 (1)		1943ms 1869 + 74
Recall camera 1 preset Preset 2 (2)		2217ms 2114 + 102
Recall camera 1 preset Preset 3 (3)		2184ms 2098 + 86
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to full		48ms 25 + 23
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to pip		174ms 150 + 25
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to pap		183ms 157 + 27
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to quad		160ms 135 + 25
Change Display 2 nma-240 (mna-240-9730407262_dpOut0) layout to wall		180ms 154 + 26
Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to full		44ms 21 + 23

Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to pip



113ms
85 + 27

Change Display 3 - nma-420 (mna-420-2530840919_hdmiOut1) layout to pap



88ms
52 + 36

Change Display nma-240 (mna-240-9730064510_dpOut0) layout to full



48ms
23 + 25

Change Display nma-240 (mna-240-9730064510_dpOut0) layout to pip



204ms
169 + 34

Change Display nma-240 (mna-240-9730064510_dpOut0) layout to pap



116ms
89 + 27

Change Display nma-240 (mna-240-9730064510_dpOut0) layout to quad



255ms
226 + 28

Change Display nma-240 (mna-240-9730064510_dpOut0) layout to wall



160ms
125 + 35

Mute speaker OR1 Speakers (mna-440-2530831429_audioOut)



218ms
173 + 44

Set speaker OR1 Speakers (mna-440-2530831429_audioOut) volume to 50%



163ms
99 + 64

Rename display Display 2 nma-240 (mna-240-9730407262_dpOut0) to 'Display 2 nma-240 (test)'



539ms
244 + 295

Restore name for display Display 2 nma-240 (mna-240-9730407262_dpOut0) to 'Display 2 nma-240'



2353ms
84 + 2270

Rename speaker OR1 Speakers (mna-440-2530831429_audioOut) to 'OR1 Speakers'



771ms

(test)'		782ms 11 + 771
Restore name for speaker OR1 Speakers (mna-440-2530831429_audioOut) to 'OR1 Speakers'	 931ms	942ms 10 + 931
Rename audio source OR1 Audio Source 1 (mna-440-2530831429_audioln) to 'OR1 Audio Source 1 (test)'	 3046ms	3061ms 15 + 3046
Restore name for audio source OR1 Audio Source 1 (mna-440-2530831429_audioln) to 'OR1 Audio Source 1'	 748ms	763ms 16 + 748
Rename video source OR1 Source 1 (mna-240-9730326304_dpIn0) to 'OR1 Source 1 (test)'	 904ms	1042ms 138 + 904
Restore name for video source OR1 Source 1 (mna-240-9730326304_dpIn0) to 'OR1 Source 1'	 2840ms	2863ms 23 + 2840
Check PIP/PAP for display Display 2 nma-240 (mna-240-9730407262_dpOut0)		340ms 228 + 48
Check Quad View for display Display 2 nma-240 (mna-240-9730407262_dpOut0)		174ms 84 + 42
Check Wall for display Display 2 nma-240 (mna-240-9730407262_dpOut0)		206ms 95 + 44
Uncheck Wall for display Display 2 nma-240 (mna-240-9730407262_dpOut0)		180ms 78 + 42
Uncheck Quad View for display Display 2 nma-240 (mna-240-9730407262_dpOut0)	 3820ms	3938ms 3820 + 43
		

Uncheck PIP/PAP for display Display 2 nma-240 (mna-240-9730407262_dpOut0)

247ms

150 + 46

 API Request

 UI Reflection (polling)

 Failed Action