

Matrix G2 Performance Report

ALL • Room OR1 • 2026-08-18T09:02:46

PERFORMANCE BREAKDOWN



39 Excellent • 5 Acceptable • 5 Borderline • 4 Poor (of 53 actions)

WORKFLOW API CALLS

67

Across 53 actions

AVG API TIME

120ms

P50 (median) action API time

P95 API TIME

2018ms

Threshold: 600.0ms

SLOWEST ACTION

3964ms

Uncheck Wall for display display1 (mna-240-9730064510_dpOut0)

ERRORS

3

0 action failures, 3 network HTTP errors, 3 validation failures

ACTIONS

53/53

Actions completed successfully

AVG UI REFLECTION

310ms

Time for state to reflect after API call



Network Errors (3)

These are the failing requests behind the error count above. Each row is grouped by endpoint/status/message, with how many times it occurred and its average duration.

METHOD	ENDPOINT	STATUS	ERROR	COUNT	AVG DURATION (MS)
--------	----------	--------	-------	-------	-------------------

Actions (53/53 successful)

Action-level metrics: API time is the request/response duration. UI reflection time is how long it took for the backend state (polled via API) to show the change. Status reflects real API errors only. Performance rates total duration against action-type-aware response-time tiers (hardware actions like camera zoom/preset recall get more lenient tiers than pure software actions). Endpoint(s) shows the exact API call(s) this action made, to speed up root-causing failures.

ACTION	TYPE	ENDPOINT(S)	API (MS)	UI REFLECTION (MS)	TOTAL (MS)	PERFORMANCE	STATUS	D
Route OR04 S4 (mna-440-2530831456_hdmiIn1) to display1 (mna-240-9730064510_dpOut0)	route	POST /api/room/route	50	31	81	Excellent	OK	s 2 d 9 s
Unroute from display1 (mna-240-9730064510_dpOut0)	unroute	POST /api/room/unroute	30	25	55	Excellent	OK	d 9 s
Route OR04 S4 (mna-440-2530831456_hdmiIn1) to display2 (mna-240-9730407262_dpOut0)	route	POST /api/room/route	44	58	102	Excellent	OK	s 2 d 9 s
Unroute from display2 (mna-240-9730407262_dpOut0)	unroute	POST /api/room/unroute	46	35	81	Excellent	OK	d 9 s

Route OR04 S4 (mna-440-2530831456_hdmiIn1) to display3 (mna-420-2530840919_hdmiOut1)	route	POST /api/room/route	64	30	94	Excellent	OK	s 2 d 2 s
Unroute from display3 (mna-420-2530840919_hdmiOut1)	unroute	POST /api/room/unroute	34	30	64	Excellent	OK	d 2 s
Route audio audio1 (mna-440-2530831429_audioIn) to speaker1 (mna-440-2530831429_audioOut)	audio_route	POST /api/room/route	70	68	138	Excellent	OK	s 2 s 2 s
Unroute audio from speaker1 (mna-440-2530831429_audioOut)	audio_unroute	POST /api/room/unroute	25	52	77	Excellent	OK	s 2 s
Call room preset 1	room_preset_call	POST /api/room/presets/call	1111	46	1157	Borderline	OK	p
Rename preset 1 to 'Picture-in-Picture Layout (test)'	room_preset_rename	PUT /api/room/presets GET /api/room/presets	12	6	18	Excellent	OK	p ta in
Restore name for preset 1 to 'Picture-in-Picture Layout'	room_preset_rename	PUT /api/room/presets GET /api/room/presets	5	5	10	Excellent	OK	p ta in
Move camera 1 up	camera_move	POST /api/cameras/1/move	495	78	573	Excellent	OK	c d
Move camera 1 down	camera_move	POST /api/cameras/1/move	486	87	573	Excellent	OK	c d

Move camera 1 left	camera_move	POST /api/cameras/1/move	567	78	645	Excellent	OK	c d
Move camera 1 right	camera_move	POST /api/cameras/1/move	550	88	638	Excellent	OK	c d
Move camera 1 tele	camera_move	POST /api/cameras/1/move	648	83	730	Excellent	OK	c d
Move camera 1 wide	camera_move	POST /api/cameras/1/move	634	75	709	Excellent	OK	c d
Recall camera 1 preset Preset 1 (1)	camera_preset_call	POST /api/cameras/1/presets/call	1847	91	1938	Acceptable	OK	c p
Recall camera 1 preset Preset 2 (2)	camera_preset_call	POST /api/cameras/1/presets/call	2004	79	2082	Acceptable	OK	c p
Recall camera 1 preset Preset 3 (3)	camera_preset_call	POST /api/cameras/1/presets/call	2053	92	2145	Acceptable	OK	c p
Change display1 (mna-240-9730064510_dpOut0) layout to full	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	65	43	108	Excellent	OK	d 9 ta
Change display1 (mna-240-9730064510_dpOut0) layout to pip	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	87	32	119	Excellent	OK	d 9 ta
Change display1 (mna-240-9730064510_dpOut0) layout to pap	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	104	25	130	Excellent	OK	d 9 ta

Change display1 (mna-240-9730064510_dpOut0) layout to quad	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	134	37	171	Excellent	OK	d 9 ta
Change display1 (mna-240-9730064510_dpOut0) layout to wall	change_layout	POST /api/devices/displays/mna-240-9730064510_dpOut0/changeLayout	189	39	228	Excellent	OK	d 9 ta
Change display2 (mna-240-9730407262_dpOut0) layout to full	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	45	21	65	Excellent	OK	d 9 ta
Change display2 (mna-240-9730407262_dpOut0) layout to pip	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	1829	27	1857	Borderline	OK	d 9 ta
Change display2 (mna-240-9730407262_dpOut0) layout to pap	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	112	38	149	Excellent	OK	d 9 ta
Change display2 (mna-240-9730407262_dpOut0) layout to quad	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	136	41	177	Excellent	OK	d 9 ta
Change display2 (mna-240-9730407262_dpOut0) layout to wall	change_layout	POST /api/devices/displays/mna-240-9730407262_dpOut0/changeLayout	170	43	213	Excellent	OK	d 9 ta
Change display3 (mna-420-2530840919_hdmiOut1) layout to full	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	42	28	70	Excellent	OK	d 2 ta

Change display3 (mna-420-2530840919_hdmiOut1) layout to pip	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	130	43	173	Excellent	OK	d 2 ta
Change display3 (mna-420-2530840919_hdmiOut1) layout to pap	change_layout	POST /api/devices/displays/mna-420-2530840919_hdmiOut1/changeLayout	92	27	119	Excellent	OK	d 2 ta
Mute speaker speaker1 (mna-440-2530831429_audioOut)	speaker_mute	POST /api/devices/speakers/mna-440-2530831429_audioOut/mute	173	40	213	Excellent	OK	s 2 ta
Set speaker speaker1 (mna-440-2530831429_audioOut) volume to 50%	speaker_volume	POST /api/devices/speakers/mna-440-2530831429_audioOut/changeVolume	108	1971	2079	Poor	OK	s 2 ta
Rename display display1 (mna-240-9730064510_dpOut0) to 'display1 (test)'	room_settings_rename	POST /api/room/settings	291	1166	1457	Borderline	OK	d 9 ta (t
Restore name for display display1 (mna-240-9730064510_dpOut0) to 'display1'	room_settings_rename	POST /api/room/settings	115	870	985	Acceptable	OK	d 9 ta
Rename speaker speaker1 (mna-440-2530831429_audioOut) to 'speaker1 (test)'	room_settings_rename_speaker	POST /api/room/settings	14	406	420	Excellent	OK	ta (t e 2


Restore name for speaker speaker1 (mna-440-2530831429_audioOut) to 'speaker1'	room_settings_rename_speaker	POST /api/room/settings	452	580	1032	Borderline	OK
Rename audio source audio1 (mna-440-2530831429_audioIn) to 'audio1 (test)'	room_settings_rename_audio_source	POST /api/room/settings	46	786	831	Acceptable	OK
Restore name for audio source audio1 (mna-440-2530831429_audioIn) to 'audio1'	room_settings_rename_audio_source	POST /api/room/settings	13	3452	3465	Poor	OK
Rename video source video1 (mna-440-2530831429_hdmiIn1) to 'video1 (test)'	room_settings_rename_video_source	POST /api/room/settings	13	438	451	Excellent	OK
Restore name for video source video1 (mna-440-2530831429_hdmiIn1) to 'video1'	room_settings_rename_video_source	POST /api/room/settings	14	4391	4404	Poor	OK
Check PIP/PAP for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	233	52	360	Excellent	OK

Check Quad View for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	120	48	232	Excellent	OK
Check Wall for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	106	49	236	Excellent	OK
Uncheck Wall for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	3964	51	4094	Poor	OK
Uncheck Quad View for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	146	48	263	Excellent	OK
Uncheck PIP/PAP for display display1 (mna-240-9730064510_dpOut0)	room_settings_layout_capability	POST /api/room/settings GET /api/room/settings GET /api/devices/displays	180	44	281	Excellent	OK
Grant share of video1 (mna-440-2530831429_hdmiIn1) with room Emergency OR-12 ([internal-host])	source_share	POST /api/room/share	98	28	126	Excellent	OK

Revoke share of video1 (mna-440-2530831429_hdmiln1) with room Emergency OR-12 ([internal-host])	source_unshare	POST /api/room/share	1933	38	1971	Borderline	OK
Test room camera 1 connection	camera_test_connection	POST /api/cameras/1/testConnection	197	-	197	Excellent	OK
Save room camera 1 settings	room_camera_save	POST /api/room/settings	158	67	225	Excellent	OK

Action Timeline

Performance breakdown: Each bar shows API request time (blue) + UI reflection time (green). Scale: 0-3000ms.



9730407262_dpOut0)

Unroute from display2 (mna-240-9730407262_dpOut0)



81ms
46 + 35

Route OR04 S4 (mna-440-2530831456_hdmiIn1) to display3 (mna-420-2530840919_hdmiOut1)



94ms
64 + 30

Unroute from display3 (mna-420-2530840919_hdmiOut1)



64ms
34 + 30

Route audio audio1 (mna-440-2530831429_audioIn) to speaker1 (mna-440-2530831429_audioOut)



138ms
70 + 68

Unroute audio from speaker1 (mna-440-2530831429_audioOut)



77ms
25 + 52

Call room preset 1



1157ms
1111 + 46

Rename preset 1 to 'Picture-in-Picture Layout (test)'



18ms
12 + 6

Restore name for preset 1 to 'Picture-in-Picture Layout'



10ms
5 + 5

Move camera 1 up



573ms
495 + 78

Move camera 1 down



573ms
486 + 87

Move camera 1 left



645ms
567 + 78

Move camera 1 right

550ms

638ms

550 + 88

Move camera 1 tele

648ms

730ms

648 + 83

Move camera 1 wide

634ms

709ms

634 + 75

Recall camera 1 preset Preset 1 (1)

1847ms

1938ms

1847 + 91

Recall camera 1 preset Preset 2 (2)

2004ms

2082ms

2004 + 79

Recall camera 1 preset Preset 3 (3)

2053ms

2145ms

2053 + 92

Change display1 (mna-240-9730064510_dpOut0) layout to full



108ms

65 + 43

Change display1 (mna-240-9730064510_dpOut0) layout to pip



119ms

87 + 32

Change display1 (mna-240-9730064510_dpOut0) layout to pap



130ms

104 + 25

Change display1 (mna-240-9730064510_dpOut0) layout to quad



171ms

134 + 37

Change display1 (mna-240-9730064510_dpOut0) layout to wall



228ms

189 + 39

Change display2 (mna-240-9730407262_dpOut0) layout to full



65ms

45 + 21

Change display2 (mna-240-9730407262_dpOut0) layout to pip		1857ms 1829 + 27
Change display2 (mna-240-9730407262_dpOut0) layout to pap		149ms 112 + 38
Change display2 (mna-240-9730407262_dpOut0) layout to quad		177ms 136 + 41
Change display2 (mna-240-9730407262_dpOut0) layout to wall		213ms 170 + 43
Change display3 (mna-420-2530840919_hdmiOut1) layout to full		70ms 42 + 28
Change display3 (mna-420-2530840919_hdmiOut1) layout to pip		173ms 130 + 43
Change display3 (mna-420-2530840919_hdmiOut1) layout to pap		119ms 92 + 27
Mute speaker speaker1 (mna-440-2530831429_audioOut)		213ms 173 + 40
Set speaker speaker1 (mna-440-2530831429_audioOut) volume to 50%		2079ms 108 + 1971
Rename display display1 (mna-240-9730064510_dpOut0) to 'display1 (test)'		1457ms 291 + 1166
Restore name for display display1 (mna-240-9730064510_dpOut0) to 'display1'		985ms 115 + 870
Rename speaker speaker1 (mna-440-2530831429_audioOut) to 'speaker1 (test)'		420ms 14 + 406

Restore name for speaker speaker1 (mna-440-2530831429_audioOut) to 'speaker1'	452ms 580ms	1032ms 452 + 580
Rename audio source audio1 (mna-440-2530831429_audioIn) to 'audio1 (test)'	786ms	831ms 46 + 786
Restore name for audio source audio1 (mna-440-2530831429_audioIn) to 'audio1'	3452ms	3465ms 13 + 3452
Rename video source video1 (mna-440-2530831429_hdmiIn1) to 'video1 (test)'	438ms	451ms 13 + 438
Restore name for video source video1 (mna-440-2530831429_hdmiIn1) to 'video1'	4391ms	4404ms 14 + 4391
Check PIP/PAP for display display1 (mna-240-9730064510_dpOut0)		360ms 233 + 52
Check Quad View for display display1 (mna-240-9730064510_dpOut0)		232ms 120 + 48
Check Wall for display display1 (mna-240-9730064510_dpOut0)		236ms 106 + 49
Uncheck Wall for display display1 (mna-240-9730064510_dpOut0)	3964ms	4094ms 3964 + 51
Uncheck Quad View for display display1 (mna-240-9730064510_dpOut0)		263ms 146 + 48
Uncheck PIP/PAP for display display1 (mna-240-9730064510_dpOut0)		281ms 180 + 44
Grant share of video1 (mna-440-2530831429_hdmiIn1) with room Emergency OR-12 ([internal-host])		126ms 98 + 28

Revoke share of video1 (mna-440-2530831429_hdmiln1) with room Emergency OR-12 ([internal-host])



1971ms
1933 + 38

Test room camera 1 connection



197ms
197 + 0

Save room camera 1 settings



225ms
158 + 67

 API Request  UI Reflection (polling)  Failed Action