


Here is the updated Database schema:



Here is a rough outline for the code to produce this:

```

employeeTable {
    employeeID integer pk
    userRoleID integer > userRoleTable.userRoleID
    accessTypeID integer > accessTable.accessTypeID
    departmentID integer > departmentTable.departmentID
    password varchar
    firstName varchar
    lastName varchar
    email varchar
    phoneNumber integer
    journeyID integer > * journeyTable.journeyID
    vehicleID integer > vehicleTable.vehicleID
}
  
```

```

journeyTable {
    journeyID integer pk
    PostCode(startPoint) string
    endPoint string
    MOTID integer > methodOfTransportTable.MOTID
}
  
```

```

        startTime integer
        estimatedTimeTaken integer
        distance integer
        carbonEmissionResults float
    }

    userRoleTable {
        userRoleID integer pk
        roleName varchar
    }

    departmentTable {
        departmentID int pk
        departmentName varchar
    }

    methodOfTransportTable {
        MOTID integer pk increments unique
        MOTName varchar
        vehicleID integer > vehicleTable.vehicleID
    }

    vehicleTable {
        vehicleID integer pk increments unique
        numberPlate string
        capacity integer
        fuelType integer
    }

    accessTable {
        accessTypeID integer pk increments unique
        levOfAccess integer
    }

```