
OPEN//LOUD | Assembly / exploded review

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



Virtual exploded layout

Panels, port, LF and HF

Actual CAD edge geometry


Fasteners omitted here;
see fastener assembly sheet

Virtual translations only; does not alter the assembled CAD. Explosion directions are presentation directions, not insertion proofs.
See individual sheets and wiring documentation for fastener quantities and counterpieces. Positions follow part index.


OPEN//LOUD | Assembly / orthographic

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE


FRONT X/Y



SIDE Z/Y



TOP X/Z



330x560x300mm cabinet reference. Screw heads extend beyond envelope. Wireframe shows interior edges too.

Simplified driver/horn envelopes; no acoustic mesh, weatherproofing or assembly certification.

OPEN//LOUD | Fastener assemblies / nominal stacks

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE

LF M5x45 / 8x




1. head: 5 mm
2. washer: 1 mm
3. LF flange: 8 mm
4. baffle: 24 mm
5. steel ring: 3 mm
6. washer: 1 mm
7. M5 nut: 4.7 mm

Horn M4x40 / 4x



1. head: 4 mm
2. washer: 0.8 mm
3. horn flange: 5.5 mm
4. baffle: 24 mm
5. washer: 0.8 mm
6. M4 nut: 3.2 mm

Rear M5x40 / 10x



1. head: 5 mm
2. washer: 1 mm
3. rear panel: 12 mm
4. cleat: 20 mm
5. M5 tapped plate: 5 mm

Schematic layer stacks, not geometric scale. Standard nuts/threaded plates receive all metric threads; no metric thread cut in wood.

LF ring/nut access tested geometrically. Horn nut service access, actual gaskets/tolerances and tightening torque remain open.

OPEN//LOUD | 01 / Side_left

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 01

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

560.00 x 300.00 x 12.00

Coordinate axes: Y,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 0.000 ... 12.000

Y: 0.000 ... 560.000

Z: 0.000 ... 300.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 02 / Side_right

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 02

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

560.00 x 300.00 x 12.00

Coordinate axes: Y,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 318.000 ... 330.000


Y: 0.000 ... 560.000

Z: 0.000 ... 300.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 03 / Bottom

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 03

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

306.00 x 300.00 x 12.00

Coordinate axes: X,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000


Y: 0.000 ... 12.000

Z: 0.000 ... 300.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 04 / Top

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 04

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

306.00 x 300.00 x 12.00

Coordinate axes: X,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000


Y: 548.000 ... 560.000

Z: 0.000 ... 300.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 05 / Baffle

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 05

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

536.00 x 306.00 x 12.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000

Y: 12.000 ... 548.000

Z: 0.000 ... 12.000


Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.

Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.

Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 06 / Rear_removable

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 06

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

536.00 x 306.00 x 12.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000


Y: 12.000 ... 548.000

Z: 288.000 ... 300.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 07 / Baffle_inner_lamination

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 07

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

536.00 x 306.00 x 12.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000


Y: 12.000 ... 548.000

Z: 12.000 ... 24.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 08 / LF_steel_backing_ring_candidate

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 08

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

280.00 x 280.00 x 3.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 25.000 ... 305.000

Y: 120.000 ... 400.000

Z: 24.000 ... 27.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.

Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.

Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 09 / Rear_cleat_left

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 09

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

536.00 x 20.00 x 20.00

Coordinate axes: Y,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 32.000	Y: 12.000 ... 548.000	Z: 268.000 ... 288.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 10 / Rear_cleat_right

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE

POSITION 10

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

536.00 x 20.00 x 20.00

Coordinate axes: Y,Z

All CAD edges visible

Pockets may overlap in projection



CAD datum bounds (global XYZ, mm):

X: 298.000 ... 318.000

Y: 12.000 ... 548.000

Z: 268.000 ... 288.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 11 / Rear_cleat_bottom

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 11

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

266.00 x 20.00 x 20.00

Coordinate axes: X,Z

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 32.000 ... 298.000

Y: 12.000 ... 32.000

Z: 268.000 ... 288.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.

Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.

Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 12 / Rear_cleat_top

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 12

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

266.00 x 20.00 x 20.00

Coordinate axes: X,Z

All CAD edges visible

Pockets may overlap in projection


CAD datum bounds (global XYZ, mm):

X: 32.000 ... 298.000	Y: 528.000 ... 548.000	Z: 268.000 ... 288.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 13 / Service_partition

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 13

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

306.00 x 186.00 x 12.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

E05 HF: bore16.5; relief28x5

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000

Y: 362.000 ... 548.000

Z: 165.901 ... 177.901

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 14 / Service_floor

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 14

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

306.00 x 122.10 x 12.00

Coordinate axes: X,Z

All CAD edges visible

Pockets may overlap in projection

E05 LF: bore16.5; relief28x5

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000

Y: 350.000 ... 362.000

Z: 165.901 ... 288.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 15 / Brace_lower

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 15

Quantity: 1

Material:

birch_plywood_candidate

Nominal blank [mm]:

306.00 x 20.00 x 12.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 318.000

Y: 140.000 ... 160.000

Z: 200.000 ... 212.000


Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.

Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.

Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 16 / Rear_thread_plate_left_0.15

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 16

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 32.000


Y: 64.000 ... 104.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 17 / Rear_thread_plate_left_0.5

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 17

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 32.000


Y: 260.000 ... 300.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 18 / Rear_thread_plate_left_0.85

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 18

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 12.000 ... 32.000


Y: 456.000 ... 496.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 19 / Rear_thread_plate_right_0.15

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 19

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 298.000 ... 318.000


Y: 64.000 ... 104.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 20 / Rear_thread_plate_right_0.5

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 20

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 298.000 ... 318.000


Y: 260.000 ... 300.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 21 / Rear_thread_plate_right_0.85

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 21

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 298.000 ... 318.000


Y: 456.000 ... 496.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 22 / Rear_thread_plate_bottom_0.27

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 22

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 69.100 ... 109.100


Y: 12.000 ... 32.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 23 / Rear_thread_plate_bottom_0.73

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 23

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 220.900 ... 260.900


Y: 12.000 ... 32.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 24 / Rear_thread_plate_top_0.27

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 24

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 69.100 ... 109.100


Y: 528.000 ... 548.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.

OPEN//LOUD | 25 / Rear_thread_plate_top_0.73

E05 · 2026-11-09 · CAD-derived review sheet · mm · NOT RELEASED FOR MANUFACTURE



POSITION 25

Quantity: 1

Material:

steel_candidate

Nominal blank [mm]:

40.00 x 20.00 x 5.00

Coordinate axes: X,Y

All CAD edges visible

Pockets may overlap in projection

4.2 pilot -> TAP M5x0.8

CAD datum bounds (global XYZ, mm):

X: 220.900 ... 260.900

Y: 528.000 ... 548.000

Z: 263.000 ... 268.000

Geometry: own E05 CAD; chord tolerance0.3mm. Blank dimensions are geometric envelopes, not toleranced machining dimensions.
Use checked STEP/DXF and E05 pocket definitions together. Fastener counterpieces, seals and tool access require remaining review.
Unspecified tolerances/finish/adhesive joints: OPEN. Do not treat this review sheet as a released part drawing.