



Hybrid Cloud with Provider-Managed Components

NetApp Solutions

NetApp
May 19, 2023

This PDF was generated from <https://docs.netapp.com/us-en/netapp-solutions/rhhc/provider-managed/solution.html> on May 19, 2023. Always check docs.netapp.com for the latest.

Table of Contents

- NetApp Hybrid Multicloud solutions for Red Hat OpenShift Container workloads 1
 - Overview 1
 - Deploy and configure the Managed Red Hat OpenShift Container platform on AWS 4
 - Data protection 6
 - Data migration 7

NetApp Hybrid Multicloud solutions for Red Hat OpenShift Container workloads

Overview

NetApp is seeing a significant increase in customers modernizing their legacy enterprise applications and building new applications using containers and orchestration platforms built around Kubernetes. Red Hat OpenShift Container Platform is one example that we see adopted by many of our customers.

As more and more customers begin adopting containers within their enterprises, NetApp is perfectly positioned to help serve the persistent storage needs of their stateful applications and classic data management needs such as data protection, data security, and data migration. However, these needs are met using different strategies, tools, and methods.

NetApp ONTAP based storage options listed below, deliver security, data protection, reliability, and flexibility for containers and Kubernetes deployments.

- Self-managed storage in on-premises:
 - NetApp Fabric Attached Storage (FAS), NetApp All Flash FAS Arrays (AFF), NetApp All SAN Array (ASA) and ONTAP Select
- Provider-managed storage in on-premises:
 - NetApp Keystone provides Storage as a Service (STaaS)
- Self-managed storage in the cloud:
 - NetApp Cloud Volumes ONTAP(CVO) provide self managed storage in the hyperscalers
- Provider-managed storage in the cloud:
 - Cloud Volumes Service for Google Cloud (CVS), Azure NetApp Files (ANF), Amazon FSx for NetApp ONTAP offer fully managed storage in the hyperscalers

ONTAP feature highlights



Storage Administration

- Multi-tenancy
- FlexVol & FlexGroup
- LUN
- Quotas
- ONTAP CLI & API
- System Manager & BlueXP

Performance & Scalability

- FlexCache
- FlexClone
- nconnect, session trunking, multipathing
- Scale-out clusters

Availability & Resilience

- Multi-AZ HA deployment (MetroCluster)
- SnapShot & SnapRestore
- SnapMirror
- SnapMirror Business Continuity
- SnapMirror Cloud

Access Protocols

- NFS –v3, v4, v4.1, v4.2
- SMB – v2, v3
- iSCSI
- Multi-protocol access

Storage Efficiency

- Deduplication & Compression
- Compaction
- Thin provisioning
- Data Tiering (Fabric Pool)

Security & Compliance

- Fpolicy & Vscan
- Active Directory integration
- LDAP & Kerberos
- Certificate based authentication

NetApp BlueXP enables you to manage all of your storage and data assets from a single control plane/interface.

You can use BlueXP to create and administer cloud storage (for example, Cloud Volumes ONTAP and Azure NetApp Files), to move, protect, and analyze data, and to control many on-prem and edge storage devices.

NetApp Astra Trident is a CSI Compliant Storage Orchestrator that enable quick and easy consumption of persistent storage backed by a variety of the above-mentioned NetApp storage options. It is an open-source software maintained and supported by NetApp.

Astra Trident CSI feature highlights



CSI specific <ul style="list-style-type: none">• CSI NetApp® Snapshot™ copies and volume creation from CSI Snapshot copies• CSI topology• Volume expansion	Security <ul style="list-style-type: none">• Dynamic-export policy management• iSCSI initiator-groups dynamic management• iSCSI bidirectional CHAP
Control <ul style="list-style-type: none">• Storage and performance consumption• Monitoring• Volume Import• Cross Namespace Volume Access	Installation methods <ul style="list-style-type: none">• Binary• Helm chart• Operator• GitOps
Choose your access mode <ul style="list-style-type: none">• RWO (ReadWriteOnce, i.e 1↔1)• RWX (ReadWriteMany, i.e 1↔n)• ROX (ReadOnlyMany)• RWOP (ReadWriteOnce POD)	Choose your protocol <ul style="list-style-type: none">• NFS• SMB• iSCSI

Business critical container workloads need more than just persistent volumes. Their data management requirements require protection and migration of the application kubernetes objects as well.



- Application data includes kubernetes objects in addition to the user data: Some examples are as follows:
- kubernetes objects such as pods specs, PVCs, deployments, services
 - custom config objects such as config maps and secrets
 - persistent data such as Snapshot copies, backups, clones
 - custom resources such as CRs and CRDs

NetApp Astra Control, available as both fully-managed and self-managed software, provides orchestration for robust application data management. Refer to the [Astra documentation](#) for additional details on the Astra family of products.

This reference documentation provides validation of migration and protection of container-based applications, deployed on RedHat OpenShift container platform, using NetApp Astra Control Center. In addition, the solution provides high-level details for the deployment and the use of Red Hat Advanced Cluster Management (ACM) for managing the container platforms. The document also highlights the details for the integration of NetApp storage with Red Hat OpenShift container platforms using Astra Trident CSI provisioner. Astra Control Center is deployed on the hub cluster and is used to manage the container applications and their persistent storage lifecycle. Finally, it provides a solution for replication and failover and fail-back for container workloads on managed Red Hat OpenShift clusters in AWS (ROSA) using Amazon FSx for NetApp ONTAP (FSxN) as

persistent storage.

NetApp Solution with Managed Red Hat OpenShift Container platform workloads on AWS

Customers may be "born in the cloud" or may be at a point in their modernization journey when they are ready to move some select workloads or all workloads from their data centers to the cloud. They may choose to use provider-managed OpenShift containers and provider-managed NetApp storage in the cloud for running their workloads. They should plan and deploy the Managed Red Hat OpenShift container clusters (ROSA) in the cloud for a successful production-ready environment for their container workloads. When they are in AWS cloud, they could also deploy FSx for NetApp ONTAP for the storage needs.


FSx for NetApp ONTAP delivers data protection, reliability, and flexibility for container deployments in AWS. Astra Trident serves as the dynamic storage provisioner to consume the persistent FSxN storage for customers' stateful applications.

As ROSA can be deployed in HA mode with control plane nodes spread across multiple availability zones, FSx ONTAP can also be provisioned with Multi-AZ option which provides high availability and protect against AZ failures.



There are no data transfer charges when accessing an Amazon FSx file system from the file system's preferred Availability Zone (AZ). For more info on pricing, refer [here](#).

Data protection and migration solution for OpenShift Container workloads



Deploy and configure the Managed Red Hat OpenShift Container platform on AWS

This section describes a high-level workflow of setting up the Managed Red Hat OpenShift clusters on AWS (ROSA). It shows the use of Managed FSx for NetApp ONTAP (FSxN) as the storage backend by Astra Trident to provide persistent volumes. Details are provided about the deployment of FSxN on AWS using BlueXP. Also, details are provided about the use of BlueXP and OpenShift GitOps (Argo CD) to perform data protection and migration activities for the stateful applications on ROSA clusters.

Here is a diagram that depicts the ROSA clusters deployed on AWS and using FSxN as the backend storage.



This solution was verified by using two ROSA clusters in two VPCs in AWS. Each ROSA cluster was integrated with FSxN using Astra Trident. There are several ways of deploying ROSA clusters and FSxN in AWS. This high-level description of the setup provides documentation links for the specific method that was used. You can refer to the other methods in the relevant links provided in the [resources section](#).

The setup process can be broken down into the following steps:

Install ROSA clusters

- Create two VPCs and set up VPC peering connectivity between the VPCs.
- Refer [here](#) for instructions to install ROSA clusters.

Install FSxN

- Install FSxN on the VPCs from BlueXP.
Refer [here](#) for BlueXP account creation and to get started.
Refer [here](#) for installing FSxN.
Refer [here](#) for creating a connector in AWS to manage the FSxN.
- Deploy FSxN using AWS.
Refer [here](#) for deployment using AWS console.

Install Trident on ROSA clusters (using Helm chart)

- Use Helm chart to install Trident on ROSA clusters.
url for the Helm chart: <https://netapp.github.io/trident-helm-chart>
- Demonstration video: Integration of FSxN with Astra Trident for ROSA clusters

► <https://docs.netapp.com/us-en/netapp-solutions/media/rhbc-install-trident-using-helm.mp4> (video)




OpenShift GitOps can be utilized to deploy Astra Trident CSI to all managed clusters as they get registered to ArgoCD using ApplicationSet.

```
apiVersion: argoproj.io/v1alpha1
kind: ApplicationSet
metadata:
  name: trident-operator
spec:
  generators:
  - clusters: {}
    # selector:
    #   matchLabels:
    #     tridentversion: '23.04.0'
  template:
    metadata:
      name: '{{nameNormalized}}-trident'
    spec:
      destination:
        namespace: trident
        server: '{{server}}'
      source:
        repoURL: 'https://netapp.github.io/trident-helm-chart'
        targetRevision: 23.04.0
        chart: trident-operator
      project: default
      syncPolicy:
        syncOptions:
        - CreateNamespace=true
```



Create backend and storage classes using Trident (for FSxN)

- Refer [here](#) for details about creating backend and storage class.
- Make the storage class created for FsxN with Trident CSI as default from OpenShift Console. See screenshot below:



Deploy an application using OpenShift GitOps (Argo CD)

- Install OpenShift GitOps operator on the cluster. Refer to instructions [here](#).
- SetUp a new Argo CD instance for the cluster. Refer to instructions [here](#).

Open the console of Argo CD and deploy an app.

As an example, you can deploy a Jenkins App using Argo CD with a Helm Chart.

When creating the application, the following details were provided:

Project: default

cluster: <https://kubernetes.default.svc>

Namespace: Jenkins

The url for the Helm Chart: <https://charts.bitnami.com/bitnami>

Helm Parameters:

global.storageClass: fsxn-nas

Data protection

This page shows the data protection options for Managed Red Hat OpenShift on AWS (ROSA) using Astra Control Service.

FSx NetApp ONTAP for Red Hat OpenShift Service on AWS (ROSA)

The following video shows the backup of a ROSA application running in one region and restoring to another region.

► <https://docs.netapp.com/us-en/netapp-solutions/media/rhhc-Rosa-DR-demo-audio.mp4> (video)

Data migration

This page shows the data migration options for container workloads on Managed Red Hat OpenShift clusters using FSx for NetApp ONTAP for persistent storage.

Data Migration

Red Hat OpenShift service on AWS as well as FSx for NetApp ONTAP (FSxN) are part of their service portfolio by AWS. FSxN is available on Single AZ or Multi-AZ options.

Multi-Az option provides data protection from availability zone failure.

FSxN can be integrated with Astra Trident to provide persistent storage for applications on ROSA clusters.

Integration of FSxN with Trident using Helm chart

► <https://docs.netapp.com/us-en/netapp-solutions/media/rhhc-install-trident-using-helm.mp4> (video)

The migration of container applications involves:


- Persistent volumes: this can be accomplished using BlueXP.
Another option is to use Astra Control Center to handle container application migrations from on-premises to the cloud environment. Automation can be used for the same purpose.
- Application metadata: this can be accomplished using OpenShift GitOps (Argo CD).

Failover and Fail-back of applications on ROSA cluster using FSxN for persistent storage

The following video is a demonstration of application failover and fail-back scenarios using BlueXP and Argo CD.

► <https://docs.netapp.com/us-en/netapp-solutions/media/rhhc-failover-failback.mp4> (video)

Data protection and migration solution for OpenShift Container workloads



Copyright information

Copyright © 2023 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.