

Watch Dog The Fraud Detection System

User manual

Confidentiality notice

No parts of this publication may be reproduced, transmitted, transcribed, stored in retrieval system, or translated into any language or computer language, in any forms or in any means, without the written permission of Basset Telecom Solutions AB, P.O. Box 1156, SE-172 23 Sundbyberg, SWEDEN.

This document is published without any warranty. Improvement and changes to this product description, necessitated by typographical errors, inaccuracies of current information, or improvements to the system, may be made by Basset Telecom Solutions, at any time and without notice.

All window shots and examples are based on example data.

Document version

3.4.8

Table of Contents

APPLICATION OVERVIEW	6
THE WATCHDOG ALARMS	7
The alarms	
FEATURES	
Analysis Functionality	
Reporting	
WORK WITH WATCHDOG	14
Log On And Log Off	
Log On	
Log Off	
THE MAIN WINDOW	
MenusIcons	
Previous subscriber.	
Find	
Assign	
GENERAL FUNCTIONALITY	
Updating item lists	
Sorting of lists	
The column header menu	
Usage of short cut keys	20
THE ALARMS LIST	21
WORK WITH THE ALARMS	22
The Alarms List	22
Alarm filters	25
ALARM ANALYSIS	29
An Analysis Workflow	30
CASE DETAILS	
Subscriber Info	
Subscriber Log	
Usage statistics	
Multipliers	
Alarms	
The Analysis Menu	
Alarms	
OLD ALARMS	
Profiling	
Profiling options	
Profiling options	38
ALL CALLS	<i>38</i> 40
ALL CALLS	38 40 42
ALL CALLS	

CALL COLLISION	47
VELOCITY	47
Prepaid vouchers	48
EIR ANALYSIS	48
Cloning profiling	50
KNOWN PATTERN PROFILING	51
EXTERNAL KNOWN PATTERN PROFILING ANALYSIS	54
Overview	54
Connect to an external data source	54
Making the analysis	57
ALARM ACTIONS	58
START ACTION	59
ACTIONS INCLUDED IN WATCHDOG	
Assign	60
Assign Other	60
Comment	
Set Subscriber Comment	62
Hold	62
Reminder	62
Delete	63
Find And List Items	65
Find	66
Close	67
REPORTS	68
ACCESS THE REPORTS	69
VIEW A REPORT	
Print a report	71
CREATE A REPORT	73
Sorting	
Change Display Name	
Aggregation	
Criteria	
EXPORT A REPORT	
ROAMING REPORTS	79
Roaming Reports	
ALL CALLS DATA REPORT	
AUTOMAIL	82
THE AUTOMAIL MESSAGE	83

About This Guide

The Watchdog - User Manual is a reference and a training material for WatchDog users. It describes how to work with the alarms, analysis tools, reports, etc.

All chapters in this manual have the same disposition, as described below.

- A short introduction (overview).
- A screen shot, showing the user interface.
- A detailed description of the functionality.

Prerequisite knowledge

Users of WatchDog are expected to have attended a WatchDog training held by Basset Telecom Solutions or by a local trainer that have attended the WatchDog training.

Contact Basset Telecom Solutions

P.O. Box 1156 SE-172 23 Sundbyberg SWEDEN

Tel. +46 8 5626 79 00 Fax. +46 8 28 62 31

E-mail: info@basset.se Internet: www.basset.se

Technical support

Mail: helpdesk@basset.se

Chapter

Application Overview

1

Overview

Introduction

This chapter gives a general description of the WatchDog alarms and analysis functionality.

In this chapter


This chapter is organized as follows.

Topic
The WatchDog Alarms
Features
Analysis Functionality
Reporting

The WatchDog Alarms

The alarms

The **Alarms Settings** menu includes the following commands.



All alarm settings are described in detail in the following sections.

Call collision

The call collision alarm detects situations where two calls are being made at the same time from the same handset. This is an indication of cloning.

Credit Limit

The Credit Limit alarm is used to detected subscribers that have exceeded their credit limit or parts of the credit limit. The Credit Limit alarm uses the credit limit from the subscriber file in combination with the calls made and fixed monthly charges. The Credit Limit alarm is executed manually for a specific bill cycle from the Admin – Action – Credit Limit Alarm.

EIR alarm

The EIR alarm is specific for GSM networks. An EIR, Equipment Identity Register, is used to prevent calls from stolen or unauthorized handsets. The switches will list call attempts from handsets that are not valid according to the EIR. WatchDog can collect these lists and display them for the user.

Exclusions

It is possible to exclude values from some alarm analyses. This concerns subscribers from the high usage alarm and handsets from the hot list alarm.

Extended services

This alarms detects subscriptions with a high usage of extended services relative to the total usage. Extended services include services such as call forwarding, call waiting, and three party calls. Via this command it is possible to activate alarms for different services and sets thresholds for each service.

Lists: Blacklist

It is possible to blacklist telephone numbers (A numbers), telephone units, and cell sites. This means that WatchDog will generate alarms each time any of the listed items are being used. This alarm can be used for investigating the behaviour of a certain subscriber or to survey the traffic from a certain area.

Lists: Hotlist

It is possible to hotlist telephone numbers (B numbers), telephone units, and cell sites. This means that WatchDog will generate alarms each time a call is made to any of the listed items. This alarm can be used e.g. to investigate which subscribers that are using a certain service.

Global fraud

This alarm is generated if a subscriber calls more than a specified number of different countries within a specified period of time.

High-risk countries

This alarm is a complement to the high usage alarm, enabling lower thresholds for calls to certain countries. The settings include a list of all countries that should be considered as high-risk countries, and thresholds for each item.

High-risk cell sites

This alarm is a complement to the high usage alarm, enabling lower thresholds for calls from certain cell sites. The settings include a list of all cell sites that should be considered as high-risk cell sites, and thresholds for each item.

High usage

The high usage alarms detect subscribers making calls representing high amounts of money. The number of time periods is flexible, as the duration of each period. The high usage alarm can be based on different quantitative units, such as monetary value, duration, number of calls, and percentage of total monetary value.

International call collision

As the call collision alarm, this alarm detects situations where two calls are being made at the same time from the same handset. This is an indication of cloning. This alarm does however analyse roaming data to detect cloned phones that are used abroad.

International velocity

As the velocity alarm, this alarm detects situations where two calls are being made from the same handset, and the distance between the locations where the calls have been made is abnormal considering the time span between the calls. This is an indication of cloning. This alarm does however analyse roaming data to detect cloned phones that are used abroad.

Prepaid

WatchDog offers the following prepaid alarms.

Prepaid audit. This alarm is generated if a prepaid customer, who is not activated in the prepaid platform, is making calls.

Internal prepaid fraud. This alarm is generated if a prepaid customer makes calls that are not being registered in the prepaid platform. This is an indication of that the subscriber is activated in the switch and not in the prepaid platform.

Multiple loading of prepaid account. This alarm is generated if a prepaid customer loads his account more times than the alarm threshold.

High amount on prepaid account. This alarm is generated if a prepaid customer's account balance exceeds the alarm threshold.

Load several accounts with same voucher. This alarm is generated if several prepaid accounts have been loaded using the same voucher (PIN code).

Profiling

The profiling functionality is analysis tools intended to detect two types of events, cloning and known fraudsters that return to the network. Cloning can be detected by comparing the calling pattern for one subscriber but during two different time periods. The known pattern analysis compares a subscriber's calling pattern to known fraudsters' calling patterns.

Roaming partners

This command controls high usage settings for visiting roamers. The settings include a list of the roaming partners, and functionality to automatically send information to them about their subscriber's usage.

Same called number

This alarm is generated if a subscriber calls the same number more than a specified number of times and within a specified period of time.

Short duration calls

If a subscriber exceeds a number of short duration calls, an alarm will be generated.

Switch audit

This alarm detects subscribers that are activated in the switch but not in the billing system.

Tumbling

The tumbling alarm detects situations of two types. Tumbling handset means that one subscriber (MIN/IMSI) is using many different handsets (ESN/IMEI). Tumbling subscriber means that one handset (ESN/IMEI) is being used by many different subscribers (MIN/IMSI).

Note:

IMSI = International Mobile Subscriber Identity - GSM IMEI = International Mobile Equipment Identity - GSM

MIN = Mobile Identification Number – Analogue ESN = Equipment Serial Number – Analogue

Velocity

The velocity alarm detects situations where two calls are being made from the same handset, and the distance between the locations where the calls have been made is abnormal considering the time span between the calls. This is an indication of cloning.

Used services

An alarm will be generated if a subscriber is using services that are not included in the subscription.

Zero usage

As opposed to the high usage alarm, WatchDog offers a zero usage alarm. If a subscription is not used for a specified period of time, an alarm will be generated.

Features

The following features and analysis functionality are included in WatchDog.

Flexibility

- Any number of users can work with the system at the same time. The connections to the WatchDog server are via your standard LAN or WAN.
- The alarm settings can be changed and adjusted at preferable time by your system administrator.
- The alarm settings can be adjusted per individual customer. Every individual subscriber has five "multipliers" which are adjustable. WatchDog can recommend suitable multipliers for each single user and alarm type. The multipliers make it

- possible to adjust each subscriber's alarm thresholds, without changing the global alarm parameters.
- WatchDog enables the operator to change any of the system settings and parameters included in WatchDog – without help from Basset Telecom Solutions.
- Additional parameters are included in the alarm setting windows. These parameters enables customisation of the alarm settings, and the customisation can be adjusted per individual operator, at any time, by the System Administrators.
- It is possible to set different alarm thresholds for different roaming partners, e.g. USD 100 for visiting subscribers from Sweden and USD 200 for visiting subscribers from Taiwan. The example is using USD, but you would use your local currency.
- It is possible to set different alarm thresholds for different hotlisted countries, e.g. maximum USD 100 during 24 hours for subscribers calling to Sweden and USD 200 for subscribers calling to Taiwan. The example is using USD, but you would use your local currency.

Flexible Alarm Presentation

- Possibility to see every single alarm or all alarms summarized per customer. This makes it possible to create cases for each subscriber. The user can choose the layout he or she prefers.
- All alarms are associated to a customer's name and address. This is possible since WatchDog is collecting customer data from your customer database.
- Sorting of the alarms. All alarms included in the alarm list can be sorted, separately by any WatchDog user. The sorting can be based on any parameter included in the alarms (telephone number, alarm value, severity level, monetary value of the alarm, user working with the alarm, alarm type, etc.).
- Filtering of the alarms. All alarms included in the alarm list can be filtered, separately by any WatchDog user. The filtering can be based on any parameter included in the alarms (telephone number, alarm value, severity level, monetary value of the alarm, user working with the alarm, alarm type, etc.).
- The System Administrator can delete several alarms, simultaneously, e.g. after a long weekend when a lot of alarms have been generated and the agents do not have the time to handle the low priority alarms. The deleting can be based on type of alarm, user assigned to the alarm, age of the alarm, etc.

Rating of all Calls

All calls are rated in your local currency. The rating engine is very flexible and the System Administrator can change the settings at

desired time. Different rating tables can be used for different types of subscribers.

Analysis Functionality

Detailed information window about the customer that has triggered an alarm

This window includes a lot of information, which is extracted from your customer database, such as address, date of contract signing, number of unpaid bills, etc. It also includes a log including actions performed in WatchDog on the specific subscriber, and comments made by the users.

A selectable number of days' calling pattern profiling, including all calls made by a specific subscriber

All calls are separated into local calls, long distance calls, international calls, roaming calls, and calls made to premium rate numbers. The information can be displayed in money (your local currency) or in time (minutes).

WatchDog does also include a selectable number of days of aggregated calling graph

The graph can be displayed in money (your local currency) or in time (minutes).

A selectable number of days of detailed calling information

The information is presented per separate call, and every post in the presentation list includes information such as; used telephone unit, called number, used operator (for roaming calls), used cell site, used switch, start of the call, end of the call, value of the call (in your local currency), total call length, service invoked, etc.

Detailed information about call collision (cloning) cases

This window includes detailed information about the two calls that have collided.

Detailed information about velocity (cloning) cases

This window includes information about the involved calls, and the required speed to travel between the used cell sites.

Detailed information about international velocity (cloning) cases

This window includes information about the involved calls in different countries, and the required speed to travel between the used countries.

Detailed information about tumbling cases

Different windows make it possible to further investigate the tumbling of telephone units and/or telephone numbers. All available information is presented, and a summary of used

numbers and telephone units is presented in an easy to understand manner.

Same called number

This window includes information about the involved calls for each number that has been alarmed on as same called number.

EIR Analysis

This window includes information call attempts made with grey and blacklisted handsets from the EIR.

Prepaid voucher analysis

Displays all vouchers used by a subscriber for charging the prepaid account.

Reporting

Advanced reporting functionality

All included reports in WatchDog can be viewed on the screen, printed on paper, or saved as a file (rich text, Excel, text and, HTML formats).

Advanced statistics functionality

Any statistical report in WatchDog can be viewed on the screen or printed on paper.

Automatic sending of e-mails containing roaming (high usage) reports to your roaming partners

Your users can neglect the roaming alarms, and the reports will be e-mailed to the correct roaming partner without any work required by your staff anyway.

Automatic printing of letters to your subscribers

WatchDog includes a functionality that makes it possible for you to include a number of different pre-defined letters that can be sent to chosen subscriber using the network. This makes it possible to semi-automatically send letters to disconnected subscribers or subscribers that you want to make payments before they are allowed to continue calling in the network.

I2 Link

With the flexible report tool, WatchDog also includes an interface for extracting alarm- and calling information to external analysis tools, e.g. the analysis tool "Link" from I2 in the UK.

Work With WatchDog

Chapter 2

Overview

Introduction

This chapter gives a description of the daily work with WatchDog.

In this chapter

This chapter is organized as follows.

Topic
Log On And Log off
The Main Window
General Functionality

Log On And Log Off

This section describes how to log on to, and log off from, WatchDog. If there would be any problems with the logon procedure, please contact your system administrator.

If a user is added with windows authentication the login in screen will not appear since the user is verified by windows login procedure.

Log On

To log on to WatchDog, follow these steps.

1. Start WatchDog on the WatchDog server or via a WatchDog client. The following window appears.



- 2. Enter your user name.
- 3. Enter your password.
- 4. Click **OK**.



If Windows authentication is used check the Windows authentication button. With the Windows authentication means that Windows grants the permission to WatchDog if the user is added as user to logon with Windows authentication.

DSN stands for Data Source Name, and is the connection between the client application and the WatchDog server. The DSN name is also visible in the title bar of the application. This is useful for clients that either administrates more then one system or clients that is using a test server and a live server.



Application Name (DSN Name)


Log Off

To log off from WatchDog, click Exit on the File menu.

The Main Window

This section gives an overview of the functionality of the main window. From the main window it is possible to get access to the alarms and to the reports.

When WatchDog is started, the following window appears.



The Alarms list is the starting point when working with WatchDog. This list always appears when WatchDog is started. On the main window you can also find a number of menus and tools.

Menus

The following menus are available. Many of the commands in the menus are available also via icons. All commands that are relevant for the WatchDog user are described in detail later in this manual.

File	This menu includes commands e.g. for logging off.
Admin	This menu includes commands for system settings and system administration. It is available only for users with Administrator rights.
Action	This menu includes commands for taking actions with the alarms, such as deleting them or put them on hold.
Analysis	This menu includes analysis tools that provide detailed information about alarms and calls.

Reports This menu includes commands to create reports

and statistics.

4

f.

Window This menu includes commands to make changes to

the appearance of the user interface.

Help This menu includes information about WatchDog.

Icons

The following types of icons are available. Many of the commands are available also in the menus. Please refer to more detailed descriptions of each command in the rest of the manual.

Navigation These icons are used to navigate in the alarms list.

Previous Moves the selection up in subscriber the alarm list.
 Next Moves the selection down

subscriber in the alarm list.

Edit These icons include actions to search and print in lists.

Find This command makes it possible to search for a certain item in the selected

list.

Print This command makes it

possible to print the contents in the selected

list.

Export This command makes it

possible to export the contents in the selected

list.

Analysis These icons include analysis tools that provide detailed information about alarms and calls.

Case Displays the Case details for a subscriber.

details for a subscriber.

Alarms Displays current alarms

for a subscriber.

Old Displays old alarms for a subscriber

Profiling Displays the graph for a subscriber showing all call

per call type.

All calls Displays all calls made by

a subscriber.

Actions These icons include commands for taking actions with the alarms, such as deleting them or put them on hold.

Assign Assigns the currently logged in user to an alarm.

Assign Allows a user to assign

	other	another user to an alarm.
e e	Comment	Allows the currently
		logged in user to write a
		comment to the selected
		alarm.
Œ	Hold	Allows the currently
		logged in user to put the
		selected alarm on hold.
9	Reminder	Allows the currently
•		logged in user to put the
		selected alarm on
		reminder.
m	Delete	Allows the currently
_		logged in user to delete the
		selected alarm.

General functionality

This section describes functionality that is general for different parts of the application.

Updating item lists

WatchDog includes a number of item lists used for system settings such as the high-risk countries list. These lists are used e.g. to administer hot lists and black lists. When editing these lists, the list edit tools should be used. The following tools are available. They all appear on the tool bar when a list is opened.


睝	Add	Click this symbol when you want to add an item to
B	Edit	the list. Click this symbol when you want to edit an item in
×	Delete	the list. Click this symbol when you want to delete an item from the list.

Sorting of lists

All lists of system data, such as the **Alarms** list and the **All calls** list, can be sorted. To change the sorting order, click the column heading for the column to sort on. Click again and the list will be sorted in reversed order.

The column header menu

It is possible to change the appearance of the WatchDog system data lists in a number of ways. Right-click a column header and the following menu appears.



The following commands are available.

Sort Ascending Select this command to sort the column that

was right-clicked in ascending order.

Sort Select this command to sort the column that

Descending was right-clicked in descending order.

Size to widest Select this command to change the size of the

column that was right-clicked after the widest

value.

Size to widest or column

name

Select this command to change the size of the column that was right-clicked after the widest value or, if the column header is wider, the

column header.

Size all to widest

Select this command to change the size of all columns after the widest respective value.

Size all to widest or column name Select this command to change the size of all columns after the widest respective value or, if the column header is wider, the column

header.

Alignment Select this command to align the contents in

the column that was right-clicked. The

contents can be left aligned, centred, and right

aligned.

Hide Select this command to hide the column that


> was right-clicked. This means that the column will not appear in the list. Please refer to the **Columns** command for making columns

visible again.

Columns Select this command to make hidden columns

> visible in the list. When the command is selected, a list with the available columns

appear, see example below.



Select the columns that should be visible in the list and click **OK**.

Usage of short cut keys

Buttons and alternatives on a window can (where applicable) be invoked by shortcut keys.

WatchDog specific

CTRL + **F** Find an item in the list.

CTRL + **P** Opens the print list screen.

CTRL + **E** Opens the export list screen.

General shortcuts

CTRL + **A** Selects all items in a list.

The Alarms List

Chapter 3

Overview

Introduction

This chapter describes the analysis part of WatchDog in general and for each analyse window of the system.

In this chapter

This chapter is organized as follows.

Topic

Work With The Alarms

Work With The Alarms

The alarm analysis is the main WatchDog function. This is where you decide whether a subscriber should be classified as a fraudster or not. In some cases the analysis may be delicate, and more than one analysis feature may be required to make a decision.

All analysis windows allow the user to switch to the next or previous subscriber in the alarms list, without having to go back to the original alarms list.

The Alarms List

The **Alarms** list always appears when WatchDog is started. It looks as follows.


Alá	Alarms					
	IMSI	Updates	Severity	Alarm type 🔝	Amount Name	First Call for Alarm Phone N
<u>•</u>	240300100030109	1	2	High Usage - Short Premium Rate	33.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
•	240300100030109	1	5	High Usage - Short Roaming	44.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
•	240300100030109	1	5	Long Duration	1.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
③	666666789012345	3	3	OME Blacklist	0.000 SDR	1/5/2005 08:27:50
()	666666999912345	3	3	OME Blacklist	0,000 SDR RASHID AKBAR	1/5/2005 08:27:50 03332140
()	666666689012345	3	3	OME Blacklist	0.000 SDR	1/5/2005 08:27:50
()	240300100030109	1	2	Prepaid Internal Fraud	1.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
0	412200100129131	1	1	Reminder	0.000 SDR	12/8/2004 10:25:57
()	240300100030109	1	2	Switch Audit	220.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
9	240300100030109	1	4	Velocity	1.000 kr Bob Craigin	11/10/2003 13:32:25 9010505
③	412200100072762	1	3	Visiting Roamer	0.000 SDR	8/30/2004 17:59:22
③	228014118350061	2	3	Visiting Roamer	101.000 SDR	8/30/2004 07:48:14
③	412200100068725	1	3	Visiting Roamer	2,000 SDR	8/30/2004 08:30:43
()	412200100068725	5	3	Visiting Roamer	2,000 SDR	8/30/2004 08:30:43
③	412200100068725	1	3	Visiting Roamer	2,000 SDR	8/30/2004 08:30:43
10	412200100068725	1	3	Visiting Roamer	2,000 SDR	8/30/2004 08:30:43

Alarms view options

The alarms can be presented in two different views. Click the view icons to select view.

Δ	View all alarms	The alarms are presented per alarm type. There will be several rows for the subscribers that have more than one alarm. The client remembers last selected mode (View all alarms or View alarms per telephone number) used for alarm list between user sessions.
4}	View alarms per telephone number	The alarms are presented per telephone number. There will be one row for each subscriber, regardless of the number of alarms. The client remembers last selected mode (View all alarms or View alarms per telephone number) used for alarm list between user sessions.
₽	Refresh alarm list	The alarms list is refreshed and any new alarms that WatchDog has generated since the list was opened is displayed.
Ø	Set auto	To set WatchDog to automatically display

refresh interval new alarms in the alarm list enable the auto refresh function by checking the enable button.



Enter in seconds how often WatchDog should update the alarms list with new alarms.

Alarm Information - Per Single Alarm (View all alarms)

The following columns are included in the **Alarms** list when the alarms are presented per single alarm.

Subscriber ID The subscriber's IMSI (GSM) or MIN

(analogue).

Phone number The subscriber's telephone number.

Name The name of the subscriber. "Unknown"

means the name has yet not been imported

from your billing system.

Address The address of the subscriber. "Unknown"

means the address has yet not been imported

from your billing system.

Activation date The subscriber's activation date in the

network.

Alarm type The name of the alarm triggered by the

subscriber.

Amount The value (local currency) of the calls included

in the alarm (may be more than one call). The highest value is presented if the subscriber has triggered more than one (1) alarm, belonging

to the same alarm type.

Info Additional information about the generated

alarm, e.g. the called number if it is a "hotlist"

alarm.

First alarm date The date and time when the subscriber's first

alarm (for this alarm type) was generated.

Update date The date and time when the subscriber's

alarm was updated (if applicable).

Severity The grade of importance for the alarm.

User name The name of the user working with the alarm,

if any.

Update count If the same alarm has been generated several

times for the same subscriber, only one alarm will appear but the number of times the alarm has been generated will however be indicated

by this value.

Included Alarm Information – Summarized per Subscriber

The following columns are included in the alarm window when the alarms are summarised per telephone number (analogue) or IMSI (GSM).

Subscriber ID The subscriber's IMSI (GSM) or MIN

(analogue).

Phone number The subscriber's telephone number.

Name The name of the subscriber. "Unknown"

means the name has yet not been imported

from your billing system

Address The address of the subscriber. "Unknown"

means the address has yet not been imported

from your billing system

Act. Date The subscriber's activation date in the

network.

Sev. Sum The total severity for the alarms created by

the subscriber (the sum).

Total hits Total number of hits (may be more than one


per alarm type) for all alarms created for the

subscriber.

Alarms The total number of alarms triggered by the

subscriber.

By right click in the alarm list it is possible to open a menu to access analysis screen and action commands.



Alarm filters

It is possible to filter the alarms list to show only a subset of the alarms. The filters can be stored for future use by the user created the filter or make the filter available for all users.




All available filters are listed in the filters list box. Filters that are available for all users are named with <FilterName> [Global]. If changes have been made to a filter that is not saved, the filter name is showing an asterix sign after the filter name.

To open the **Set Alarm Filter** window, click the **Set** button. To deactivate an active filter, click **Deactivate**.



When **Set** is clicked, the following window appears.



On this window it is possible to decide exactly which alarms to show, based on any of the included filters. The filters can be used in combination with each other.

Note! It is not possible to set any of the parameters until the specific filter has been activated (the "on" checkbox to the left has to be selected).

You can only set the filters that belong to columns that are shown in the alarm window in the current view (not all columns are shown in both display modes – "all alarms" and "alarms summarised per subscriber").

The following parameters can be set.

Name The name of the filter that will be visible in the

filter dropdown list.

Global The global option sets if the filter is available only

for the user created it or for all users that access the system. By checking the Global checkbox the

filter is available for everyone.

High Usage [Global]

A number Enter the telephone number you want to include

in the alarm list.

Subscriber Enter the subscriber ID (IMSI) you want to

ID include in the alarm list.

Subscriber type

Allows to only display alarms from certain subscriber types, the values can either be selected from the list or written in the text box.



Last update Enter the first (starting) and last (end) date of the alarms you want to have included in the alarm list.

Severity

Choose the first (lowest) and the last (highest) of the severity levels you want to display. (Only active when the All alarms view is set.)

Updates

Most subscribers have different number of hits (one alarm may have more than one hit) in the alarm list. Enter the first (minimum) and last (maximum) number of hits you want to be included in the alarm list. (Only active when the Alarms per Telephone number option are set.

Amount

Select the minimum and the maximum amount to

display from the alarm list.

Act. Date

Select the activation date for the subscribers to be

visible in the alarm list.

User

Choose a specific user to display only the alarms

assigned to him or her.

Alarm status Choose the alarm status to display only alarms with the corresponding alarm status. One or more

items can be selected from the list.

Alarm type

Choose the alarms you want to display. One or more items can be selected from the list.



OK Activates the chosen alarm filters.

Cancel Ignore any changes

Clears Clears all settings in the edit filter screen.

Number of alarms in list

On the top of the **Alarm** window it is possible to see how many alarms there are in the system in total, and also how many alarms that are displayed on the alarm window (after filtering, sorting, etc.).

This part of the window looks as follows.




In the example, the **Alarms** list currently displays 7 alarms of the 12 alarms that exist in the database.

Setting a subscriber comment

Sometimes it can be useful to make notes about a certain subscriber. In the **Set Comment** dialog box, comments can be connected to an IMSI number. Comments set here will appear in the **Log** section of the **Subscriber Info** window and can work as a reminder when the subscriber appears in the alarms list.

To make a comment about a subscriber, follow these steps:

- 1. Select a subscriber in the **Alarms** list.
- 2. On the **Action** menu, click **Comment...** and this dialog box appears.



- 3. Type the comment.
- 4. Click **OK**.

Alarm Analysis

Chapter 3

Overview

Introduction

This chapter describes how to analyse the alarms that are generated by WatchDog, i.e. how to find the most important alarms and then how to decide whether each alarm should give rise to any kind of action. First this manual suggests a strategy for how to find the most important alarm. The following sections describe the commands in the Analysis menu.


In this chapter

This chapter is organized as follows.

Topic
An Analysis Workflow
Case details
Alarms
Old alarms
Profiling
All Calls
List Analysis
Tumbling Subscriber
Tumbling Handset
Call Collision
Velocity
EIR Analysis
Cloning Profiling
Known Pattern Profiling

An Analysis Workflow

It is important to find an efficient method to select which alarms to work with without missing the most sever cases. The picture below describes a workflow that can be used in the fraud analysis work.



Follow the steps below. Details about how to perform each step, and which tools that can be used, are described in other parts of this manual.

Select which type of alarms to analyze

- Active alarms
- Alarms on hold
- Alarms on reminder
- All alarms
- Roaming alarms

Choose how you want to view the alarms

- All alarms
- Alarms per telephone number

Filter the alarms

Apply a filter if you only want to analyse a subset of the alarms. Filter e.g. on alarm type, alarm status, and alarm dates.

Sort the alarms

Use the list sorting functionality to find the most severe alarms, e.g. in terms of amount, update count, or severity level.

Select subscriber

Now your list of potential fraudsters is created and it is time to analyse. Select a subscriber.

Get more information

Use the analysis tools to support your final decision about each alarm.

Case details

When an alarm has been selected, the next step normally is to view the additional information about the subscriber. The subscriber information appears either when double-clicking an alarm or clicking the **Case details** icon on the tool bar. The following information is available.

Subscriber Info

This information is provided from an external source, such as the billing system. The content of this area varies from installation to installation since this is a flexible area, which presents the information that each operator has provided. Examples of useful information may be name, address, age, customer category, payment status, and account balance.

The **Subscriber Info** area is accessed either by double-clicking an alarm or clicking the **Case details** icon on the tool bar.

The **Subscriber Info** area looks as follows. Please note that the appearance varies between different installations of WatchDog, depending on the information that each operator provides.



Subscriber Log

The **Log** area presents historical information about the subscriber in respect of actions that have been taken. The subscriber log may look as follows.



Examples of information that is included in this log are actions, such as assignments and deletions of previous alarms. Also comments can be made that will appear here.

Usage statistics

The usage statistics is aggregated information that assists the analyst to get the whole picture of the subscribers calling behaviour.

The information shown is based on amount, number of calls and duration of calls.

The usage stats window looks like this:

Usage Statistics					
Name	Value				
Amount Total	521.00				
Amount / Day	43.42				
Calls Total	42.00				
Calls / Day	3.50				
Duration Total	360.00				
Duration / Day	30.00				
Days of Calls	12.00				
Last Call	10/22/2003 10:06:11				

Amount Total The total amount displays the total amount

the subscriber called for from now and the number of days back specified in Days of

Calls.

Amount / Day The amount / day displays the total amount

the subscriber called for divided per number of days from now and the number of days

back specified in Days of Calls.

Calls Total The total calls displays the total number of

calls the subscriber done for from now and the number of days back specified in Days of

Calls.

Calls / Day The calls / day displays the total number of

calls the subscriber called for divided per number of days from now and the number of days back specified in Days of Calls.

Duration Total The total duration displays the total duration

the subscriber called for from now and the number of days back specified in Days of

Calls.

Duration / Day The duration / day displays the total duration

the subscriber called for divided per number of days from now and the number of days

back specified in Days of Calls.

Days of Calls The days of call show on how many days the

usage statistics is based on.

Last call shows date and time when the last

call was made; this is updated for each call. If the subscriber has not made any calls in 4 hours, the information is automatically updated to avoid misleading statistics.

Multipliers

This area presents the multiplier settings for the current subscriber. Please refer to the WatchDog – Administrator Manual for more information about the multiplier functionality.

Multipliers				
Call Type	Multiplier	Info		
Fixed net	1.0	Default		
International	1.0	Default		
Local	1.0	Default		
Long Distance	1.0	Default		
Premium rate	1.0	Default		
Roaming	1.0	Default		

The following information is available.

Call type The type of call the current multiplier applies to.

Multiplier The current multiplier setting for the subscriber

and call type.

InfoInformation about the update status of the settings

item. Possible values are:

Default The system default multiplier is used.

Type The multiplier is set for the current

subscriber's subscriber type.

User The multiplier is set specifically for the

current subscriber.

To change a value, double-click the item and the following dialog box appears.




Click **Reset** to change the multiplier to the system default value or set a value and click **OK**.

Click the suggest button to allow WatchDog to calculate an appropriate multiplier for the subscriber. WatchDog is using the subscribers calling behaviour in relation to the high usage threshold setting to perform the calculation.

Change more then one multiplier

To change more then one multiplier at once, select two or more from the list and press the enter button on the keyboard.



After the Enter button is pressed the change multipliers screen appears, where the multiplier can be set.



After the change has been made, a confirmation screen is displayed. Press Yes to commit the multiplier change.



Alarms

This area presents all alarms that are active for the current subscriber.



The following information is available.

Alarm type The type of alarm the item applies to.

HitCount The number of times the alarm threshold has been

exceeded since the alarm was first generated.

Amount The total value of the calls that have cused the

alarm. This value is relevant only for alarms that

are based on quantitative thresholds.

Severity The grade of importance for this type of alarm.

Created The date and the time when the alarm was first

created.

Updated The date and the time when the alarm was last

updated.

This view provides shortcuts to the alarms analysis tools when applicable. Double-click the alarm items to access these tools.

The Analysis Menu

The **Analysis** menu includes a number of commands to get more information in general or about specific alarms.



The following analysis commands are available.

Case details This command presents the subscriber

information.

Alarms A presentation of all alarms triggered by

the subscriber, and yet not deleted by any

user.

Old alarms Includes all alarms triggered by one

subscriber, which has been deleted by a

WatchDog user.

Profiling This window includes a Profiling that

> shows the subscriber's calling behaviour. The information can be presented either as a monetary value (your local currency), time (minutes), or call count (number of

calls).

All calls Includes detailed information about every

single call made (and in most cases also

"received") by the subscriber.

This command provides information about List analysis

the black lists and the hot lists.

Tumbling Includes analysis information about one subscriber specific handset that has been used by

more than one subscription.

Tumbling Includes analysis information about the handset handsets used by one specific subscriber.

Call collision Includes detailed information about calls

> from one subscriber that have "collided" during calling. Call collision is a good

indication of cloning.

Velocity Includes analysis information about the

> physical speed that a subscriber must have had to be able to make telephone calls at different locations. Extremely high speed is

an indication of cloning.

Same number This command provides more information

about the Same Called Number alarm.

EIR analysis Can only be used for GSM operators

> having an Equipment Identity Register (EIR). This window presents subscribers that have tried to make phone calls on handsets that are blacklisted in the EIR, and also subscribers that have made phone

calls on grey listed handsets.

Cloning profiling This window compares a subscriber's

> calling profile with the subscriber's old calling profile. A mismatch is a strong indication on cloning (the subscriber's calling pattern has changed dramatically).

Known pattern

This window compares the subscriber's profiling calling pattern with the calling patterns of fraudsters already found in WatchDog. A

match strongly indicates that a known fraudster is re-appearing in the network.

All analysis commands are described in detail in the following sections. Please note that some of the Analysis commands also are available as icons on the tool bar. A third way to access the analysis tools is to right-click in the **Alarms** list and select the **Analysis** command.

Alarms

The **Alarms** list lists all active alarms for the current subscriber. The list looks as follows.


Seve	e	Alarm type	IMSI	Name ∇	Amount
)	3	International Call Collision	240074180000924	WATTE-RA,	0.00 kr
③	3	Call Collision	240074180000924	WATTE-RA,	0.00 kr
(4)	4	High Usage - Short All	240074290013425	Sandra Best	123.00 kr
③	3	High Usage - Short All	240074290013426	Peter Smith	214.00 kr
③	3	International Call Collision	240071000186760	<unknown></unknown>	0.00 kr

The following information is available for each alarm.

The rone wing information to available for each alarm.			
Alarm type	larm type The type of alarm the item applies to.		
HitCount	The number of times the alarm threshold has been exceeded since the alarm was first generated.		
Amount	The total value of the calls that have cused the alarm. This value is relevant only for alarms that are based on quantitative thresholds.		
Severity	The grade of importance for this type of alarm.		
Created	The date and the time when the alarm was first created.		

Old alarms

The **Old Alarms** list lists all previous alarms for the current subscriber, i.e. alarms that have been deleted. This window looks as follows.



The following information is available for each alarm.

Alarm type The type of alarm the item applies to.

Amount The total value of the calls that have caused the alarm. This value is relevant only for alarms that

are based on quantitative thresholds.

Created The date and the time when the alarm was first

created.

Updated The date and the time when the alarm was last

updated.

Severity The grade of importance for this type of alarm.

User name The user who latest updated the alarm.

Updates The number of times the alarm threshold has been

exceeded since the alarm was first generated.

Alarm The status of the alarm, e.g. Open or Assigned.

status

Delete date The date when the alarm was deleted.

Reason The reason why the alarm was deleted. Possible


values are Fraud and Not fraud.

Delete The comment that was made when the alarm was

reason deleted.

Profiling

This command allows the user to view the alarms for a specific subscriber graphically. This may be a helpful tool to see how the calls are spread over time. Below is an example of an alarms graph.



Profiling options

There are a number of ways to view the alarms in the graph. The different options are selected in the graph tool bars. They are all described in the following sections. The graph options are saved between a user sessions.

Time periods

The alarms can be presented based on the following time units.

- **Weeks** The units in the graph are weeks, i.e. each bar indicates the call amount for one week.
- **Days** The units in the graph are days, i.e. each bar indicates the call amount for one day.
- Hours The units in the graph are hours, i.e. each bar indicates the call amount for one hour.

If the graph is presented per hours, it is possible to switch day by using the arrows on the tool bar.

- Present the calls for the next day.
- → Present the calls for the previous day.

The time period is set in the time period fields. They look as follows.



The time period can be entered either by typing the appropriate values in the date fields or by selecting a date from the calendar. The calendar is accessed by clicking the arrows to the right in each date text box.



Quantitative units

The alarms can be presented based on the following quantitative units.

- Time The graph information represents the total duration of the calls.
- Money The graph information represents the total
- value of the calls.
- Σ Call count The graph information represents the total number of calls.

Call types

The alarms can be presented based on the following call type units. The graph can include one or several call types. Click the call type icons to select or deselect each call type.

	Green	International calls
	Red	Local calls
	Blue	Long distance calls
	Magenta	Premium rate calls
	Yellow	Roaming calls
	Turquoise	Fixed line calls
~ +		All call types

Lock call type selection

Click this icon to lock the call type selection.

Aggregation

The calls can be viewed either as single values per time criteria or aggregated over time.

A Click this icon to present the calls in an aggregated format.

Update the graph

If any of the graph criteria has been changed, the graph has to be updated.

Click this icon to update the graph.

SDR conversion


This option allows converting the local money into SDRs, the SDR rate used is the one specified in roaming partner settings.

\$ Click this icon to convert local money to SDR.

All calls

One of the most important information sources in the alarms analysis is the **All calls** list. This view lists all calls a subscriber has made during the last period of time as decided by the system settings. The typical time period is 30 days.

The All calls list looks as follows.



The left pane includes a list of all the calls and by pressing the button located to the right top of the Call Data list, it is possible to hide and show the selective row pane.

The following information is available in the list.

Call type Call type for the list item, such as local, long

distance, international, roaming, or premium

rate.

A Handset The subscriber's handset ID, i.e. IMEI in GSM

networks and ESN in analogue networks.

A Number The subscriber's telephone number.

B Number The called telephone number.

Country The called country (international calls only).

C number The called number in case the list item

concerns e.g. a three-party call or call

forwarding.

Classification Detailed description of the call. Examples of

values are:

In Incoming call.

Out Outgoing call.

SMS SMS call.

PP Prepaid call.

R Roaming all.

VM Call to voice mail.

CF Call forwarding.

CW Call waiting.

Start of call Date and time when the call started.

Duration The length of the call (hours, minutes, and

seconds).

Amount The value of the call (in local currency).

Org site The cell where the call started (originated).

Term site The cell where the call ended (terminated).

Incoming The trunc group for an incoming call.

route

Outgoing The trunc group for an outgoing call.

route

Exchange ID The ID of the switch that handled the call.

Misc 1 Additional field for operator specific

information.

Misc 2 Additional field for operator specific


information.

Misc 3 Additional field for operator specific

information.


Selective Row

The selected row list displays all the information of the selected call in all calls in vertical list.



Source file information

By pressing the button in the title bar of the selected row it is possible to hide and show the source file information. The source file information contains the following information.



File ID The unique file id of the file from where the Call is

coming from.

File Name The name of the file.

File Date The date of the file.

File Size The size of the file.

File Start Date and time when WatchDog started reading the

file.

File End Date and time when WatchDog finished reading

the file

File The number of records in the file.

Records

File The number of records/second, which the file was


Recs/Sec inserted into the database.

File Errors Display any error that has been generated.

List analysis

The **List analysis** command is used to get more information about subscribers that have alarms due to the settings in the hot lists and black lists.

All information is presented in one list. This list looks as follows.



Selection criteria

The list presents information from six different sources. There is a tool bar that can be used to filter the list for a better view. Click the icons for the information that should be presented.

- Hotlisted numbers
- Motlisted handsets
- Blacklisted numbers
- Blacklisted handsets

List contents

The following information is available.

List name This field indicates which list that has generated

the alarm.

Call type Detailed description of the call. Examples of

values are:

In Incoming call.

Out Outgoing call.

SMS SMS call.

PP Prepaid call.

R Roaming all.

VM Call to voice mail.

CF Call forwarding.

CW Call waiting.

A Number The subscriber's telephone number.

A Handset The subscriber's handset ID, i.e. IMEI in GSM

networks and ESN in analogue networks.

B Number The called telephone number.

Country The called country (international calls only).

C Number The called number in case the list item concerns

e.g. a three-party call or call forwarding.

Start of call Date and time when the call started.

Duration The length of the call (hours, minutes, and

seconds).

Amount The value of the call (in local currency).

Company If the call is made in another network or country,

the name of the used operator is indicated here.


Org site The cell where the call started (originated).

Term site The cell where the call ended (terminated).

Tumbling subscriber

The **Tumbling subscriber** analysis command is used to get more information about subscribers that have alarms due to subscription tumbling. Examples of this information are which subscriptions that have used a handset and the calls that have been made.

The **Tumbling subscription** window looks as follows.



This window includes the following information.

Handsets tumbled by

This area lists the handsets that have been used by the subscriber.

IMEI The handset ID. In analogue networks,

this field contains the ESN.

Subscribers tumbled by

This area lists the subscribers that have used each handset in the handset list. Click a handset to update this list.

Phone number The subscriber's phone number.

Name The subscriber's name.

Address The subscriber's address.

IMEI The subscriber's subscriber ID.

Calls

This area lists all calls that have been made by the subscriber. The following information is available.

Call type The type of call, e.g. SMS, Out.

A Handset The subscriber's handset ID (IMEI).

B Number The called telephone number.

Country The called country (international calls

only).

C Number The called number in case the list item

concerns e.g. a three-party call or call

forwarding.

Start of call The date and time when the call was

made.


Length The length (duration) of the call.

Amount The value of the call.

Tumbling handset

The **Tumbling handset** analysis command is used to get more information about subscribers that have alarms due to handset tumbling. Examples of this information are which handsets that have been used and the calls that have been made.

The **Tumbling handset** window looks as follows.



This window includes the following information.

Handsets tumbled by

This area lists the handsets that have been used by the subscriber.

A Number	The subscriber's phone number.
11 1 10111001	The subscriber a priorie maniber.

Handset The handset ID. In analogue networks,

this field contains the ESN.

Tumblings The number of calls with the current

combination of A number and handset

ID

Duration The total duration of the calls with the

current combination of A number and

handset ID.

Amount The total value of the calls with the

current combination of A number and

handset ID.

Calls

This area lists all calls that have been made by the subscriber. The following information is available.

Handset The handset that has been used

(IMEI).

Called number The number that has been called.

Start of call The date and time when the call was

made.

Duration The duration of the call.

Term cell

The cell site where the call started.


Term cell

The cell site where the call ended.

Call collision

The **Call collision** analysis command is used to get more information about call collision alarms. Examples of this information are which calls that have caused the collision and when and from where they have been made.

The **Call collision** window looks as follows.



The following information is available.

Overlap The time span during which the two calls

have been going on simultaneously.

Start #1 The date and time when the first call

started.

End #1 The date and time when the first call ended.

Duration #1 The duration of the first call.

Exchange ID #1 The switch that handled the first call.

Cell #1 The cell site where the first call was made.

Classification #1 The type of the first call, e.g. outgoing

international.

The corresponding information is indicated for the other call.

Velocity

The **Velocity** analysis command is used to get more information about velocity alarms. Examples of this information are which calls that have caused the alarm and when and from where they have been made.

The Velocity window looks as follows.



This window includes the following information.

IMSI The ID of the subscription that has

generated the alarm.

Cell 1 The cell site where the first call started.

Start 1 Date and time when the first call started.

Cell 2 The cell site where the second call

started.

Start 2 Date and time when the second call

started.

Duration The difference in time between the two

calls.

Distance The distance between the cell sites where

the two calls have been made.

Velocity The speed required two move the

distance indicated in **Distance** within the

time indicated in **Duration**.

Limit The maximum speed allowed according

to the alarm settings.

Prepaid vouchers

The **Prepaid voucher** screen is used to display charges done to a prepaid account and to make the analysis process easier for the user. The information displayed is collected from the voucher files delivered to Watchdog.

The **Prepaid voucher** window looks as follows:

Voucher Number	Load Time	Amount	Charged Amount
13245	2003-09-03 12:15:22	48 kr	25 kr
13648	2003-09-04 14:35:21	98 kr	50 kr

The window lists all charges a subscriber has done to its prepaid account. The following information is available:

Voucher number

The ID of the actual voucher payment.

Load time The date and time when the voucher charged

was performed.

Amount The amount on the prepaid account after it

was charged.

Charge The amount of the prepaid voucher.


amount

EIR analysis

The **EIR** analysis command is used to get more information about call attempts made with barred handsets. Please note that

this is not an alarm generated based on CDR:s. The information is collected from OME files.

The **EIR Analysis** window looks as follows.



This window lists the handsets in the EIR that has been involved in call attempts. The following information is available.

Call attempts by subscriber

This area lists the listed handsets that have been used by the current subscriber.

Handset The ID of the handset that has been used. Phone number The phone number that has been used. The name of the switch that has recorded the Exchange name call attempt. Switch ID The ID of the switch that has recorded the call attempt. Time The date and time of the call attempt. List Indicates if the handset has been included in the black or grey list.

8 7

Usage for selected handset

This area lists the calls that have been made with each handset. Click a handset to update this list.

The ID of the subscriber that has used the handset.

Phone number The phone number that has been used.

Exchange The name of the switch that has recorded the call attempt.

Exchange ID The ID of the switch that has recorded the call attempt.

The date and time of the call attempt.


List Indicates if the handset has been included in

the black or grey list.

Time

Cloning profiling

The Cloning profile for customer window shows a subscriber's calling pattern during the last number of days, and compares it with the preceding days.



This window includes the following information.

Reference period Information about the "normal" calling

pattern for the specific subscriber (in the example above during 25 days).

Measurement period Call information regarding the last

period (in the example above during the

last 3 days).

Called numbers Called numbers including the amount

per number.

Originating cell IDs The cell IDs that have been used,

including the cell site IDs and the called

amount per cell site.

Amount per call type The type of calls that have been made,

including the name of the call types and

the called amount per call type.

List A written list of the information in the

pie charts.

Reference The number of days to include in the

reference period (the old calls).

Measurement The number of days to include in the


measurement period (last days of

calling).

Date The last day in the calculation.

Update Updates the pie charts, using the date

and number of days you have entered into the text fields described above.




Known pattern profiling

When an alarm is deleted and the status is set to a reason that is configured for storing subscriber profiles i.e. Fraud, WatchDog saves the most subscriber information and usage for example phone numbers and cell sites. This information serves as a "fingerprint" for the subscriber. A fraudster will most probably return to the network and the **Known Pattern Profiling** tool is intended to detect this. When the fraudster returns, he may have a new identity but the behaviour will be the same. If a subscriber's calling pattern matches the pattern of a known fraudster, it is likely we are dealing with the same person and hence we want to find and disconnect this person as soon as possible.

Default settings for this tool are made via the **Known Pattern Profiling screen** and the Properties window. These settings include the amount of information that should be stored for each fraudster and criteria for what should be considered as a match.

The **Known Pattern Profiling screen** also allows comparing the internal list of known fraudsters in WatchDog with an external data source. This allows for detecting suspicious subscribers from other systems then WatchDog.

The **Known Pattern Profiling** window looks as follows.



This window includes the following information.

Search



When opening the Known Pattern profiling screen the Matching profiles, Profile Call Data and Profile Subscriber Info is empty.



When pressing the Search button WatchDog compares the currently selected subscriber in the alarms list and displays all matching profiles in the Matching profiles list. If no match can be done "No records found is displayed in the list.



Matching profiles


After pressing the search button WatchDog is comparing the selected subscriber in the alarm list with all fraudster in the database, all matching profiles are then displayed in matching profiles, by selecting the fraudster in the Matching Profiles list, the Profile Call Data and Profile Subscriber is updated for analysis.



The information displayed in the Matching profiles list is customer specific depending on what information that is available in the subscriber file.

Profile call data

When selecting a profile in the Matching Profiles list, the profile call data compares the selected subscriber in the alarm list with the fraudster selected in the matching profiles list.



Colour coding in Profile Call Data list.

Red The profiling item is matching both the subscriber and the profile


Bold The profiling item is matching the subscriber.

Normal The profiling item is matching the profile.

By analyzing the subscriber with the known fraudster and compare the calling pattern it is possible to determine if the subscriber actually is a fraudster that have come backed to the network but under a new identity.

Profile subscriber info

When selecting a profile in the Matching Profiles list, the profile subscriber data is displayed in the profile subscriber info screen, all information available when deleting the alarm is presented.



External Known Pattern Profiling analysis

Overview

This function is similar to Known Pattern Profiling but with the following differences:

- Data from an external source, and not information already within the WatchDog system, is compared with the information about e.g. known fraudsters that has been stored in WatchDog
- The analysis is based on the subscriber information from the billing system and not the calling pattern data, such as dialled numbers, cell sites, etc.
- The analysis can be made for a number of subscribers at the same time

This analysis can be used to check if the information in a customer database in another system matches any of the subscribers that earlier have been classified e.g. as fraudsters in WatchDog.

Please refer to the section describing the Known Pattern Profiling command for more information about the background to these functions. The next section describes the settings for the External Known Pattern Profiling.


Connect to an external data source

To use External Known Pattern Profiling WatchDog first has to be linked to the external source (file) that should be used.

Such links can be stored and then be selected from the source item drop-down list box.



To create a new source item, click the **New Source** icon. The following dialog box appears.



The following settings are available.

...

•

Name Name of the link item that will appear in the drop-down list box if the item is saved.

Path Path to the location of the external source. Click the ... icon to browse to the path.

Global Select this check box if the link item should be visible for other users. Otherwise it is visible only for the user who added it.

Click this icon to browse for the path to the external source when adding the **Path** value.


Click this icon to specify details about the external source. The following settings appear when this icon is clicked.



Specify the formats of the source file and click **Check File**. Then the source file contents will appear in the **External Fields** area.


Select the **Column names on 1**st **row** check box if the first row in the source file contains the column headers.

External This area lists the content of the external source. **fields**




The list contains the column name, the data type of the column contents, the actual column contents in the first row in the file and the WatchDog database field the column has been linked to.

In the example the following file has been used. The fields are separated with tabs.



Profiling fields


This area lists the fields that are available for matching in the WatchDog database.



The list contains name of the database field, the data type of the filed contents and a sample value.

- This icon is used to link a database field to a source column. Select a column in the **External Fields** area, then select a field in the **profiling Fields** area, and click this icon and the link is configured. The database field name appears in the **Link** column in the **External Fields** area as shown in the description of that area.
- This icon is used to remove a link between a database field to a source column. Select a column in the **External Fields** area and click this icon and the link is removed. The database field name disappears in the **Link** column in the **External Fields** area.

Filter This area shows the rules that have been defined for the match.



Rules can be set to include or exclude values in the profiling source, i.e. the WatchDog database. In the example items created after January 1, 2005, will be included and IMSI numbers starting with 12345 will be excluded.

Rules can be set to include or exclude values in the external source. In the example only items with account numbers starting with 1160 will be included and account number 2242 will be excluded.

Making the analysis

When the connection between WatchDog and the external source has been configured the analysis is performed in the same way as for the **Known Pattern Profiling** function.

Alarm Actions

Chapter 4

Overview

Introduction

This chapter describes each action that can be taken for an alarm.

The actions can be found in the **Action** menu or in the toolbar.

In this chapter

This chapter is organized as follows.

Topic		
Start Action		
Actions Included In WatchDog		
Assign		
Assign Other		
Comment		
Hold		
Reminder		
Delete		
Find And List Items		
Find		
Close		

Start Action

The **Alarm Action** commands can be selected wither from the **Action** menu or by using the tool bar.



Actions Included in WatchDog

The **Action** menu looks like follows.



The following actions are available.

Assign	Assign make	es you respons	ible for the

analysis of the subscriber's alarms.

Assign Other Assign Other allows you to set a another

person responsible of an alarm.

Comment Makes it possible for you to write a

comment in the subscriber's log.

Set Subscriber

Comment

The set subscriber comment allows give comments to one or more subscribers a comment that is in or not in the alarms

list.

Hold Hold "hides" the subscriber's alarm, but

they are displayed again as soon as the

subscriber triggers a new alarm.

Reminder Deletes the subscriber's alarms

temporarily, and makes them active again after a number of days as specified by the user. A reminder alarm is also generated

after the chosen number of days.

Delete This action deletes all alarms belonging

to the subscriber.

Find and list items This command lists all telephone

numbers called by the current subscriber. It is possible to hotlist any of these

numbers from this window.

Find... Makes it possible to search for any value

in the alarm list.

Close Closes the current window.

Assign

Before taking any actions to an alarm, the user has to be assigned to it. This also indicates for other users that someone is working on the alarm, hence reducing the risk that different people work on the same issues.

To assign yourself to an alarm, select the alarm and the click the **Assign** command.

The name of the user that is assigned to an alarm will be visible in the alarms list. This action will also be logged and indicated in the **Log** list, along with date and time for the action.

Multi assign

By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the assign button.



Assign Other

Assign Other allows a user to assign an alarm to another user. The user who wants to assign an alarm to an other user does not need to be assigned to the alarm.

When the **Assign Other** option is clicked to following screen appears. Select the user in the list that should be responsible of the alarm.



Multi assign other


By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the assign other button.



Comment

It is possible to add a comment to the subscriber's log.

When selecting the **Comment...** command, this dialog appears.



Enter a comment and click **OK**.

Multi comment

By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the comment button.



Set Subscriber Comment

The set subscriber comment allows give comments to one or more subscribers a comment that is in or not in the alarms list.



Hold

The **Hold** command changes an alarm's status from Open/Assigned to Hold. This enables a temporary removal of the alarm from the **Alarms** list by using a filter. If a new alarm is generated for the same customer, the alarm status will however change to Open/Assigned again and it will reappear in the list.

To put on alarm on hold, select the alarm and select the **Hold** command.

Multi hold

By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the hold button.



Reminder

The **Reminder** command changes an alarm's status from Open/Assigned to Reminder. This enables a temporary removal of the alarm from the **Alarms** list by using a filter. After a set number of days, the alarm status will however change to Open/Assigned again and it will reappear in the list

To put on alarm on reminder, select the alarm and select the **Reminder** command. This dialog box appears.



Set the number of days until the status should be changed back, type a comment, and click **OK**.

Multi reminder


By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the reminder button.



Delete

All alarms have to be deleted from the list. This can be done via the **Delete All Alarms...** command or one by one from the **Alarms** list.

To delete an alarm from the **Alarms** list, select the alarm and select the **Delete** command. The following window appears.



This window contains the following settings.

Reason The following alternatives can be

selected from the drop-down list box.

Not The alarms belonging to this fraud subscriber will be removed

from the database.

Fraud The alarms belonging to this

subscriber will be removed from the **Alarms** list but information about the subscriber will be stored in

the database.

Letter A letter can be printed e.g. to inform

> the subscriber on the situation. The letters that have been defined can be selected from the drop-down list box.

Comment Type a comment about the deleted

> alarms. This comment will be added in the alarms information, and also be

included in the subscriber log.

Don't warn for Zero Usage for this subscriber ever again

This check box is active only when deleting zero usage alarms. If

WatchDog should stop warning about zero usage for this subscriber, select

this check box.

Black and Hotlists The subscribers can be added to any

of these lists when deleting alarms. Please note that this function has to be activated in the **Lists** alarm settings.

Reason for Hot- Type a reason why the subscriber is

/Blacklisting. added to a list.

Multi delete

By selecting more then one row in the alarm list, it is possible to perform the action on several alarms at the same time by pressing the delete button.



Please note: When deleting more then one alarm it is not possible to black list or hot list the alarms or check the zero usage button on the delete screen.

Find And List Items

This command lists all the numbers that the selected subscriber has called or all handsets that have been used. Each number or handset can then be added to either the hot list or the black list.

To do this, select a subscriber and select the **Find and list items** command. The following window appears.

B Number	∇	Duration	Amount	CallCount List
9192806		22	165 CFA	1 None
9044679		3:45	825 CFA	6 None
9044352		1:16	165 CFA	2 None
9039403		1:27	495 CFA	3 None
9035456		2:10	495 CFA	2 None
9023257		1:10	220 CFA	1 None
9020279		1:35	275 CFA	1 None

The list lists either called numbers or used handsets. To change the contents, use the drop-down list box in the tool bar.



To add an item to a list, select it and click the **Add** icon to the right of the list box. The following dialog box appears.



The following parameters are available.

Add to List Select the list the item should be added

to.

Add to Expiry Set an expiry date for when the list

alarms should stop to be generated.

Reason Type a reason why the item is listed.

Find...

This command makes it possible to search for a certain item in the **Alarms** list.

Select the **Find...** command and the following dialog box appears.



The search functionality searches the list by using wildcards as standard, for example search word is Ann it will search for *Ann*.

The following parameters are available.

Expression Type the value to search for.

Columns Select the column where this value

should exist. <all columns> means that WatchDog will search in the

entire list.

Direction WatchDog can search in previous or

following list items.

Case sensitive Select this check box if WatchDog

should search only for items that exactly match the search criteria in respect of upper case and lower case

characters.

Match whole string

only

Searches for occurrences that are whole words and not part of a larger word. When you use wildcards, this

function does not apply.

Close

Click **Close** to close the window you are currently using.

Reports

Chapter 5

Overview

Introduction

This chapter describes how to work the reports in WatchDog and gives a description of the various reports that are available.

In this chapter

This chapter is organized as follows:

Topic
Access The Reports
Print A Report
Available Reports
Included Statistics
Roaming Reports
All Calls Data Report


Access the Reports

WatchDog includes standard reports and statistics that are possible to print at any moment. It is also possible to create new reports ad hoc with the report tool. Reports can be saved as files.


Reports can be configured as global to be used by other users, reports not set to be global is only visible for the user created the report.




To run a report, select the **Selection** command in the **Reports** menu. The following window appears.



When first started the window is empty since no report is chosen. The report window contains the following buttons and options.





Select a report to be displayed on screen.

Generate Report

When a report is selected in the drop down menu the report is generated with the Generate Report button or CTRL + G or the pressing Enter in the available reports list.

New Report

Click the New Report to create a new report. For details see Create a report for details.

Edit Report

Click the Edit Report to create edit the selected report. For details see Create a report for details.

X Remove Report

Click the Remove Report to delete the selected report. Only users with users right to Global reports, statistics and filter can remove global reports.

Save Report Configuration

If changes has been made to a report click the Save Report Configuration to store the changes.

Export Report To File


Allows a report to be saved to file, please see Export a report for details.

Print a Report


Allows a report to be printed, please see Print a report for details.

View a report

To view a report on screen, select the report from the report list and the report will be generated.




For a report it is possible to reorder columns, hide columns, size the columns etc. All functionality is accessed by right click on the column headers.



Print a report

To print a report click the print button or the CTRL + P shortcut. The printing procedure is as in any windows program, except from the below screen that is unique to WatchDog. Please find a description below:



Document Title

The default report title is the report name, by changing the document title a new title for the report is created.

Print column names on the first page only

If checked only the first page will include the column names

Print title on first page only

IF checked the document title will only be printed on the first page.

Only print first line for multi line fields

If checked fields that containing more then one row for example alarm comments is only displayed with the first row and the rest of the field is removed.

Print dividing lines between rows

If checked each row will be divided by a line.

Print light grey background for every other line. If checked each other row will have a light grey background.

Font...

Press the font button to select font, font style and size.

Margins

Format the report by stating the margins of the report. The unit used for margins are same as standard unit set in Windows.

Create a report

Reports can be created from within the WatchDog interface. When the New Report button is clicked the following screen is displayed.




The screen contains the following fields.


Name The name of the report.

Global The global option sets if the report is available

only for the user created it or for all users that access the system. By checking the Global checkbox the report is available for everyone.



Source The source sets what data that should be included in the report.



The following sources are available in standard WatchDog.

Alarms Allows creating reports on

the current alarms.

AlarmsOld Allows creating reports on

deleted alarms, fraud and

not fraud.

Calls Allows to create reports

-- +b-- -- 11- 1-:-+----- f---

on the calls history for subscribers that has generated alarms.

Please note:

When generating reports on a calls history please specify one or more IMSI's as criteria's otherwise report generation can take some

time.

Allows creating reports on **FileLog**

system file input.

Allows creating reports on Log

system log.

Roaming Allows creating reports on roaming report data. Report

If other data sources may be needed please contact Basset.

Available

The available list displays the field that can be used for the selected report source. Double click on a field to include it in the report.

Selected

Displays the fields that have been chosen to be included in the report. Double click on an item to remove it from the available list.



Allows moving a field up in the list.



Allows moving a field down in the list.



Field properties

The field properties are displayed by click the button or by right click on a field. If the aggregate checkbox is not checked the following option are available.



If the aggregate button is checked the following options are available.



Please see aggregation below for details.

Aggregate If checked it is possible to aggregate report

data. Please see to **Aggregation** below for

details.

Criteria Specifies if any criteria should be used for the

report. Please see Criteria below for details.

Sorting

To sort the report right click on a field in the selected list and choose order.



Please note that if sorting is to be done on several columns the order of the columns must be in so that the column to be sorted primary on is placed before the other columns.

The sorting order is reset when a report is reloaded.

Change Display Name

Change display name is used to set a new name to a column.



When **Change Display Name** is the below screen is displayed.



Aggregation

To allow calculating the result in a report the Aggregate must be checked. When checked it is possible to select the following functions used on numeric fields

- Average
- Sum
- Count
- Min
- Max

An aggregated field is displayed as:

SUM(Amount)

Criteria


To only display a subset of the data it is possible to set one or more criteria's to a report.



Select the field to which criteria should be set depending on the type of field different critter's can be used. Fields marked with reference can use the button marked ... to set the criteria from a screen for example:




For subscriberID the following screen is displayed.



From where it is possible to search for subscribers and add one or several as an critera.

Export a report

A report can be exported to a file by using the export button or the CTRL + E shortcut. When the export command is pressed the following screen appears.



The following settings can be set when exporting a report to a file.

File name State the name of the file to where the report

should be exported.

Save as type Select to what type of file the exported report

should be exported to.

Text The file will automatically get

files the *.txt file extension.

All The file can be saved with

files any file extension.

Encoding The encoding setting states what language

support the report should have.

Separator The separator specifies what character that

should be used to separate each field; this is useful when importing data into another

program.

Tab Each field is separated with a

Tab character.

For example:

Name Address

Com Each field is separated with a

ma comma character.

For example:

Name, Address

Semi Each field is separated with a

colon semi colon character.

For example:

Name; Address

Pipe Each field is separated with a

pipe character.

For example:

Name | Address

EoLn The EoLn stands for End Of Line and states

what character each line/record should end with. This is useful when importing data into

another program.

CR+ The end of each line should

LF be Carrige return and Line

Feed.

CR The end of each line should

be Carrige return.

LF The end of each line should

be Line Feed.

Export selection only	If checked only the rows selected will be exported to a file.
Include hidden columns	If checked any column that has been hidden by right click on the column names and set to be not visible is included in the exported file.
Column names on first row	If checked the column names will be in the first row of the exported file.


Roaming Reports

The **Reports** menu also includes the reports that are created based on the roaming partner settings. These reports list information about visiting roamers, i.e. foreign subscribers that have made calls in our own network.


Roaming Reports

The roaming reports are normally sent automatically to the roaming partners. It is also possible to print or send the reports manually.

To run a roaming report, select the **Roaming Reports** command in the **Reports** menu. The following window appears.



Print This command makes it possible to queue a report either for resend by email or re print depending on roaming partner setting.



The next step is to select a report in the list. The next step is to send the report to a printer or to create e-mail.

Each roaming report in the list is displayed with the following information.

Report ID Unique ID for each report. Created The date and time when the report was created. Sent The date and time when the report was sent. Queued Displays Yes if a report is manually queued from the roaming report screen. Queued on The date and time when the report was queued. Queued by The user name of the user that queued the report. Amount The amount of the report.


Duration The amount of the report.

The duration of the report.

Call Count The call count of the report.


Output options

The following output options are available.



All Calls Data Report

The All Calls Data Report allows extracting call details for subscribers that have not generated any alarms. The source for this report is the InfoGate database.



The All Calls Data Report contains the following parameters:

Start Date
Start date of the first call.
Start Time
Start time of the first call.
End Date
End date of the last call.
End Time
End time of the last call.
Subscriber ID
The IMSI for GSM and A-Number for fixed

networks.

Available data

The available data section displays the date of the first call in the database and last call in the database, the numbers within the parentheses is the number of days between the first call and the last call in the database.

9/2/2003 - 7/9/2004 (311)

Automail

Chapter 6

Overview

Introduction

The Automail function makes it possible to have e-mail messages automatically generated and sent upon certain alarms. This chapter describes the contents of these messages and how to make good use of them. For information about the Automail settings, see the Administrator manual.

In this chapter


This chapter is organized as follows:

Topic


The Automail Message

The Automail message


Below is an example of how the e-mail message generated by WatchDog can look like.



The message displays a summation of the included alarms. Details about the alarms are included in a text file attached to the message. The information in this file looks as follows.



To make the best use of the attached information, it's a good idea to import the data to a spreadsheet such as Microsoft Excel. That gives a good overview of the information and also gives further possibilities to analyse the data.



Some tips when importing the data to Microsoft Excel: The columns in the text file are separated by tabs. Set the column data format option in the Text Import Wizard to "Text" for the subscriber id, phone number and unit id columns. Otherwise it will appear as an exponential expression.