

## Terminology Index:

[encoding](#)  
[decodable](#)  
[efficient \(encoding\)](#)  
[error-resistant](#)  
[enumeration \(encoding\)](#)  
[opcode](#)  
[backwards compatible](#)  
[codepoint](#)  
[UTF-32](#)  
[metadata](#)  
[error-correcting code](#)  
[parity bit](#)  
[error-detecting](#)

computer's  
architecture).  
chapter 4)  
For that  
engine

ions,

ding for

It must be  
set of  
that  
to

lower bytes

s to what  
es has  
bjects  
tended. A  
a small

re  
ss the  
usually

thought. This  
from hard  
it numbers

s was often a  
strategic  
mber-moving  
asture

le visible to  
phabet. If the  
lers to relay  
entury France,  
along lines  
ive news  
such a line

s (but did not  
izzer, and as  
ever could  
d longer

"beeeeeep  
"E". This  
on letter than

oding:

affle  
m 0 like

5  
cts "Catnip  
number 6

n they can  
ts really

8 bits, or  
bytes 1, 3.  
s this

es to  
ed as 0, 1,  
as long as

t up, there  
can only  
cause the

ons:

apter, we  
could only  
ns one  
tructions

n load a  
ructions.  
Thus ldi  
ber 256,

nd to the  
ake these  
, andi  
encoding

umbers

e to start  
ing the  
.024 being

ns on the

the binary  
60 into  
8 bits of

(binary

to be

t  
bits are,  
g a 1 on

n, and 8  
e the  
ote this

is labeled R  
always 1.

tions--we  
n do

ematic by  
at  
4-bit

ary, it  
n is two 5-

R

ever was

n our own,

this could  
II is

actual  
the first 4

R

see 0001,

chips for  
entially

or which  
defined by

bits for  
n 4

e. The C  
e always  
uction is

110  
Note that  
as in:

the AVR

that

use register  
functions:

value  
immediate

the  
tions we  
to

one, with  
pretable

matches it

). But  
s an inc

y by the  
e, why the  
ient for the  
ncoding  
ed, its

vel than

Compare two  
operation of  
do, and

that is,  
ather with a

which we'll

so the  
symbols--

for text  
ch

widely. For  
in ASCII to  
there was

es can be

-Roman  
y:  
phabet and  
ext (still  
coding  
new

some numbers.  
of the things  
on purposes  
rs.

and all it  
There was  
o the ASCII  
n simply  
d.

act by with  
by one space.  
using the  
f the next line  
or "go to the

ters  
or of the  
confused with  
to emit a  
those on  
command like:

ter, but  
than 256  
ou just  
ver work if

attempts  
acter set

**odepoint.**

sequence of  
s as the  
ns, how  
one-byte

ply  
0000000  
bytes--even  
with this

CII table  
acters  
complish

bit always

n that byte  
y 1s there  
f the first  
l the next  
e character  
'1110' in  
ved in that

g the first  
next bytes  
cter that

ook up this

acter

es--this one  
is

e that these  
which  
decimal,  
-.

haracter.

e


86, so we

ways,  
how we  
t editor, we  
some

the number  
characters  
might be  
several  
o walk

es having  
plication. In  
n ASCII

ent in



yte blobs



character,  
acters off

that  
more  
the text-

ata, each  
e image,  
racters,

ually. Each  
n to take  
ropriate

that the



een, and

int the  
le byte, so

. Since a  
hexadecimal  
color  
name for the  
background will all be in

tion is  
colors:

5.  
erstood  
it to get a

; the  
mething

imal: 54)  
rd. The  
ll and wide  
width of  
the image

on't go into  
ntly group

e we'd  
k is that  
If the

nd of each  
ls then to

st oddity  
e bottom  
ected a

) but it is  
to  
ency of  
quence of

re  
e

sable way. In  
es, so just  
re considered  
rst (and, for this  
t account for

ow to  
sor.

nting the

the  
transmitting

is is, after  
on one of  
o send.

0111 on  
ould

res" may

three sets  
a chance  
are trying

was

mitted as a  
nd two of  
kely, the  
an make  
got  
e number

done in  
nsit, the  
d.

open to all

bit was  
get:

.. So an  
ct for as  
ed for. In  
ng when it  
per year,  
s used in  
are  
hey may

act it  
cannot  
hardware,  
**a parity**

n an  
s even, and  
ven  
parity bit.

as an odd  
n was  
ed  
been  
ission was

as an  
where the

eter for a

.01101  
bondingly  
ways  
can never

built on  
re actually  
se-studies.

kinds of  
ail what a  
quick trip  
use, are all

Internet and  
ened a  
websites  
detail:

computer.  
non input()  
SA  
npiled to  
eyboard.  
.

to the  
when

end, the  
ace  
g got the  
ad the  
nd these  
.

t now  
to the  
se

rch engine

ut and

e the

umbers  
uments.  
finds in

coring  
computer

uter on the

edly  
k card,

s of letters  
as search

character on  
player gets

n a way  
s the work  
entations

presses.

give the  
state.  
should be

on of this--

, collided  
player  
outermost  
) and  
ed this

the  
modify the

ning.  
e objects  
ects that  
ne image  
hardware.  
idual  
e all to  
creen.

number  
n terms of  
he others:

e the user  
n  
ne.

as a part

picture of  
pressed

oisy means  
what the  
ays,  
ows what  
es it with  
encoded

n error-  
inating the  
ssage into  
t finds  
erences:

have  
1 as its

ponding  
he  
ed. Since  
ctions to  
d character  
er 'e', and

tructions?

uish a 16-

tom r1,

,

,

,

,

now

to explain

3 bytes?

,

,

r?

.4.1) in  
encoding.

similar and